



## wwPDB EM Validation Summary Report ⓘ

Feb 20, 2025 – 12:03 pm GMT

EMDB ID : EMD-51709  
Title : High resolution structure of B. oleracea mitoribosome - Small subunit body protuberance focus  
Authors : Waltz, F.; Skaltsogiannis, V.; Giege, P.  
Deposited on : 2024-10-02  
Resolution : 2.58 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMMapValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : **FAILED**  
Validation Pipeline (wwPDB-VP) : 2.41

# 1 Experimental information

| Property                             | Value                   | Source    |
|--------------------------------------|-------------------------|-----------|
| EM reconstruction method             | SINGLE PARTICLE         | Depositor |
| Imposed symmetry                     | Not Provided            |           |
| Number of particles used             | 219403                  | Depositor |
| Resolution determination method      | FSC 0.143 CUT-OFF       | Depositor |
| CTF correction method                | Not provided            |           |
| Microscope                           | TFS KRIOS               | Depositor |
| Voltage (kV)                         | 300                     | Depositor |
| Electron dose ( $e^-/\text{\AA}^2$ ) | 41.66                   | Depositor |
| Minimum defocus (nm)                 | 0.5                     | Depositor |
| Maximum defocus (nm)                 | 2.5                     | Depositor |
| Magnification                        | 165000.0                | Depositor |
| Image detector                       | TFS FALCON 4i (4k x 4k) | Depositor |