



Full wwPDB EM Map Validation Report ⓘ

Dec 9, 2020 – 12:44 pm GMT

EMDB ID : EMD-5853
Title : Cryo-electron tomography of Chlamydomonas axoneme, central pair apparatus
Authors : , Oda.T.; , Yanagisawa.H.; , Yagi.T.; , Kikkawa.M.
Deposited on : 2014-01-06
Resolution : 71.00 Å(reported)

This is a Full wwPDB EM Map Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMMapValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : **FAILED**
Validation Pipeline (wwPDB-VP) : 2.13

1 Experimental information

Property	Value	Source
EM reconstruction method	subtomogramAveraging	Depositor
Imposed symmetry	Not Provided	Depositor
Number of images used	779	Depositor
Resolution determination method	OTHER	Depositor
CTF correction method	Not provided	Depositor
Microscope	JEOL 3100FFC	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	90	Depositor
Minimum defocus (nm)	Not provided	Depositor
Maximum defocus (nm)	Not provided	Depositor
Magnification	25700.0	Depositor
Image detector	TVIPS TEMCAM-F416 (4k x 4k)	Depositor