



wwPDB EM Validation Summary Report ⓘ

Apr 21, 2025 – 03:13 PM EDT

PDB ID : 9AZS / pdb_00009azs
EMDB ID : EMD-44021
Title : In situ human Post-eEF1A-AT-P-E state 80S ribosome
Authors : Wei, Z.; Yong, X.
Deposited on : 2024-03-11
Resolution : 2.80 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev117
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.42

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	LR	187	<div> <div>8%</div> <div>90%</div> <div>9%</div> </div>
2	SE	262	<div> <div>94%</div> <div>6%</div> </div>
3	SI	206	<div> <div>10%</div> <div>92%</div> <div>8%</div> </div>
4	SL	153	<div> <div>8%</div> <div>88%</div> <div>12%</div> </div>
5	SX	141	<div> <div>91%</div> <div>9%</div> </div>
6	SG	237	<div> <div>18%</div> <div>87%</div> <div>13%</div> </div>
7	SJ	185	<div> <div>6%</div> <div>95%</div> <div>5%</div> </div>
8	SY	131	<div> <div>9%</div> <div>87%</div> <div>13%</div> </div>

























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	Se	58	
10	SA	221	
11	SB	214	
12	SH	186	
13	SV	83	
14	Sa	102	
15	SC	222	
16	SN	150	
17	SO	140	
18	SW	129	
19	Sb	83	
20	L5	3740	
21	L7	120	
22	L8	156	
23	LA	248	
24	LB	402	
25	LC	368	
26	LD	293	
27	LE	236	
28	LF	225	
29	LG	241	
30	LH	190	
31	LI	202	
32	LJ	176	
33	LL	210	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
34	LM	139	
35	LN	203	
36	LO	201	
37	LP	153	
38	LQ	187	
39	LS	175	
40	LT	159	
41	LU	101	
42	LV	131	
43	LX	120	
44	LY	134	
45	LZ	135	
46	La	147	
47	Lb	109	
48	Lc	98	
49	Ld	107	
50	Le	128	
51	Lf	109	
52	Lg	114	
53	Lh	122	
54	Li	102	
55	Lj	86	
56	Lk	69	
57	Ll	50	
58	Lm	52	




Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
59	Ln	24	
60	Lo	105	
61	Lp	91	
62	Lr	125	
63	SR	135	
64	SD	227	
65	SF	189	
66	SK	98	
67	SP	121	
68	SQ	144	
69	SS	145	
70	ST	143	
71	SU	104	
72	Sc	64	
73	Sd	55	
74	Sg	313	
75	SM	122	
76	SZ	75	
77	Sf	67	
78	S2	1740	
79	Et	75	
80	Pt	74	
81	Lt	141	
82	Lz	217	
83	Ls	196	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
84	LW	118	
85	AT	76	
86	CF	441	

2 Entry composition

There are 88 unique types of molecules in this entry. The entry contains 227713 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 60S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	LR	187	Total	C	N	O	S	0	0
			1566	971	336	250	9		

- Molecule 2 is a protein called Small ribosomal subunit protein eS4, X isoform.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	SE	262	Total	C	N	O	S	0	0
			2076	1324	386	358	8		

- Molecule 3 is a protein called 40S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	SI	206	Total	C	N	O	S	0	0
			1686	1058	332	291	5		

- Molecule 4 is a protein called 40S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	SL	153	Total	C	N	O	S	0	0
			1247	793	234	214	6		

- Molecule 5 is a protein called 40S ribosomal protein S23.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	SX	141	Total	C	N	O	S	0	0
			1098	693	219	183	3		

- Molecule 6 is a protein called 40S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	SG	237	Total	C	N	O	S	0	0
			1923	1200	387	329	7		

- Molecule 7 is a protein called 40S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	SJ	185	Total	C	N	O	S	0	0
			1525	969	306	248	2		

- Molecule 8 is a protein called 40S ribosomal protein S24.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	SY	131	Total	C	N	O	S	0	0
			1065	673	209	178	5		

- Molecule 9 is a protein called Small ribosomal subunit protein eS30.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	Se	58	Total	C	N	O	S	0	0
			459	284	100	74	1		

- Molecule 10 is a protein called 40S ribosomal protein SA.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	SA	221	Total	C	N	O	S	0	0
			1741	1106	305	322	8		

- Molecule 11 is a protein called 40S ribosomal protein S3a.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	SB	214	Total	C	N	O	S	0	0
			1738	1103	310	311	14		

- Molecule 12 is a protein called 40S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	SH	186	Total	C	N	O	S	0	0
			1497	956	274	266	1		

- Molecule 13 is a protein called 40S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	SV	83	Total	C	N	O	S	0	0
			636	393	117	121	5		

- Molecule 14 is a protein called 40S ribosomal protein S26.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	Sa	102	Total	C	N	O	S	0	0
			821	512	171	133	5		

- Molecule 15 is a protein called 40S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	SC	222	Total	C	N	O	S	0	0
			1725	1115	298	302	10		

- Molecule 16 is a protein called 40S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	SN	150	Total	C	N	O	S	0	0
			1208	773	229	205	1		

- Molecule 17 is a protein called Small ribosomal subunit protein uS11.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	SO	140	Total	C	N	O	S	0	0
			1049	642	204	197	6		

- Molecule 18 is a protein called 40S ribosomal protein S15a.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	SW	129	Total	C	N	O	S	0	0
			1034	659	193	176	6		

- Molecule 19 is a protein called Small ribosomal subunit protein eS27.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	Sb	83	Total	C	N	O	S	0	0
			651	408	121	115	7		

- Molecule 20 is a RNA chain called 28S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	L5	3740	Total	C	N	O	P	0	0
			79860	35549	14585	25987	3739		

- Molecule 21 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	L7	120	Total	C	N	O	P	0	0
			2561	1141	456	844	120		

- Molecule 22 is a RNA chain called 5.8S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	L8	156	Total	C	N	O	P	0	0
			3314	1480	585	1094	155		

- Molecule 23 is a protein called 60S ribosomal protein L8.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	LA	248	Total	C	N	O	S	0	0
			1898	1189	389	314	6		

- Molecule 24 is a protein called Large ribosomal subunit protein uL3.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	LB	402	Total	C	N	O	S	0	0
			3238	2060	608	556	14		

- Molecule 25 is a protein called 60S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	LC	368	Total	C	N	O	S	0	0
			2927	1840	583	489	15		

- Molecule 26 is a protein called Large ribosomal subunit protein uL18.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	LD	293	Total	C	N	O	S	0	0
			2382	1507	434	427	14		

- Molecule 27 is a protein called 60S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	LE	236	Total	C	N	O	S	0	0
			1904	1222	361	317	4		

- Molecule 28 is a protein called 60S ribosomal protein L7.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	LF	225	Total	C	N	O	S	0	0
			1870	1202	358	301	9		

- Molecule 29 is a protein called 60S ribosomal protein L7a.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	LG	241	Total	C	N	O	S	0	0
			1927	1228	371	324	4		

- Molecule 30 is a protein called 60S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	LH	190	Total	C	N	O	S	0	0
			1518	956	284	272	6		

- Molecule 31 is a protein called 60S ribosomal protein L10-like.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	LI	202	Total	C	N	O	S	0	0
			1634	1037	314	269	14		

- Molecule 32 is a protein called 60S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	LJ	176	Total	C	N	O	S	0	0
			1410	888	263	253	6		

- Molecule 33 is a protein called Large ribosomal subunit protein eL13.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	LL	210	Total	C	N	O	S	0	0
			1701	1064	352	281	4		

- Molecule 34 is a protein called 60S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	LM	139	Total	C	N	O	S	0	0
			1138	730	218	183	7		

- Molecule 35 is a protein called 60S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	LN	203	Total	C	N	O	S	0	0
			1701	1072	359	266	4		

- Molecule 36 is a protein called 60S ribosomal protein L13a.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	LO	201	Total	C	N	O	S	0	0
			1650	1063	321	261	5		

- Molecule 37 is a protein called 60S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	LP	153	Total	C	N	O	S	0	0
			1242	776	241	216	9		

- Molecule 38 is a protein called 60S ribosomal protein L18.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	LQ	187	Total	C	N	O	S	0	0
			1513	944	314	250	5		

- Molecule 39 is a protein called 60S ribosomal protein L18a.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	LS	175	Total	C	N	O	S	0	0
			1453	925	283	235	10		

- Molecule 40 is a protein called 60S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	LT	159	Total	C	N	O	S	0	0
			1298	823	252	217	6		

- Molecule 41 is a protein called Heparin-binding protein HBp15.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	LU	101	Total	C	N	O	S	0	0
			825	529	144	150	2		

- Molecule 42 is a protein called 60S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	LV	131	Total	C	N	O	S	0	0
			979	618	184	172	5		

- Molecule 43 is a protein called 60S ribosomal protein L23a.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	LX	120	Total	C	N	O	S	0	0
			985	630	185	169	1		

- Molecule 44 is a protein called 60S ribosomal protein L26.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	LY	134	Total	C	N	O	S	0	0
			1115	700	226	186	3		

- Molecule 45 is a protein called 60S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	LZ	135	Total	C	N	O	S	0	0
			1107	714	208	182	3		

- Molecule 46 is a protein called 60S ribosomal protein L27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	La	147	Total	C	N	O	S	0	0
			1162	736	237	186	3		

- Molecule 47 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	Lb	109	Total	C	N	O	S	0	0
			876	546	189	137	4		

- Molecule 48 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	Lc	98	Total	C	N	O	S	0	0
			764	485	135	138	6		

- Molecule 49 is a protein called 60S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	Ld	107	Total	C	N	O	S	0	0
			888	560	171	155	2		

- Molecule 50 is a protein called 60S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	Le	128	Total	C	N	O	S	0	0
			1053	667	216	165	5		

- Molecule 51 is a protein called 60S ribosomal protein L35a.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	Lf	109	Total	C	N	O	S	0	0
			876	555	174	144	3		

- Molecule 52 is a protein called 60S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	Lg	114	Total	C	N	O	S	0	0
			906	566	187	147	6		

- Molecule 53 is a protein called 60S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	Lh	122	Total	C	N	O	S	0	0
			1015	641	205	168	1		

- Molecule 54 is a protein called 60S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	Li	102	Total	C	N	O	S	0	0
			832	521	177	129	5		

- Molecule 55 is a protein called 60S ribosomal protein L37.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	Lj	86	Total	C	N	O	S	0	0
			705	434	155	111	5		

- Molecule 56 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	Lk	69	Total	C	N	O	S	0	0
			569	366	103	99	1		

- Molecule 57 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	Ll	50	Total	C	N	O	S	0	0
			444	281	98	64	1		

- Molecule 58 is a protein called Large ribosomal subunit protein eL40.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	Lm	52	Total	C	N	O	S	0	0
			429	266	90	67	6		

- Molecule 59 is a protein called 60S ribosomal protein L41.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	Ln	24	Total	C	N	O	S	0	0
			230	139	62	26	3		

- Molecule 60 is a protein called 60S ribosomal protein L36a.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	Lo	105	Total	C	N	O	S	0	0
			862	542	175	139	6		

- Molecule 61 is a protein called 60S ribosomal protein L37a.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	Lp	91	Total	C	N	O	S	0	0
			708	445	136	120	7		

- Molecule 62 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
62	Lr	125	Total	C	N	O	S	0	0
			1002	622	207	168	5		

- Molecule 63 is a protein called 40S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	SR	135	Total	C	N	O	S	0	0
			1090	685	202	198	5		

- Molecule 64 is a protein called Small ribosomal subunit protein uS3.

Mol	Chain	Residues	Atoms					AltConf	Trace
64	SD	227	Total	C	N	O	S	0	0
			1765	1125	317	315	8		

- Molecule 65 is a protein called 40S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	SF	189	Total	C	N	O	S	0	0
			1495	934	284	270	7		

- Molecule 66 is a protein called 40S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	SK	98	Total	C	N	O	S	0	0
			827	539	148	134	6		

- Molecule 67 is a protein called Small ribosomal subunit protein uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
67	SP	121	Total	C	N	O	S	0	0
			985	623	185	170	7		

- Molecule 68 is a protein called Small ribosomal subunit protein uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
68	SQ	144	Total	C	N	O	S	0	0
			1142	726	216	197	3		

- Molecule 69 is a protein called 40S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
69	SS	145	Total	C	N	O	S	0	0
			1198	751	242	203	2		

- Molecule 70 is a protein called 40S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	ST	143	Total	C	N	O	S	0	0
			1112	697	214	198	3		

- Molecule 71 is a protein called 40S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	SU	104	Total	C	N	O	S	0	0
			821	514	155	148	4		

- Molecule 72 is a protein called 40S ribosomal protein S28.

Mol	Chain	Residues	Atoms					AltConf	Trace
72	Sc	64	Total	C	N	O	S	0	0
			506	308	102	94	2		

- Molecule 73 is a protein called 40S ribosomal protein S29.

Mol	Chain	Residues	Atoms					AltConf	Trace
73	Sd	55	Total	C	N	O	S	0	0
			459	286	94	74	5		

- Molecule 74 is a protein called Receptor of activated protein C kinase 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
74	Sg	313	Total	C	N	O	S	0	0
			2436	1535	424	465	12		

- Molecule 75 is a protein called Small ribosomal subunit protein eS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	SM	122	Total	C	N	O	S	0	0
			940	590	164	177	9		

- Molecule 76 is a protein called Small ribosomal subunit protein eS25.

Mol	Chain	Residues	Atoms					AltConf	Trace
76	SZ	75	Total	C	N	O	S	0	0
			598	382	111	104	1		

- Molecule 77 is a protein called Ubiquitin-40S ribosomal protein S27a.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	Sf	67	Total	C	N	O	S	0	0
			548	346	102	93	7		

- Molecule 78 is a RNA chain called 18S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	S2	1740	Total	C	N	O	P	0	0
			36898	16459	6599	12101	1739		

- Molecule 79 is a RNA chain called E site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
79	Et	75	Total	C	N	O	P	0	0
			1593	712	281	526	74		

- Molecule 80 is a RNA chain called P site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
80	Pt	74	Total	C	N	O	P	0	0
			1576	705	286	512	73		

- Molecule 81 is a protein called 60S ribosomal protein L12.

Mol	Chain	Residues	Atoms					AltConf	Trace
81	Lt	141	Total	C	N	O	S	0	0
			1046	652	191	199	4		

- Molecule 82 is a protein called 60S ribosomal protein L10a.

Mol	Chain	Residues	Atoms					AltConf	Trace
82	Lz	217	Total	C	N	O	S	0	0
			1741	1113	312	307	9		

- Molecule 83 is a protein called 60S acidic ribosomal protein P0.

Mol	Chain	Residues	Atoms					AltConf	Trace
83	Ls	196	Total	C	N	O	S	0	0
			1496	952	259	276	9		

- Molecule 84 is a protein called 60S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
84	LW	118	Total	C	N	O	S	0	0
			965	604	199	158	4		

- Molecule 85 is a RNA chain called A/T site tRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
85	AT	76	Total	C	N	O	P	0	0
			1616	723	291	527	75		

- Molecule 86 is a protein called Elongation factor 1-alpha 1.

Mol	Chain	Residues	Atoms						AltConf	Trace
86	CF	441	Total	C	N	O	P	S	0	0
			3383	2148	581	636	1	17		

- Molecule 87 is ZINC ION (CCD ID: ZN) (formula: Zn) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
87	Sa	1	Total	Zn	0
			1	1	
87	Lg	1	Total	Zn	0
			1	1	
87	Lj	1	Total	Zn	0
			1	1	
87	Lm	1	Total	Zn	0
			1	1	
87	Lo	1	Total	Zn	0
			1	1	
87	Lp	1	Total	Zn	0
			1	1	

- Molecule 88 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
88	L5	211	Total	Mg	0
			211	211	
88	L7	3	Total	Mg	0
			3	3	
88	L8	4	Total	Mg	0
			4	4	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms		AltConf
88	LA	1	Total 1	Mg 1	0
88	LB	1	Total 1	Mg 1	0
88	LI	1	Total 1	Mg 1	0
88	LP	1	Total 1	Mg 1	0
88	LV	1	Total 1	Mg 1	0
88	Le	2	Total 2	Mg 2	0
88	Lg	1	Total 1	Mg 1	0
88	S2	29	Total 29	Mg 29	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 60S ribosomal protein L19




- Molecule 2: Small ribosomal subunit protein eS4, X isoform




- Molecule 3: 40S ribosomal protein S8




- Molecule 4: 40S ribosomal protein S11




- Molecule 5: 40S ribosomal protein S23




- Molecule 6: 40S ribosomal protein S6




- Molecule 7: 40S ribosomal protein S9




- Molecule 8: 40S ribosomal protein S24




- Molecule 9: Small ribosomal subunit protein eS30




- Molecule 10: 40S ribosomal protein SA




- Molecule 11: 40S ribosomal protein S3a





- Molecule 12: 40S ribosomal protein S7



- Molecule 13: 40S ribosomal protein S21




- Molecule 14: 40S ribosomal protein S26



- Molecule 15: 40S ribosomal protein S2



- Molecule 16: 40S ribosomal protein S13



- Molecule 17: Small ribosomal subunit protein uS11




- Molecule 18: 40S ribosomal protein S15a









- Molecule 19: Small ribosomal subunit protein eS27



- Molecule 20: 28S rRNA









• Molecule 21: 5S rRNA




• Molecule 22: 5.8S rRNA




• Molecule 23: 60S ribosomal protein L8



• Molecule 24: Large ribosomal subunit protein uL3



• Molecule 25: 60S ribosomal protein L4






- Molecule 26: Large ribosomal subunit protein uL18

Chain LD: 93% 7%



- Molecule 27: 60S ribosomal protein L6

Chain LE: 8% 92% 8%




- Molecule 28: 60S ribosomal protein L7

Chain LF: 96% 4%



- Molecule 29: 60S ribosomal protein L7a

Chain LG: 10% 93% 7%



- Molecule 30: 60S ribosomal protein L9

Chain LH: 92% 8%





- Molecule 31: 60S ribosomal protein L10-like


Chain LI: 94% 6%



- Molecule 32: 60S ribosomal protein L11




- Molecule 33: Large ribosomal subunit protein eL13




- Molecule 34: 60S ribosomal protein L14



- Molecule 35: 60S ribosomal protein L15



- Molecule 36: 60S ribosomal protein L13a



- Molecule 37: 60S ribosomal protein L17



- Molecule 38: 60S ribosomal protein L18




- Molecule 39: 60S ribosomal protein L18a

Chain LS:  93% 7%




- Molecule 40: 60S ribosomal protein L21

Chain LT:  93% 7%



- Molecule 41: Heparin-binding protein HBp15

Chain LU:  84% 16%




- Molecule 42: 60S ribosomal protein L23

Chain LV:  98%



- Molecule 43: 60S ribosomal protein L23a

Chain LX:  91% 9%




- Molecule 44: 60S ribosomal protein L26

Chain LY:  93% 7%



- Molecule 45: 60S ribosomal protein L27


Chain LZ:  93% 7%




- Molecule 46: 60S ribosomal protein L27a




- Molecule 47: 60S ribosomal protein L29



- Molecule 48: 60S ribosomal protein L30



- Molecule 49: 60S ribosomal protein L31



- Molecule 50: 60S ribosomal protein L32



- Molecule 51: 60S ribosomal protein L35a




- Molecule 52: 60S ribosomal protein L34




- Molecule 53: 60S ribosomal protein L35




- Molecule 54: 60S ribosomal protein L36





- Molecule 55: 60S ribosomal protein L37



- Molecule 56: 60S ribosomal protein L38




- Molecule 57: 60S ribosomal protein L39



- Molecule 58: Large ribosomal subunit protein eL40



- Molecule 59: 60S ribosomal protein L41

Chain Ln:  83% 17%




- Molecule 60: 60S ribosomal protein L36a

Chain Lo:  95% 5%





- Molecule 61: 60S ribosomal protein L37a

Chain Lp:  93% 7%




- Molecule 62: 60S ribosomal protein L28

Chain Lr:  90% 10%




- Molecule 63: 40S ribosomal protein S17

Chain SR:  16% 92% 8%




- Molecule 64: Small ribosomal subunit protein uS3

Chain SD:  12% 90% 10%





- Molecule 65: 40S ribosomal protein S5

Chain SF:  90% 10%




- Molecule 66: 40S ribosomal protein S10

Chain SK:  20% 89% 11%




- Molecule 67: Small ribosomal subunit protein uS19

Chain SP:  15% 91% 8%



- Molecule 68: Small ribosomal subunit protein uS9

Chain SQ:  6% 86% 14%





- Molecule 69: 40S ribosomal protein S18

Chain SS:  10% 94% 6%



- Molecule 70: 40S ribosomal protein S19

Chain ST:  8% 90% 10%




- Molecule 71: 40S ribosomal protein S20


Chain SU:  18% 92% 8%





- Molecule 72: 40S ribosomal protein S28





- Molecule 73: 40S ribosomal protein S29




- Molecule 74: Receptor of activated protein C kinase 1



- Molecule 75: Small ribosomal subunit protein eS12



- Molecule 76: Small ribosomal subunit protein eS25





- Molecule 77: Ubiquitin-40S ribosomal protein S27a



• Molecule 79: E site tRNA





• Molecule 80: P site tRNA




• Molecule 81: 60S ribosomal protein L12







• Molecule 82: 60S ribosomal protein L10a








- Molecule 83: 60S acidic ribosomal protein P0





- Molecule 84: 60S ribosomal protein L24



- Molecule 85: A/T site tRNA



- Molecule 86: Elongation factor 1-alpha 1





4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	48914	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	1200	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	0.535	Depositor
Minimum map value	-0.232	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.016	Depositor
Recommended contour level	0.0491	Depositor
Map size (\AA)	546.816, 546.816, 546.816	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.068, 1.068, 1.068	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: SEP, MG, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# $ Z > 5$	RMSZ	# $ Z > 5$
1	LR	0.44	0/1582	0.64	1/2091 (0.0%)
2	SE	0.34	0/2118	0.59	0/2849
3	SI	0.39	0/1715	0.63	1/2287 (0.0%)
4	SL	0.43	0/1268	0.63	0/1696
5	SX	0.39	0/1116	0.57	0/1490
6	SG	0.76	3/1946 (0.2%)	0.99	7/2590 (0.3%)
7	SJ	0.34	0/1550	0.60	0/2069
8	SY	0.32	0/1083	0.60	0/1438
9	Se	0.31	0/465	0.59	0/612
10	SA	0.38	0/1778	0.61	0/2416
11	SB	0.38	0/1765	0.57	0/2362
12	SH	0.34	0/1519	0.59	0/2033
13	SV	0.36	0/643	0.61	0/860
14	Sa	0.44	0/836	0.69	0/1121
15	SC	0.40	0/1762	0.61	1/2381 (0.0%)
16	SN	0.39	0/1232	0.59	0/1656
17	SO	0.38	0/1062	0.66	0/1425
18	SW	0.41	0/1051	0.57	0/1406
19	Sb	0.37	0/665	0.57	0/891
20	L5	0.97	0/89312	0.90	91/139287 (0.1%)
21	L7	0.92	0/2861	0.80	0/4459
22	L8	0.98	0/3701	0.84	1/5766 (0.0%)
23	LA	0.56	0/1936	0.66	0/2596
24	LB	0.51	0/3306	0.62	1/4424 (0.0%)
25	LC	0.50	0/2981	0.63	1/4002 (0.0%)
26	LD	0.47	0/2428	0.58	0/3252
27	LE	0.43	0/1942	0.61	0/2606
28	LF	0.52	0/1905	0.63	1/2539 (0.0%)
29	LG	0.54	2/1960 (0.1%)	0.82	4/2637 (0.2%)
30	LH	0.45	0/1537	0.62	1/2066 (0.0%)
31	LI	0.48	0/1673	0.61	0/2233
32	LJ	0.40	0/1433	0.62	1/1915 (0.1%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	LL	0.46	0/1732	0.61	0/2315
34	LM	0.48	0/1161	0.60	0/1554
35	LN	0.57	0/1746	0.63	1/2338 (0.0%)
36	LO	0.51	0/1682	0.61	0/2250
37	LP	0.52	0/1268	0.59	0/1701
38	LQ	0.54	0/1537	0.68	1/2052 (0.0%)
39	LS	0.55	0/1493	0.59	0/2003
40	LT	0.55	0/1326	0.64	0/1770
41	LU	0.40	0/839	0.59	0/1126
42	LV	0.51	0/993	0.59	0/1332
43	LX	0.47	0/1002	0.59	0/1345
44	LY	0.50	0/1132	0.59	0/1504
45	LZ	0.52	0/1130	0.68	2/1507 (0.1%)
46	La	0.54	0/1191	0.58	0/1591
47	Lb	0.39	0/889	0.60	0/1175
48	Lc	0.48	0/774	0.61	0/1038
49	Ld	0.50	0/903	0.64	0/1216
50	Le	0.58	1/1071 (0.1%)	0.62	0/1429
51	Lf	0.57	0/895	0.66	0/1198
52	Lg	0.53	0/916	0.65	0/1220
53	Lh	0.44	0/1023	0.60	0/1351
54	Li	0.41	0/843	0.61	0/1115
55	Lj	0.61	0/720	0.81	2/952 (0.2%)
56	Lk	0.44	0/575	0.60	0/761
57	Ll	0.50	0/454	0.66	0/599
58	Lm	0.44	0/435	0.57	0/575
59	Ln	0.44	0/231	0.74	0/294
60	Lo	0.50	0/876	0.62	0/1156
61	Lp	0.51	0/718	0.56	0/953
62	Lr	0.60	1/1017 (0.1%)	0.86	4/1364 (0.3%)
63	SR	0.34	0/1105	0.73	3/1484 (0.2%)
64	SD	0.33	0/1793	0.59	0/2414
65	SF	0.34	0/1516	0.60	0/2037
66	SK	0.36	0/851	0.67	0/1147
67	SP	0.32	0/1003	0.64	0/1342
68	SQ	0.34	0/1160	0.67	1/1553 (0.1%)
69	SS	0.32	0/1216	0.60	0/1628
70	ST	0.33	0/1131	0.61	0/1515
71	SU	0.30	0/831	0.58	0/1115
72	Sc	0.33	0/508	0.73	0/680
73	Sd	0.37	0/470	0.60	0/623
74	Sg	0.30	0/2493	0.60	0/3394
75	SM	0.30	0/950	0.60	0/1275

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
76	SZ	0.32	0/604	0.65	0/810
77	Sf	0.30	0/560	0.66	0/745
78	S2	0.67	0/41242	0.84	50/64255 (0.1%)
79	Et	0.35	0/1778	0.87	0/2767
80	Pt	0.53	0/1761	0.79	0/2741
81	Lt	0.26	0/1058	0.59	0/1430
82	Lz	0.28	0/1769	0.59	0/2371
83	Ls	0.29	0/1519	0.58	0/2052
84	LW	0.44	0/979	0.62	0/1295
85	AT	0.32	0/1805	0.93	5/2809 (0.2%)
86	CF	0.39	3/3442 (0.1%)	0.71	6/4656 (0.1%)
All	All	0.73	10/244247 (0.0%)	0.79	186/358377 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
5	SX	0	1
12	SH	0	1
23	LA	0	1
24	LB	0	2
32	LJ	0	1
33	LL	0	1
34	LM	0	1
36	LO	0	1
40	LT	0	1
51	Lf	0	2
55	Lj	0	2
65	SF	0	1
67	SP	0	1
68	SQ	0	1
76	SZ	0	1
82	Lz	0	1
All	All	0	19

The worst 5 of 10 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
6	SG	135	PRO	CG-CD	-23.15	0.74	1.50
6	SG	135	PRO	CB-CG	15.88	2.29	1.50

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
29	LG	133	PRO	CB-CG	-10.35	0.98	1.50
86	CF	245	PRO	CB-CG	-10.24	0.98	1.50
62	Lr	123	PRO	CG-CD	-9.44	1.19	1.50

The worst 5 of 186 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	SG	135	PRO	CB-CG-CD	-26.51	3.10	106.50
6	SG	135	PRO	CA-N-CD	-19.31	84.47	111.50
29	LG	133	PRO	N-CD-CG	-18.71	75.13	103.20
86	CF	245	PRO	N-CD-CG	-18.44	75.53	103.20
29	LG	133	PRO	CA-CB-CG	-17.37	70.99	104.00

There are no chirality outliers.

5 of 19 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
23	LA	13	GLY	Peptide
24	LB	17	LEU	Peptide
24	LB	258	HIS	Peptide
12	SH	15	LYS	Peptide
5	SX	126	ALA	Peptide

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	LR	185/187 (99%)	179 (97%)	6 (3%)	0	100 100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	SE	260/262 (99%)	247 (95%)	13 (5%)	0	100	100
3	SI	204/206 (99%)	188 (92%)	16 (8%)	0	100	100
4	SL	151/153 (99%)	138 (91%)	13 (9%)	0	100	100
5	SX	139/141 (99%)	127 (91%)	11 (8%)	1 (1%)	19	48
6	SG	235/237 (99%)	218 (93%)	17 (7%)	0	100	100
7	SJ	183/185 (99%)	171 (93%)	12 (7%)	0	100	100
8	SY	129/131 (98%)	124 (96%)	5 (4%)	0	100	100
9	Se	56/58 (97%)	51 (91%)	5 (9%)	0	100	100
10	SA	219/221 (99%)	202 (92%)	17 (8%)	0	100	100
11	SB	212/214 (99%)	202 (95%)	10 (5%)	0	100	100
12	SH	182/186 (98%)	159 (87%)	23 (13%)	0	100	100
13	SV	81/83 (98%)	72 (89%)	9 (11%)	0	100	100
14	Sa	100/102 (98%)	93 (93%)	7 (7%)	0	100	100
15	SC	220/222 (99%)	206 (94%)	14 (6%)	0	100	100
16	SN	148/150 (99%)	145 (98%)	3 (2%)	0	100	100
17	SO	138/140 (99%)	126 (91%)	12 (9%)	0	100	100
18	SW	127/129 (98%)	121 (95%)	6 (5%)	0	100	100
19	Sb	81/83 (98%)	68 (84%)	13 (16%)	0	100	100
23	LA	246/248 (99%)	228 (93%)	18 (7%)	0	100	100
24	LB	400/402 (100%)	375 (94%)	25 (6%)	0	100	100
25	LC	366/368 (100%)	341 (93%)	25 (7%)	0	100	100
26	LD	291/293 (99%)	273 (94%)	18 (6%)	0	100	100
27	LE	232/236 (98%)	206 (89%)	26 (11%)	0	100	100
28	LF	223/225 (99%)	212 (95%)	11 (5%)	0	100	100
29	LG	239/241 (99%)	226 (95%)	13 (5%)	0	100	100
30	LH	188/190 (99%)	174 (93%)	14 (7%)	0	100	100
31	LI	198/202 (98%)	181 (91%)	17 (9%)	0	100	100
32	LJ	174/176 (99%)	165 (95%)	9 (5%)	0	100	100
33	LL	208/210 (99%)	196 (94%)	12 (6%)	0	100	100
34	LM	137/139 (99%)	127 (93%)	9 (7%)	1 (1%)	19	48
35	LN	201/203 (99%)	192 (96%)	7 (4%)	2 (1%)	13	39

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
36	LO	199/201 (99%)	192 (96%)	7 (4%)	0	100	100
37	LP	151/153 (99%)	140 (93%)	11 (7%)	0	100	100
38	LQ	185/187 (99%)	175 (95%)	10 (5%)	0	100	100
39	LS	173/175 (99%)	163 (94%)	10 (6%)	0	100	100
40	LT	157/159 (99%)	146 (93%)	11 (7%)	0	100	100
41	LU	99/101 (98%)	83 (84%)	16 (16%)	0	100	100
42	LV	129/131 (98%)	124 (96%)	5 (4%)	0	100	100
43	LX	118/120 (98%)	115 (98%)	3 (2%)	0	100	100
44	LY	132/134 (98%)	126 (96%)	6 (4%)	0	100	100
45	LZ	133/135 (98%)	122 (92%)	11 (8%)	0	100	100
46	La	145/147 (99%)	137 (94%)	8 (6%)	0	100	100
47	Lb	105/109 (96%)	96 (91%)	9 (9%)	0	100	100
48	Lc	96/98 (98%)	89 (93%)	7 (7%)	0	100	100
49	Ld	105/107 (98%)	98 (93%)	7 (7%)	0	100	100
50	Le	126/128 (98%)	118 (94%)	8 (6%)	0	100	100
51	Lf	107/109 (98%)	99 (92%)	7 (6%)	1 (1%)	14	42
52	Lg	112/114 (98%)	111 (99%)	1 (1%)	0	100	100
53	Lh	120/122 (98%)	118 (98%)	2 (2%)	0	100	100
54	Li	100/102 (98%)	94 (94%)	6 (6%)	0	100	100
55	Lj	84/86 (98%)	78 (93%)	6 (7%)	0	100	100
56	Lk	67/69 (97%)	64 (96%)	3 (4%)	0	100	100
57	Ll	48/50 (96%)	46 (96%)	2 (4%)	0	100	100
58	Lm	50/52 (96%)	49 (98%)	1 (2%)	0	100	100
59	Ln	22/24 (92%)	22 (100%)	0	0	100	100
60	Lo	103/105 (98%)	95 (92%)	8 (8%)	0	100	100
61	Lp	89/91 (98%)	84 (94%)	5 (6%)	0	100	100
62	Lr	123/125 (98%)	115 (94%)	8 (6%)	0	100	100
63	SR	133/135 (98%)	119 (90%)	13 (10%)	1 (1%)	16	44
64	SD	225/227 (99%)	204 (91%)	21 (9%)	0	100	100
65	SF	187/189 (99%)	165 (88%)	22 (12%)	0	100	100
66	SK	96/98 (98%)	84 (88%)	11 (12%)	1 (1%)	13	39

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
67	SP	119/121 (98%)	113 (95%)	6 (5%)	0	100	100
68	SQ	142/144 (99%)	122 (86%)	20 (14%)	0	100	100
69	SS	143/145 (99%)	136 (95%)	7 (5%)	0	100	100
70	ST	141/143 (99%)	129 (92%)	11 (8%)	1 (1%)	19	48
71	SU	102/104 (98%)	97 (95%)	5 (5%)	0	100	100
72	Sc	62/64 (97%)	52 (84%)	10 (16%)	0	100	100
73	Sd	53/55 (96%)	47 (89%)	6 (11%)	0	100	100
74	Sg	311/313 (99%)	278 (89%)	33 (11%)	0	100	100
75	SM	120/122 (98%)	110 (92%)	9 (8%)	1 (1%)	16	44
76	SZ	73/75 (97%)	59 (81%)	14 (19%)	0	100	100
77	Sf	65/67 (97%)	56 (86%)	9 (14%)	0	100	100
81	Lt	137/141 (97%)	101 (74%)	35 (26%)	1 (1%)	19	48
82	Lz	215/217 (99%)	165 (77%)	50 (23%)	0	100	100
83	Ls	194/196 (99%)	177 (91%)	17 (9%)	0	100	100
84	LW	114/118 (97%)	109 (96%)	5 (4%)	0	100	100
86	CF	438/441 (99%)	416 (95%)	22 (5%)	0	100	100
All	All	12301/12472 (99%)	11371 (92%)	920 (8%)	10 (0%)	50	77

5 of 10 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
63	SR	124	VAL
5	SX	127	ASN
34	LM	88	ALA
35	LN	124	ASP
66	SK	36	ALA

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	LR	166/166 (100%)	148 (89%)	18 (11%)	5	17
2	SE	224/224 (100%)	208 (93%)	16 (7%)	12	35
3	SI	178/178 (100%)	161 (90%)	17 (10%)	7	22
4	SL	137/137 (100%)	118 (86%)	19 (14%)	3	9
5	SX	113/113 (100%)	102 (90%)	11 (10%)	6	21
6	SG	207/207 (100%)	179 (86%)	28 (14%)	3	10
7	SJ	161/161 (100%)	151 (94%)	10 (6%)	15	43
8	SY	113/113 (100%)	96 (85%)	17 (15%)	2	8
9	Se	47/47 (100%)	41 (87%)	6 (13%)	3	12
10	SA	183/183 (100%)	171 (93%)	12 (7%)	14	39
11	SB	195/195 (100%)	169 (87%)	26 (13%)	3	10
12	SH	166/166 (100%)	157 (95%)	9 (5%)	18	48
13	SV	67/67 (100%)	56 (84%)	11 (16%)	2	6
14	Sa	89/89 (100%)	79 (89%)	10 (11%)	5	16
15	SC	188/188 (100%)	167 (89%)	21 (11%)	5	16
16	SN	130/130 (100%)	123 (95%)	7 (5%)	18	48
17	SO	110/110 (100%)	98 (89%)	12 (11%)	5	17
18	SW	112/112 (100%)	101 (90%)	11 (10%)	6	21
19	Sb	75/75 (100%)	69 (92%)	6 (8%)	10	30
23	LA	190/190 (100%)	175 (92%)	15 (8%)	10	30
24	LB	348/348 (100%)	328 (94%)	20 (6%)	17	46
25	LC	306/306 (100%)	281 (92%)	25 (8%)	9	29
26	LD	246/247 (100%)	226 (92%)	20 (8%)	9	29
27	LE	209/209 (100%)	189 (90%)	20 (10%)	7	22
28	LF	194/194 (100%)	185 (95%)	9 (5%)	23	55
29	LG	203/205 (99%)	187 (92%)	16 (8%)	10	30
30	LH	169/169 (100%)	154 (91%)	15 (9%)	8	25
31	LI	172/172 (100%)	159 (92%)	13 (8%)	11	32
32	LJ	148/148 (100%)	135 (91%)	13 (9%)	8	26
33	LL	176/176 (100%)	165 (94%)	11 (6%)	15	42
34	LM	118/118 (100%)	107 (91%)	11 (9%)	7	23
35	LN	171/171 (100%)	162 (95%)	9 (5%)	19	49

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
36	LO	173/173 (100%)	168 (97%)	5 (3%)	37	71
37	LP	134/134 (100%)	120 (90%)	14 (10%)	5	18
38	LQ	164/164 (100%)	153 (93%)	11 (7%)	13	38
39	LS	156/156 (100%)	143 (92%)	13 (8%)	9	28
40	LT	139/139 (100%)	129 (93%)	10 (7%)	12	34
41	LU	91/91 (100%)	75 (82%)	16 (18%)	1	5
42	LV	101/101 (100%)	99 (98%)	2 (2%)	50	81
43	LX	108/108 (100%)	97 (90%)	11 (10%)	6	19
44	LY	124/124 (100%)	114 (92%)	10 (8%)	9	29
45	LZ	117/117 (100%)	109 (93%)	8 (7%)	13	38
46	La	120/120 (100%)	112 (93%)	8 (7%)	13	38
47	Lb	88/90 (98%)	80 (91%)	8 (9%)	7	24
48	Lc	83/83 (100%)	75 (90%)	8 (10%)	7	22
49	Ld	98/98 (100%)	86 (88%)	12 (12%)	4	13
50	Le	114/114 (100%)	107 (94%)	7 (6%)	15	43
51	Lf	88/88 (100%)	83 (94%)	5 (6%)	17	46
52	Lg	98/98 (100%)	92 (94%)	6 (6%)	15	43
53	Lh	109/109 (100%)	103 (94%)	6 (6%)	18	47
54	Li	86/86 (100%)	81 (94%)	5 (6%)	17	45
55	Lj	73/73 (100%)	66 (90%)	7 (10%)	7	22
56	Lk	64/64 (100%)	55 (86%)	9 (14%)	3	9
57	Ll	47/47 (100%)	43 (92%)	4 (8%)	8	27
58	Lm	48/48 (100%)	44 (92%)	4 (8%)	9	28
59	Ln	23/23 (100%)	19 (83%)	4 (17%)	1	5
60	Lo	93/93 (100%)	88 (95%)	5 (5%)	18	48
61	Lp	74/74 (100%)	68 (92%)	6 (8%)	9	29
62	Lr	109/109 (100%)	96 (88%)	13 (12%)	4	14
63	SR	122/122 (100%)	115 (94%)	7 (6%)	17	46
64	SD	190/190 (100%)	167 (88%)	23 (12%)	4	13
65	SF	159/159 (100%)	142 (89%)	17 (11%)	5	17
66	SK	89/89 (100%)	79 (89%)	10 (11%)	5	16

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
67	SP	107/107 (100%)	96 (90%)	11 (10%)	6	19
68	SQ	119/119 (100%)	101 (85%)	18 (15%)	2	8
69	SS	126/126 (100%)	117 (93%)	9 (7%)	12	35
70	ST	113/113 (100%)	100 (88%)	13 (12%)	4	15
71	SU	94/94 (100%)	86 (92%)	8 (8%)	8	27
72	Sc	57/57 (100%)	50 (88%)	7 (12%)	4	13
73	Sd	48/48 (100%)	41 (85%)	7 (15%)	2	8
74	Sg	272/272 (100%)	242 (89%)	30 (11%)	5	17
75	SM	102/104 (98%)	91 (89%)	11 (11%)	5	17
76	SZ	66/66 (100%)	59 (89%)	7 (11%)	5	18
77	Sf	60/60 (100%)	54 (90%)	6 (10%)	6	20
81	Lt	112/115 (97%)	105 (94%)	7 (6%)	15	42
82	Lz	195/196 (100%)	171 (88%)	24 (12%)	4	13
83	Ls	162/164 (99%)	149 (92%)	13 (8%)	10	30
84	LW	97/97 (100%)	84 (87%)	13 (13%)	3	10
86	CF	365/366 (100%)	346 (95%)	19 (5%)	19	50
All	All	10688/10702 (100%)	9747 (91%)	941 (9%)	11	26

5 of 941 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
35	LN	187	SER
82	Lz	122	ARG
47	Lb	33	LYS
82	Lz	42	ASP
72	Sc	28	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 33 such sidechains are listed below:

Mol	Chain	Res	Type
76	SZ	45	ASN
83	Ls	41	GLN
86	CF	367	HIS
32	LJ	98	ASN
29	LG	64	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
20	L5	3704/3740 (99%)	865 (23%)	19 (0%)
21	L7	119/120 (99%)	11 (9%)	0
22	L8	155/156 (99%)	30 (19%)	0
78	S2	1715/1740 (98%)	410 (23%)	7 (0%)
79	Et	73/75 (97%)	32 (43%)	0
80	Pt	72/74 (97%)	16 (22%)	0
85	AT	74/76 (97%)	36 (48%)	3 (4%)
All	All	5912/5981 (98%)	1400 (23%)	29 (0%)

5 of 1400 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
20	L5	2	G
20	L5	25	A
20	L5	26	C
20	L5	30	C
20	L5	39	A

5 of 29 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
20	L5	3614	G
85	AT	11	U
20	L5	4699	U
78	S2	1434	C
20	L5	4600	G

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
86	SEP	CF	163	86	8,9,10	1.60	1 (12%)	7,12,14	1.15	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
86	SEP	CF	163	86	-	6/6/8/10	-

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
86	CF	163	SEP	P-O1P	3.51	1.61	1.50

There are no bond angle outliers.

There are no chirality outliers.

5 of 6 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
86	CF	163	SEP	C-CA-CB-OG
86	CF	163	SEP	CA-CB-OG-P
86	CF	163	SEP	CB-OG-P-O1P
86	CF	163	SEP	CB-OG-P-O2P
86	CF	163	SEP	CB-OG-P-O3P

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 261 ligands modelled in this entry, 261 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
20	L5	12
78	S2	6
47	Lb	1
27	LE	1
84	LW	1
12	SH	1
80	Pt	1
31	LI	1
81	Lt	1
79	Et	1
85	AT	1

The worst 5 of 27 chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	Lb	76:VAL	C	89:VAL	N	34.17
1	S2	753:C	O3'	785:C	P	27.02
1	LE	76:ALA	C	88:VAL	N	23.33
1	L5	2910:G	O3'	3584:C	P	20.78
1	S2	698:G	O3'	730:C	P	16.93


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-44021. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 253




Y Index: 243




Z Index: 258


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.0491. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1858 nm^3 ; this corresponds to an approximate mass of 1678 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.357 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.357 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.80	-	-
Author-provided FSC curve	2.80	3.10	2.83
Unmasked-calculated*	3.97	8.60	4.20

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.97 differs from the reported value 2.8 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-44021 and PDB model 9AZS. Per-residue inclusion information can be found in section [3](#) on page [21](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.0491 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.0491).







































































9.4 Atom inclusion ⓘ



At the recommended contour level, 86% of all backbone atoms, 85% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ





















































































The table lists the average atom inclusion at the recommended contour level (0.0491) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8500	 0.5160
AT	 0.4110	 0.1530
CF	 0.1670	 0.1720
Et	 0.4100	 0.2160
L5	 0.9060	 0.5410
L7	 0.9850	 0.6080
L8	 0.9450	 0.5810
LA	 0.9730	 0.6250
LB	 0.9290	 0.6040
LC	 0.9360	 0.6040
LD	 0.8950	 0.5710
LE	 0.8360	 0.5360
LF	 0.9550	 0.6070
LG	 0.8380	 0.5470
LH	 0.9210	 0.5930
LI	 0.9350	 0.6000
LJ	 0.8190	 0.5180
LL	 0.8900	 0.5790
LM	 0.9190	 0.5810
LN	 0.9880	 0.6340
LO	 0.9490	 0.6120
LP	 0.9440	 0.6190
LQ	 0.9660	 0.6290
LR	 0.8690	 0.5530
LS	 0.9660	 0.6230
LT	 0.9190	 0.5990
LU	 0.8270	 0.5160
LV	 0.9530	 0.6150
LW	 0.6610	 0.4330
LX	 0.9100	 0.5920
LY	 0.9170	 0.5990
LZ	 0.9280	 0.5850
La	 0.9650	 0.6290
Lb	 0.8350	 0.5390
Lc	 0.9250	 0.5860























Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
Ld	 0.9070	 0.5840
Le	 0.9700	 0.6280
Lf	 0.9720	 0.6290
Lg	 0.9160	 0.6000
Lh	 0.9080	 0.5950
Li	 0.9100	 0.5950
Lj	 0.9790	 0.6310
Lk	 0.8470	 0.5540
Ll	 0.9530	 0.6110
Lm	 0.9210	 0.6030
Ln	 0.9710	 0.6240
Lo	 0.9450	 0.6010
Lp	 0.9390	 0.6090
Lr	 0.9420	 0.6060
Ls	 0.2370	 0.1840
Lt	 0.1430	 0.1500
Lz	 0.1850	 0.1430
Pt	 0.9120	 0.4840
S2	 0.8980	 0.4980
SA	 0.7970	 0.5050
SB	 0.8440	 0.5450
SC	 0.8760	 0.5420
SD	 0.7160	 0.4320
SE	 0.8220	 0.4980
SF	 0.7970	 0.4800
SG	 0.6720	 0.4020
SH	 0.6530	 0.4290
SI	 0.8320	 0.5220
SJ	 0.8070	 0.4900
SK	 0.6670	 0.3770
SL	 0.8340	 0.5370
SM	 0.2390	 0.2200
SN	 0.9050	 0.5760
SO	 0.8430	 0.5470
SP	 0.7060	 0.4380
SQ	 0.7500	 0.4640
SR	 0.6910	 0.4300
SS	 0.7070	 0.4540
ST	 0.7360	 0.4510
SU	 0.6670	 0.3900
SV	 0.8470	 0.5260
SW	 0.9330	 0.5750

Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
SX	 0.9000	 0.5640
SY	 0.7080	 0.4220
SZ	 0.6470	 0.4050
Sa	 0.8680	 0.5580
Sb	 0.7980	 0.5070
Sc	 0.6930	 0.4290
Sd	 0.8590	 0.4920
Se	 0.6890	 0.4320
Sf	 0.3430	 0.2160
Sg	 0.5300	 0.3430