



## wwPDB EM Validation Summary Report ⓘ

Mar 5, 2025 – 01:56 AM EST

PDB ID : 9B4L  
EMDB ID : EMD-44184  
Title : Filament of Tau in complex with D-TLKIVWI, a D-peptide that disaggregates Alzheimer's Paired Helical Filaments, determined by Cryo-EM  
Authors : Hou, K.; Ge, P.; Sawaya, M.R.; Eisenberg, D.S.  
Deposited on : 2024-03-20  
Resolution : 3.10 Å (reported)  
Based on initial models : ., 7NRV

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev117  
Mogul : 2022.3.0, CSD as543be (2022)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.41.4




# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*









The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415


























The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	0	758	
1	1	758	
1	A	758	
1	B	758	
1	C	758	
1	D	758	
1	M	758	
1	N	758	

Continued on next page...



*Continued from previous page...*

Mol	Chain	Length	Quality of chain
1	O	758	
1	P	758	
1	Y	758	
1	Z	758	
2	2	7	
2	3	7	
2	4	7	
2	5	7	
2	6	7	
2	7	7	
2	8	7	
2	9	7	
2	E	7	
2	F	7	
2	G	7	
2	H	7	
2	I	7	
2	J	7	
2	K	7	
2	L	7	
2	Q	7	
2	R	7	
2	S	7	
2	T	7	
2	U	7	

*Continued on next page...*



Continued from previous page...

Mol	Chain	Length	Quality of chain
2	V	7	<div><div></div><div>100%</div><div>86%14%</div></div>
2	W	7	<div><div></div><div>100%</div><div>57%43%</div></div>
2	X	7	<div><div></div><div>100%</div><div>43%57%</div></div>



## 2 Entry composition [i](#)

There are 3 unique types of molecules in this entry. The entry contains 8652 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Microtubule-associated protein tau.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	77	Total	C	N	O	S	0	0
			587	367	108	111	1		
1	B	77	Total	C	N	O	S	0	0
			587	367	108	111	1		
1	C	77	Total	C	N	O	S	0	0
			587	367	108	111	1		
1	D	77	Total	C	N	O	S	0	0
			587	367	108	111	1		
1	M	77	Total	C	N	O	S	0	0
			587	367	108	111	1		
1	N	77	Total	C	N	O	S	0	0
			587	367	108	111	1		
1	O	77	Total	C	N	O	S	0	0
			587	367	108	111	1		
1	P	77	Total	C	N	O	S	0	0
			587	367	108	111	1		
1	Y	77	Total	C	N	O	S	0	0
			587	367	108	111	1		
1	Z	77	Total	C	N	O	S	0	0
			587	367	108	111	1		
1	0	77	Total	C	N	O	S	0	0
			587	367	108	111	1		
1	1	77	Total	C	N	O	S	0	0
			587	367	108	111	1		

- Molecule 2 is a protein (with D amino acids) called DTH-DLE-DLY-DIL-DVA-DTR-DIL.

Mol	Chain	Residues	Atoms				AltConf	Trace
2	E	7	Total	C	N	O	0	0
			62	44	9	9		
2	F	7	Total	C	N	O	0	0
			62	44	9	9		
2	G	7	Total	C	N	O	0	0
			62	44	9	9		

*Continued on next page...*




*Continued from previous page...*

Mol	Chain	Residues	Atoms				AltConf	Trace
2	H	7	Total 62	C 44	N 9	O 9	0	0
2	I	7	Total 62	C 44	N 9	O 9	0	0
2	J	7	Total 62	C 44	N 9	O 9	0	0
2	K	7	Total 62	C 44	N 9	O 9	0	0
2	L	7	Total 62	C 44	N 9	O 9	0	0
2	Q	7	Total 62	C 44	N 9	O 9	0	0
2	R	7	Total 62	C 44	N 9	O 9	0	0
2	S	7	Total 62	C 44	N 9	O 9	0	0
2	T	7	Total 62	C 44	N 9	O 9	0	0
2	U	7	Total 62	C 44	N 9	O 9	0	0
2	V	7	Total 62	C 44	N 9	O 9	0	0
2	W	7	Total 62	C 44	N 9	O 9	0	0
2	X	7	Total 62	C 44	N 9	O 9	0	0
2	2	7	Total 62	C 44	N 9	O 9	0	0
2	3	7	Total 62	C 44	N 9	O 9	0	0
2	4	7	Total 62	C 44	N 9	O 9	0	0
2	5	7	Total 62	C 44	N 9	O 9	0	0
2	6	7	Total 62	C 44	N 9	O 9	0	0
2	7	7	Total 62	C 44	N 9	O 9	0	0
2	8	7	Total 62	C 44	N 9	O 9	0	0
2	9	7	Total 62	C 44	N 9	O 9	0	0



- Molecule 3 is {[-(BIS-CARBOXYMETHYL-AMINO)-ETHYL]-CARBOXYMETHYL-AMINO}-ACETIC ACID (three-letter code: EDT) (formula:  $C_{10}H_{16}N_2O_8$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
3	A	1	Total	C	N	O	0
			20	10	2	8	
3	C	1	Total	C	N	O	0
			20	10	2	8	
3	M	1	Total	C	N	O	0
			20	10	2	8	
3	O	1	Total	C	N	O	0
			20	10	2	8	
3	0	1	Total	C	N	O	0
			20	10	2	8	
3	3	1	Total	C	N	O	0
			20	10	2	8	



### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Microtubule-associated protein tau



#### • Molecule 1: Microtubule-associated protein tau














Chain M:  8% 90%





GLU	ILE	LEU	LEU	GLY	LYS	GLY	ASP	ALA	PHE
THR	VAL	SER	ASN	GLN	VAL	ALA	PRO	ALA	THR
TYR	VAL	VAL	VAL	ALA	ALA	ASN	ILE	ARG	HIS
LYS	GLN	SER	LYS	VAL	ARG	THR	PRO	GLY	GLU
SER	LYS	LYS	VAL	ARG	THR	ARG	SER	PRO	LYS
PRO	VAL	CYS	VAL	THR	THR	ILE	SER	VAL	THR
VAL	VAL	GLY	GLY	PRO	PRO	PRO	PRO	SER	ASN
SER	SER	SER	LYS	LYS	SER	ALA	ALA	ARG	ASN
GLY	GLY	ASP	ASP	LYS	SER	THR	VAL	PRO	GLN
ASP	ASN	ASN	ASN	PRO	PRO	PRO	PRO	GLN	LYS
THR	THR	ILE	ILE	GLN	SER	GLN	GLU	LEU	GLU
SER	PRO	LYS	LYS	SER	SER	ALA	PRO	LYS	GLN
ARG	HIS	VAL	VAL	LYS	LYS	PRO	PRO	ALA	ALA
LEU	PRO	PRO	GLY	ARG	ARG	THR	SER	MET	SER
SER	SER	GLY	GLY	LEU	LEU	PRO	PRO	VAL	GLU
ASN	ASN	GLY	GLY	THR	THR	PRO	LYS	SER	GLU
VAL	VAL	G3304	G3305	SER	THR	SER	TYR	LYS	HIS
SER	SER	S3305	Y306	GLN	ALA	GLY	VAL	SER	LEU
SER	THR	Y306		PRO	ALA	GLU	SER	ASP	ARG
GLY	GLY	Y309	Y310	VAL	VAL	PRO	VAL	GLY	ALA
SER	ILE	R311	R312	PRO	MET	PRO	THR	THR	ALA
ASP	ASP	P312		PRO	ASP	SER	SER	GLY	PHE
MET	VAL	L325		ASP	THR	GLY	THR	ASP	PRO
VAL	ASP			LYS	LEU	ARG	GLY	ASP	GLY
ASP	SER	P332		ASN	ASN	ASP	SER	LYS	GLY
SER	PRO			VAL	VAL	GLY	GLY	ALA	GLU
GLN	GLN	S341	S342	SER	LYS	TYR	ALA	LYS	GLY
LEU	ALA	E342	K343	SER	LYS	SER	GLU	THR	PRO
ALA	THR	L344	L344	ILE	ILE	PRO	MET	SER	ALA
LEU	LEU	D345		GLY	GLY	GLY	LYS	ARG	ALA
ALA	ALA			SER	SER	SER	LEU	SER	GLY
ASP	ASP	D348		THR	THR	PRO	LYS	SER	PRO
GLU	VAL	R349		GLU	GLU	GLY	GLY	ALA	SER
VAL	SER			ASN	ASN	THR	ALA	LYS	LEU
ALA	ALA	D358		LYS	LYS	PRO	ASP	THR	GLY
SER	SER			HIS	HIS	GLY	GLY	LEU	LYS
LEU	LEU	K370	L371	GLN	GLN	ARG	THR	ASN	ASP
ALA	LYS	E372		PRO	PRO	SER	ILE	ARG	LYS
LYS	GLY			GLY	GLY	ARG	ILE	PRO	GLU
GLN	GLN	R379	E380	GLY	GLY	THR	ALA	CYS	ASP
GLY	LEU	ASN		LYS	LYS	SER	PRO	LEU	ALA
		ALA	ALA	GLN	VAL	LEU	ARG	SER	PRO
		LYS	ILE	PRO	GLN	PRO	GLY	LYS	GLU
		ALA	ILE	THR	THR	ALA	ALA	HIS	PRO
		LYS	ASN	PRO	PRO	PRO	PRO	PRO	SER
		THR	LYS	THR	LYS	THR	PRO	THR	GLY
		ASP	LYS	ARG	LEU	ARG	GLN	GLY	PRO
		HIS	LEU	GLU	LEU	GLU	GLN	SER	ALA
		GLY	ASP	PRO	ASP	THR	LYS	SER	ALA


- Molecule 1: Microtubule-associated protein tau

[illegible]











Chain Z:  8% 90%








• Molecule 1: Microtubule-associated protein tau



• Molecule 1: Microtubule-associated protein tau













- Molecule 2: DTH-DLE-DLY-DIL-DVA-DTR-DIL



- Molecule 2: DTH-DLE-DLY-DIL-DVA-DTR-DIL



- Molecule 2: DTH-DLE-DLY-DIL-DVA-DTR-DIL




- Molecule 2: DTH-DLE-DLY-DIL-DVA-DTR-DIL



- Molecule 2: DTH-DLE-DLY-DIL-DVA-DTR-DIL



- Molecule 2: DTH-DLE-DLY-DIL-DVA-DTR-DIL



- Molecule 2: DTH-DLE-DLY-DIL-DVA-DTR-DIL








- Molecule 2: DTH-DLE-DLY-DIL-DVA-DTR-DIL



- Molecule 2: DTH-DLE-DLY-DIL-DVA-DTR-DIL



- Molecule 2: DTH-DLE-DLY-DIL-DVA-DTR-DIL




- Molecule 2: DTH-DLE-DLY-DIL-DVA-DTR-DIL



- Molecule 2: DTH-DLE-DLY-DIL-DVA-DTR-DIL



- Molecule 2: DTH-DLE-DLY-DIL-DVA-DTR-DIL



- Molecule 2: DTH-DLE-DLY-DIL-DVA-DTR-DIL








- Molecule 2: DTH-DLE-DLY-DIL-DVA-DTR-DIL



- Molecule 2: DTH-DLE-DLY-DIL-DVA-DTR-DIL



- Molecule 2: DTH-DLE-DLY-DIL-DVA-DTR-DIL



- Molecule 2: DTH-DLE-DLY-DIL-DVA-DTR-DIL



- Molecule 2: DTH-DLE-DLY-DIL-DVA-DTR-DIL



- Molecule 2: DTH-DLE-DLY-DIL-DVA-DTR-DIL





## 4 Experimental information

Property	Value	Source
EM reconstruction method	HELICAL	Depositor
Imposed symmetry	HELICAL, twist=-2.2°, rise=9.65 Å, axial sym=C1	Depositor
Number of segments used	26975	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{Å}^2$ )	50	Depositor
Minimum defocus (nm)	1800	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	130000	Depositor
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	27.610	Depositor
Minimum map value	-16.358	Depositor
Average map value	0.000	Depositor
Map value standard deviation	1.000	Depositor
Recommended contour level	5.4	Depositor
Map size (Å)	406.08, 406.08, 406.08	wwPDB
Map dimensions	432, 432, 432	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.94, 0.94, 0.94	Depositor



## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: DIL, DLY, DVA, DTH, DTR, DLE, EDT

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	0	0.38	0/596	0.55	0/797
1	1	0.37	0/596	0.54	0/797
1	A	0.35	0/596	0.52	0/797
1	B	0.37	0/596	0.54	0/797
1	C	0.38	0/596	0.55	0/797
1	D	0.37	0/596	0.54	0/797
1	M	0.35	0/596	0.52	0/797
1	N	0.37	0/596	0.54	0/797
1	O	0.38	0/596	0.55	0/797
1	P	0.37	0/596	0.54	0/797
1	Y	0.35	0/596	0.53	0/797
1	Z	0.37	0/596	0.54	0/797
All	All	0.37	0/7152	0.54	0/9564

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	0	587	0	606	17	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	1	587	0	606	33	0
1	A	587	0	606	36	0
1	B	587	0	606	37	0
1	C	587	0	606	33	0
1	D	587	0	606	33	0
1	M	587	0	606	37	0
1	N	587	0	606	20	0
1	O	587	0	606	34	0
1	P	587	0	606	17	0
1	Y	587	0	606	19	0
1	Z	587	0	606	36	0
2	2	62	0	66	11	0
2	3	62	0	66	7	0
2	4	62	0	66	3	0
2	5	62	0	66	2	0
2	6	62	0	66	11	0
2	7	62	0	66	6	0
2	8	62	0	66	3	0
2	9	62	0	66	2	0
2	E	62	0	66	11	0
2	F	62	0	66	11	0
2	G	62	0	66	3	0
2	H	62	0	66	3	0
2	I	62	0	66	10	0
2	J	62	0	66	11	0
2	K	62	0	66	4	0
2	L	62	0	66	3	0
2	Q	62	0	66	7	0
2	R	62	0	66	11	0
2	S	62	0	66	2	0
2	T	62	0	66	3	0
2	U	62	0	66	6	0
2	V	62	0	66	10	0
2	W	62	0	66	2	0
2	X	62	0	66	3	0
3	0	20	0	12	0	0
3	3	20	0	12	0	0
3	A	20	0	12	0	0
3	C	20	0	12	0	0
3	M	20	0	12	0	0
3	O	20	0	12	0	0
All	All	8652	0	8928	271	0



The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

The worst 5 of 271 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:2:4:DIL:HG12	2:3:4:DIL:HG23	1.59	0.83
2:E:4:DIL:HG12	2:F:4:DIL:HG23	1.59	0.83
2:Q:4:DIL:HG12	2:R:4:DIL:HG23	1.59	0.83
2:Q:2:DLE:HD13	2:R:6:DTR:HB2	1.61	0.81
2:E:2:DLE:HD13	2:F:6:DTR:HB2	1.61	0.80

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	0	75/758 (10%)	67 (89%)	8 (11%)	0	100	100
1	1	75/758 (10%)	67 (89%)	8 (11%)	0	100	100
1	A	75/758 (10%)	67 (89%)	8 (11%)	0	100	100
1	B	75/758 (10%)	67 (89%)	8 (11%)	0	100	100
1	C	75/758 (10%)	67 (89%)	8 (11%)	0	100	100
1	D	75/758 (10%)	67 (89%)	8 (11%)	0	100	100
1	M	75/758 (10%)	67 (89%)	8 (11%)	0	100	100
1	N	75/758 (10%)	67 (89%)	8 (11%)	0	100	100
1	O	75/758 (10%)	67 (89%)	8 (11%)	0	100	100
1	P	75/758 (10%)	67 (89%)	8 (11%)	0	100	100
1	Y	75/758 (10%)	67 (89%)	8 (11%)	0	100	100
1	Z	75/758 (10%)	67 (89%)	8 (11%)	0	100	100
All	All	900/9096 (10%)	804 (89%)	96 (11%)	0	100	100



There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	0	67/616 (11%)	63 (94%)	4 (6%)	16	44
1	1	67/616 (11%)	64 (96%)	3 (4%)	23	53
1	A	67/616 (11%)	64 (96%)	3 (4%)	23	53
1	B	67/616 (11%)	64 (96%)	3 (4%)	23	53
1	C	67/616 (11%)	63 (94%)	4 (6%)	16	44
1	D	67/616 (11%)	63 (94%)	4 (6%)	16	44
1	M	67/616 (11%)	63 (94%)	4 (6%)	16	44
1	N	67/616 (11%)	63 (94%)	4 (6%)	16	44
1	O	67/616 (11%)	63 (94%)	4 (6%)	16	44
1	P	67/616 (11%)	64 (96%)	3 (4%)	23	53
1	Y	67/616 (11%)	64 (96%)	3 (4%)	23	53
1	Z	67/616 (11%)	64 (96%)	3 (4%)	23	53
All	All	804/7392 (11%)	762 (95%)	42 (5%)	22	48

5 of 42 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	P	358	ASP
1	0	311	LYS
1	Y	342	GLU
1	Z	342	GLU
1	0	345	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.



### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

168 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
2	DTR	S	6	2	13,15,16	0.67	0	11,20,22	0.91	0
2	DIL	5	7	2	8,8,8	0.80	1 (12%)	9,10,10	1.08	1 (11%)
2	DVA	U	5	2	4,6,7	0.36	0	6,7,9	0.94	0
2	DLE	2	2	2	5,7,8	0.39	0	6,8,10	0.72	0
2	DIL	T	7	2	8,8,8	0.80	1 (12%)	9,10,10	1.08	1 (11%)
2	DVA	3	5	2	4,6,7	0.35	0	6,7,9	0.93	0
2	DTR	G	6	2	13,15,16	0.67	0	11,20,22	0.91	0
2	DLY	H	3	2	7,8,9	0.37	0	3,8,10	0.45	0
2	DIL	J	7	2	8,8,8	0.81	1 (12%)	9,10,10	1.09	1 (11%)
2	DLE	T	2	2	5,7,8	0.40	0	6,8,10	0.73	0
2	DLE	U	2	2	5,7,8	0.39	0	6,8,10	0.73	0
2	DVA	X	5	2	4,6,7	0.35	0	6,7,9	0.92	0
2	DTH	8	1	2	5,6,7	0.31	0	5,7,9	0.83	0
2	DVA	K	5	2	4,6,7	0.34	0	6,7,9	0.92	0
2	DVA	R	5	2	4,6,7	0.35	0	6,7,9	0.92	0
2	DIL	I	7	2	8,8,8	0.84	1 (12%)	9,10,10	1.12	2 (22%)
2	DIL	J	4	2	6,7,8	0.24	0	4,8,10	0.99	0
2	DIL	U	4	2	6,7,8	0.23	0	4,8,10	0.99	0
2	DIL	R	7	2	8,8,8	0.81	1 (12%)	9,10,10	1.10	1 (11%)
2	DTR	K	6	2	13,15,16	0.67	0	11,20,22	0.92	0
2	DIL	V	7	2	8,8,8	0.80	1 (12%)	9,10,10	1.10	1 (11%)
2	DLE	I	2	2	5,7,8	0.39	0	6,8,10	0.73	0
2	DLY	J	3	2	7,8,9	0.37	0	3,8,10	0.45	0
2	DTH	X	1	2	5,6,7	0.32	0	5,7,9	0.84	0
2	DTH	4	1	2	5,6,7	0.31	0	5,7,9	0.83	0
2	DLE	E	2	2	5,7,8	0.40	0	6,8,10	0.73	0



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	DLE	R	2	2	5,7,8	0.39	0	6,8,10	0.72	0
2	DLE	4	2	2	5,7,8	0.37	0	6,8,10	0.73	0
2	DIL	Q	4	2	6,7,8	0.23	0	4,8,10	0.99	0
2	DTH	S	1	2	5,6,7	0.32	0	5,7,9	0.82	0
2	DVA	H	5	2	4,6,7	0.35	0	6,7,9	0.93	0
2	DIL	W	7	2	8,8,8	0.85	1 (12%)	9,10,10	1.14	2 (22%)
2	DLY	9	3	2	7,8,9	0.36	0	3,8,10	0.45	0
2	DIL	6	4	2	6,7,8	0.22	0	4,8,10	0.99	0
2	DTH	G	1	2	5,6,7	0.32	0	5,7,9	0.83	0
2	DIL	H	7	2	8,8,8	0.80	1 (12%)	9,10,10	1.09	1 (11%)
2	DVA	S	5	2	4,6,7	0.34	0	6,7,9	0.92	0
2	DVA	Q	5	2	4,6,7	0.36	0	6,7,9	0.94	0
2	DTR	W	6	2	13,15,16	0.66	0	11,20,22	0.93	0
2	DIL	L	7	2	8,8,8	0.79	1 (12%)	9,10,10	1.09	1 (11%)
2	DTR	H	6	2	13,15,16	0.66	0	11,20,22	0.92	0
2	DTR	F	6	2	13,15,16	0.65	0	11,20,22	0.92	0
2	DTR	R	6	2	13,15,16	0.66	0	11,20,22	0.93	0
2	DTR	3	6	2	13,15,16	0.65	0	11,20,22	0.92	0
2	DLY	L	3	2	7,8,9	0.37	0	3,8,10	0.45	0
2	DIL	6	7	2	8,8,8	0.84	1 (12%)	9,10,10	1.12	2 (22%)
2	DVA	V	5	2	4,6,7	0.34	0	6,7,9	0.93	0
2	DLY	X	3	2	7,8,9	0.36	0	3,8,10	0.45	0
2	DVA	8	5	2	4,6,7	0.35	0	6,7,9	0.93	0
2	DIL	7	4	2	6,7,8	0.24	0	4,8,10	1.00	0
2	DTH	R	1	2	5,6,7	0.32	0	5,7,9	0.83	0
2	DIL	X	7	2	8,8,8	0.79	1 (12%)	9,10,10	1.09	1 (11%)
2	DTH	V	1	2	5,6,7	0.32	0	5,7,9	0.83	0
2	DIL	F	4	2	6,7,8	0.24	0	4,8,10	0.99	0
2	DLE	V	2	2	5,7,8	0.39	0	6,8,10	0.72	0
2	DLY	T	3	2	7,8,9	0.37	0	3,8,10	0.45	0
2	DTR	7	6	2	13,15,16	0.67	0	11,20,22	0.93	0
2	DLY	8	3	2	7,8,9	0.38	0	3,8,10	0.45	0
2	DVA	W	5	2	4,6,7	0.35	0	6,7,9	0.93	0
2	DLE	X	2	2	5,7,8	0.39	0	6,8,10	0.73	0
2	DTR	X	6	2	13,15,16	0.66	0	11,20,22	0.92	0
2	DLE	S	2	2	5,7,8	0.38	0	6,8,10	0.72	0
2	DLE	Q	2	2	5,7,8	0.40	0	6,8,10	0.73	0
2	DLY	I	3	2	7,8,9	0.38	0	3,8,10	0.45	0
2	DIL	3	4	2	6,7,8	0.25	0	4,8,10	0.99	0
2	DVA	F	5	2	4,6,7	0.35	0	6,7,9	0.93	0
2	DIL	G	7	2	8,8,8	0.84	1 (12%)	9,10,10	1.13	2 (22%)
2	DIL	G	4	2	6,7,8	0.25	0	4,8,10	0.98	0



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	DLY	K	3	2	7,8,9	0.37	0	3,8,10	0.45	0
2	DVA	L	5	2	4,6,7	0.35	0	6,7,9	0.92	0
2	DTH	U	1	2	5,6,7	0.32	0	5,7,9	0.83	0
2	DLE	G	2	2	5,7,8	0.38	0	6,8,10	0.73	0
2	DLY	S	3	2	7,8,9	0.38	0	3,8,10	0.46	0
2	DTR	L	6	2	13,15,16	0.66	0	11,20,22	0.92	0
2	DTH	F	1	2	5,6,7	0.32	0	5,7,9	0.84	0
2	DIL	Q	7	2	8,8,8	0.83	1 (12%)	9,10,10	1.11	2 (22%)
2	DIL	5	4	2	6,7,8	0.23	0	4,8,10	1.00	0
2	DIL	E	7	2	8,8,8	0.83	1 (12%)	9,10,10	1.11	2 (22%)
2	DLY	G	3	2	7,8,9	0.37	0	3,8,10	0.46	0
2	DIL	S	7	2	8,8,8	0.85	1 (12%)	9,10,10	1.13	2 (22%)
2	DIL	2	7	2	8,8,8	0.84	1 (12%)	9,10,10	1.11	2 (22%)
2	DTR	E	6	2	13,15,16	0.65	0	11,20,22	0.92	0
2	DIL	L	4	2	6,7,8	0.24	0	4,8,10	0.99	0
2	DIL	3	7	2	8,8,8	0.81	1 (12%)	9,10,10	1.10	1 (11%)
2	DIL	7	7	2	8,8,8	0.80	1 (12%)	9,10,10	1.10	1 (11%)
2	DIL	K	4	2	6,7,8	0.24	0	4,8,10	0.99	0
2	DLY	Q	3	2	7,8,9	0.37	0	3,8,10	0.45	0
2	DIL	9	7	2	8,8,8	0.80	1 (12%)	9,10,10	1.09	1 (11%)
2	DLY	4	3	2	7,8,9	0.37	0	3,8,10	0.46	0
2	DTR	9	6	2	13,15,16	0.66	0	11,20,22	0.92	0
2	DIL	F	7	2	8,8,8	0.81	1 (12%)	9,10,10	1.10	1 (11%)
2	DLE	W	2	2	5,7,8	0.39	0	6,8,10	0.73	0
2	DIL	2	4	2	6,7,8	0.24	0	4,8,10	0.99	0
2	DLE	F	2	2	5,7,8	0.39	0	6,8,10	0.72	0
2	DVA	6	5	2	4,6,7	0.37	0	6,7,9	0.94	0
2	DIL	W	4	2	6,7,8	0.24	0	4,8,10	0.99	0
2	DLY	5	3	2	7,8,9	0.37	0	3,8,10	0.44	0
2	DIL	H	4	2	6,7,8	0.24	0	4,8,10	0.99	0
2	DIL	9	4	2	6,7,8	0.24	0	4,8,10	0.99	0
2	DVA	9	5	2	4,6,7	0.35	0	6,7,9	0.92	0
2	DTH	L	1	2	5,6,7	0.32	0	5,7,9	0.84	0
2	DVA	4	5	2	4,6,7	0.33	0	6,7,9	0.90	0
2	DLE	8	2	2	5,7,8	0.39	0	6,8,10	0.73	0
2	DTR	J	6	2	13,15,16	0.66	0	11,20,22	0.92	0
2	DLE	9	2	2	5,7,8	0.40	0	6,8,10	0.72	0
2	DLE	6	2	2	5,7,8	0.40	0	6,8,10	0.72	0
2	DIL	X	4	2	6,7,8	0.24	0	4,8,10	0.99	0
2	DTH	W	1	2	5,6,7	0.32	0	5,7,9	0.83	0
2	DLY	R	3	2	7,8,9	0.38	0	3,8,10	0.44	0



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	DIL	T	4	2	6,7,8	0.24	0	4,8,10	0.99	0
2	DVA	5	5	2	4,6,7	0.34	0	6,7,9	0.92	0
2	DIL	8	4	2	6,7,8	0.25	0	4,8,10	0.99	0
2	DVA	7	5	2	4,6,7	0.34	0	6,7,9	0.93	0
2	DTH	Q	1	2	5,6,7	0.31	0	5,7,9	0.83	0
2	DLY	2	3	2	7,8,9	0.38	0	3,8,10	0.45	0
2	DLE	L	2	2	5,7,8	0.39	0	6,8,10	0.73	0
2	DTR	5	6	2	13,15,16	0.65	0	11,20,22	0.93	0
2	DLY	7	3	2	7,8,9	0.37	0	3,8,10	0.44	0
2	DTR	V	6	2	13,15,16	0.66	0	11,20,22	0.92	0
2	DTH	6	1	2	5,6,7	0.32	0	5,7,9	0.83	0
2	DTR	6	6	2	13,15,16	0.64	0	11,20,22	0.93	0
2	DIL	8	7	2	8,8,8	0.85	1 (12%)	9,10,10	1.13	2 (22%)
2	DTH	E	1	2	5,6,7	0.31	0	5,7,9	0.83	0
2	DIL	4	4	2	6,7,8	0.25	0	4,8,10	0.98	0
2	DIL	4	7	2	8,8,8	0.85	1 (12%)	9,10,10	1.13	2 (22%)
2	DTH	H	1	2	5,6,7	0.30	0	5,7,9	0.84	0
2	DIL	E	4	2	6,7,8	0.23	0	4,8,10	0.99	0
2	DVA	E	5	2	4,6,7	0.36	0	6,7,9	0.94	0
2	DVA	2	5	2	4,6,7	0.37	0	6,7,9	0.93	0
2	DTR	4	6	2	13,15,16	0.67	0	11,20,22	0.92	0
2	DVA	T	5	2	4,6,7	0.35	0	6,7,9	0.91	0
2	DTR	2	6	2	13,15,16	0.64	0	11,20,22	0.91	0
2	DLY	6	3	2	7,8,9	0.38	0	3,8,10	0.46	0
2	DLY	U	3	2	7,8,9	0.38	0	3,8,10	0.46	0
2	DIL	U	7	2	8,8,8	0.84	1 (12%)	9,10,10	1.12	2 (22%)
2	DIL	V	4	2	6,7,8	0.24	0	4,8,10	0.99	0
2	DTR	U	6	2	13,15,16	0.66	0	11,20,22	0.92	0
2	DTR	I	6	2	13,15,16	0.65	0	11,20,22	0.92	0
2	DTH	5	1	2	5,6,7	0.30	0	5,7,9	0.84	0
2	DTH	7	1	2	5,6,7	0.31	0	5,7,9	0.85	0
2	DTH	K	1	2	5,6,7	0.31	0	5,7,9	0.83	0
2	DLE	3	2	2	5,7,8	0.39	0	6,8,10	0.73	0
2	DLY	V	3	2	7,8,9	0.37	0	3,8,10	0.45	0
2	DLE	K	2	2	5,7,8	0.39	0	6,8,10	0.73	0
2	DLY	E	3	2	7,8,9	0.38	0	3,8,10	0.45	0
2	DTH	9	1	2	5,6,7	0.32	0	5,7,9	0.84	0
2	DLE	J	2	2	5,7,8	0.39	0	6,8,10	0.72	0
2	DVA	G	5	2	4,6,7	0.35	0	6,7,9	0.92	0
2	DTR	Q	6	2	13,15,16	0.64	0	11,20,22	0.93	0
2	DIL	I	4	2	6,7,8	0.23	0	4,8,10	0.99	0
2	DVA	J	5	2	4,6,7	0.34	0	6,7,9	0.92	0



Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	DTR	8	6	2	13,15,16	0.67	0	11,20,22	0.93	0
2	DLY	F	3	2	7,8,9	0.38	0	3,8,10	0.45	0
2	DTH	T	1	2	5,6,7	0.30	0	5,7,9	0.85	0
2	DLY	W	3	2	7,8,9	0.37	0	3,8,10	0.45	0
2	DLE	5	2	2	5,7,8	0.40	0	6,8,10	0.72	0
2	DLE	7	2	2	5,7,8	0.38	0	6,8,10	0.72	0
2	DTH	J	1	2	5,6,7	0.32	0	5,7,9	0.84	0
2	DLY	3	3	2	7,8,9	0.38	0	3,8,10	0.45	0
2	DIL	R	4	2	6,7,8	0.24	0	4,8,10	0.99	0
2	DIL	S	4	2	6,7,8	0.25	0	4,8,10	0.98	0
2	DVA	I	5	2	4,6,7	0.37	0	6,7,9	0.94	0
2	DTR	T	6	2	13,15,16	0.66	0	11,20,22	0.92	0
2	DTH	2	1	2	5,6,7	0.31	0	5,7,9	0.83	0
2	DIL	K	7	2	8,8,8	0.85	1 (12%)	9,10,10	1.13	2 (22%)
2	DTH	3	1	2	5,6,7	0.31	0	5,7,9	0.84	0
2	DTH	I	1	2	5,6,7	0.31	0	5,7,9	0.83	0
2	DLE	H	2	2	5,7,8	0.40	0	6,8,10	0.73	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DTR	S	6	2	-	1/4/6/8	0/2/2/2
2	DIL	5	7	2	-	1/10/10/10	-
2	DVA	U	5	2	-	0/5/6/8	-
2	DLE	2	2	2	-	1/5/6/8	-
2	DIL	T	7	2	-	1/10/10/10	-
2	DVA	3	5	2	-	0/5/6/8	-
2	DTR	G	6	2	-	1/4/6/8	0/2/2/2
2	DLY	H	3	2	-	1/6/7/9	-
2	DIL	J	7	2	-	1/10/10/10	-
2	DLE	T	2	2	-	1/5/6/8	-
2	DLE	U	2	2	-	1/5/6/8	-
2	DVA	X	5	2	-	0/5/6/8	-
2	DTH	8	1	2	-	0/5/6/8	-
2	DVA	K	5	2	-	0/5/6/8	-
2	DVA	R	5	2	-	0/5/6/8	-
2	DIL	I	7	2	-	1/10/10/10	-
2	DIL	J	4	2	-	0/7/8/10	-
2	DIL	U	4	2	-	0/7/8/10	-

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DIL	R	7	2	-	1/10/10/10	-
2	DTR	K	6	2	-	1/4/6/8	0/2/2/2
2	DIL	V	7	2	-	1/10/10/10	-
2	DLE	I	2	2	-	1/5/6/8	-
2	DLY	J	3	2	-	3/6/7/9	-
2	DTH	X	1	2	-	0/5/6/8	-
2	DTH	4	1	2	-	0/5/6/8	-
2	DLE	E	2	2	-	1/5/6/8	-
2	DLE	R	2	2	-	1/5/6/8	-
2	DLE	4	2	2	-	1/5/6/8	-
2	DIL	Q	4	2	-	0/7/8/10	-
2	DTH	S	1	2	-	0/5/6/8	-
2	DVA	H	5	2	-	0/5/6/8	-
2	DIL	W	7	2	-	1/10/10/10	-
2	DLY	9	3	2	-	1/6/7/9	-
2	DIL	6	4	2	-	0/7/8/10	-
2	DTH	G	1	2	-	0/5/6/8	-
2	DIL	H	7	2	-	1/10/10/10	-
2	DVA	S	5	2	-	0/5/6/8	-
2	DVA	Q	5	2	-	0/5/6/8	-
2	DTR	W	6	2	-	1/4/6/8	0/2/2/2
2	DIL	L	7	2	-	1/10/10/10	-
2	DTR	H	6	2	-	1/4/6/8	0/2/2/2
2	DTR	F	6	2	-	1/4/6/8	0/2/2/2
2	DTR	R	6	2	-	1/4/6/8	0/2/2/2
2	DTR	3	6	2	-	1/4/6/8	0/2/2/2
2	DLY	L	3	2	-	1/6/7/9	-
2	DIL	6	7	2	-	1/10/10/10	-
2	DVA	V	5	2	-	0/5/6/8	-
2	DLY	X	3	2	-	1/6/7/9	-
2	DVA	8	5	2	-	0/5/6/8	-
2	DIL	7	4	2	-	0/7/8/10	-
2	DTH	R	1	2	-	0/5/6/8	-
2	DIL	X	7	2	-	1/10/10/10	-
2	DTH	V	1	2	-	0/5/6/8	-
2	DIL	F	4	2	-	0/7/8/10	-
2	DLE	V	2	2	-	1/5/6/8	-
2	DLY	T	3	2	-	1/6/7/9	-
2	DTR	7	6	2	-	1/4/6/8	0/2/2/2
2	DLY	8	3	2	-	1/6/7/9	-
2	DVA	W	5	2	-	0/5/6/8	-
2	DLE	X	2	2	-	1/5/6/8	-

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DTR	X	6	2	-	1/4/6/8	0/2/2/2
2	DLE	S	2	2	-	1/5/6/8	-
2	DLE	Q	2	2	-	1/5/6/8	-
2	DLY	I	3	2	-	1/6/7/9	-
2	DIL	3	4	2	-	0/7/8/10	-
2	DVA	F	5	2	-	0/5/6/8	-
2	DIL	G	7	2	-	1/10/10/10	-
2	DIL	G	4	2	-	0/7/8/10	-
2	DLY	K	3	2	-	1/6/7/9	-
2	DVA	L	5	2	-	0/5/6/8	-
2	DTH	U	1	2	-	0/5/6/8	-
2	DLE	G	2	2	-	1/5/6/8	-
2	DLY	S	3	2	-	1/6/7/9	-
2	DTR	L	6	2	-	1/4/6/8	0/2/2/2
2	DTH	F	1	2	-	0/5/6/8	-
2	DIL	Q	7	2	-	1/10/10/10	-
2	DIL	5	4	2	-	0/7/8/10	-
2	DIL	E	7	2	-	1/10/10/10	-
2	DLY	G	3	2	-	1/6/7/9	-
2	DIL	S	7	2	-	1/10/10/10	-
2	DIL	2	7	2	-	1/10/10/10	-
2	DTR	E	6	2	-	1/4/6/8	0/2/2/2
2	DIL	L	4	2	-	0/7/8/10	-
2	DIL	3	7	2	-	1/10/10/10	-
2	DIL	7	7	2	-	1/10/10/10	-
2	DIL	K	4	2	-	0/7/8/10	-
2	DLY	Q	3	2	-	1/6/7/9	-
2	DIL	9	7	2	-	1/10/10/10	-
2	DLY	4	3	2	-	1/6/7/9	-
2	DTR	9	6	2	-	1/4/6/8	0/2/2/2
2	DIL	F	7	2	-	1/10/10/10	-
2	DLE	W	2	2	-	1/5/6/8	-
2	DIL	2	4	2	-	0/7/8/10	-
2	DLE	F	2	2	-	1/5/6/8	-
2	DVA	6	5	2	-	0/5/6/8	-
2	DIL	W	4	2	-	0/7/8/10	-
2	DLY	5	3	2	-	1/6/7/9	-
2	DIL	H	4	2	-	0/7/8/10	-
2	DIL	9	4	2	-	0/7/8/10	-
2	DVA	9	5	2	-	0/5/6/8	-
2	DTH	L	1	2	-	0/5/6/8	-
2	DVA	4	5	2	-	0/5/6/8	-

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DLE	8	2	2	-	1/5/6/8	-
2	DTR	J	6	2	-	1/4/6/8	0/2/2/2
2	DLE	9	2	2	-	1/5/6/8	-
2	DLE	6	2	2	-	1/5/6/8	-
2	DIL	X	4	2	-	0/7/8/10	-
2	DTH	W	1	2	-	0/5/6/8	-
2	DLY	R	3	2	-	3/6/7/9	-
2	DIL	T	4	2	-	0/7/8/10	-
2	DVA	5	5	2	-	0/5/6/8	-
2	DIL	8	4	2	-	0/7/8/10	-
2	DVA	7	5	2	-	0/5/6/8	-
2	DTH	Q	1	2	-	0/5/6/8	-
2	DLY	2	3	2	-	1/6/7/9	-
2	DLE	L	2	2	-	1/5/6/8	-
2	DTR	5	6	2	-	1/4/6/8	0/2/2/2
2	DLY	7	3	2	-	3/6/7/9	-
2	DTR	V	6	2	-	1/4/6/8	0/2/2/2
2	DTH	6	1	2	-	0/5/6/8	-
2	DTR	6	6	2	-	1/4/6/8	0/2/2/2
2	DIL	8	7	2	-	1/10/10/10	-
2	DTH	E	1	2	-	0/5/6/8	-
2	DIL	4	4	2	-	0/7/8/10	-
2	DIL	4	7	2	-	1/10/10/10	-
2	DTH	H	1	2	-	0/5/6/8	-
2	DIL	E	4	2	-	0/7/8/10	-
2	DVA	E	5	2	-	0/5/6/8	-
2	DVA	2	5	2	-	0/5/6/8	-
2	DTR	4	6	2	-	1/4/6/8	0/2/2/2
2	DVA	T	5	2	-	0/5/6/8	-
2	DTR	2	6	2	-	1/4/6/8	0/2/2/2
2	DLY	6	3	2	-	1/6/7/9	-
2	DLY	U	3	2	-	1/6/7/9	-
2	DIL	U	7	2	-	1/10/10/10	-
2	DIL	V	4	2	-	0/7/8/10	-
2	DTR	U	6	2	-	1/4/6/8	0/2/2/2
2	DTR	I	6	2	-	1/4/6/8	0/2/2/2
2	DTH	5	1	2	-	0/5/6/8	-
2	DTH	7	1	2	-	0/5/6/8	-
2	DTH	K	1	2	-	0/5/6/8	-
2	DLE	3	2	2	-	1/5/6/8	-
2	DLY	V	3	2	-	3/6/7/9	-
2	DLE	K	2	2	-	1/5/6/8	-

*Continued on next page...*



*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	DLY	E	3	2	-	1/6/7/9	-
2	DTH	9	1	2	-	0/5/6/8	-
2	DLE	J	2	2	-	1/5/6/8	-
2	DVA	G	5	2	-	0/5/6/8	-
2	DTR	Q	6	2	-	1/4/6/8	0/2/2/2
2	DIL	I	4	2	-	0/7/8/10	-
2	DVA	J	5	2	-	0/5/6/8	-
2	DTR	8	6	2	-	1/4/6/8	0/2/2/2
2	DLY	F	3	2	-	3/6/7/9	-
2	DTH	T	1	2	-	0/5/6/8	-
2	DLY	W	3	2	-	1/6/7/9	-
2	DLE	5	2	2	-	1/5/6/8	-
2	DLE	7	2	2	-	1/5/6/8	-
2	DTH	J	1	2	-	0/5/6/8	-
2	DLY	3	3	2	-	3/6/7/9	-
2	DIL	R	4	2	-	0/7/8/10	-
2	DIL	S	4	2	-	0/7/8/10	-
2	DVA	I	5	2	-	0/5/6/8	-
2	DTR	T	6	2	-	1/4/6/8	0/2/2/2
2	DTH	2	1	2	-	0/5/6/8	-
2	DIL	K	7	2	-	1/10/10/10	-
2	DTH	3	1	2	-	0/5/6/8	-
2	DTH	I	1	2	-	0/5/6/8	-
2	DLE	H	2	2	-	1/5/6/8	-

The worst 5 of 24 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	8	7	DIL	OXT-C	-2.25	1.23	1.30
2	K	7	DIL	OXT-C	-2.25	1.23	1.30
2	S	7	DIL	OXT-C	-2.24	1.23	1.30
2	4	7	DIL	OXT-C	-2.24	1.23	1.30
2	W	7	DIL	OXT-C	-2.23	1.23	1.30

The worst 5 of 36 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	W	7	DIL	OXT-C-O	-2.65	118.07	124.08
2	V	7	DIL	OXT-C-O	-2.64	118.10	124.08
2	F	7	DIL	OXT-C-O	-2.63	118.11	124.08
2	K	7	DIL	OXT-C-O	-2.63	118.12	124.08
2	3	7	DIL	OXT-C-O	-2.63	118.12	124.08



There are no chirality outliers.

5 of 108 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	E	3	DLY	O-C-CA-CB
2	F	3	DLY	O-C-CA-CB
2	F	3	DLY	N-CA-CB-CG
2	F	3	DLY	C-CA-CB-CG
2	G	3	DLY	O-C-CA-CB

There are no ring outliers.

103 monomers are involved in 73 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	S	6	DTR	1	0
2	2	2	DLE	2	0
2	G	6	DTR	1	0
2	J	7	DIL	1	0
2	U	2	DLE	2	0
2	R	5	DVA	1	0
2	I	7	DIL	1	0
2	J	4	DIL	2	0
2	U	4	DIL	2	0
2	R	7	DIL	1	0
2	K	6	DTR	1	0
2	V	7	DIL	1	0
2	I	2	DLE	2	0
2	J	3	DLY	1	0
2	X	1	DTH	1	0
2	E	2	DLE	2	0
2	R	2	DLE	2	0
2	4	2	DLE	1	0
2	Q	4	DIL	2	0
2	6	4	DIL	2	0
2	W	6	DTR	1	0
2	H	6	DTR	1	0
2	F	6	DTR	3	0
2	R	6	DTR	3	0
2	3	6	DTR	3	0
2	6	7	DIL	2	0
2	V	5	DVA	1	0
2	7	4	DIL	2	0
2	R	1	DTH	1	0
2	V	1	DTH	1	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	F	4	DIL	2	0
2	V	2	DLE	1	0
2	7	6	DTR	3	0
2	X	6	DTR	1	0
2	Q	2	DLE	2	0
2	I	3	DLY	1	0
2	3	4	DIL	2	0
2	F	5	DVA	1	0
2	G	4	DIL	1	0
2	K	3	DLY	1	0
2	U	1	DTH	1	0
2	G	2	DLE	1	0
2	L	6	DTR	1	0
2	F	1	DTH	1	0
2	5	4	DIL	1	0
2	E	7	DIL	1	0
2	2	7	DIL	1	0
2	E	6	DTR	2	0
2	L	4	DIL	1	0
2	K	4	DIL	1	0
2	F	7	DIL	1	0
2	2	4	DIL	2	0
2	F	2	DLE	2	0
2	6	5	DVA	1	0
2	W	4	DIL	1	0
2	H	4	DIL	1	0
2	9	4	DIL	1	0
2	L	1	DTH	1	0
2	8	2	DLE	1	0
2	J	6	DTR	3	0
2	6	2	DLE	2	0
2	X	4	DIL	1	0
2	R	3	DLY	1	0
2	T	4	DIL	1	0
2	8	4	DIL	1	0
2	Q	1	DTH	1	0
2	2	3	DLY	1	0
2	V	6	DTR	3	0
2	6	1	DTH	2	0
2	6	6	DTR	1	0
2	E	1	DTH	2	0
2	4	4	DIL	1	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	H	1	DTH	1	0
2	E	4	DIL	2	0
2	E	5	DVA	1	0
2	2	5	DVA	1	0
2	4	6	DTR	1	0
2	2	6	DTR	2	0
2	6	3	DLY	1	0
2	V	4	DIL	2	0
2	U	6	DTR	1	0
2	I	6	DTR	1	0
2	5	1	DTH	1	0
2	3	2	DLE	2	0
2	V	3	DLY	1	0
2	K	2	DLE	1	0
2	E	3	DLY	1	0
2	9	1	DTH	1	0
2	J	2	DLE	1	0
2	Q	6	DTR	2	0
2	I	4	DIL	2	0
2	J	5	DVA	1	0
2	8	6	DTR	1	0
2	F	3	DLY	1	0
2	T	1	DTH	1	0
2	7	2	DLE	1	0
2	J	1	DTH	2	0
2	R	4	DIL	2	0
2	S	4	DIL	1	0
2	I	5	DVA	1	0
2	T	6	DTR	1	0
2	2	1	DTH	2	0
2	I	1	DTH	2	0

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

6 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and



the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
3	EDT	O	801	-	19,19,19	1.10	0	24,24,24	0.85	0
3	EDT	3	801	-	19,19,19	1.09	0	24,24,24	0.85	0
3	EDT	M	801	-	19,19,19	1.10	0	24,24,24	0.85	0
3	EDT	A	801	-	19,19,19	1.10	0	24,24,24	0.85	0
3	EDT	C	801	-	19,19,19	1.10	0	24,24,24	0.85	0
3	EDT	0	801	-	19,19,19	1.10	0	24,24,24	0.85	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	EDT	O	801	-	-	6/21/21/21	-
3	EDT	3	801	-	-	6/21/21/21	-
3	EDT	M	801	-	-	6/21/21/21	-
3	EDT	A	801	-	-	6/21/21/21	-
3	EDT	C	801	-	-	6/21/21/21	-
3	EDT	0	801	-	-	6/21/21/21	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 36 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	A	801	EDT	C5-C4-N3-C2
3	A	801	EDT	C12-C11-N8-C9
3	C	801	EDT	C5-C4-N3-C2
3	C	801	EDT	C12-C11-N8-C9
3	M	801	EDT	C5-C4-N3-C2

There are no ring outliers.


No monomer is involved in short contacts.




The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


























## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.




## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-44184. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z

The images above show the map projected in three orthogonal directions.




## 6.2 Central slices [i](#)

### 6.2.1 Primary map



X Index: 216




Y Index: 216




Z Index: 216


### 6.2.2 Raw map



X Index: 216



Y Index: 216




Z Index: 216

The images above show central slices of the map in three orthogonal directions.




## 6.3 Largest variance slices [i](#)

### 6.3.1 Primary map



X Index: 215




Y Index: 212




Z Index: 202


### 6.3.2 Raw map



X Index: 202



Y Index: 209




Z Index: 217

The images above show the largest variance slices of the map in three orthogonal directions.




## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.




## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 5.4. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.




## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_44184\_msk\_1.map [i](#)



X



Y




Z



## 7 Map analysis [i](#)

This section contains the results of statistical analysis of the map.


### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.



## 7.2 Volume estimate [i](#)




The volume at the recommended contour level is 392 nm<sup>3</sup>; this corresponds to an approximate mass of 354 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.323 Å<sup>-1</sup>



## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.323 Å<sup>-1</sup>



## 8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.10	-	-
Author-provided FSC curve	3.10	3.38	3.12
Unmasked-calculated*	3.22	3.52	3.24


\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps.



## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-44184 and PDB model 9B4L. Per-residue inclusion information can be found in section [3](#) on page [8](#).


### 9.1 Map-model overlay [i](#)



X



Y




Z

The images above show the 3D surface view of the map at the recommended contour level 5.4 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.




## 9.2 Q-score mapped to coordinate model [i](#)



The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.


## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (5.4).



## 9.4 Atom inclusion [i](#)









































































At the recommended contour level, 71% of all backbone atoms, 57% of all non-hydrogen atoms, are inside the map.



## 9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (5.4) and Q-score for the entire model and for each chain.





Chain	Atom inclusion	Q-score
All	 0.5680	 0.4690
0	 0.6580	 0.5300
1	 0.6680	 0.5460
2	 0.0000	 0.3000
3	 0.0250	 0.2290
4	 0.0000	 -0.0080
5	 0.0000	 0.0030
6	 0.0000	 0.1810
7	 0.0000	 0.1620
8	 0.0000	 0.0110
9	 0.0000	 0.0700
A	 0.6890	 0.5430
B	 0.7270	 0.5500
C	 0.6630	 0.5320
D	 0.6700	 0.5440
E	 0.0000	 0.3000
F	 0.0160	 0.2280
G	 0.0000	 -0.0150
H	 0.0000	 0.0060
I	 0.0000	 0.1790
J	 0.0000	 0.1640
K	 0.0000	 0.0340
L	 0.0000	 0.0830
M	 0.6930	 0.5410
N	 0.7170	 0.5470
O	 0.6610	 0.5330
P	 0.6650	 0.5440
Q	 0.0000	 0.2930
R	 0.0000	 0.2220
S	 0.0000	 -0.0090
T	 0.0000	 0.0180
U	 0.0000	 0.1850
V	 0.0000	 0.1630
W	 0.0000	 0.0390
X	 0.0000	 0.0810



*Continued on next page...*



*Continued from previous page...*

Chain	Atom inclusion	Q-score
Y	 0.7080	 0.5510
Z	 0.7290	 0.5520