



wwPDB EM Validation Summary Report ⓘ

Sep 15, 2025 – 10:49 AM EDT

PDB ID : 9DOA / pdb_00009doa
EMDB ID : EMD-47077
Title : Membrane-bound OlyA/PlyB (Hinge-Lock) prepore
Authors : Smothers, J.; Chen, Z.; Li, Y.; Han, Y.; Radhakrishnan, A.
Deposited on : 2024-09-18
Resolution : 2.99 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev126
MolProbity : 4-5-2 with Phenix2.0rc1
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.45.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.99 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	G	143	<div> <div>10%</div> <div>93%</div> <div>6%</div> </div>
1	H	143	<div> <div>7%</div> <div>90%</div> <div>6%</div> </div>
1	J	143	<div> <div>11%</div> <div>92%</div> <div>6%</div> </div>
1	K	143	<div> <div>9%</div> <div>91%</div> <div>6%</div> </div>
1	M	143	<div> <div>10%</div> <div>93%</div> <div>6%</div> </div>
1	N	143	<div> <div>8%</div> <div>91%</div> <div>6%</div> </div>
1	P	143	<div> <div>10%</div> <div>92%</div> <div>6%</div> </div>
1	Q	143	<div> <div>8%</div> <div>90%</div> <div>6%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	S	143	
1	T	143	
1	V	143	
1	W	143	
1	Y	143	
1	Z	143	
1	b	143	
1	c	143	
1	e	143	
1	f	143	
1	h	143	
1	i	143	
1	k	143	
1	l	143	
1	n	143	
1	o	143	
1	q	143	
1	r	143	
2	I	483	
2	L	483	
2	O	483	
2	R	483	
2	U	483	
2	X	483	
2	a	483	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	d	483	 92%8%
2	g	483	 90%8%
2	j	483	 91%8%
2	m	483	 92%8%
2	p	483	 91%8%
2	s	483	 91%8%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 143117 atoms, of which 70967 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ostreolysin A6.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	G	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		
1	H	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		
1	J	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		
1	K	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		
1	M	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		
1	N	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		
1	P	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		
1	Q	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		
1	S	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		
1	T	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		
1	V	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		
1	W	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		
1	Y	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		
1	Z	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		
1	b	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		
1	c	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		
1	e	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						AltConf	Trace
1	f	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		
1	h	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		
1	i	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		
1	k	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		
1	l	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		
1	n	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		
1	o	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		
1	q	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		
1	r	135	Total	C	H	N	O	S	0	0
			2046	654	1004	178	209	1		

There are 208 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
G	62	SER	CYS	conflict	UNP P83467
G	94	SER	CYS	conflict	UNP P83467
G	138	GLU	-	expression tag	UNP P83467
G	139	ASN	-	expression tag	UNP P83467
G	140	LEU	-	expression tag	UNP P83467
G	141	TYR	-	expression tag	UNP P83467
G	142	PHE	-	expression tag	UNP P83467
G	143	GLN	-	expression tag	UNP P83467
H	62	SER	CYS	conflict	UNP P83467
H	94	SER	CYS	conflict	UNP P83467
H	138	GLU	-	expression tag	UNP P83467
H	139	ASN	-	expression tag	UNP P83467
H	140	LEU	-	expression tag	UNP P83467
H	141	TYR	-	expression tag	UNP P83467
H	142	PHE	-	expression tag	UNP P83467
H	143	GLN	-	expression tag	UNP P83467
J	62	SER	CYS	conflict	UNP P83467
J	94	SER	CYS	conflict	UNP P83467
J	138	GLU	-	expression tag	UNP P83467
J	139	ASN	-	expression tag	UNP P83467
J	140	LEU	-	expression tag	UNP P83467

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
J	141	TYR	-	expression tag	UNP P83467
J	142	PHE	-	expression tag	UNP P83467
J	143	GLN	-	expression tag	UNP P83467
K	62	SER	CYS	conflict	UNP P83467
K	94	SER	CYS	conflict	UNP P83467
K	138	GLU	-	expression tag	UNP P83467
K	139	ASN	-	expression tag	UNP P83467
K	140	LEU	-	expression tag	UNP P83467
K	141	TYR	-	expression tag	UNP P83467
K	142	PHE	-	expression tag	UNP P83467
K	143	GLN	-	expression tag	UNP P83467
M	62	SER	CYS	conflict	UNP P83467
M	94	SER	CYS	conflict	UNP P83467
M	138	GLU	-	expression tag	UNP P83467
M	139	ASN	-	expression tag	UNP P83467
M	140	LEU	-	expression tag	UNP P83467
M	141	TYR	-	expression tag	UNP P83467
M	142	PHE	-	expression tag	UNP P83467
M	143	GLN	-	expression tag	UNP P83467
N	62	SER	CYS	conflict	UNP P83467
N	94	SER	CYS	conflict	UNP P83467
N	138	GLU	-	expression tag	UNP P83467
N	139	ASN	-	expression tag	UNP P83467
N	140	LEU	-	expression tag	UNP P83467
N	141	TYR	-	expression tag	UNP P83467
N	142	PHE	-	expression tag	UNP P83467
N	143	GLN	-	expression tag	UNP P83467
P	62	SER	CYS	conflict	UNP P83467
P	94	SER	CYS	conflict	UNP P83467
P	138	GLU	-	expression tag	UNP P83467
P	139	ASN	-	expression tag	UNP P83467
P	140	LEU	-	expression tag	UNP P83467
P	141	TYR	-	expression tag	UNP P83467
P	142	PHE	-	expression tag	UNP P83467
P	143	GLN	-	expression tag	UNP P83467
Q	62	SER	CYS	conflict	UNP P83467
Q	94	SER	CYS	conflict	UNP P83467
Q	138	GLU	-	expression tag	UNP P83467
Q	139	ASN	-	expression tag	UNP P83467
Q	140	LEU	-	expression tag	UNP P83467
Q	141	TYR	-	expression tag	UNP P83467
Q	142	PHE	-	expression tag	UNP P83467

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
Q	143	GLN	-	expression tag	UNP P83467
S	62	SER	CYS	conflict	UNP P83467
S	94	SER	CYS	conflict	UNP P83467
S	138	GLU	-	expression tag	UNP P83467
S	139	ASN	-	expression tag	UNP P83467
S	140	LEU	-	expression tag	UNP P83467
S	141	TYR	-	expression tag	UNP P83467
S	142	PHE	-	expression tag	UNP P83467
S	143	GLN	-	expression tag	UNP P83467
T	62	SER	CYS	conflict	UNP P83467
T	94	SER	CYS	conflict	UNP P83467
T	138	GLU	-	expression tag	UNP P83467
T	139	ASN	-	expression tag	UNP P83467
T	140	LEU	-	expression tag	UNP P83467
T	141	TYR	-	expression tag	UNP P83467
T	142	PHE	-	expression tag	UNP P83467
T	143	GLN	-	expression tag	UNP P83467
V	62	SER	CYS	conflict	UNP P83467
V	94	SER	CYS	conflict	UNP P83467
V	138	GLU	-	expression tag	UNP P83467
V	139	ASN	-	expression tag	UNP P83467
V	140	LEU	-	expression tag	UNP P83467
V	141	TYR	-	expression tag	UNP P83467
V	142	PHE	-	expression tag	UNP P83467
V	143	GLN	-	expression tag	UNP P83467
W	62	SER	CYS	conflict	UNP P83467
W	94	SER	CYS	conflict	UNP P83467
W	138	GLU	-	expression tag	UNP P83467
W	139	ASN	-	expression tag	UNP P83467
W	140	LEU	-	expression tag	UNP P83467
W	141	TYR	-	expression tag	UNP P83467
W	142	PHE	-	expression tag	UNP P83467
W	143	GLN	-	expression tag	UNP P83467
Y	62	SER	CYS	conflict	UNP P83467
Y	94	SER	CYS	conflict	UNP P83467
Y	138	GLU	-	expression tag	UNP P83467
Y	139	ASN	-	expression tag	UNP P83467
Y	140	LEU	-	expression tag	UNP P83467
Y	141	TYR	-	expression tag	UNP P83467
Y	142	PHE	-	expression tag	UNP P83467
Y	143	GLN	-	expression tag	UNP P83467
Z	62	SER	CYS	conflict	UNP P83467

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
Z	94	SER	CYS	conflict	UNP P83467
Z	138	GLU	-	expression tag	UNP P83467
Z	139	ASN	-	expression tag	UNP P83467
Z	140	LEU	-	expression tag	UNP P83467
Z	141	TYR	-	expression tag	UNP P83467
Z	142	PHE	-	expression tag	UNP P83467
Z	143	GLN	-	expression tag	UNP P83467
b	62	SER	CYS	conflict	UNP P83467
b	94	SER	CYS	conflict	UNP P83467
b	138	GLU	-	expression tag	UNP P83467
b	139	ASN	-	expression tag	UNP P83467
b	140	LEU	-	expression tag	UNP P83467
b	141	TYR	-	expression tag	UNP P83467
b	142	PHE	-	expression tag	UNP P83467
b	143	GLN	-	expression tag	UNP P83467
c	62	SER	CYS	conflict	UNP P83467
c	94	SER	CYS	conflict	UNP P83467
c	138	GLU	-	expression tag	UNP P83467
c	139	ASN	-	expression tag	UNP P83467
c	140	LEU	-	expression tag	UNP P83467
c	141	TYR	-	expression tag	UNP P83467
c	142	PHE	-	expression tag	UNP P83467
c	143	GLN	-	expression tag	UNP P83467
e	62	SER	CYS	conflict	UNP P83467
e	94	SER	CYS	conflict	UNP P83467
e	138	GLU	-	expression tag	UNP P83467
e	139	ASN	-	expression tag	UNP P83467
e	140	LEU	-	expression tag	UNP P83467
e	141	TYR	-	expression tag	UNP P83467
e	142	PHE	-	expression tag	UNP P83467
e	143	GLN	-	expression tag	UNP P83467
f	62	SER	CYS	conflict	UNP P83467
f	94	SER	CYS	conflict	UNP P83467
f	138	GLU	-	expression tag	UNP P83467
f	139	ASN	-	expression tag	UNP P83467
f	140	LEU	-	expression tag	UNP P83467
f	141	TYR	-	expression tag	UNP P83467
f	142	PHE	-	expression tag	UNP P83467
f	143	GLN	-	expression tag	UNP P83467
h	62	SER	CYS	conflict	UNP P83467
h	94	SER	CYS	conflict	UNP P83467
h	138	GLU	-	expression tag	UNP P83467

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
h	139	ASN	-	expression tag	UNP P83467
h	140	LEU	-	expression tag	UNP P83467
h	141	TYR	-	expression tag	UNP P83467
h	142	PHE	-	expression tag	UNP P83467
h	143	GLN	-	expression tag	UNP P83467
i	62	SER	CYS	conflict	UNP P83467
i	94	SER	CYS	conflict	UNP P83467
i	138	GLU	-	expression tag	UNP P83467
i	139	ASN	-	expression tag	UNP P83467
i	140	LEU	-	expression tag	UNP P83467
i	141	TYR	-	expression tag	UNP P83467
i	142	PHE	-	expression tag	UNP P83467
i	143	GLN	-	expression tag	UNP P83467
k	62	SER	CYS	conflict	UNP P83467
k	94	SER	CYS	conflict	UNP P83467
k	138	GLU	-	expression tag	UNP P83467
k	139	ASN	-	expression tag	UNP P83467
k	140	LEU	-	expression tag	UNP P83467
k	141	TYR	-	expression tag	UNP P83467
k	142	PHE	-	expression tag	UNP P83467
k	143	GLN	-	expression tag	UNP P83467
l	62	SER	CYS	conflict	UNP P83467
l	94	SER	CYS	conflict	UNP P83467
l	138	GLU	-	expression tag	UNP P83467
l	139	ASN	-	expression tag	UNP P83467
l	140	LEU	-	expression tag	UNP P83467
l	141	TYR	-	expression tag	UNP P83467
l	142	PHE	-	expression tag	UNP P83467
l	143	GLN	-	expression tag	UNP P83467
n	62	SER	CYS	conflict	UNP P83467
n	94	SER	CYS	conflict	UNP P83467
n	138	GLU	-	expression tag	UNP P83467
n	139	ASN	-	expression tag	UNP P83467
n	140	LEU	-	expression tag	UNP P83467
n	141	TYR	-	expression tag	UNP P83467
n	142	PHE	-	expression tag	UNP P83467
n	143	GLN	-	expression tag	UNP P83467
o	62	SER	CYS	conflict	UNP P83467
o	94	SER	CYS	conflict	UNP P83467
o	138	GLU	-	expression tag	UNP P83467
o	139	ASN	-	expression tag	UNP P83467
o	140	LEU	-	expression tag	UNP P83467

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
o	141	TYR	-	expression tag	UNP P83467
o	142	PHE	-	expression tag	UNP P83467
o	143	GLN	-	expression tag	UNP P83467
q	62	SER	CYS	conflict	UNP P83467
q	94	SER	CYS	conflict	UNP P83467
q	138	GLU	-	expression tag	UNP P83467
q	139	ASN	-	expression tag	UNP P83467
q	140	LEU	-	expression tag	UNP P83467
q	141	TYR	-	expression tag	UNP P83467
q	142	PHE	-	expression tag	UNP P83467
q	143	GLN	-	expression tag	UNP P83467
r	62	SER	CYS	conflict	UNP P83467
r	94	SER	CYS	conflict	UNP P83467
r	138	GLU	-	expression tag	UNP P83467
r	139	ASN	-	expression tag	UNP P83467
r	140	LEU	-	expression tag	UNP P83467
r	141	TYR	-	expression tag	UNP P83467
r	142	PHE	-	expression tag	UNP P83467
r	143	GLN	-	expression tag	UNP P83467

- Molecule 2 is a protein called Pleurotolysin B.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	I	446	Total	C	H	N	O	S	0	0
			6917	2186	3451	600	671	9		
2	L	446	Total	C	H	N	O	S	0	0
			6917	2186	3451	600	671	9		
2	O	446	Total	C	H	N	O	S	0	0
			6917	2186	3451	600	671	9		
2	R	446	Total	C	H	N	O	S	0	0
			6917	2186	3451	600	671	9		
2	U	446	Total	C	H	N	O	S	0	0
			6917	2186	3451	600	671	9		
2	X	446	Total	C	H	N	O	S	0	0
			6917	2186	3451	600	671	9		
2	a	446	Total	C	H	N	O	S	0	0
			6917	2186	3451	600	671	9		
2	d	446	Total	C	H	N	O	S	0	0
			6917	2186	3451	600	671	9		
2	g	446	Total	C	H	N	O	S	0	0
			6917	2186	3451	600	671	9		
2	j	446	Total	C	H	N	O	S	0	0
			6917	2186	3451	600	671	9		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						AltConf	Trace
2	m	446	Total	C	H	N	O	S	0	0
			6917	2186	3451	600	671	9		
2	p	446	Total	C	H	N	O	S	0	0
			6917	2186	3451	600	671	9		
2	s	446	Total	C	H	N	O	S	0	0
			6917	2186	3451	600	671	9		

There are 130 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
I	41	HIS	-	expression tag	UNP Q5W9E8
I	42	HIS	-	expression tag	UNP Q5W9E8
I	43	HIS	-	expression tag	UNP Q5W9E8
I	44	HIS	-	expression tag	UNP Q5W9E8
I	45	HIS	-	expression tag	UNP Q5W9E8
I	46	HIS	-	expression tag	UNP Q5W9E8
I	47	HIS	-	expression tag	UNP Q5W9E8
I	48	HIS	-	expression tag	UNP Q5W9E8
I	296	VAL	GLY	conflict	UNP Q5W9E8
I	297	VAL	GLY	conflict	UNP Q5W9E8
L	41	HIS	-	expression tag	UNP Q5W9E8
L	42	HIS	-	expression tag	UNP Q5W9E8
L	43	HIS	-	expression tag	UNP Q5W9E8
L	44	HIS	-	expression tag	UNP Q5W9E8
L	45	HIS	-	expression tag	UNP Q5W9E8
L	46	HIS	-	expression tag	UNP Q5W9E8
L	47	HIS	-	expression tag	UNP Q5W9E8
L	48	HIS	-	expression tag	UNP Q5W9E8
L	296	VAL	GLY	conflict	UNP Q5W9E8
L	297	VAL	GLY	conflict	UNP Q5W9E8
O	41	HIS	-	expression tag	UNP Q5W9E8
O	42	HIS	-	expression tag	UNP Q5W9E8
O	43	HIS	-	expression tag	UNP Q5W9E8
O	44	HIS	-	expression tag	UNP Q5W9E8
O	45	HIS	-	expression tag	UNP Q5W9E8
O	46	HIS	-	expression tag	UNP Q5W9E8
O	47	HIS	-	expression tag	UNP Q5W9E8
O	48	HIS	-	expression tag	UNP Q5W9E8
O	296	VAL	GLY	conflict	UNP Q5W9E8
O	297	VAL	GLY	conflict	UNP Q5W9E8
R	41	HIS	-	expression tag	UNP Q5W9E8
R	42	HIS	-	expression tag	UNP Q5W9E8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
R	43	HIS	-	expression tag	UNP Q5W9E8
R	44	HIS	-	expression tag	UNP Q5W9E8
R	45	HIS	-	expression tag	UNP Q5W9E8
R	46	HIS	-	expression tag	UNP Q5W9E8
R	47	HIS	-	expression tag	UNP Q5W9E8
R	48	HIS	-	expression tag	UNP Q5W9E8
R	296	VAL	GLY	conflict	UNP Q5W9E8
R	297	VAL	GLY	conflict	UNP Q5W9E8
U	41	HIS	-	expression tag	UNP Q5W9E8
U	42	HIS	-	expression tag	UNP Q5W9E8
U	43	HIS	-	expression tag	UNP Q5W9E8
U	44	HIS	-	expression tag	UNP Q5W9E8
U	45	HIS	-	expression tag	UNP Q5W9E8
U	46	HIS	-	expression tag	UNP Q5W9E8
U	47	HIS	-	expression tag	UNP Q5W9E8
U	48	HIS	-	expression tag	UNP Q5W9E8
U	296	VAL	GLY	conflict	UNP Q5W9E8
U	297	VAL	GLY	conflict	UNP Q5W9E8
X	41	HIS	-	expression tag	UNP Q5W9E8
X	42	HIS	-	expression tag	UNP Q5W9E8
X	43	HIS	-	expression tag	UNP Q5W9E8
X	44	HIS	-	expression tag	UNP Q5W9E8
X	45	HIS	-	expression tag	UNP Q5W9E8
X	46	HIS	-	expression tag	UNP Q5W9E8
X	47	HIS	-	expression tag	UNP Q5W9E8
X	48	HIS	-	expression tag	UNP Q5W9E8
X	296	VAL	GLY	conflict	UNP Q5W9E8
X	297	VAL	GLY	conflict	UNP Q5W9E8
a	41	HIS	-	expression tag	UNP Q5W9E8
a	42	HIS	-	expression tag	UNP Q5W9E8
a	43	HIS	-	expression tag	UNP Q5W9E8
a	44	HIS	-	expression tag	UNP Q5W9E8
a	45	HIS	-	expression tag	UNP Q5W9E8
a	46	HIS	-	expression tag	UNP Q5W9E8
a	47	HIS	-	expression tag	UNP Q5W9E8
a	48	HIS	-	expression tag	UNP Q5W9E8
a	296	VAL	GLY	conflict	UNP Q5W9E8
a	297	VAL	GLY	conflict	UNP Q5W9E8
d	41	HIS	-	expression tag	UNP Q5W9E8
d	42	HIS	-	expression tag	UNP Q5W9E8
d	43	HIS	-	expression tag	UNP Q5W9E8
d	44	HIS	-	expression tag	UNP Q5W9E8

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
d	45	HIS	-	expression tag	UNP Q5W9E8
d	46	HIS	-	expression tag	UNP Q5W9E8
d	47	HIS	-	expression tag	UNP Q5W9E8
d	48	HIS	-	expression tag	UNP Q5W9E8
d	296	VAL	GLY	conflict	UNP Q5W9E8
d	297	VAL	GLY	conflict	UNP Q5W9E8
g	41	HIS	-	expression tag	UNP Q5W9E8
g	42	HIS	-	expression tag	UNP Q5W9E8
g	43	HIS	-	expression tag	UNP Q5W9E8
g	44	HIS	-	expression tag	UNP Q5W9E8
g	45	HIS	-	expression tag	UNP Q5W9E8
g	46	HIS	-	expression tag	UNP Q5W9E8
g	47	HIS	-	expression tag	UNP Q5W9E8
g	48	HIS	-	expression tag	UNP Q5W9E8
g	296	VAL	GLY	conflict	UNP Q5W9E8
g	297	VAL	GLY	conflict	UNP Q5W9E8
j	41	HIS	-	expression tag	UNP Q5W9E8
j	42	HIS	-	expression tag	UNP Q5W9E8
j	43	HIS	-	expression tag	UNP Q5W9E8
j	44	HIS	-	expression tag	UNP Q5W9E8
j	45	HIS	-	expression tag	UNP Q5W9E8
j	46	HIS	-	expression tag	UNP Q5W9E8
j	47	HIS	-	expression tag	UNP Q5W9E8
j	48	HIS	-	expression tag	UNP Q5W9E8
j	296	VAL	GLY	conflict	UNP Q5W9E8
j	297	VAL	GLY	conflict	UNP Q5W9E8
m	41	HIS	-	expression tag	UNP Q5W9E8
m	42	HIS	-	expression tag	UNP Q5W9E8
m	43	HIS	-	expression tag	UNP Q5W9E8
m	44	HIS	-	expression tag	UNP Q5W9E8
m	45	HIS	-	expression tag	UNP Q5W9E8
m	46	HIS	-	expression tag	UNP Q5W9E8
m	47	HIS	-	expression tag	UNP Q5W9E8
m	48	HIS	-	expression tag	UNP Q5W9E8
m	296	VAL	GLY	conflict	UNP Q5W9E8
m	297	VAL	GLY	conflict	UNP Q5W9E8
p	41	HIS	-	expression tag	UNP Q5W9E8
p	42	HIS	-	expression tag	UNP Q5W9E8
p	43	HIS	-	expression tag	UNP Q5W9E8
p	44	HIS	-	expression tag	UNP Q5W9E8
p	45	HIS	-	expression tag	UNP Q5W9E8
p	46	HIS	-	expression tag	UNP Q5W9E8

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
p	47	HIS	-	expression tag	UNP Q5W9E8
p	48	HIS	-	expression tag	UNP Q5W9E8
p	296	VAL	GLY	conflict	UNP Q5W9E8
p	297	VAL	GLY	conflict	UNP Q5W9E8
s	41	HIS	-	expression tag	UNP Q5W9E8
s	42	HIS	-	expression tag	UNP Q5W9E8
s	43	HIS	-	expression tag	UNP Q5W9E8
s	44	HIS	-	expression tag	UNP Q5W9E8
s	45	HIS	-	expression tag	UNP Q5W9E8
s	46	HIS	-	expression tag	UNP Q5W9E8
s	47	HIS	-	expression tag	UNP Q5W9E8
s	48	HIS	-	expression tag	UNP Q5W9E8
s	296	VAL	GLY	conflict	UNP Q5W9E8
s	297	VAL	GLY	conflict	UNP Q5W9E8


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Ostreolysin A6




- Molecule 1: Ostreolysin A6




- Molecule 1: Ostreolysin A6





- Molecule 1: Ostreolysin A6





- Molecule 1: Ostreolysin A6





• Molecule 1: Ostreolysin A6





• Molecule 1: Ostreolysin A6





• Molecule 1: Ostreolysin A6





• Molecule 1: Ostreolysin A6



• Molecule 1: Ostreolysin A6




• Molecule 1: Ostreolysin A6




• Molecule 1: Ostreolysin A6








- Molecule 1: Ostreolysin A6




- Molecule 1: Ostreolysin A6





- Molecule 1: Ostreolysin A6




- Molecule 1: Ostreolysin A6





- Molecule 1: Ostreolysin A6





- Molecule 1: Ostreolysin A6




- Molecule 1: Ostreolysin A6





- Molecule 1: Ostreolysin A6





- Molecule 1: Ostreolysin A6




- Molecule 1: Ostreolysin A6




- Molecule 1: Ostreolysin A6





- Molecule 1: Ostreolysin A6





- Molecule 1: Ostreolysin A6





- Molecule 1: Ostreolysin A6




- Molecule 2: Pleurotolysin B




- Molecule 2: Pleurotolysin B




- Molecule 2: Pleurotolysin B



- Molecule 2: Pleurotolysin B



- Molecule 2: Pleurotolysin B



- Molecule 2: Pleurotolysin B

Sequence logos for the 1000 Genomes Project, showing the frequency of amino acids (top) and nucleotides (bottom) across the protein sequence. The top logo is for the 'All' population, and the bottom logo is for the 'YRI' (Yoruban) population. The x-axis represents the position in the protein sequence (1 to 100). The y-axis represents the frequency of the amino acid/nucleotide at that position. The color scale ranges from blue (low frequency) to red (high frequency).

Top Logo (All):


- Position 1: HIS (red)
- Position 2: HIS (red)
- Position 3: HIS (red)
- Position 4: HIS (red)
- Position 5: HIS (red)
- Position 6: HIS (red)
- Position 7: HIS (red)
- Position 8: HIS (red)
- Position 9: HIS (red)
- Position 10: HIS (red)
- Position 11: HIS (red)
- Position 12: HIS (red)
- Position 13: HIS (red)
- Position 14: HIS (red)
- Position 15: HIS (red)
- Position 16: HIS (red)
- Position 17: HIS (red)
- Position 18: HIS (red)
- Position 19: HIS (red)
- Position 20: HIS (red)
- Position 21: HIS (red)
- Position 22: HIS (red)
- Position 23: HIS (red)
- Position 24: HIS (red)
- Position 25: HIS (red)
- Position 26: HIS (red)
- Position 27: HIS (red)
- Position 28: HIS (red)
- Position 29: HIS (red)
- Position 30: HIS (red)
- Position 31: HIS (red)
- Position 32: HIS (red)
- Position 33: HIS (red)
- Position 34: HIS (red)
- Position 35: HIS (red)
- Position 36: HIS (red)
- Position 37: HIS (red)
- Position 38: HIS (red)
- Position 39: HIS (red)
- Position 40: HIS (red)
- Position 41: HIS (red)
- Position 42: HIS (red)
- Position 43: HIS (red)
- Position 44: HIS (red)
- Position 45: HIS (red)
- Position 46: HIS (red)
- Position 47: HIS (red)
- Position 48: HIS (red)
- Position 49: HIS (red)
- Position 50: HIS (red)
- Position 51: HIS (red)
- Position 52: HIS (red)
- Position 53: HIS (red)
- Position 54: HIS (red)
- Position 55: HIS (red)
- Position 56: HIS (red)
- Position 57: HIS (red)
- Position 58: HIS (red)
- Position 59: HIS (red)
- Position 60: HIS (red)
- Position 61: HIS (red)
- Position 62: HIS (red)
- Position 63: HIS (red)
- Position 64: HIS (red)
- Position 65: HIS (red)
- Position 66: HIS (red)
- Position 67: HIS (red)
- Position 68: HIS (red)
- Position 69: HIS (red)
- Position 70: HIS (red)
- Position 71: HIS (red)
- Position 72: HIS (red)
- Position 73: HIS (red)
- Position 74: HIS (red)
- Position 75: HIS (red)
- Position 76: HIS (red)
- Position 77: HIS (red)
- Position 78: HIS (red)
- Position 79: HIS (red)
- Position 80: HIS (red)
- Position 81: HIS (red)
- Position 82: HIS (red)
- Position 83: HIS (red)
- Position 84: HIS (red)
- Position 85: HIS (red)
- Position 86: HIS (red)
- Position 87: HIS (red)
- Position 88: HIS (red)
- Position 89: HIS (red)
- Position 90: HIS (red)
- Position 91: HIS (red)
- Position 92: HIS (red)
- Position 93: HIS (red)
- Position 94: HIS (red)
- Position 95: HIS (red)
- Position 96: HIS (red)
- Position 97: HIS (red)
- Position 98: HIS (red)
- Position 99: HIS (red)
- Position 100: HIS (red)

Bottom Logo (YRI):


- Position 1: ASN (red)
- Position 2: G (red)
- Position 3: A (red)
- Position 4: G (red)
- Position 5: A (red)
- Position 6: G (red)
- Position 7: A (red)
- Position 8: G (red)
- Position 9: A (red)
- Position 10: G (red)
- Position 11: A (red)
- Position 12: G (red)
- Position 13: A (red)
- Position 14: G (red)
- Position 15: A (red)
- Position 16: G (red)
- Position 17: A (red)
- Position 18: G (red)
- Position 19: A (red)
- Position 20: G (red)
- Position 21: A (red)
- Position 22: G (red)
- Position 23: A (red)
- Position 24: G (red)
- Position 25: A (red)
- Position 26: G (red)
- Position 27: A (red)
- Position 28: G (red)
- Position 29: A (red)
- Position 30: G (red)
- Position 31: A (red)
- Position 32: G (red)
- Position 33: A (red)
- Position 34: G (red)
- Position 35: A (red)
- Position 36: G (red)
- Position 37: A (red)
- Position 38: G (red)
- Position 39: A (red)
- Position 40: G (red)
- Position 41: A (red)
- Position 42: G (red)
- Position 43: A (red)
- Position 44: G (red)
- Position 45: A (red)
- Position 46: G (red)
- Position 47: A (red)
- Position 48: G (red)
- Position 49: A (red)
- Position 50: G (red)
- Position 51: A (red)
- Position 52: G (red)
- Position 53: A (red)
- Position 54: G (red)
- Position 55: A (red)
- Position 56: G (red)
- Position 57: A (red)
- Position 58: G (red)
- Position 59: A (red)
- Position 60: G (red)
- Position 61: A (red)
- Position 62: G (red)
- Position 63: A (red)
- Position 64: G (red)
- Position 65: A (red)
- Position 66: G (red)
- Position 67: A (red)
- Position 68: G (red)
- Position 69: A (red)
- Position 70: G (red)
- Position 71: A (red)
- Position 72: G (red)
- Position 73: A (red)
- Position 74: G (red)
- Position 75: A (red)
- Position 76: G (red)
- Position 77: A (red)
- Position 78: G (red)
- Position 79: A (red)
- Position 80: G (red)
- Position 81: A (red)
- Position 82: G (red)
- Position 83: A (red)
- Position 84: G (red)
- Position 85: A (red)
- Position 86: G (red)
- Position 87: A (red)
- Position 88: G (red)
- Position 89: A (red)
- Position 90: G (red)
- Position 91: A (red)
- Position 92: G (red)
- Position 93: A (red)
- Position 94: G (red)
- Position 95: A (red)
- Position 96: G (red)
- Position 97: A (red)
- Position 98: G (red)
- Position 99: A (red)
- Position 100: G (red)

A horizontal bar chart showing the distribution of amino acids across 1000 random sequences. The x-axis represents the percentage of sequences (0 to 100%). The y-axis lists amino acids: HIS, SER, Q50, N56, Q60, D183, W265, GLY, ALA, THR, ALA, GLY, HIS, GLY, ASN, THR, Q277, T278, K287, V297, ASP, TYR, THR, LYS, ILE, GLN, ASN, THR, GLU, GLU, TRP, VAL, ALA, SER, THR, Q314, D466, D519, E522, LYS. The bar is divided into segments of different colors: grey, yellow, green, and red. Red diamonds are placed above the segments for Q50, D183, Q277, T278, K287, V297, D466, D519, and E522.



Amino Acid	Percentage
HIS	10%
HIS	10%
HIS	10%
HIS	10%
HIS	10%
HIS	10%
HIS	10%
HIS	10%
SER	10%
Q50	10%
I79	15%
N80	15%
D153	15%
L233	15%
W265	15%
GLY	15%
GLY	15%
GLY	15%
ALA	15%
ALA	15%
THR	15%
GLY	15%
HIS	15%
GLY	15%
ASN	15%
THR	15%
Q277	15%
Q296	15%
V297	15%
ASP	15%
TYR	15%
THR	15%
LYS	15%
ILE	15%
GLN	15%
ASN	15%
THR	15%
GLU	15%
GLU	15%
TRP	15%
VAL	15%
ALA	15%
SER	15%
THR	15%
THR	15%
Q314	15%
Q314	15%
D466	15%
D519	15%
E522	15%



● Molecule 2: Pleurotolysin B



● Molecule 2: Pleurotolysin B



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C13	Depositor
Number of particles used	121304	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	52	Depositor
Minimum defocus (nm)	900	Depositor
Maximum defocus (nm)	2200	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.368	Depositor
Minimum map value	-0.125	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.012	Depositor
Recommended contour level	0.075	Depositor
Map size (Å)	430.08, 430.08, 430.08	wwPDB
Map dimensions	512, 512, 512	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.84, 0.84, 0.84	Depositor

5 Model quality

5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	G	0.10	0/1065	0.27	0/1445
1	H	0.11	0/1065	0.27	0/1445
1	J	0.11	0/1065	0.28	0/1445
1	K	0.10	0/1065	0.27	0/1445
1	M	0.11	0/1065	0.27	0/1445
1	N	0.10	0/1065	0.27	0/1445
1	P	0.10	0/1065	0.27	0/1445
1	Q	0.10	0/1065	0.27	0/1445
1	S	0.10	0/1065	0.27	0/1445
1	T	0.11	0/1065	0.28	0/1445
1	V	0.10	0/1065	0.28	0/1445
1	W	0.10	0/1065	0.27	0/1445
1	Y	0.16	0/1065	0.32	0/1445
1	Z	0.10	0/1065	0.26	0/1445
1	b	0.10	0/1065	0.27	0/1445
1	c	0.10	0/1065	0.28	0/1445
1	e	0.10	0/1065	0.26	0/1445
1	f	0.10	0/1065	0.26	0/1445
1	h	0.11	0/1065	0.27	0/1445
1	i	0.10	0/1065	0.27	0/1445
1	k	0.10	0/1065	0.26	0/1445
1	l	0.10	0/1065	0.27	0/1445
1	n	0.10	0/1065	0.26	0/1445
1	o	0.10	0/1065	0.27	0/1445
1	q	0.10	0/1065	0.27	0/1445
1	r	0.10	0/1065	0.27	0/1445
2	I	0.13	0/3541	0.26	0/4810
2	L	0.12	0/3541	0.26	0/4810
2	O	0.12	0/3541	0.26	0/4810
2	R	0.13	0/3541	0.26	0/4810
2	U	0.12	0/3541	0.26	0/4810
2	X	0.13	0/3541	0.26	0/4810
2	a	0.13	0/3541	0.26	0/4810
2	d	0.12	0/3541	0.25	0/4810

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
2	g	0.13	0/3541	0.27	0/4810
2	j	0.12	0/3541	0.26	0/4810
2	m	0.11	0/3541	0.26	0/4810
2	p	0.11	0/3541	0.26	0/4810
2	s	0.12	0/3541	0.26	0/4810
All	All	0.12	0/73723	0.26	0/100100

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	G	1042	1004	1004	1	0
1	H	1042	1004	1004	6	0
1	J	1042	1004	1004	2	0
1	K	1042	1004	1004	3	0
1	M	1042	1004	1004	1	0
1	N	1042	1004	1004	3	0
1	P	1042	1004	1004	2	0
1	Q	1042	1004	1004	6	0
1	S	1042	1004	1004	2	0
1	T	1042	1004	1004	4	0
1	V	1042	1004	1004	3	0
1	W	1042	1004	1004	5	0
1	Y	1042	1004	1004	3	0
1	Z	1042	1004	1004	6	0
1	b	1042	1004	1004	2	0
1	c	1042	1004	1004	7	0
1	e	1042	1004	1004	5	0
1	f	1042	1004	1004	2	0
1	h	1042	1004	1004	3	0
1	i	1042	1004	1004	2	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	k	1042	1004	1004	2	0
1	l	1042	1004	1004	3	0
1	n	1042	1004	1004	2	0
1	o	1042	1004	1004	1	0
1	q	1042	1004	1004	2	0
1	r	1042	1004	1004	2	0
2	I	3466	3451	3451	3	0
2	L	3466	3451	3451	2	0
2	O	3466	3451	3451	2	0
2	R	3466	3451	3451	3	0
2	U	3466	3451	3451	2	0
2	X	3466	3451	3451	7	0
2	a	3466	3451	3451	3	0
2	d	3466	3451	3451	2	0
2	g	3466	3451	3451	7	0
2	j	3466	3451	3451	4	0
2	m	3466	3451	3451	3	0
2	p	3466	3451	3451	3	0
2	s	3466	3451	3451	5	0
All	All	72150	70967	70967	124	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

The worst 5 of 124 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:a:114:MET:HE3	2:a:132:VAL:HG11	1.88	0.56
2:L:114:MET:HE3	2:L:132:VAL:HG11	1.88	0.56
2:s:114:MET:HE3	2:s:132:VAL:HG11	1.87	0.55
1:f:9:ILE:HG12	1:f:129:ILE:HD11	1.89	0.53
2:s:233:LEU:HB3	2:s:265:TRP:CZ3	2.45	0.52

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	G	133/143 (93%)	129 (97%)	4 (3%)	0	100	100
1	H	133/143 (93%)	132 (99%)	1 (1%)	0	100	100
1	J	133/143 (93%)	129 (97%)	4 (3%)	0	100	100
1	K	133/143 (93%)	132 (99%)	1 (1%)	0	100	100
1	M	133/143 (93%)	129 (97%)	4 (3%)	0	100	100
1	N	133/143 (93%)	132 (99%)	1 (1%)	0	100	100
1	P	133/143 (93%)	129 (97%)	4 (3%)	0	100	100
1	Q	133/143 (93%)	132 (99%)	1 (1%)	0	100	100
1	S	133/143 (93%)	129 (97%)	4 (3%)	0	100	100
1	T	133/143 (93%)	132 (99%)	1 (1%)	0	100	100
1	V	133/143 (93%)	129 (97%)	4 (3%)	0	100	100
1	W	133/143 (93%)	132 (99%)	1 (1%)	0	100	100
1	Y	133/143 (93%)	129 (97%)	4 (3%)	0	100	100
1	Z	133/143 (93%)	132 (99%)	1 (1%)	0	100	100
1	b	133/143 (93%)	129 (97%)	4 (3%)	0	100	100
1	c	133/143 (93%)	132 (99%)	1 (1%)	0	100	100
1	e	133/143 (93%)	128 (96%)	5 (4%)	0	100	100
1	f	133/143 (93%)	131 (98%)	2 (2%)	0	100	100
1	h	133/143 (93%)	129 (97%)	4 (3%)	0	100	100
1	i	133/143 (93%)	132 (99%)	1 (1%)	0	100	100
1	k	133/143 (93%)	129 (97%)	4 (3%)	0	100	100
1	l	133/143 (93%)	132 (99%)	1 (1%)	0	100	100
1	n	133/143 (93%)	129 (97%)	4 (3%)	0	100	100
1	o	133/143 (93%)	132 (99%)	1 (1%)	0	100	100
1	q	133/143 (93%)	129 (97%)	4 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	r	133/143 (93%)	131 (98%)	2 (2%)	0	100	100
2	I	440/483 (91%)	434 (99%)	6 (1%)	0	100	100
2	L	440/483 (91%)	434 (99%)	6 (1%)	0	100	100
2	O	440/483 (91%)	433 (98%)	7 (2%)	0	100	100
2	R	440/483 (91%)	434 (99%)	6 (1%)	0	100	100
2	U	440/483 (91%)	433 (98%)	7 (2%)	0	100	100
2	X	440/483 (91%)	432 (98%)	8 (2%)	0	100	100
2	a	440/483 (91%)	435 (99%)	5 (1%)	0	100	100
2	d	440/483 (91%)	433 (98%)	7 (2%)	0	100	100
2	g	440/483 (91%)	434 (99%)	6 (1%)	0	100	100
2	j	440/483 (91%)	434 (99%)	6 (1%)	0	100	100
2	m	440/483 (91%)	433 (98%)	7 (2%)	0	100	100
2	p	440/483 (91%)	434 (99%)	6 (1%)	0	100	100
2	s	440/483 (91%)	434 (99%)	6 (1%)	0	100	100
All	All	9178/9997 (92%)	9027 (98%)	151 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	G	111/118 (94%)	111 (100%)	0	100	100
1	H	111/118 (94%)	111 (100%)	0	100	100
1	J	111/118 (94%)	111 (100%)	0	100	100
1	K	111/118 (94%)	111 (100%)	0	100	100
1	M	111/118 (94%)	111 (100%)	0	100	100
1	N	111/118 (94%)	111 (100%)	0	100	100
1	P	111/118 (94%)	111 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	Q	111/118 (94%)	111 (100%)	0	100	100
1	S	111/118 (94%)	111 (100%)	0	100	100
1	T	111/118 (94%)	111 (100%)	0	100	100
1	V	111/118 (94%)	111 (100%)	0	100	100
1	W	111/118 (94%)	111 (100%)	0	100	100
1	Y	111/118 (94%)	111 (100%)	0	100	100
1	Z	111/118 (94%)	111 (100%)	0	100	100
1	b	111/118 (94%)	111 (100%)	0	100	100
1	c	111/118 (94%)	111 (100%)	0	100	100
1	e	111/118 (94%)	111 (100%)	0	100	100
1	f	111/118 (94%)	111 (100%)	0	100	100
1	h	111/118 (94%)	111 (100%)	0	100	100
1	i	111/118 (94%)	111 (100%)	0	100	100
1	k	111/118 (94%)	111 (100%)	0	100	100
1	l	111/118 (94%)	111 (100%)	0	100	100
1	n	111/118 (94%)	111 (100%)	0	100	100
1	o	111/118 (94%)	111 (100%)	0	100	100
1	q	111/118 (94%)	111 (100%)	0	100	100
1	r	111/118 (94%)	111 (100%)	0	100	100
2	I	387/416 (93%)	387 (100%)	0	100	100
2	L	387/416 (93%)	387 (100%)	0	100	100
2	O	387/416 (93%)	387 (100%)	0	100	100
2	R	387/416 (93%)	387 (100%)	0	100	100
2	U	387/416 (93%)	387 (100%)	0	100	100
2	X	387/416 (93%)	387 (100%)	0	100	100
2	a	387/416 (93%)	387 (100%)	0	100	100
2	d	387/416 (93%)	387 (100%)	0	100	100
2	g	387/416 (93%)	387 (100%)	0	100	100
2	j	387/416 (93%)	387 (100%)	0	100	100
2	m	387/416 (93%)	387 (100%)	0	100	100
2	p	387/416 (93%)	387 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	s	387/416 (93%)	387 (100%)	0	100	100
All	All	7917/8476 (93%)	7917 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 27 such sidechains are listed below:

Mol	Chain	Res	Type
1	b	45	ASN
1	e	45	ASN
1	q	45	ASN
2	d	126	ASN
1	f	23	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

There are no ligands in this entry.

5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-47077. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 256




Y Index: 256




Z Index: 256


6.2.2 Raw map



X Index: 256



Y Index: 256




Z Index: 256


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 306




Y Index: 202




Z Index: 260


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 260


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.075. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 515 nm³; this corresponds to an approximate mass of 465 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.334 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.334 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.99	-	-
Author-provided FSC curve	2.99	3.30	3.08
Unmasked-calculated*	3.63	4.15	3.71

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.63 differs from the reported value 2.99 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-47077 and PDB model 9DOA. Per-residue inclusion information can be found in section [3](#) on page [16](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.075 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.075).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 80% of all backbone atoms, 80% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ









The table lists the average atom inclusion at the recommended contour level (0.075) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7960	 0.4840
G	 0.6980	 0.4100
H	 0.6890	 0.4190
I	 0.8660	 0.5250
J	 0.6940	 0.4110
K	 0.6830	 0.4220
L	 0.8650	 0.5260
M	 0.6940	 0.4030
N	 0.6830	 0.4210
O	 0.8680	 0.5260
P	 0.7080	 0.4100
Q	 0.6880	 0.4140
R	 0.8660	 0.5240
S	 0.7000	 0.4040
T	 0.6870	 0.4190
U	 0.8650	 0.5250
V	 0.7070	 0.4100
W	 0.6960	 0.4230
X	 0.8670	 0.5250
Y	 0.7010	 0.4090
Z	 0.6980	 0.4280
a	 0.8650	 0.5250
b	 0.6980	 0.4080
c	 0.6980	 0.4270
d	 0.8630	 0.5250
e	 0.6930	 0.4010
f	 0.6980	 0.4280
g	 0.8650	 0.5240
h	 0.6960	 0.4110
i	 0.6980	 0.4320
j	 0.8640	 0.5260
k	 0.7010	 0.4120
l	 0.6910	 0.4280
m	 0.8640	 0.5260
n	 0.6940	 0.4060



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
o	 0.6900	 0.4340
p	 0.8650	 0.5250
q	 0.7000	 0.4090
r	 0.7010	 0.4290
s	 0.8630	 0.5250