



wwPDB EM Validation Summary Report ⓘ

Nov 4, 2024 – 03:46 AM JST

PDB ID : 7DX5
EMDB ID : EMD-30896
Title : S protein of SARS-CoV-2 bound with PD of ACE2 in the conformation 2 (1 up RBD and 1 PD bound)
Authors : Yan, R.H.; Zhang, Y.Y.; Li, Y.N.; Ye, F.F.; Guo, Y.Y.; Xia, L.; Zhong, X.Y.; Chi, X.M.; Zhou, Q.
Deposited on : 2021-01-18
Resolution : 3.30 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1283	<div> <div>12%</div> <div>52%</div> <div>22%</div> <div>•</div> <div>22%</div> </div>
1	B	1283	<div> <div>8%</div> <div>52%</div> <div>19%</div> <div>• •</div> <div>24%</div> </div>
1	C	1283	<div> <div>13%</div> <div>50%</div> <div>20%</div> <div>5%</div> <div>•</div> <div>24%</div> </div>
2	D	817	<div> <div>71%</div> <div>65%</div> <div>7%</div> <div>27%</div> </div>
3	E	2	<div> <div>50%</div> <div>100%</div> </div>
3	F	2	<div> <div>50%</div> <div>50%</div> </div>
3	G	2	<div> <div>100%</div> </div>
3	H	2	<div> <div>50%</div> <div>50%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
3	I	2	50% 50% 50%
3	J	2	50% 50%
3	K	2	50% 50%
3	L	2	100% 100%
3	M	2	50% 100%
3	N	2	50% 50%
3	O	2	50% 50% 50%
3	P	2	100%
3	Q	2	50% 100%
3	R	2	100% 100%
3	S	2	50% 50% 50%
3	T	2	50% 50% 50%
3	U	2	50% 50%
3	V	2	100%
3	W	2	50% 50% 50%
3	X	2	100%
3	Y	2	100%
3	Z	2	100% 50% 50%
3	a	2	100% 50% 50%
3	b	2	100% 100%
3	c	2	100% 100%
3	d	2	100% 50% 50%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
4	NAG	B	1407	-	-	X	-

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 29045 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1007	Total	C	N	O	S	0	0
			7872	5025	1310	1501	36		
1	B	971	Total	C	N	O	S	0	0
			7584	4843	1262	1445	34		
1	C	971	Total	C	N	O	S	0	0
			7584	4843	1262	1445	34		

There are 36 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	986	PRO	LYS	engineered mutation	UNP P0DTC2
A	987	PRO	VAL	engineered mutation	UNP P0DTC2
A	1274	LEU	-	expression tag	UNP P0DTC2
A	1275	GLU	-	expression tag	UNP P0DTC2
A	1276	ASP	-	expression tag	UNP P0DTC2
A	1277	TYR	-	expression tag	UNP P0DTC2
A	1278	LYS	-	expression tag	UNP P0DTC2
A	1279	ASP	-	expression tag	UNP P0DTC2
A	1280	ASP	-	expression tag	UNP P0DTC2
A	1281	ASP	-	expression tag	UNP P0DTC2
A	1282	ASP	-	expression tag	UNP P0DTC2
A	1283	LYS	-	expression tag	UNP P0DTC2
B	986	PRO	LYS	engineered mutation	UNP P0DTC2
B	987	PRO	VAL	engineered mutation	UNP P0DTC2
B	1274	LEU	-	expression tag	UNP P0DTC2
B	1275	GLU	-	expression tag	UNP P0DTC2
B	1276	ASP	-	expression tag	UNP P0DTC2
B	1277	TYR	-	expression tag	UNP P0DTC2
B	1278	LYS	-	expression tag	UNP P0DTC2
B	1279	ASP	-	expression tag	UNP P0DTC2
B	1280	ASP	-	expression tag	UNP P0DTC2
B	1281	ASP	-	expression tag	UNP P0DTC2
B	1282	ASP	-	expression tag	UNP P0DTC2
B	1283	LYS	-	expression tag	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	986	PRO	LYS	engineered mutation	UNP P0DTC2
C	987	PRO	VAL	engineered mutation	UNP P0DTC2
C	1274	LEU	-	expression tag	UNP P0DTC2
C	1275	GLU	-	expression tag	UNP P0DTC2
C	1276	ASP	-	expression tag	UNP P0DTC2
C	1277	TYR	-	expression tag	UNP P0DTC2
C	1278	LYS	-	expression tag	UNP P0DTC2
C	1279	ASP	-	expression tag	UNP P0DTC2
C	1280	ASP	-	expression tag	UNP P0DTC2
C	1281	ASP	-	expression tag	UNP P0DTC2
C	1282	ASP	-	expression tag	UNP P0DTC2
C	1283	LYS	-	expression tag	UNP P0DTC2

- Molecule 2 is a protein called Angiotensin-converting enzyme 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	D	595	Total	C	N	O	S	0	0
			4857	3108	804	916	29		

There are 13 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
D	-11	MET	-	expression tag	UNP Q9BYF1
D	-10	ALA	-	expression tag	UNP Q9BYF1
D	-9	SER	-	expression tag	UNP Q9BYF1
D	-8	GLY	-	expression tag	UNP Q9BYF1
D	-7	ARG	-	expression tag	UNP Q9BYF1
D	10	TRP	-	insertion	UNP Q9BYF1
D	11	SER	-	insertion	UNP Q9BYF1
D	12	HIS	-	insertion	UNP Q9BYF1
D	13	PRO	-	insertion	UNP Q9BYF1
D	14	GLN	-	insertion	UNP Q9BYF1
D	15	PHE	-	insertion	UNP Q9BYF1
D	16	GLU	-	insertion	UNP Q9BYF1
D	17	LYS	-	insertion	UNP Q9BYF1

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
3	E	2	Total	C	N	O	0	0
			28	16	2	10		
3	F	2	Total	C	N	O	0	0
			28	16	2	10		
3	G	2	Total	C	N	O	0	0
			28	16	2	10		
3	H	2	Total	C	N	O	0	0
			28	16	2	10		
3	I	2	Total	C	N	O	0	0
			28	16	2	10		
3	J	2	Total	C	N	O	0	0
			28	16	2	10		
3	K	2	Total	C	N	O	0	0
			28	16	2	10		
3	L	2	Total	C	N	O	0	0
			28	16	2	10		
3	M	2	Total	C	N	O	0	0
			28	16	2	10		
3	N	2	Total	C	N	O	0	0
			28	16	2	10		
3	O	2	Total	C	N	O	0	0
			28	16	2	10		
3	P	2	Total	C	N	O	0	0
			28	16	2	10		
3	Q	2	Total	C	N	O	0	0
			28	16	2	10		
3	R	2	Total	C	N	O	0	0
			28	16	2	10		
3	S	2	Total	C	N	O	0	0
			28	16	2	10		
3	T	2	Total	C	N	O	0	0
			28	16	2	10		
3	U	2	Total	C	N	O	0	0
			28	16	2	10		
3	V	2	Total	C	N	O	0	0
			28	16	2	10		
3	W	2	Total	C	N	O	0	0
			28	16	2	10		
3	X	2	Total	C	N	O	0	0
			28	16	2	10		
3	Y	2	Total	C	N	O	0	0
			28	16	2	10		
3	Z	2	Total	C	N	O	0	0
			28	16	2	10		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf	Trace
3	a	2	Total	C	N	O	0	0
			28	16	2	10		
3	b	2	Total	C	N	O	0	0
			28	16	2	10		
3	c	2	Total	C	N	O	0	0
			28	16	2	10		
3	d	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 4 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: $C_8H_{15}NO_6$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				AltConf
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	
4	A	1	Total	C	N	O	0
			14	8	1	5	

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
4	A	1	Total 14	C 8	N 1	O 5	0
4	A	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	B	1	Total 14	C 8	N 1	O 5	0
4	C	1	Total 14	C 8	N 1	O 5	0
4	C	1	Total 14	C 8	N 1	O 5	0
4	C	1	Total 14	C 8	N 1	O 5	0
4	C	1	Total 14	C 8	N 1	O 5	0
4	C	1	Total 14	C 8	N 1	O 5	0
4	C	1	Total 14	C 8	N 1	O 5	0
4	C	1	Total 14	C 8	N 1	O 5	0


Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
4	C	1	Total	C	N	O	0
			14	8	1	5	
4	D	1	Total	C	N	O	0
			14	8	1	5	




• Molecule 1: Spike glycoprotein





- Molecule 2: Angiotensin-converting enzyme 2



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  50%
50%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  50%
50%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  50%
50%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain K:  50%
50%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain L:  100%
100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain c:  100%



- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d:  100%



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	98516	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	50	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.141	Depositor
Minimum map value	-0.074	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.02	Depositor
Map size (Å)	313.056, 313.056, 313.056	wwPDB
Map dimensions	288, 288, 288	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.087, 1.087, 1.087	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.59	0/8048	0.56	0/10947
1	B	0.58	0/7751	0.55	0/10544
1	C	0.58	0/7751	0.54	0/10544
2	D	0.35	0/4994	0.50	0/6785
All	All	0.55	0/28544	0.54	0/38820

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7872	0	7671	375	0
1	B	7584	0	7403	354	0
1	C	7584	0	7404	449	0
2	D	4857	0	4624	67	0
3	E	28	0	25	0	0
3	F	28	0	25	3	0
3	G	28	0	25	0	0
3	H	28	0	25	1	0
3	I	28	0	25	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	J	28	0	25	0	0
3	K	28	0	25	0	0
3	L	28	0	25	0	0
3	M	28	0	25	0	0
3	N	28	0	25	0	0
3	O	28	0	25	0	0
3	P	28	0	25	1	0
3	Q	28	0	25	0	0
3	R	28	0	25	0	0
3	S	28	0	25	3	0
3	T	28	0	25	1	0
3	U	28	0	25	0	0
3	V	28	0	25	0	0
3	W	28	0	25	1	0
3	X	28	0	25	2	0
3	Y	28	0	25	0	0
3	Z	28	0	25	0	0
3	a	28	0	25	0	0
3	b	28	0	25	0	0
3	c	28	0	25	0	0
3	d	28	0	25	0	0
4	A	126	0	117	4	0
4	B	168	0	154	15	0
4	C	112	0	104	4	0
4	D	14	0	13	0	0
All	All	29045	0	28140	1121	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 20.

The worst 5 of 1121 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:41:LYS:HD2	1:C:562:PHE:CD2	1.46	1.48
4:B:1411:NAG:O4	4:B:1412:NAG:C1	1.63	1.45
1:C:333:THR:HG21	1:C:361:CYS:C	1.36	1.44
1:C:329:PHE:CE2	1:C:528:LYS:HG2	1.56	1.39
1:C:329:PHE:CZ	1:C:528:LYS:HG2	1.60	1.36

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	989/1283 (77%)	871 (88%)	92 (9%)	26 (3%)	4	23
1	B	951/1283 (74%)	826 (87%)	96 (10%)	29 (3%)	3	21
1	C	951/1283 (74%)	807 (85%)	101 (11%)	43 (4%)	2	13
2	D	593/817 (73%)	563 (95%)	28 (5%)	2 (0%)	37	66
All	All	3484/4666 (75%)	3067 (88%)	317 (9%)	100 (3%)	6	22

5 of 100 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	48	LEU
1	A	331	ASN
1	A	518	LEU
1	A	691	SER
1	A	701	ALA

5.3.2 Protein sidechains

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	882/1122 (79%)	779 (88%)	103 (12%)	4	17
1	B	850/1122 (76%)	749 (88%)	101 (12%)	4	17
1	C	850/1122 (76%)	754 (89%)	96 (11%)	4	18
2	D	525/721 (73%)	518 (99%)	7 (1%)	65	79
All	All	3107/4087 (76%)	2800 (90%)	307 (10%)	9	24

5 of 307 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	317	ASN
1	C	937	SER
1	C	353	TRP
1	C	537	LYS
2	D	107	VAL

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 94 such sidechains are listed below:

Mol	Chain	Res	Type
1	C	188	ASN
1	C	658	ASN
1	C	317	ASN
1	C	440	ASN
1	C	901	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

52 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	NAG	E	1	1,3	14,14,15	0.56	0	17,19,21	0.49	0
3	NAG	E	2	3	14,14,15	0.25	0	17,19,21	0.59	0
3	NAG	F	1	1,3	14,14,15	0.59	1 (7%)	17,19,21	0.57	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	F	2	3	14,14,15	0.32	0	17,19,21	0.46	0
3	NAG	G	1	1,3	14,14,15	0.32	0	17,19,21	0.61	0
3	NAG	G	2	3	14,14,15	0.52	0	17,19,21	0.47	0
3	NAG	H	1	1,3	14,14,15	0.38	0	17,19,21	0.72	0
3	NAG	H	2	3	14,14,15	0.28	0	17,19,21	1.32	2 (11%)
3	NAG	I	1	1,3	14,14,15	0.69	1 (7%)	17,19,21	0.70	0
3	NAG	I	2	3	14,14,15	0.38	0	17,19,21	1.40	3 (17%)
3	NAG	J	1	1,3	14,14,15	0.70	1 (7%)	17,19,21	0.66	0
3	NAG	J	2	3	14,14,15	0.30	0	17,19,21	0.65	0
3	NAG	K	1	1,3	14,14,15	0.24	0	17,19,21	0.69	1 (5%)
3	NAG	K	2	3	14,14,15	0.17	0	17,19,21	0.48	0
3	NAG	L	1	1,3	14,14,15	0.55	0	17,19,21	0.50	0
3	NAG	L	2	3	14,14,15	0.25	0	17,19,21	0.58	0
3	NAG	M	1	1,3	14,14,15	0.32	0	17,19,21	0.40	0
3	NAG	M	2	3	14,14,15	0.37	0	17,19,21	0.37	0
3	NAG	N	1	1,3	14,14,15	0.35	0	17,19,21	1.13	1 (5%)
3	NAG	N	2	3	14,14,15	0.27	0	17,19,21	0.47	0
3	NAG	O	1	1,3	14,14,15	0.32	0	17,19,21	0.70	1 (5%)
3	NAG	O	2	3	14,14,15	0.20	0	17,19,21	0.40	0
3	NAG	P	1	1,3	14,14,15	0.75	1 (7%)	17,19,21	0.91	1 (5%)
3	NAG	P	2	3	14,14,15	0.32	0	17,19,21	0.69	1 (5%)
3	NAG	Q	1	1,3	14,14,15	0.22	0	17,19,21	0.44	0
3	NAG	Q	2	3	14,14,15	0.27	0	17,19,21	0.38	0
3	NAG	R	1	1,3	14,14,15	0.54	0	17,19,21	0.49	0
3	NAG	R	2	3	14,14,15	0.25	0	17,19,21	0.58	0
3	NAG	S	1	1,3	14,14,15	0.59	1 (7%)	17,19,21	0.56	0
3	NAG	S	2	3	14,14,15	0.30	0	17,19,21	0.46	0
3	NAG	T	1	1,3	14,14,15	0.23	0	17,19,21	1.36	1 (5%)
3	NAG	T	2	3	14,14,15	0.20	0	17,19,21	0.50	0
3	NAG	U	1	1,3	14,14,15	0.54	0	17,19,21	0.71	1 (5%)
3	NAG	U	2	3	14,14,15	0.37	0	17,19,21	0.47	0
3	NAG	V	1	1,3	14,14,15	0.37	0	17,19,21	0.40	0
3	NAG	V	2	3	14,14,15	0.21	0	17,19,21	0.74	0
3	NAG	W	1	1,3	14,14,15	0.38	0	17,19,21	0.49	0
3	NAG	W	2	3	14,14,15	0.54	0	17,19,21	1.30	1 (5%)
3	NAG	X	1	1,3	14,14,15	0.63	1 (7%)	17,19,21	0.43	0
3	NAG	X	2	3	14,14,15	0.34	0	17,19,21	1.36	2 (11%)
3	NAG	Y	1	1,3	14,14,15	0.40	0	17,19,21	0.45	0
3	NAG	Y	2	3	14,14,15	0.23	0	17,19,21	0.49	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	NAG	Z	1	3,2	14,14,15	0.62	1 (7%)	17,19,21	0.74	0
3	NAG	Z	2	3	14,14,15	0.54	0	17,19,21	0.36	0
3	NAG	a	1	3,2	14,14,15	0.42	0	17,19,21	0.65	0
3	NAG	a	2	3	14,14,15	0.28	0	17,19,21	0.69	1 (5%)
3	NAG	b	1	3,2	14,14,15	0.29	0	17,19,21	0.62	0
3	NAG	b	2	3	14,14,15	0.30	0	17,19,21	0.62	0
3	NAG	c	1	3,2	14,14,15	0.30	0	17,19,21	0.51	0
3	NAG	c	2	3	14,14,15	0.36	0	17,19,21	0.47	0
3	NAG	d	1	3,2	14,14,15	0.23	0	17,19,21	0.62	0
3	NAG	d	2	3	14,14,15	0.34	0	17,19,21	0.59	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	E	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	E	2	3	-	2/6/23/26	0/1/1/1
3	NAG	F	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	F	2	3	-	4/6/23/26	0/1/1/1
3	NAG	G	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	G	2	3	-	2/6/23/26	0/1/1/1
3	NAG	H	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	H	2	3	-	3/6/23/26	0/1/1/1
3	NAG	I	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	I	2	3	-	5/6/23/26	0/1/1/1
3	NAG	J	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	J	2	3	-	3/6/23/26	0/1/1/1
3	NAG	K	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	K	2	3	-	0/6/23/26	0/1/1/1
3	NAG	L	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	L	2	3	-	2/6/23/26	0/1/1/1
3	NAG	M	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	M	2	3	-	1/6/23/26	0/1/1/1
3	NAG	N	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	N	2	3	-	0/6/23/26	0/1/1/1
3	NAG	O	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	O	2	3	-	3/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	NAG	P	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	P	2	3	-	3/6/23/26	0/1/1/1
3	NAG	Q	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	Q	2	3	-	2/6/23/26	0/1/1/1
3	NAG	R	1	1,3	-	1/6/23/26	0/1/1/1
3	NAG	R	2	3	-	2/6/23/26	0/1/1/1
3	NAG	S	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	S	2	3	-	4/6/23/26	0/1/1/1
3	NAG	T	1	1,3	-	6/6/23/26	0/1/1/1
3	NAG	T	2	3	-	2/6/23/26	0/1/1/1
3	NAG	U	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	U	2	3	-	2/6/23/26	0/1/1/1
3	NAG	V	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	V	2	3	-	1/6/23/26	0/1/1/1
3	NAG	W	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	W	2	3	-	5/6/23/26	0/1/1/1
3	NAG	X	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	X	2	3	-	4/6/23/26	0/1/1/1
3	NAG	Y	1	1,3	-	0/6/23/26	0/1/1/1
3	NAG	Y	2	3	-	2/6/23/26	0/1/1/1
3	NAG	Z	1	3,2	-	2/6/23/26	0/1/1/1
3	NAG	Z	2	3	-	2/6/23/26	0/1/1/1
3	NAG	a	1	3,2	-	2/6/23/26	0/1/1/1
3	NAG	a	2	3	-	2/6/23/26	0/1/1/1
3	NAG	b	1	3,2	-	2/6/23/26	0/1/1/1
3	NAG	b	2	3	-	4/6/23/26	0/1/1/1
3	NAG	c	1	3,2	-	0/6/23/26	0/1/1/1
3	NAG	c	2	3	-	0/6/23/26	0/1/1/1
3	NAG	d	1	3,2	-	0/6/23/26	0/1/1/1
3	NAG	d	2	3	-	2/6/23/26	0/1/1/1

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	P	1	NAG	O5-C1	-2.70	1.39	1.43
3	J	1	NAG	O5-C1	-2.55	1.39	1.43
3	I	1	NAG	O5-C1	-2.32	1.40	1.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	Z	1	NAG	O5-C1	-2.17	1.40	1.43
3	X	1	NAG	O5-C1	-2.11	1.40	1.43

The worst 5 of 17 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	T	1	NAG	C2-N2-C7	4.68	129.57	122.90
3	I	2	NAG	C2-N2-C7	4.43	129.20	122.90
3	X	2	NAG	C2-N2-C7	4.37	129.13	122.90
3	H	2	NAG	C2-N2-C7	4.29	129.01	122.90
3	W	2	NAG	C2-N2-C7	4.25	128.95	122.90

There are no chirality outliers.

5 of 100 torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
3	b	1	NAG	C8-C7-N2-C2
3	b	1	NAG	O7-C7-N2-C2
3	b	2	NAG	C3-C2-N2-C7
3	b	2	NAG	C8-C7-N2-C2
3	b	2	NAG	O7-C7-N2-C2


There are no ring outliers.


12 monomers are involved in 13 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	P	2	NAG	1	0
3	P	1	NAG	1	0
3	F	2	NAG	2	0
3	F	1	NAG	3	0
3	T	1	NAG	1	0
3	H	2	NAG	1	0
3	S	1	NAG	3	0
3	I	2	NAG	1	0
3	X	2	NAG	1	0
3	S	2	NAG	2	0
3	W	2	NAG	1	0
3	X	1	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.










































































5.6 Ligand geometry [i](#)

30 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
4	NAG	A	1403	1	14,14,15	0.22	0	17,19,21	0.41	0
4	NAG	A	1404	1	14,14,15	0.46	0	17,19,21	0.53	0
4	NAG	C	1406	1	14,14,15	0.28	0	17,19,21	0.38	0
4	NAG	C	1403	1	14,14,15	0.21	0	17,19,21	0.42	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	NAG	C	1404	1	14,14,15	0.47	0	17,19,21	0.53	0
4	NAG	C	1407	1	14,14,15	0.24	0	17,19,21	0.50	0
4	NAG	C	1408	1	14,14,15	0.33	0	17,19,21	0.39	0
4	NAG	A	1407	1	14,14,15	0.24	0	17,19,21	0.49	0
4	NAG	A	1406	1	14,14,15	0.30	0	17,19,21	0.38	0
4	NAG	C	1402	1	14,14,15	0.21	0	17,19,21	0.63	0
4	NAG	B	1410	1	14,14,15	0.31	0	17,19,21	0.38	0
4	NAG	B	1406	-	14,14,15	0.41	0	17,19,21	1.17	2 (11%)
4	NAG	B	1407	-	14,14,15	0.29	0	17,19,21	0.62	0
4	NAG	B	1403	1	14,14,15	0.20	0	17,19,21	0.42	0
4	NAG	B	1408	1	14,14,15	0.29	0	17,19,21	0.38	0
4	NAG	A	1408	1	14,14,15	0.31	0	17,19,21	0.38	0
4	NAG	B	1411	1	14,14,15	0.42	0	17,19,21	1.16	2 (11%)
4	NAG	B	1412	-	14,14,15	0.36	0	17,19,21	0.41	0
4	NAG	C	1401	1	14,14,15	0.31	0	17,19,21	0.34	0
4	NAG	A	1401	1	14,14,15	0.28	0	17,19,21	0.33	0
4	NAG	D	901	2	14,14,15	0.38	0	17,19,21	0.60	1 (5%)
4	NAG	B	1401	1	14,14,15	0.29	0	17,19,21	0.33	0
4	NAG	B	1409	1	14,14,15	0.22	0	17,19,21	0.49	0
4	NAG	A	1409	1	14,14,15	0.52	0	17,19,21	0.35	0
4	NAG	C	1405	1	14,14,15	0.57	0	17,19,21	1.26	1 (5%)
4	NAG	A	1405	1	14,14,15	0.56	0	17,19,21	1.26	1 (5%)
4	NAG	B	1405	1	14,14,15	0.57	0	17,19,21	1.26	1 (5%)
4	NAG	B	1402	1	14,14,15	0.22	0	17,19,21	0.63	0
4	NAG	A	1402	1	14,14,15	0.22	0	17,19,21	0.64	0
4	NAG	B	1404	1	14,14,15	0.47	0	17,19,21	0.54	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	1403	1	-	2/6/23/26	0/1/1/1
4	NAG	A	1404	1	-	2/6/23/26	0/1/1/1
4	NAG	C	1406	1	-	2/6/23/26	0/1/1/1
4	NAG	C	1403	1	-	2/6/23/26	0/1/1/1
4	NAG	C	1404	1	-	2/6/23/26	0/1/1/1
4	NAG	C	1407	1	-	1/6/23/26	0/1/1/1
4	NAG	C	1408	1	-	2/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	A	1407	1	-	1/6/23/26	0/1/1/1
4	NAG	A	1406	1	-	2/6/23/26	0/1/1/1
4	NAG	C	1402	1	-	2/6/23/26	0/1/1/1
4	NAG	B	1410	1	-	2/6/23/26	0/1/1/1
4	NAG	B	1406	-	-	0/6/23/26	0/1/1/1
4	NAG	B	1407	-	-	1/6/23/26	0/1/1/1
4	NAG	B	1403	1	-	2/6/23/26	0/1/1/1
4	NAG	B	1408	1	-	2/6/23/26	0/1/1/1
4	NAG	A	1408	1	-	2/6/23/26	0/1/1/1
4	NAG	B	1411	1	-	0/6/23/26	0/1/1/1
4	NAG	B	1412	-	-	0/6/23/26	0/1/1/1
4	NAG	C	1401	1	-	2/6/23/26	0/1/1/1
4	NAG	A	1401	1	-	2/6/23/26	0/1/1/1
4	NAG	D	901	2	-	2/6/23/26	0/1/1/1
4	NAG	B	1401	1	-	2/6/23/26	0/1/1/1
4	NAG	B	1409	1	-	1/6/23/26	0/1/1/1
4	NAG	A	1409	1	-	2/6/23/26	0/1/1/1
4	NAG	C	1405	1	-	5/6/23/26	0/1/1/1
4	NAG	A	1405	1	-	5/6/23/26	0/1/1/1
4	NAG	B	1405	1	-	5/6/23/26	0/1/1/1
4	NAG	B	1402	1	-	2/6/23/26	0/1/1/1
4	NAG	A	1402	1	-	2/6/23/26	0/1/1/1
4	NAG	B	1404	1	-	2/6/23/26	0/1/1/1

There are no bond length outliers.

The worst 5 of 8 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	B	1405	NAG	C2-N2-C7	4.32	129.06	122.90
4	A	1405	NAG	C2-N2-C7	4.31	129.03	122.90
4	C	1405	NAG	C2-N2-C7	4.30	129.02	122.90
4	B	1406	NAG	C8-C7-N2	2.32	120.03	116.10
4	B	1411	NAG	C8-C7-N2	2.26	119.92	116.10

There are no chirality outliers.

5 of 59 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
4	A	1406	NAG	O5-C5-C6-O6
4	B	1408	NAG	O5-C5-C6-O6
4	C	1406	NAG	O5-C5-C6-O6
4	A	1401	NAG	O5-C5-C6-O6
4	B	1401	NAG	O5-C5-C6-O6

There are no ring outliers.


9 monomers are involved in 23 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	1402	NAG	3	0
4	B	1407	NAG	7	0
4	B	1411	NAG	4	0
4	B	1412	NAG	4	0
4	C	1405	NAG	1	0
4	A	1405	NAG	1	0
4	B	1405	NAG	1	0
4	B	1402	NAG	3	0
4	A	1402	NAG	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







Ligand NAG C 1406




Ligand NAG C 1403












Ligand NAG A 1406







Ligand NAG C 1402






















Ligand NAG B 1409




Ligand NAG A 1409




Ligand NAG C 1405




Ligand NAG A 1405




Ligand NAG B 1405




Ligand NAG B 1402



Ligand NAG A 1402



Ligand NAG B 1404



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-30896. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 144



Y Index: 144




Z Index: 144


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 131



Y Index: 141




Z Index: 164


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.02. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 172 nm³; this corresponds to an approximate mass of 156 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.303 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-30896 and PDB model 7DX5. Per-residue inclusion information can be found in section [3](#) on page [11](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.02 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.02).































































9.4 Atom inclusion [i](#)



At the recommended contour level, 70% of all backbone atoms, 61% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.02) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.6140	 0.3670
A	 0.7180	 0.4250
B	 0.7700	 0.4660
C	 0.7040	 0.4240
D	 0.0770	 0.0380
E	 0.5360	 0.2990
F	 0.2860	 0.1300
G	 0.7860	 0.5090
H	 0.5710	 0.3660
I	 0.5360	 0.4610
J	 0.8210	 0.5450
K	 0.7860	 0.4110
L	 0.0000	 -0.0530
M	 0.3930	 0.2350
N	 0.7500	 0.4480
O	 0.6070	 0.4310
P	 0.8210	 0.4590
Q	 0.6070	 0.3440
R	 0.0710	 0.1400
S	 0.1430	 -0.0580
T	 0.4290	 0.2840
U	 0.7500	 0.4870
V	 0.7500	 0.3810
W	 0.4640	 0.2670
X	 0.7500	 0.4510
Y	 0.6430	 0.3290
Z	 0.1430	 0.0050
a	 0.0000	 0.1120
b	 0.0000	 0.0070
c	 0.0000	 -0.0970
d	 0.0000	 0.1070

