



wwPDB X-ray Structure Validation Summary Report ⓘ

Aug 6, 2025 – 10:09 AM EDT

PDB ID : 9EGC / pdb_00009egc
Title : AclA from *Tenacibaculum discolor* in complex with the C8-N-acyl cyclolysine reaction product (C8-ACL)
Authors : Shirkey, J.D.; Jeffrey, P.D.; Linares-Otoya, L.; Khatri Chhetri, B.; Donia, M.S.; Hughson, F.M.
Deposited on : 2024-11-21
Resolution : 2.55 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0rc1
Mogul : 2022.3.0, CSD as543be (2022)
Xtriage (Phenix) : 2.0rc1
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.006 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.45.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.55 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1004 (2.54-2.54)
Clashscore	180529	1055 (2.54-2.54)
Ramachandran outliers	177936	1048 (2.54-2.54)
Sidechain outliers	177891	1048 (2.54-2.54)
RSRZ outliers	164620	1004 (2.54-2.54)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	264	
1	B	264	
1	C	264	
1	D	264	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	E	264	<div><div><div></div><div></div><div></div></div><div><div>%</div><div>80%</div><div>14%</div><div>6%</div></div></div>
1	F	264	<div><div><div></div><div></div><div></div></div><div><div>2%</div><div>80%</div><div>14%</div><div>• 5%</div></div></div>
1	G	264	<div><div><div></div><div></div><div></div></div><div><div>%</div><div>80%</div><div>12%</div><div>• 6%</div></div></div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 14317 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called THIF-type NAD/FAD binding fold domain-containing protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	249	Total	C	N	O	S	0	0	0
			1994	1280	337	370	7			
1	B	250	Total	C	N	O	S	0	0	0
			2003	1285	338	372	8			
1	C	249	Total	C	N	O	S	0	0	0
			1995	1280	337	371	7			
1	D	250	Total	C	N	O	S	0	0	0
			2002	1285	338	371	8			
1	E	249	Total	C	N	O	S	0	0	0
			1995	1280	337	371	7			
1	F	250	Total	C	N	O	S	0	0	0
			2003	1285	338	372	8			
1	G	249	Total	C	N	O	S	0	0	0
			1995	1280	337	371	7			

There are 119 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-13	MET	-	initiating methionine	UNP A0A2G1BYE5
A	-12	GLY	-	expression tag	UNP A0A2G1BYE5
A	-11	SER	-	expression tag	UNP A0A2G1BYE5
A	-10	SER	-	expression tag	UNP A0A2G1BYE5
A	-9	HIS	-	expression tag	UNP A0A2G1BYE5
A	-8	HIS	-	expression tag	UNP A0A2G1BYE5
A	-7	HIS	-	expression tag	UNP A0A2G1BYE5
A	-6	HIS	-	expression tag	UNP A0A2G1BYE5
A	-5	HIS	-	expression tag	UNP A0A2G1BYE5
A	-4	HIS	-	expression tag	UNP A0A2G1BYE5
A	-3	SER	-	expression tag	UNP A0A2G1BYE5
A	-2	GLN	-	expression tag	UNP A0A2G1BYE5
A	-1	ASP	-	expression tag	UNP A0A2G1BYE5
A	0	PRO	-	expression tag	UNP A0A2G1BYE5
A	58	ASN	ASP	conflict	UNP A0A2G1BYE5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	165	ALA	SER	conflict	UNP A0A2G1BYE5
A	166	LYS	ARG	conflict	UNP A0A2G1BYE5
B	-13	MET	-	initiating methionine	UNP A0A2G1BYE5
B	-12	GLY	-	expression tag	UNP A0A2G1BYE5
B	-11	SER	-	expression tag	UNP A0A2G1BYE5
B	-10	SER	-	expression tag	UNP A0A2G1BYE5
B	-9	HIS	-	expression tag	UNP A0A2G1BYE5
B	-8	HIS	-	expression tag	UNP A0A2G1BYE5
B	-7	HIS	-	expression tag	UNP A0A2G1BYE5
B	-6	HIS	-	expression tag	UNP A0A2G1BYE5
B	-5	HIS	-	expression tag	UNP A0A2G1BYE5
B	-4	HIS	-	expression tag	UNP A0A2G1BYE5
B	-3	SER	-	expression tag	UNP A0A2G1BYE5
B	-2	GLN	-	expression tag	UNP A0A2G1BYE5
B	-1	ASP	-	expression tag	UNP A0A2G1BYE5
B	0	PRO	-	expression tag	UNP A0A2G1BYE5
B	58	ASN	ASP	conflict	UNP A0A2G1BYE5
B	165	ALA	SER	conflict	UNP A0A2G1BYE5
B	166	LYS	ARG	conflict	UNP A0A2G1BYE5
C	-13	MET	-	initiating methionine	UNP A0A2G1BYE5
C	-12	GLY	-	expression tag	UNP A0A2G1BYE5
C	-11	SER	-	expression tag	UNP A0A2G1BYE5
C	-10	SER	-	expression tag	UNP A0A2G1BYE5
C	-9	HIS	-	expression tag	UNP A0A2G1BYE5
C	-8	HIS	-	expression tag	UNP A0A2G1BYE5
C	-7	HIS	-	expression tag	UNP A0A2G1BYE5
C	-6	HIS	-	expression tag	UNP A0A2G1BYE5
C	-5	HIS	-	expression tag	UNP A0A2G1BYE5
C	-4	HIS	-	expression tag	UNP A0A2G1BYE5
C	-3	SER	-	expression tag	UNP A0A2G1BYE5
C	-2	GLN	-	expression tag	UNP A0A2G1BYE5
C	-1	ASP	-	expression tag	UNP A0A2G1BYE5
C	0	PRO	-	expression tag	UNP A0A2G1BYE5
C	58	ASN	ASP	conflict	UNP A0A2G1BYE5
C	165	ALA	SER	conflict	UNP A0A2G1BYE5
C	166	LYS	ARG	conflict	UNP A0A2G1BYE5
D	-13	MET	-	initiating methionine	UNP A0A2G1BYE5
D	-12	GLY	-	expression tag	UNP A0A2G1BYE5
D	-11	SER	-	expression tag	UNP A0A2G1BYE5
D	-10	SER	-	expression tag	UNP A0A2G1BYE5
D	-9	HIS	-	expression tag	UNP A0A2G1BYE5
D	-8	HIS	-	expression tag	UNP A0A2G1BYE5

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
D	-7	HIS	-	expression tag	UNP A0A2G1BYE5
D	-6	HIS	-	expression tag	UNP A0A2G1BYE5
D	-5	HIS	-	expression tag	UNP A0A2G1BYE5
D	-4	HIS	-	expression tag	UNP A0A2G1BYE5
D	-3	SER	-	expression tag	UNP A0A2G1BYE5
D	-2	GLN	-	expression tag	UNP A0A2G1BYE5
D	-1	ASP	-	expression tag	UNP A0A2G1BYE5
D	0	PRO	-	expression tag	UNP A0A2G1BYE5
D	58	ASN	ASP	conflict	UNP A0A2G1BYE5
D	165	ALA	SER	conflict	UNP A0A2G1BYE5
D	166	LYS	ARG	conflict	UNP A0A2G1BYE5
E	-13	MET	-	initiating methionine	UNP A0A2G1BYE5
E	-12	GLY	-	expression tag	UNP A0A2G1BYE5
E	-11	SER	-	expression tag	UNP A0A2G1BYE5
E	-10	SER	-	expression tag	UNP A0A2G1BYE5
E	-9	HIS	-	expression tag	UNP A0A2G1BYE5
E	-8	HIS	-	expression tag	UNP A0A2G1BYE5
E	-7	HIS	-	expression tag	UNP A0A2G1BYE5
E	-6	HIS	-	expression tag	UNP A0A2G1BYE5
E	-5	HIS	-	expression tag	UNP A0A2G1BYE5
E	-4	HIS	-	expression tag	UNP A0A2G1BYE5
E	-3	SER	-	expression tag	UNP A0A2G1BYE5
E	-2	GLN	-	expression tag	UNP A0A2G1BYE5
E	-1	ASP	-	expression tag	UNP A0A2G1BYE5
E	0	PRO	-	expression tag	UNP A0A2G1BYE5
E	58	ASN	ASP	conflict	UNP A0A2G1BYE5
E	165	ALA	SER	conflict	UNP A0A2G1BYE5
E	166	LYS	ARG	conflict	UNP A0A2G1BYE5
F	-13	MET	-	initiating methionine	UNP A0A2G1BYE5
F	-12	GLY	-	expression tag	UNP A0A2G1BYE5
F	-11	SER	-	expression tag	UNP A0A2G1BYE5
F	-10	SER	-	expression tag	UNP A0A2G1BYE5
F	-9	HIS	-	expression tag	UNP A0A2G1BYE5
F	-8	HIS	-	expression tag	UNP A0A2G1BYE5
F	-7	HIS	-	expression tag	UNP A0A2G1BYE5
F	-6	HIS	-	expression tag	UNP A0A2G1BYE5
F	-5	HIS	-	expression tag	UNP A0A2G1BYE5
F	-4	HIS	-	expression tag	UNP A0A2G1BYE5
F	-3	SER	-	expression tag	UNP A0A2G1BYE5
F	-2	GLN	-	expression tag	UNP A0A2G1BYE5
F	-1	ASP	-	expression tag	UNP A0A2G1BYE5
F	0	PRO	-	expression tag	UNP A0A2G1BYE5

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	58	ASN	ASP	conflict	UNP A0A2G1BYE5
F	165	ALA	SER	conflict	UNP A0A2G1BYE5
F	166	LYS	ARG	conflict	UNP A0A2G1BYE5
G	-13	MET	-	initiating methionine	UNP A0A2G1BYE5
G	-12	GLY	-	expression tag	UNP A0A2G1BYE5
G	-11	SER	-	expression tag	UNP A0A2G1BYE5
G	-10	SER	-	expression tag	UNP A0A2G1BYE5
G	-9	HIS	-	expression tag	UNP A0A2G1BYE5
G	-8	HIS	-	expression tag	UNP A0A2G1BYE5
G	-7	HIS	-	expression tag	UNP A0A2G1BYE5
G	-6	HIS	-	expression tag	UNP A0A2G1BYE5
G	-5	HIS	-	expression tag	UNP A0A2G1BYE5
G	-4	HIS	-	expression tag	UNP A0A2G1BYE5
G	-3	SER	-	expression tag	UNP A0A2G1BYE5
G	-2	GLN	-	expression tag	UNP A0A2G1BYE5
G	-1	ASP	-	expression tag	UNP A0A2G1BYE5
G	0	PRO	-	expression tag	UNP A0A2G1BYE5
G	58	ASN	ASP	conflict	UNP A0A2G1BYE5
G	165	ALA	SER	conflict	UNP A0A2G1BYE5
G	166	LYS	ARG	conflict	UNP A0A2G1BYE5

- Molecule 2 is N-[(3R)-2-oxoazepan-3-yl]octanamide (CCD ID: A1CA3) (formula: $C_{14}H_{26}N_2O_2$) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	N	O	0	0
			18	14	2	2		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	B	1	Total	C	N	O	0	0
			18	14	2	2		
2	C	1	Total	C	N	O	0	0
			18	14	2	2		
2	D	1	Total	C	N	O	0	0
			18	14	2	2		
2	E	1	Total	C	N	O	0	0
			18	14	2	2		
2	F	1	Total	C	N	O	0	0
			18	14	2	2		
2	G	1	Total	C	N	O	0	0
			18	14	2	2		

- Molecule 3 is MALEIC ACID (CCD ID: MAE) (formula: $C_4H_4O_4$).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			8	4	4		
3	B	1	Total	C	O	0	0
			8	4	4		
3	C	1	Total	C	O	0	0
			8	4	4		
3	D	1	Total	C	O	0	0
			8	4	4		
3	E	1	Total	C	O	0	0
			8	4	4		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	F	1	Total	C	O	0	0
			8	4	4		
3	G	1	Total	C	O	0	0
			8	4	4		

- Molecule 4 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			7	4	3		
4	A	1	Total	C	O	0	0
			7	4	3		
4	A	1	Total	C	O	0	0
			7	4	3		
4	B	1	Total	C	O	0	0
			7	4	3		
4	E	1	Total	C	O	0	0
			7	4	3		


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	20	Total	O	0	0
			20	20		
5	B	11	Total	O	0	0
			11	11		



Continued on next page...

Continued from previous page...



Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	C	15	Total 15	O 15	0	0
5	D	14	Total 14	O 14	0	0
5	E	22	Total 22	O 22	0	0
5	F	6	Total 6	O 6	0	0
5	G	25	Total 25	O 25	0	0





- Molecule 1: THIF-type NAD/FAD binding fold domain-containing protein



- Molecule 1: THIF-type NAD/FAD binding fold domain-containing protein



- Molecule 1: THIF-type NAD/FAD binding fold domain-containing protein



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	204.37Å 84.36Å 164.53Å 90.00° 105.61° 90.00°	Depositor
Resolution (Å)	29.46 – 2.55 29.46 – 2.55	Depositor EDS
% Data completeness (in resolution range)	99.9 (29.46-2.55) 99.8 (29.46-2.55)	Depositor EDS
R_{merge}	0.13	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.46 (at 2.54Å)	Xtriage
Refinement program	PHENIX 1.17_3644	Depositor
R, R_{free}	0.179 , 0.222 0.180 , 0.222	Depositor DCC
R_{free} test set	4540 reflections (5.14%)	wwPDB-VP
Wilson B-factor (Å ²)	54.0	Xtriage
Anisotropy	0.212	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 67.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.34$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.96	EDS
Total number of atoms	14317	wwPDB-VP
Average B, all atoms (Å ²)	74.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 5.01% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: MAE, A1CA3, PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.33	0/2038	0.56	0/2754
1	B	0.31	0/2047	0.54	0/2764
1	C	0.31	0/2039	0.55	0/2754
1	D	0.27	0/2046	0.51	0/2764
1	E	0.31	0/2039	0.55	0/2754
1	F	0.28	0/2047	0.51	0/2764
1	G	0.34	0/2039	0.58	0/2754
All	All	0.31	0/14295	0.54	0/19308

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1994	0	1997	34	0
1	B	2003	0	2009	32	0
1	C	1995	0	1997	22	0
1	D	2002	0	2009	30	0
1	E	1995	0	1997	22	0
1	F	2003	0	2009	24	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	G	1995	0	1997	23	0
2	A	18	0	0	0	0
2	B	18	0	0	1	0
2	C	18	0	0	1	0
2	D	18	0	0	1	0
2	E	18	0	0	0	0
2	F	18	0	0	0	0
2	G	18	0	0	2	0
3	A	8	0	2	1	0
3	B	8	0	2	1	0
3	C	8	0	2	1	0
3	D	8	0	2	1	0
3	E	8	0	2	0	0
3	F	8	0	2	0	0
3	G	8	0	2	1	0
4	A	21	0	30	3	0
4	B	7	0	10	3	0
4	E	7	0	10	0	0
5	A	20	0	0	0	0
5	B	11	0	0	0	0
5	C	15	0	0	3	0
5	D	14	0	0	0	0
5	E	22	0	0	3	0
5	F	6	0	0	0	0
5	G	25	0	0	0	0
All	All	14317	0	14079	175	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 175 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:96:ASN:HD22	1:G:96:ASN:HD22	1.22	0.84
1:A:96:ASN:ND2	1:G:96:ASN:HD22	1.77	0.82
1:A:184:MET:HE1	1:A:189:LYS:NZ	1.94	0.82
1:C:167:LYS:HE2	1:C:167:LYS:H	1.43	0.81
1:C:97:CYS:SG	5:C:415:HOH:O	2.39	0.79

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	247/264 (94%)	239 (97%)	7 (3%)	1 (0%)	30	40
1	B	248/264 (94%)	239 (96%)	7 (3%)	2 (1%)	16	23
1	C	247/264 (94%)	237 (96%)	8 (3%)	2 (1%)	16	23
1	D	248/264 (94%)	239 (96%)	8 (3%)	1 (0%)	30	40
1	E	247/264 (94%)	239 (97%)	7 (3%)	1 (0%)	30	40
1	F	248/264 (94%)	240 (97%)	7 (3%)	1 (0%)	30	40
1	G	247/264 (94%)	237 (96%)	8 (3%)	2 (1%)	16	23
All	All	1732/1848 (94%)	1670 (96%)	52 (3%)	10 (1%)	22	29

5 of 10 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	63	ARG
1	C	63	ARG
1	D	63	ARG
1	G	249	GLU
1	E	124	VAL

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	221/235 (94%)	215 (97%)	6 (3%)	40	57
1	B	222/235 (94%)	214 (96%)	8 (4%)	30	44

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	221/235 (94%)	214 (97%)	7 (3%)	34	49
1	D	222/235 (94%)	212 (96%)	10 (4%)	23	34
1	E	221/235 (94%)	218 (99%)	3 (1%)	62	77
1	F	222/235 (94%)	216 (97%)	6 (3%)	40	57
1	G	221/235 (94%)	212 (96%)	9 (4%)	26	38
All	All	1550/1645 (94%)	1501 (97%)	49 (3%)	34	49

5 of 49 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	D	208	LEU
1	F	58	ASN
1	D	228	LEU
1	E	122	SER
1	F	155	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 13 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	96	ASN
1	E	91	ASN
1	G	74	ASN
1	F	3	HIS
1	F	162	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

19 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# $ Z > 2$	Counts	RMSZ	# $ Z > 2$
4	PEG	A	305	-	6,6,6	0.49	0	5,5,5	0.51	0
2	A1CA3	C	301	-	18,18,18	0.17	0	19,21,21	1.06	2 (10%)
4	PEG	A	303	-	6,6,6	0.56	0	5,5,5	0.56	0
3	MAE	F	302	-	7,7,7	1.25	1 (14%)	8,8,8	1.29	1 (12%)
4	PEG	B	303	-	6,6,6	0.54	0	5,5,5	0.33	0
2	A1CA3	F	301	-	18,18,18	0.14	0	19,21,21	0.79	1 (5%)
3	MAE	A	302	-	7,7,7	1.19	0	8,8,8	1.26	0
2	A1CA3	A	301	-	18,18,18	0.21	0	19,21,21	0.92	1 (5%)
3	MAE	E	302	-	7,7,7	1.23	1 (14%)	8,8,8	1.32	0
3	MAE	D	302	-	7,7,7	1.19	0	8,8,8	1.30	1 (12%)
2	A1CA3	B	301	-	18,18,18	0.20	0	19,21,21	0.99	1 (5%)
3	MAE	C	302	-	7,7,7	1.25	1 (14%)	8,8,8	1.24	1 (12%)
4	PEG	E	303	-	6,6,6	0.50	0	5,5,5	0.41	0
2	A1CA3	D	301	-	18,18,18	0.18	0	19,21,21	0.94	1 (5%)
2	A1CA3	E	301	-	18,18,18	0.21	0	19,21,21	1.02	2 (10%)
2	A1CA3	G	301	-	18,18,18	0.23	0	19,21,21	1.12	2 (10%)
3	MAE	B	302	-	7,7,7	1.28	1 (14%)	8,8,8	1.34	1 (12%)
3	MAE	G	302	-	7,7,7	1.24	1 (14%)	8,8,8	1.31	1 (12%)
4	PEG	A	304	-	6,6,6	0.49	0	5,5,5	0.45	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PEG	A	305	-	-	3/4/4/4	-
2	A1CA3	C	301	-	-	7/11/23/23	1/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	PEG	A	303	-	-	3/4/4/4	-
3	MAE	F	302	-	-	4/5/5/5	-
4	PEG	B	303	-	-	2/4/4/4	-
2	A1CA3	F	301	-	-	7/11/23/23	1/1/1/1
3	MAE	A	302	-	-	4/5/5/5	-
2	A1CA3	A	301	-	-	7/11/23/23	1/1/1/1
3	MAE	E	302	-	-	4/5/5/5	-
3	MAE	D	302	-	-	4/5/5/5	-
2	A1CA3	B	301	-	-	7/11/23/23	1/1/1/1
3	MAE	C	302	-	-	4/5/5/5	-
4	PEG	E	303	-	-	2/4/4/4	-
2	A1CA3	D	301	-	-	7/11/23/23	1/1/1/1
2	A1CA3	E	301	-	-	7/11/23/23	1/1/1/1
2	A1CA3	G	301	-	-	7/11/23/23	1/1/1/1
3	MAE	B	302	-	-	4/5/5/5	-
3	MAE	G	302	-	-	4/5/5/5	-
4	PEG	A	304	-	-	2/4/4/4	-

All (5) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	302	MAE	O2-C1	-2.40	1.24	1.30
3	E	302	MAE	O2-C1	-2.25	1.24	1.30
3	F	302	MAE	O2-C1	-2.25	1.24	1.30
3	G	302	MAE	O4-C4	-2.15	1.24	1.30
3	C	302	MAE	O2-C1	-2.09	1.25	1.30

The worst 5 of 15 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	B	302	MAE	C3-C2-C1	-2.57	114.00	127.05
3	F	302	MAE	C3-C2-C1	-2.53	114.19	127.05
2	G	301	A1CA3	O13-C12-C11	-2.50	118.86	121.24
3	G	302	MAE	C3-C2-C1	-2.47	114.47	127.05
2	G	301	A1CA3	C12-C11-N10	2.44	114.55	108.73

There are no chirality outliers.

5 of 89 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	F	301	A1CA3	C12-C11-N10-C8
3	G	302	MAE	O1-C1-C2-C3
3	A	302	MAE	O1-C1-C2-C3
3	G	302	MAE	O2-C1-C2-C3
3	A	302	MAE	O2-C1-C2-C3

5 of 7 ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	G	301	A1CA3	C11-C12-C14-C15-C16-C17-N18
2	D	301	A1CA3	C11-C12-C14-C15-C16-C17-N18
2	C	301	A1CA3	C11-C12-C14-C15-C16-C17-N18
2	B	301	A1CA3	C11-C12-C14-C15-C16-C17-N18
2	E	301	A1CA3	C11-C12-C14-C15-C16-C17-N18

11 monomers are involved in 12 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	C	301	A1CA3	1	0
4	B	303	PEG	3	0
3	A	302	MAE	1	0
3	D	302	MAE	1	0
2	B	301	A1CA3	1	0
3	C	302	MAE	1	0
2	D	301	A1CA3	1	0
2	G	301	A1CA3	2	0
3	B	302	MAE	1	0
3	G	302	MAE	1	0
4	A	304	PEG	3	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand A1CA3 C 301




Ligand A1CA3 F 301




Ligand A1CA3 A 301




Ligand A1CA3 B 301




Ligand A1CA3 D 301



Ligand A1CA3 E 301





5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	249/264 (94%)	-0.35	3 (1%) 76 78	41, 68, 105, 144	0
1	B	250/264 (94%)	-0.33	4 (1%) 70 74	42, 68, 108, 164	0
1	C	249/264 (94%)	-0.35	3 (1%) 76 78	41, 68, 104, 155	0
1	D	250/264 (94%)	-0.28	5 (2%) 64 69	47, 74, 113, 164	0
1	E	249/264 (94%)	-0.30	3 (1%) 76 78	44, 71, 107, 158	0
1	F	250/264 (94%)	-0.10	5 (2%) 64 69	55, 89, 128, 165	0
1	G	249/264 (94%)	-0.50	3 (1%) 76 78	43, 60, 93, 132	0
All	All	1746/1848 (94%)	-0.31	26 (1%) 71 75	41, 70, 114, 165	0

The worst 5 of 26 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	2	LYS	4.8
1	A	2	LYS	4.3
1	G	2	LYS	3.8
1	C	3	HIS	3.8
1	C	2	LYS	3.6

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	MAE	D	302	8/8	0.62	0.21	92,107,124,128	0
3	MAE	B	302	8/8	0.68	0.21	90,95,108,111	0
3	MAE	E	302	8/8	0.68	0.19	94,105,119,121	0
3	MAE	F	302	8/8	0.70	0.18	95,99,114,116	0
3	MAE	C	302	8/8	0.74	0.19	87,97,102,103	0
3	MAE	G	302	8/8	0.77	0.17	85,86,95,98	0
3	MAE	A	302	8/8	0.78	0.14	73,80,91,97	0
4	PEG	A	304	7/7	0.80	0.18	69,72,81,83	0
4	PEG	A	305	7/7	0.86	0.21	59,68,78,79	0
4	PEG	B	303	7/7	0.86	0.16	62,67,78,80	0
4	PEG	A	303	7/7	0.88	0.15	67,68,76,78	0
2	A1CA3	F	301	18/18	0.93	0.12	52,68,78,82	0
2	A1CA3	A	301	18/18	0.94	0.11	46,52,65,67	0
2	A1CA3	B	301	18/18	0.94	0.11	47,55,61,78	0
2	A1CA3	D	301	18/18	0.94	0.12	45,60,73,75	0
4	PEG	E	303	7/7	0.94	0.11	71,81,84,84	0
2	A1CA3	E	301	18/18	0.95	0.12	48,61,75,78	0
2	A1CA3	G	301	18/18	0.95	0.10	40,54,65,66	0
2	A1CA3	C	301	18/18	0.96	0.10	47,52,67,81	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around A1CA3 F 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1CA3 A 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1CA3 B 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1CA3 D 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around A1CA3 E 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around A1CA3 G 301:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around A1CA3 C 301:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.