



wwPDB X-ray Structure Validation Summary Report ⓘ

Jun 23, 2024 – 04:30 AM EDT

PDB ID : 5EXV
Title : Crystal structure of heme binding protein HutX from *Vibrio cholerae*
Authors : Sekine, Y.; Tanaka, Y.; Uchida, T.
Deposited on : 2015-11-24
Resolution : 2.90 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Xtriage (Phenix)	:	1.13
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.90 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	130704	1957 (2.90-2.90)
Clashscore	141614	2172 (2.90-2.90)
Ramachandran outliers	138981	2115 (2.90-2.90)
Sidechain outliers	138945	2117 (2.90-2.90)
RSRZ outliers	127900	1906 (2.90-2.90)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	189	<div> <div>15%</div> <div> <div>38%</div> <div>36%</div> <div>13%</div> <div>14%</div> </div> </div>
1	B	189	<div> <div>57%</div> <div>26%</div> <div>5%</div> <div>12%</div> </div>
1	C	189	<div> <div>8%</div> <div>50%</div> <div>27%</div> <div>10%</div> <div>13%</div> </div>
1	D	189	<div> <div>%</div> <div>55%</div> <div>26%</div> <div>6%</div> <div>13%</div> </div>
1	E	189	<div> <div>52%</div> <div>41%</div> <div>38%</div> <div>9%</div> <div>12%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
1	F	189	<div><div><div></div><div></div><div></div><div></div><div></div></div><div>46%39%40%10%12%</div></div>

2 Entry composition

There is only 1 type of molecule in this entry. The entry contains 7856 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Hemin-degrading HemS.ChuX domain protein.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	163	Total	C	N	O	S	0	0	0
			1286	823	221	236	6			
1	B	167	Total	C	N	O	S	0	0	0
			1321	844	227	243	7			
1	C	165	Total	C	N	O	S	0	0	0
			1303	833	223	240	7			
1	D	165	Total	C	N	O	S	0	0	0
			1304	834	224	240	6			
1	E	167	Total	C	N	O	S	0	0	0
			1321	844	227	243	7			
1	F	167	Total	C	N	O	S	0	0	0
			1321	844	227	243	7			

There are 132 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-21	MET	-	expression tag	UNP A0A085SE34
A	-20	GLY	-	expression tag	UNP A0A085SE34
A	-19	SER	-	expression tag	UNP A0A085SE34
A	-18	SER	-	expression tag	UNP A0A085SE34
A	-17	HIS	-	expression tag	UNP A0A085SE34
A	-16	HIS	-	expression tag	UNP A0A085SE34
A	-15	HIS	-	expression tag	UNP A0A085SE34
A	-14	HIS	-	expression tag	UNP A0A085SE34
A	-13	HIS	-	expression tag	UNP A0A085SE34
A	-12	HIS	-	expression tag	UNP A0A085SE34
A	-11	SER	-	expression tag	UNP A0A085SE34
A	-10	SER	-	expression tag	UNP A0A085SE34
A	-9	GLY	-	expression tag	UNP A0A085SE34
A	-8	LEU	-	expression tag	UNP A0A085SE34
A	-7	GLU	-	expression tag	UNP A0A085SE34
A	-6	VAL	-	expression tag	UNP A0A085SE34
A	-5	LEU	-	expression tag	UNP A0A085SE34

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	-4	PHE	-	expression tag	UNP A0A085SE34
A	-3	GLN	-	expression tag	UNP A0A085SE34
A	-2	GLY	-	expression tag	UNP A0A085SE34
A	-1	PRO	-	expression tag	UNP A0A085SE34
A	0	HIS	-	expression tag	UNP A0A085SE34
B	-21	MET	-	expression tag	UNP A0A085SE34
B	-20	GLY	-	expression tag	UNP A0A085SE34
B	-19	SER	-	expression tag	UNP A0A085SE34
B	-18	SER	-	expression tag	UNP A0A085SE34
B	-17	HIS	-	expression tag	UNP A0A085SE34
B	-16	HIS	-	expression tag	UNP A0A085SE34
B	-15	HIS	-	expression tag	UNP A0A085SE34
B	-14	HIS	-	expression tag	UNP A0A085SE34
B	-13	HIS	-	expression tag	UNP A0A085SE34
B	-12	HIS	-	expression tag	UNP A0A085SE34
B	-11	SER	-	expression tag	UNP A0A085SE34
B	-10	SER	-	expression tag	UNP A0A085SE34
B	-9	GLY	-	expression tag	UNP A0A085SE34
B	-8	LEU	-	expression tag	UNP A0A085SE34
B	-7	GLU	-	expression tag	UNP A0A085SE34
B	-6	VAL	-	expression tag	UNP A0A085SE34
B	-5	LEU	-	expression tag	UNP A0A085SE34
B	-4	PHE	-	expression tag	UNP A0A085SE34
B	-3	GLN	-	expression tag	UNP A0A085SE34
B	-2	GLY	-	expression tag	UNP A0A085SE34
B	-1	PRO	-	expression tag	UNP A0A085SE34
B	0	HIS	-	expression tag	UNP A0A085SE34
C	-21	MET	-	expression tag	UNP A0A085SE34
C	-20	GLY	-	expression tag	UNP A0A085SE34
C	-19	SER	-	expression tag	UNP A0A085SE34
C	-18	SER	-	expression tag	UNP A0A085SE34
C	-17	HIS	-	expression tag	UNP A0A085SE34
C	-16	HIS	-	expression tag	UNP A0A085SE34
C	-15	HIS	-	expression tag	UNP A0A085SE34
C	-14	HIS	-	expression tag	UNP A0A085SE34
C	-13	HIS	-	expression tag	UNP A0A085SE34
C	-12	HIS	-	expression tag	UNP A0A085SE34
C	-11	SER	-	expression tag	UNP A0A085SE34
C	-10	SER	-	expression tag	UNP A0A085SE34
C	-9	GLY	-	expression tag	UNP A0A085SE34
C	-8	LEU	-	expression tag	UNP A0A085SE34
C	-7	GLU	-	expression tag	UNP A0A085SE34

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-6	VAL	-	expression tag	UNP A0A085SE34
C	-5	LEU	-	expression tag	UNP A0A085SE34
C	-4	PHE	-	expression tag	UNP A0A085SE34
C	-3	GLN	-	expression tag	UNP A0A085SE34
C	-2	GLY	-	expression tag	UNP A0A085SE34
C	-1	PRO	-	expression tag	UNP A0A085SE34
C	0	HIS	-	expression tag	UNP A0A085SE34
D	-21	MET	-	expression tag	UNP A0A085SE34
D	-20	GLY	-	expression tag	UNP A0A085SE34
D	-19	SER	-	expression tag	UNP A0A085SE34
D	-18	SER	-	expression tag	UNP A0A085SE34
D	-17	HIS	-	expression tag	UNP A0A085SE34
D	-16	HIS	-	expression tag	UNP A0A085SE34
D	-15	HIS	-	expression tag	UNP A0A085SE34
D	-14	HIS	-	expression tag	UNP A0A085SE34
D	-13	HIS	-	expression tag	UNP A0A085SE34
D	-12	HIS	-	expression tag	UNP A0A085SE34
D	-11	SER	-	expression tag	UNP A0A085SE34
D	-10	SER	-	expression tag	UNP A0A085SE34
D	-9	GLY	-	expression tag	UNP A0A085SE34
D	-8	LEU	-	expression tag	UNP A0A085SE34
D	-7	GLU	-	expression tag	UNP A0A085SE34
D	-6	VAL	-	expression tag	UNP A0A085SE34
D	-5	LEU	-	expression tag	UNP A0A085SE34
D	-4	PHE	-	expression tag	UNP A0A085SE34
D	-3	GLN	-	expression tag	UNP A0A085SE34
D	-2	GLY	-	expression tag	UNP A0A085SE34
D	-1	PRO	-	expression tag	UNP A0A085SE34
D	0	HIS	-	expression tag	UNP A0A085SE34
E	-21	MET	-	expression tag	UNP A0A085SE34
E	-20	GLY	-	expression tag	UNP A0A085SE34
E	-19	SER	-	expression tag	UNP A0A085SE34
E	-18	SER	-	expression tag	UNP A0A085SE34
E	-17	HIS	-	expression tag	UNP A0A085SE34
E	-16	HIS	-	expression tag	UNP A0A085SE34
E	-15	HIS	-	expression tag	UNP A0A085SE34
E	-14	HIS	-	expression tag	UNP A0A085SE34
E	-13	HIS	-	expression tag	UNP A0A085SE34
E	-12	HIS	-	expression tag	UNP A0A085SE34
E	-11	SER	-	expression tag	UNP A0A085SE34
E	-10	SER	-	expression tag	UNP A0A085SE34
E	-9	GLY	-	expression tag	UNP A0A085SE34


Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
E	-8	LEU	-	expression tag	UNP A0A085SE34
E	-7	GLU	-	expression tag	UNP A0A085SE34
E	-6	VAL	-	expression tag	UNP A0A085SE34
E	-5	LEU	-	expression tag	UNP A0A085SE34
E	-4	PHE	-	expression tag	UNP A0A085SE34
E	-3	GLN	-	expression tag	UNP A0A085SE34
E	-2	GLY	-	expression tag	UNP A0A085SE34
E	-1	PRO	-	expression tag	UNP A0A085SE34
E	0	HIS	-	expression tag	UNP A0A085SE34
F	-21	MET	-	expression tag	UNP A0A085SE34
F	-20	GLY	-	expression tag	UNP A0A085SE34
F	-19	SER	-	expression tag	UNP A0A085SE34
F	-18	SER	-	expression tag	UNP A0A085SE34
F	-17	HIS	-	expression tag	UNP A0A085SE34
F	-16	HIS	-	expression tag	UNP A0A085SE34
F	-15	HIS	-	expression tag	UNP A0A085SE34
F	-14	HIS	-	expression tag	UNP A0A085SE34
F	-13	HIS	-	expression tag	UNP A0A085SE34
F	-12	HIS	-	expression tag	UNP A0A085SE34
F	-11	SER	-	expression tag	UNP A0A085SE34
F	-10	SER	-	expression tag	UNP A0A085SE34
F	-9	GLY	-	expression tag	UNP A0A085SE34
F	-8	LEU	-	expression tag	UNP A0A085SE34
F	-7	GLU	-	expression tag	UNP A0A085SE34
F	-6	VAL	-	expression tag	UNP A0A085SE34
F	-5	LEU	-	expression tag	UNP A0A085SE34
F	-4	PHE	-	expression tag	UNP A0A085SE34
F	-3	GLN	-	expression tag	UNP A0A085SE34
F	-2	GLY	-	expression tag	UNP A0A085SE34
F	-1	PRO	-	expression tag	UNP A0A085SE34
F	0	HIS	-	expression tag	UNP A0A085SE34




- Molecule 1: Hemin-degrading HemS.ChuX domain protein



- Molecule 1: Hemin-degrading HemS.ChuX domain protein



- Molecule 1: Hemin-degrading HemS.ChuX domain protein



4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, α , β , γ	61.20Å 80.88Å 111.09Å 90.00° 95.55° 90.00°	Depositor
Resolution (Å)	48.66 – 2.90 48.66 – 2.90	Depositor EDS
% Data completeness (in resolution range)	98.2 (48.66-2.90) 98.3 (48.66-2.90)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	0.11	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.01 (at 2.91Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.246 , 0.278 0.249 , 0.278	Depositor DCC
R_{free} test set	1186 reflections (5.01%)	wwPDB-VP
Wilson B-factor (Å ²)	58.0	Xtriage
Anisotropy	0.694	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 80.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	7856	wwPDB-VP
Average B, all atoms (Å ²)	95.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.52% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.39	0/1316	0.65	0/1780
1	B	0.30	0/1351	0.52	0/1825
1	C	0.39	1/1333 (0.1%)	0.59	0/1802
1	D	0.41	0/1334	0.63	1/1803 (0.1%)
1	E	0.66	4/1351 (0.3%)	0.67	6/1825 (0.3%)
1	F	0.66	4/1351 (0.3%)	0.68	6/1825 (0.3%)
All	All	0.49	9/8036 (0.1%)	0.63	13/10860 (0.1%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	C	0	1
1	D	0	1
All	All	0	3

The worst 5 of 9 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	E	39	PRO	N-CD	5.34	1.55	1.47
1	F	39	PRO	N-CD	5.28	1.55	1.47
1	E	16	PRO	N-CD	5.23	1.55	1.47
1	C	13	GLU	CB-CG	-5.18	1.42	1.52
1	E	152	PRO	N-CD	5.17	1.55	1.47

The worst 5 of 13 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	157	ARG	NE-CZ-NH1	-11.27	114.66	120.30
1	F	19	LEU	C-N-CD	5.87	140.73	128.40

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	E	58	LEU	C-N-CD	5.86	140.70	128.40
1	E	19	LEU	C-N-CD	5.83	140.64	128.40
1	F	58	LEU	C-N-CD	5.82	140.62	128.40

There are no chirality outliers.

All (3) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	149	GLU	Peptide
1	C	4	LEU	Peptide
1	D	8	VAL	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1286	0	1275	80	0
1	B	1321	0	1314	31	1
1	C	1303	0	1293	51	1
1	D	1304	0	1294	37	0
1	E	1321	0	1313	90	0
1	F	1321	0	1313	102	0
All	All	7856	0	7802	347	1

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 22.

The worst 5 of 347 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:E:159:LYS:NZ	1:E:162:GLN:OE1	1.88	1.05
1:F:159:LYS:NZ	1:F:162:GLN:OE1	1.87	1.05
1:E:131:THR:HG21	1:E:135:GLU:HG2	1.44	1.00
1:F:131:THR:HG21	1:F:135:GLU:HG2	1.44	0.99
1:F:105:LYS:CD	1:F:108:ASN:HB3	1.94	0.98

All (1) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:157:ARG:NH2	1:C:133:GLN:O[2_557]	2.12	0.08

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	161/189 (85%)	147 (91%)	14 (9%)	0	100	100
1	B	165/189 (87%)	159 (96%)	6 (4%)	0	100	100
1	C	163/189 (86%)	153 (94%)	10 (6%)	0	100	100
1	D	163/189 (86%)	157 (96%)	6 (4%)	0	100	100
1	E	165/189 (87%)	159 (96%)	6 (4%)	0	100	100
1	F	165/189 (87%)	159 (96%)	6 (4%)	0	100	100
All	All	982/1134 (87%)	934 (95%)	48 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	136/159 (86%)	106 (78%)	30 (22%)	1	3
1	B	140/159 (88%)	116 (83%)	24 (17%)	2	6

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	C	138/159 (87%)	107 (78%)	31 (22%)	1	2
1	D	138/159 (87%)	109 (79%)	29 (21%)	1	3
1	E	140/159 (88%)	113 (81%)	27 (19%)	1	4
1	F	140/159 (88%)	113 (81%)	27 (19%)	1	4
All	All	832/954 (87%)	664 (80%)	168 (20%)	1	4

5 of 168 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	E	11	LEU
1	F	13	GLU
1	E	47	ASP
1	E	114	LEU
1	F	70	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 8 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	164	GLN
1	D	10	GLN
1	C	154	GLN
1	C	15	GLN
1	C	162	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	163/189 (86%)	1.09	28 (17%) 1 1	42, 98, 138, 155	0
1	B	167/189 (88%)	0.10	0 100 100	23, 41, 66, 90	0
1	C	165/189 (87%)	0.62	15 (9%) 9 6	27, 62, 116, 148	0
1	D	165/189 (87%)	0.17	1 (0%) 89 89	28, 47, 87, 127	0
1	E	167/189 (88%)	2.88	98 (58%) 0 0	122, 152, 168, 184	0
1	F	167/189 (88%)	2.29	86 (51%) 0 0	117, 157, 172, 185	0
All	All	994/1134 (87%)	1.20	228 (22%) 0 0	23, 89, 166, 185	0

The worst 5 of 228 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	E	119	PHE	14.2
1	E	112	VAL	12.8
1	E	84	GLY	11.3
1	E	1	MET	10.6
1	E	120	MET	10.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.