



Full wwPDB EM Validation Report ⓘ

Oct 27, 2024 – 04:32 PM JST

PDB ID : 7EZV
EMDB ID : EMD-31391
Title : local CryoEM structure of the SARS-CoV-2 S6PV2 in complex with BD-812 Fab and BD-836 Fab
Authors : Liu, P.L.
Deposited on : 2021-06-02
Resolution : 3.30 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.30 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1285	 11% . 86%
2	H	248	 37% 10% 53%
3	L	233	 34% 10% . 55%
4	M	253	 27% 20% 53%
5	N	234	 7% 27% 18% 54%

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 4937 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Spike glycoprotein.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	183	Total	C	N	O	S	0	0
			1465	941	243	274	7		

There are 100 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	21	PHE	LEU	conflict	UNP P0DTC2
A	83	ALA	ASP	conflict	UNP P0DTC2
A	218	GLY	ASP	conflict	UNP P0DTC2
A	?	-	LEU	deletion	UNP P0DTC2
A	?	-	LEU	deletion	UNP P0DTC2
A	?	-	ALA	deletion	UNP P0DTC2
A	417	ASN	LYS	conflict	UNP P0DTC2
A	484	LYS	GLU	conflict	UNP P0DTC2
A	501	TYR	ASN	conflict	UNP P0DTC2
A	614	GLY	ASP	conflict	UNP P0DTC2
A	682	GLY	ARG	conflict	UNP P0DTC2
A	683	SER	ARG	conflict	UNP P0DTC2
A	685	SER	ARG	conflict	UNP P0DTC2
A	701	VAL	ALA	conflict	UNP P0DTC2
A	817	PRO	PHE	conflict	UNP P0DTC2
A	892	PRO	ALA	conflict	UNP P0DTC2
A	899	PRO	ALA	conflict	UNP P0DTC2
A	942	PRO	ALA	conflict	UNP P0DTC2
A	986	PRO	LYS	conflict	UNP P0DTC2
A	987	PRO	VAL	conflict	UNP P0DTC2
A	1209	GLY	-	expression tag	UNP P0DTC2
A	1210	SER	-	expression tag	UNP P0DTC2
A	1211	GLY	-	expression tag	UNP P0DTC2
A	1212	TYR	-	expression tag	UNP P0DTC2
A	1213	ILE	-	expression tag	UNP P0DTC2
A	1214	PRO	-	expression tag	UNP P0DTC2
A	1215	GLU	-	expression tag	UNP P0DTC2
A	1216	ALA	-	expression tag	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1217	PRO	-	expression tag	UNP P0DTC2
A	1218	ARG	-	expression tag	UNP P0DTC2
A	1219	ASP	-	expression tag	UNP P0DTC2
A	1220	GLY	-	expression tag	UNP P0DTC2
A	1221	GLN	-	expression tag	UNP P0DTC2
A	1222	ALA	-	expression tag	UNP P0DTC2
A	1223	TYR	-	expression tag	UNP P0DTC2
A	1224	VAL	-	expression tag	UNP P0DTC2
A	1225	ARG	-	expression tag	UNP P0DTC2
A	1226	LYS	-	expression tag	UNP P0DTC2
A	1227	ASP	-	expression tag	UNP P0DTC2
A	1228	GLY	-	expression tag	UNP P0DTC2
A	1229	GLU	-	expression tag	UNP P0DTC2
A	1230	TRP	-	expression tag	UNP P0DTC2
A	1231	VAL	-	expression tag	UNP P0DTC2
A	1232	LEU	-	expression tag	UNP P0DTC2
A	1233	LEU	-	expression tag	UNP P0DTC2
A	1234	SER	-	expression tag	UNP P0DTC2
A	1235	THR	-	expression tag	UNP P0DTC2
A	1236	PHE	-	expression tag	UNP P0DTC2
A	1237	LEU	-	expression tag	UNP P0DTC2
A	1238	GLY	-	expression tag	UNP P0DTC2
A	1239	ARG	-	expression tag	UNP P0DTC2
A	1240	SER	-	expression tag	UNP P0DTC2
A	1241	LEU	-	expression tag	UNP P0DTC2
A	1242	GLU	-	expression tag	UNP P0DTC2
A	1243	VAL	-	expression tag	UNP P0DTC2
A	1244	LEU	-	expression tag	UNP P0DTC2
A	1245	PHE	-	expression tag	UNP P0DTC2
A	1246	GLN	-	expression tag	UNP P0DTC2
A	1247	GLY	-	expression tag	UNP P0DTC2
A	1248	PRO	-	expression tag	UNP P0DTC2
A	1249	GLY	-	expression tag	UNP P0DTC2
A	1250	HIS	-	expression tag	UNP P0DTC2
A	1251	HIS	-	expression tag	UNP P0DTC2
A	1252	HIS	-	expression tag	UNP P0DTC2
A	1253	HIS	-	expression tag	UNP P0DTC2
A	1254	HIS	-	expression tag	UNP P0DTC2
A	1255	HIS	-	expression tag	UNP P0DTC2
A	1256	HIS	-	expression tag	UNP P0DTC2
A	1257	HIS	-	expression tag	UNP P0DTC2
A	1258	SER	-	expression tag	UNP P0DTC2

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	1259	ALA	-	expression tag	UNP P0DTC2
A	1260	TRP	-	expression tag	UNP P0DTC2
A	1261	SER	-	expression tag	UNP P0DTC2
A	1262	HIS	-	expression tag	UNP P0DTC2
A	1263	PRO	-	expression tag	UNP P0DTC2
A	1264	GLN	-	expression tag	UNP P0DTC2
A	1265	PHE	-	expression tag	UNP P0DTC2
A	1266	GLU	-	expression tag	UNP P0DTC2
A	1267	LYS	-	expression tag	UNP P0DTC2
A	1268	GLY	-	expression tag	UNP P0DTC2
A	1269	GLY	-	expression tag	UNP P0DTC2
A	1270	GLY	-	expression tag	UNP P0DTC2
A	1271	SER	-	expression tag	UNP P0DTC2
A	1272	GLY	-	expression tag	UNP P0DTC2
A	1273	GLY	-	expression tag	UNP P0DTC2
A	1274	GLY	-	expression tag	UNP P0DTC2
A	1275	GLY	-	expression tag	UNP P0DTC2
A	1276	SER	-	expression tag	UNP P0DTC2
A	1277	GLY	-	expression tag	UNP P0DTC2
A	1278	GLY	-	expression tag	UNP P0DTC2
A	1279	SER	-	expression tag	UNP P0DTC2
A	1280	ALA	-	expression tag	UNP P0DTC2
A	1281	TRP	-	expression tag	UNP P0DTC2
A	1282	SER	-	expression tag	UNP P0DTC2
A	1283	HIS	-	expression tag	UNP P0DTC2
A	1284	PRO	-	expression tag	UNP P0DTC2
A	1285	GLN	-	expression tag	UNP P0DTC2
A	1286	PHE	-	expression tag	UNP P0DTC2
A	1287	GLU	-	expression tag	UNP P0DTC2
A	1288	LYS	-	expression tag	UNP P0DTC2

- Molecule 2 is a protein called 812 H.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	H	116	Total	C	N	O	S	0	0
			912	585	145	177	5		

- Molecule 3 is a protein called 812L.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	L	106	Total	C	N	O	S	0	0
			805	503	139	161	2		

- Molecule 4 is a protein called 836H.



Mol	Chain	Residues	Atoms					AltConf	Trace
4	M	120	Total	C	N	O	S	0	0
			927	580	162	179	6		

- Molecule 5 is a protein called 836L.



Mol	Chain	Residues	Atoms					AltConf	Trace
5	N	107	Total	C	N	O	S	0	0
			828	522	146	158	2		

GLY	ASN	ASP	TTR	TTR	LYS	THR
PRO	GLU	VAL	VAL	VAL	LEU	PHE
GLY	GLU	VAL	THR	THR	GLN	GLY
HIS	ALA	ILE	ALA	ALA	ASP	ALA
HIS	ASN	ILE	GLN	GLN	VAL	GLY
HIS	LEU	VAL	LYS	ILE	VAL	PRO
HIS	ASN	ASN	ASN	ASN	ASN	ALA
HIS	GLU	ASN	PHE	ALA	GLN	LEU
HIS	SER	THR	THR	ALA	ALA	ILE
HIS	LEU	VAL	THR	GLU	GLN	PRO
SER	ILE	TTR	ALA	ILE	ALA	PHE
ALA	ASP	ASP	PRO	ARG	LEU	PRO
TTR	LEU	PRO	ILE	ALA	ASN	MET
SER	GLN	GLN	ILE	SER	THR	GLN
HIS	GLU	GLN	CYS	ALA	LEU	MET
PRO	LEU	PRO	HIS	ASN	VAL	ALA
GLN	GLY	GLU	ASP	LEU	LYS	THR
PHE	LYS	LEU	GLY	ALA	GLN	ARG
GLU	TTR	ASP	LYS	ALA	LEU	PHE
LYS	GLU	SER	GLY	ALA	GLN	ASN
GLY	GLU	PHE	GLN	THR	SER	GLY
GLY	GLY	ILE	GLN	LYS	SER	ASN
GLY	GLY	GLN	PHE	MET	ASN	ILE
GLY	GLY	GLY	PRO	SER	PHE	GLY
SER	GLY	GLU	ARG	GLU	GLY	VAL
GLY	TTR	LEU	GLY	CYS	ALA	THR
GLY	ILE	ASP	GLY	VAL	ILE	GLN
GLY	PRO	PRO	VAL	LYS	SER	ASN
GLY	GLU	TTR	PHE	GLY	SER	VAL
SER	ALA	PHE	VAL	GLN	VAL	LEU
GLY	PRO	LYS	SER	SER	LEU	TTR
GLY	ARG	ASN	ASN	LYS	ASN	GLU
SER	ASP	HIS	GLY	ARG	ASP	ASN
ALA	GLY	THR	THR	VAL	ILE	GLN
TRP	GLN	SER	HIS	ASP	LEU	LYS
SER	ALA	PRO	TRP	PHE	SER	LEU
HIS	TTR	ASP	PHE	CYS	ARG	ILE
PRO	VAL	VAL	VAL	GLY	LEU	ALA
GLN	ARG	ASP	THR	LYS	ASP	ASN
PHE	LYS	LEU	GLN	GLY	PRO	GLN
GLU	ASP	GLY	ARG	TTR	PRO	PHE
LYS	GLY	ASP	ASN	HIS	GLU	ASN
	GLU	ILE	PHE	LEU	ALA	SER
	TTR	SER	TTR	MET	GLU	ALA
	VAL	GLY	GLU	PHE	VAL	ILE
	LEU	ILE	PRO	SER	GLN	GLY
	LEU	ASN	GLN	PRO	ILE	LYS
	SER	ALA	ILE	GLN	ASP	ILE
	THR	ALA	ILE	SER	ARG	GLN
	THR	VAL	THR	ALA	LEU	ASP
	LEU	VAL	THR	PRO	ILE	SER
	GLY	ASN	ASN	HIS	THR	LEU
	ARG	ILE	ASN	GLY	GLY	SER
	SER	GLN	THR	VAL	ARG	SER
	LEU	LYS	PHE	VAL	LEU	THR
	GLU	GLU	VAL	PHE	GLN	PRO
	VAL	ILE	THR	SER	THR	THR
	LEU	ASP	GLY	HIS	SER	ALA
	THR	ARG	GLY	VAL	GLN	GLY
	PHE	ILE	CYS	THR	THR	THR


- Molecule 2: 812 H




- Molecule 3: 812L




- Molecule 4: 836H





• Molecule 5: 836L



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	257589	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	59	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	GATAN K3 (6k x 4k)	Depositor
Maximum map value	2.579	Depositor
Minimum map value	-0.709	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.049	Depositor
Recommended contour level	0.555	Depositor
Map size (\AA)	388.80002, 388.80002, 388.80002	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.08, 1.08, 1.08	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.35	0/1507	0.52	0/2049
2	H	0.34	0/936	0.49	0/1270
3	L	0.35	0/821	0.61	0/1117
4	M	0.33	0/947	0.56	0/1284
5	N	0.35	0/849	0.60	0/1153
All	All	0.35	0/5060	0.55	0/6873

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
3	L	0	1

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
3	L	94	ALA	Peptide

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1465	0	1381	35	0
2	H	912	0	882	21	0
3	L	805	0	790	16	0
4	M	927	0	893	47	0
5	N	828	0	803	31	0
All	All	4937	0	4749	138	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 14.

All (138) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:M:100:HIS:HD2	4:M:112:ILE:HD11	1.45	0.80
4:M:28:THR:OG1	4:M:101:CYS:O	2.03	0.75
5:N:33:TYR:HB3	5:N:92:TYR:HB2	1.73	0.70
1:A:346:ARG:NH2	2:H:54:ASP:OD2	2.25	0.70
3:L:6:GLN:HG3	3:L:23:CYS:HB3	1.74	0.69
4:M:51:ILE:HD11	4:M:70:MET:HB3	1.72	0.69
4:M:39:GLN:HB2	4:M:45:LEU:HD13	1.75	0.68
4:M:100:HIS:CD2	4:M:112:ILE:HD11	2.28	0.66
3:L:89:GLN:HE21	3:L:96:LEU:HB3	1.60	0.66
5:N:47:LEU:HD21	5:N:50:TYR:HE1	1.60	0.66
5:N:40:ARG:NH2	5:N:82:GLU:O	2.29	0.65
3:L:91:TYR:HA	3:L:96:LEU:HG	1.80	0.63
4:M:91:THR:HG22	4:M:121:VAL:H	1.63	0.63
4:M:97:ALA:HB1	4:M:110:PHE:HB3	1.79	0.63
2:H:12:LYS:HD2	2:H:16:GLU:HG2	1.81	0.62
4:M:6:GLN:HG2	4:M:22:CYS:SG	2.39	0.62
4:M:38:ARG:HB2	4:M:48:ILE:HD11	1.82	0.62
4:M:38:ARG:HH21	4:M:64:PHE:HZ	1.48	0.61
5:N:80:GLU:HG2	5:N:82:GLU:H	1.66	0.61
2:H:24:PHE:CE1	2:H:34:ILE:HG13	2.36	0.61
2:H:52:TYR:O	2:H:56:SER:N	2.33	0.60
3:L:49:TYR:HB2	3:L:53:THR:HB	1.82	0.60
4:M:101:CYS:HA	4:M:106:CYS:HA	1.83	0.59
5:N:11:LEU:HB3	5:N:13:LEU:HD13	1.84	0.59
4:M:56:GLY:HA2	4:M:72:ARG:HD3	1.84	0.58
4:M:11:VAL:HG13	4:M:120:THR:HB	1.85	0.58
4:M:35:GLN:HG2	4:M:97:ALA:HB3	1.85	0.58
1:A:444:LYS:HB2	2:H:52:TYR:CZ	2.39	0.58
5:N:19:ALA:HB2	5:N:79:LEU:HD12	1.85	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:500:THR:O	3:L:30:ARG:NH2	2.37	0.57
2:H:91:THR:HG22	2:H:116:VAL:H	1.69	0.57
5:N:62:ARG:NH2	5:N:78:ARG:O	2.37	0.56
1:A:439:ASN:O	1:A:443:SER:OG	2.17	0.56
5:N:31:SER:OG	5:N:32:GLY:N	2.36	0.56
1:A:455:LEU:HD11	1:A:493:GLN:HB2	1.87	0.56
2:H:6:GLN:H	2:H:110:GLN:HE22	1.55	0.55
4:M:67:ARG:NH2	4:M:90:ASP:OD2	2.40	0.55
2:H:24:PHE:HB2	2:H:77:ARG:HG2	1.88	0.54
1:A:474:GLN:HE22	1:A:479:PRO:HA	1.73	0.54
5:N:21:LEU:HB2	5:N:74:LEU:HB3	1.89	0.54
2:H:39:GLN:HB2	2:H:45:LEU:HD23	1.89	0.53
5:N:80:GLU:HG3	5:N:81:PRO:HD2	1.90	0.53
1:A:357:ARG:NH1	1:A:394:ASN:OD1	2.41	0.53
1:A:418:ILE:HD13	1:A:422:ASN:HD22	1.74	0.53
1:A:456:PHE:HZ	4:M:54:GLY:HA3	1.74	0.53
4:M:86:LEU:HD23	4:M:121:VAL:HG22	1.91	0.53
5:N:84:PHE:CZ	5:N:107:ILE:HG22	2.43	0.53
4:M:72:ARG:HH12	4:M:74:GLU:HB2	1.74	0.52
1:A:487:ASN:ND2	4:M:108:ASP:OD1	2.38	0.52
3:L:48:ILE:HG22	3:L:49:TYR:O	2.10	0.52
5:N:9:GLY:O	5:N:103:THR:HG23	2.10	0.52
3:L:35:TRP:HB2	3:L:48:ILE:HB	1.91	0.51
5:N:55:ARG:HD3	5:N:59:ILE:HB	1.92	0.51
1:A:489:TYR:OH	4:M:33:ALA:HB2	2.11	0.51
1:A:337:PRO:HD2	1:A:358:ILE:HD12	1.94	0.50
5:N:47:LEU:HD21	5:N:50:TYR:CE1	2.44	0.50
4:M:111:ASP:HB3	5:N:47:LEU:HD23	1.93	0.50
4:M:2:VAL:HB	4:M:27:PHE:HE1	1.76	0.50
3:L:4:ILE:HD11	3:L:90:GLN:HG2	1.92	0.50
3:L:7:SER:OG	3:L:22:SER:N	2.37	0.50
5:N:13:LEU:HD23	5:N:17:GLU:HG3	1.94	0.49
4:M:100:HIS:HB2	4:M:107:TYR:HB3	1.93	0.49
4:M:85:SER:O	4:M:87:ARG:NH1	2.45	0.49
4:M:110:PHE:O	4:M:113:TRP:NE1	2.41	0.49
1:A:418:ILE:HA	1:A:422:ASN:HB2	1.95	0.49
4:M:72:ARG:NH1	4:M:74:GLU:HB2	2.28	0.49
4:M:52:ALA:O	4:M:56:GLY:N	2.47	0.48
1:A:456:PHE:CZ	4:M:54:GLY:HA3	2.49	0.48
4:M:67:ARG:NH1	4:M:87:ARG:HD2	2.28	0.47
2:H:33:TRP:HB3	2:H:52:TYR:CE2	2.49	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:N:13:LEU:O	5:N:108:LYS:N	2.48	0.47
2:H:6:GLN:H	2:H:110:GLN:NE2	2.11	0.47
4:M:50:TRP:CD1	4:M:59:ASP:HB3	2.49	0.47
2:H:20:ILE:O	2:H:80:TYR:HA	2.14	0.47
4:M:31:THR:HG21	4:M:104:GLY:HA2	1.96	0.47
4:M:62:GLN:HA	4:M:62:GLN:OE1	2.15	0.47
5:N:7:SER:HB3	5:N:22:SER:OG	2.15	0.47
4:M:66:GLU:N	4:M:66:GLU:OE2	2.48	0.47
1:A:395:VAL:HG22	1:A:515:PHE:HD1	1.80	0.46
2:H:52:TYR:O	2:H:56:SER:CA	2.63	0.46
2:H:2:VAL:HG23	2:H:25:SER:HB2	1.97	0.46
2:H:47:TRP:HZ2	2:H:50:ILE:HB	1.80	0.46
3:L:38:GLN:HB2	3:L:44:PRO:HB3	1.97	0.46
5:N:40:ARG:HB3	5:N:41:PRO:HD2	1.98	0.46
4:M:14:PRO:HG3	4:M:121:VAL:HG12	1.98	0.46
5:N:19:ALA:HB3	5:N:76:ILE:HB	1.97	0.46
4:M:64:PHE:O	4:M:68:VAL:HG12	2.16	0.45
3:L:7:SER:HG	3:L:22:SER:H	1.62	0.45
4:M:111:ASP:OD1	4:M:112:ILE:HG13	2.16	0.45
1:A:461:LEU:HD23	1:A:465:GLU:O	2.17	0.45
4:M:2:VAL:HA	4:M:25:SER:O	2.16	0.44
1:A:344:ALA:HB3	1:A:347:PHE:HE1	1.82	0.44
1:A:357:ARG:HG3	1:A:396:TYR:CE1	2.53	0.44
1:A:394:ASN:HB2	1:A:516:GLU:HG3	1.99	0.44
5:N:34:PHE:HE1	5:N:36:TRP:NE1	2.15	0.44
2:H:24:PHE:HE1	2:H:34:ILE:HG13	1.83	0.44
5:N:38:GLN:HB2	5:N:48:LEU:HD11	1.99	0.44
5:N:67:GLY:HA3	5:N:72:PHE:HA	2.00	0.44
1:A:358:ILE:HB	1:A:395:VAL:HB	2.00	0.43
2:H:52:TYR:O	2:H:56:SER:HA	2.18	0.43
1:A:442:ASP:OD1	1:A:451:TYR:OH	2.25	0.43
2:H:19:LYS:HD2	2:H:80:TYR:HB3	1.99	0.43
4:M:32:SER:HA	4:M:101:CYS:SG	2.57	0.43
3:L:39:ARG:HB3	3:L:40:PRO:HD2	1.99	0.43
5:N:101:GLN:HE21	5:N:101:GLN:HB2	1.70	0.43
1:A:500:THR:HG21	3:L:92:ASN:HA	1.99	0.43
1:A:456:PHE:CD1	4:M:31:THR:HG22	2.54	0.43
1:A:386:LYS:HE3	1:A:386:LYS:HB3	1.85	0.43
3:L:38:GLN:HA	3:L:44:PRO:HA	2.00	0.43
1:A:354:ASN:O	1:A:398:ASP:HA	2.18	0.42
3:L:75:ILE:HG22	3:L:76:SER:O	2.19	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:M:51:ILE:CD1	4:M:70:MET:HB3	2.46	0.42
4:M:4:LEU:HD21	4:M:22:CYS:HB3	2.01	0.42
1:A:353:TRP:NE1	1:A:466:ARG:HB3	2.34	0.42
4:M:31:THR:OG1	4:M:101:CYS:HB3	2.20	0.42
1:A:431:GLY:HA2	1:A:515:PHE:CE2	2.55	0.42
1:A:386:LYS:HD2	1:A:386:LYS:O	2.20	0.42
2:H:47:TRP:CZ2	2:H:50:ILE:HB	2.55	0.41
4:M:58:THR:HG21	4:M:70:MET:HB2	2.01	0.41
4:M:107:TYR:HE2	5:N:50:TYR:HH	1.60	0.41
1:A:346:ARG:NH2	2:H:55:ASP:HB3	2.35	0.41
5:N:32:GLY:HA2	5:N:51:GLY:HA3	2.02	0.41
1:A:396:TYR:HB2	1:A:514:SER:OG	2.20	0.41
1:A:383:SER:H	1:A:386:LYS:HE3	1.86	0.41
1:A:398:ASP:OD2	1:A:423:TYR:OH	2.34	0.41
1:A:502:GLY:O	1:A:506:GLN:HG3	2.20	0.41
4:M:24:ALA:HB1	4:M:27:PHE:CE2	2.55	0.41
5:N:43:ARG:NE	5:N:43:ARG:HA	2.35	0.41
3:L:16:GLY:HA2	3:L:77:SER:HB2	2.02	0.41
4:M:72:ARG:NH1	4:M:72:ARG:HB2	2.35	0.41
4:M:100:HIS:O	4:M:107:TYR:N	2.53	0.41
1:A:421:TYR:HA	1:A:461:LEU:HD13	2.03	0.41
5:N:15:PRO:HA	5:N:79:LEU:HD22	2.03	0.41
5:N:63:PHE:CE1	5:N:76:ILE:HD11	2.56	0.41
5:N:64:SER:O	5:N:74:LEU:HD12	2.20	0.41
5:N:50:TYR:HB2	5:N:54:SER:OG	2.21	0.40
1:A:347:PHE:CE2	1:A:509:ARG:HB3	2.56	0.40
2:H:33:TRP:NE1	2:H:100:SER:O	2.41	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	181/1285 (14%)	177 (98%)	4 (2%)	0	100	100
2	H	114/248 (46%)	106 (93%)	8 (7%)	0	100	100
3	L	104/233 (45%)	86 (83%)	16 (15%)	2 (2%)	6	29
4	M	118/253 (47%)	106 (90%)	12 (10%)	0	100	100
5	N	105/234 (45%)	93 (89%)	12 (11%)	0	100	100
All	All	622/2253 (28%)	568 (91%)	52 (8%)	2 (0%)	38	66

All (2) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	L	52	SER
3	L	95	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	159/1112 (14%)	158 (99%)	1 (1%)	84	90
2	H	100/215 (46%)	100 (100%)	0	100	100
3	L	89/201 (44%)	87 (98%)	2 (2%)	47	69
4	M	100/216 (46%)	100 (100%)	0	100	100
5	N	88/200 (44%)	87 (99%)	1 (1%)	70	82
All	All	536/1944 (28%)	532 (99%)	4 (1%)	80	88

All (4) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	477	SER
3	L	30	ARG
3	L	90	GLN
5	N	101	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such

sidechains are listed below:

Mol	Chain	Res	Type
1	A	474	GLN
4	M	100	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-31391. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y



Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 176



Y Index: 208




Z Index: 186


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.555. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 50 nm^3 ; this corresponds to an approximate mass of 45 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.303 Å⁻¹


8 Fourier-Shell correlation ⓘ

This section was not generated. No FSC curve or half-maps provided.


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-31391 and PDB model 7EZV. Per-residue inclusion information can be found in [section 3](#) on [page 7](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.555 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.555).

9.4 Atom inclusion [i](#)



At the recommended contour level, 85% of all backbone atoms, 73% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.555) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.7320	<div></div> 0.5050
A	<div></div> 0.7780	<div></div> 0.5270
H	<div></div> 0.7750	<div></div> 0.5260
L	<div></div> 0.7130	<div></div> 0.5020
M	<div></div> 0.6890	<div></div> 0.4910
N	<div></div> 0.6660	<div></div> 0.4640

