



Full wwPDB X-ray Structure Validation Report ⓘ

Nov 2, 2024 – 10:27 AM EDT

PDB ID : 5FCA
Title : Murine SMPDL3A in presence of excess zinc
Authors : Gorelik, A.; Illes, K.; Superti-Furga, G.; Nagar, B.
Deposited on : 2015-12-15
Resolution : 1.92 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.92 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1028 (1.92-1.92)
Clashscore	180529	1100 (1.92-1.92)
Ramachandran outliers	177936	1087 (1.92-1.92)
Sidechain outliers	177891	1087 (1.92-1.92)
RSRZ outliers	164620	1028 (1.92-1.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	433	<div> <div>3%</div> <div>93%</div> <div>5%</div> </div>
1	B	433	<div> <div>5%</div> <div>93%</div> <div>6%</div> </div>
2	C	3	<div> <div>33%</div> <div>67%</div> </div>
2	F	3	<div> <div>33%</div> <div>67%</div> </div>
2	G	3	<div> <div>67%</div> <div>33%</div> </div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	J	3	<div><div></div><div>33%</div><div>67%</div></div>
3	D	2	<div><div></div><div>50%</div><div>50%</div></div>
3	H	2	<div><div></div><div>100%</div><div></div></div>
4	E	5	<div><div></div><div>20%</div><div>80%</div></div>
4	I	5	<div><div></div><div>60%</div><div>40%</div></div>

2 Entry composition

There are 7 unique types of molecules in this entry. The entry contains 15306 atoms, of which 7178 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Acid sphingomyelinase-like phosphodiesterase 3a.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	426	Total	C	H	N	O	S	0	15	0
			6840	2233	3382	560	644	21			
1	B	426	Total	C	H	N	O	S	0	14	0
			6823	2229	3377	556	641	20			

There are 20 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	13	ASP	-	expression tag	UNP P70158
A	14	ARG	-	expression tag	UNP P70158
A	15	HIS	-	expression tag	UNP P70158
A	16	HIS	-	expression tag	UNP P70158
A	17	HIS	-	expression tag	UNP P70158
A	18	HIS	-	expression tag	UNP P70158
A	19	HIS	-	expression tag	UNP P70158
A	20	HIS	-	expression tag	UNP P70158
A	21	LYS	-	expression tag	UNP P70158
A	22	LEU	-	expression tag	UNP P70158
B	13	ASP	-	expression tag	UNP P70158
B	14	ARG	-	expression tag	UNP P70158
B	15	HIS	-	expression tag	UNP P70158
B	16	HIS	-	expression tag	UNP P70158
B	17	HIS	-	expression tag	UNP P70158
B	18	HIS	-	expression tag	UNP P70158
B	19	HIS	-	expression tag	UNP P70158
B	20	HIS	-	expression tag	UNP P70158
B	21	LYS	-	expression tag	UNP P70158
B	22	LEU	-	expression tag	UNP P70158

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	C	3	Total	C	H	N	O	0	0	0
			75	22	37	2	14			
2	F	3	Total	C	H	N	O	0	0	0
			75	22	37	2	14			
2	G	3	Total	C	H	N	O	0	0	0
			75	22	37	2	14			
2	J	3	Total	C	H	N	O	0	0	0
			75	22	37	2	14			

- Molecule 3 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
3	D	2	Total	C	H	N	O	0	0	0
			55	16	27	2	10			
3	H	2	Total	C	H	N	O	0	0	0
			54	16	26	2	10			

- Molecule 4 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
4	E	5	Total	C	H	N	O	0	0	0
			118	34	57	2	25			
4	I	5	Total	C	H	N	O	0	0	0
			118	34	57	2	25			

- Molecule 5 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	5	Total	Zn	0	0
			5	5		
5	B	3	Total	Zn	0	0
			3	3		

- Molecule 6 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	A	1	Total	C	H	O	0	0
			14	3	8	3		
6	A	1	Total	C	H	O	0	0
			14	3	8	3		
6	A	1	Total	C	H	O	0	0
			14	3	8	3		
6	A	1	Total	C	H	O	0	0
			14	3	8	3		
6	A	1	Total	C	H	O	0	0
			14	3	8	3		
6	B	1	Total	C	H	O	0	0
			14	3	8	3		
6	B	1	Total	C	H	O	0	0
			14	3	8	3		
6	B	1	Total	C	H	O	0	0
			14	3	8	3		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
6	B	1	Total	C	H	O	0	0
			14	3	8	3		
6	B	1	Total	C	H	O	0	0
			14	3	8	3		
6	B	1	Total	C	H	O	0	0
			14	3	8	3		


- Molecule 7 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	419	Total	O	0	0
			419	419		
7	B	389	Total	O	0	0
			389	389		


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: Acid sphingomyelinase-like phosphodiesterase 3a



- Molecule 1: Acid sphingomyelinase-like phosphodiesterase 3a



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose




- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain G:  67% 33%

MAG1
MAG2
FUC3

- Molecule 2: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain J:  33% 67%

MAG1
MAG2
FUC3

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain D:  50% 50%

MAG1
MAG2

- Molecule 3: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain H:  100%

MAG1
MAG2

- Molecule 4: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain E:  20% 80%

MAG1
MAG2
BMA3
MAN4
MAN5

- Molecule 4: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain I:  60% 40%

MAG1
MAG2
BMA3
MAN4
MAN5

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	80.14Å 123.59Å 131.61Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	39.31 – 1.92 39.31 – 1.92	Depositor EDS
% Data completeness (in resolution range)	91.1 (39.31-1.92) 83.8 (39.31-1.92)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	0.41 (at 1.92Å)	Xtriage
Refinement program	PHENIX (1.10.1_2155: ???)	Depositor
R, R_{free}	0.175 , 0.204 0.178 , 0.207	Depositor DCC
R_{free} test set	1994 reflections (2.15%)	wwPDB-VP
Wilson B-factor (Å ²)	32.0	Xtriage
Anisotropy	0.306	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.40 , 45.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.97	EDS
Total number of atoms	15306	wwPDB-VP
Average B, all atoms (Å ²)	52.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 51.72 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 5.3874e-05. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, BMA, NAG, GOL, FUC, MAN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.52	0/3604	0.62	1/4917 (0.0%)
1	B	0.52	0/3586	0.63	1/4894 (0.0%)
All	All	0.52	0/7190	0.63	2/9811 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	B	278	ARG	NE-CZ-NH2	-5.36	117.62	120.30
1	A	278	ARG	NE-CZ-NH2	-5.32	117.64	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3458	3382	3412	17	0
1	B	3446	3377	3404	14	0
2	C	38	37	34	0	0
2	F	38	37	34	0	0
2	G	38	37	34	1	0
2	J	38	37	34	0	0
3	D	28	27	25	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	H	28	26	25	0	0
4	E	61	57	52	0	0
4	I	61	57	52	0	0
5	A	5	0	0	0	0
5	B	3	0	0	0	0
6	A	36	48	48	0	0
6	B	42	56	56	2	0
7	A	419	0	0	7	2
7	B	389	0	0	3	2
All	All	8128	7178	7210	31	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (31) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:435[B]:MET:SD	7:B:977:HOH:O	2.18	1.01
1:B:231:GLU:OE2	1:B:278:ARG:NH2	2.11	0.83
1:A:439[A]:ASP:OD1	7:A:601:HOH:O	1.98	0.80
1:B:97:GLN:O	6:B:523:GOL:O1	2.16	0.63
6:B:521:GOL:O3	7:B:601:HOH:O	2.16	0.63
1:A:439[B]:ASP:OD2	1:A:443:GLN:NE2	2.35	0.60
1:A:430[A]:MET:HE3	7:A:906:HOH:O	2.05	0.56
1:B:439:ASP:OD2	1:B:443:GLN:NE2	2.42	0.51
1:A:231:GLU:OE2	1:A:278:ARG:NH2	2.32	0.51
1:A:320[A]:LYS:NZ	7:A:606:HOH:O	2.30	0.51
1:A:339:PRO:O	7:A:602:HOH:O	2.20	0.51
1:A:36:GLN:HA	1:A:335:PHE:O	2.12	0.49
1:A:389:VAL:HG11	1:A:430[A]:MET:HG3	1.96	0.47
1:B:389:VAL:HG11	1:B:430[A]:MET:HG3	1.96	0.47
1:A:104:TRP:O	1:A:144:PRO:HA	2.16	0.46
2:G:2:NAG:O7	2:G:2:NAG:H3	2.16	0.44
1:A:405:HIS:HE1	7:A:877:HOH:O	2.01	0.43
1:A:389:VAL:HG11	1:A:430[B]:MET:HG2	2.00	0.43
1:B:173:LYS:HA	1:B:181:ILE:HD11	2.01	0.42
1:B:38:TRP:CE2	1:B:92:ILE:HG23	2.54	0.42
1:B:389:VAL:HG11	1:B:430[B]:MET:HG2	2.02	0.41
1:B:405:HIS:CE1	1:B:410:SER:HA	2.55	0.41
1:A:445:LEU:O	1:B:442:LYS:HD2	2.19	0.41
1:A:442:LYS:HD2	1:B:445:LEU:O	2.20	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:186:LYS:HE2	7:A:982:HOH:O	2.21	0.41
1:B:104:TRP:O	1:B:144:PRO:HA	2.21	0.41
1:A:351:TYR:CD1	1:A:368:GLU:HB2	2.56	0.41
1:B:255:LEU:HD23	7:B:924:HOH:O	2.21	0.41
1:B:36:GLN:HA	1:B:335:PHE:O	2.20	0.40
1:A:264:ILE:HG12	7:A:719:HOH:O	2.20	0.40
1:A:417:CYS:SG	1:A:421[C]:CYS:HB3	2.61	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
7:A:967:HOH:O	7:B:939:HOH:O[4_545]	2.15	0.05
7:A:940:HOH:O	7:B:838:HOH:O[3_554]	2.17	0.03

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	440/433 (102%)	419 (95%)	21 (5%)	0	100	100
1	B	438/433 (101%)	418 (95%)	20 (5%)	0	100	100
All	All	878/866 (101%)	837 (95%)	41 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains [i](#)

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	393/384 (102%)	390 (99%)	3 (1%)	79	74
1	B	391/384 (102%)	387 (99%)	4 (1%)	73	67
All	All	784/768 (102%)	777 (99%)	7 (1%)	75	70

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	50	HIS
1	A	280	SER
1	A	308	ASN
1	B	50	HIS
1	B	55	ARG
1	B	262	PRO
1	B	308	ASN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. There are no such sidechains identified.

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

26 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	NAG	C	1	1,2	14,14,15	0.60	0	17,19,21	0.81	0
2	NAG	C	2	2	14,14,15	0.70	0	17,19,21	1.50	3 (17%)
2	FUC	C	3	2	10,10,11	1.45	1 (10%)	14,14,16	1.20	2 (14%)
3	NAG	D	1	1,3	14,14,15	0.63	0	17,19,21	0.73	0
3	NAG	D	2	3	14,14,15	0.76	0	17,19,21	1.32	2 (11%)
4	NAG	E	1	4,1	14,14,15	0.35	0	17,19,21	0.60	0
4	NAG	E	2	4	14,14,15	0.49	0	17,19,21	0.65	1 (5%)
4	BMA	E	3	4	11,11,12	0.84	0	15,15,17	1.13	1 (6%)
4	MAN	E	4	4	11,11,12	1.18	2 (18%)	15,15,17	1.39	1 (6%)
4	MAN	E	5	4	11,11,12	1.32	2 (18%)	15,15,17	1.75	3 (20%)
2	NAG	F	1	1,2	14,14,15	0.93	1 (7%)	17,19,21	0.53	0
2	NAG	F	2	2	14,14,15	0.35	0	17,19,21	0.61	0
2	FUC	F	3	2	10,10,11	1.49	3 (30%)	14,14,16	0.96	0
2	NAG	G	1	1,2	14,14,15	0.73	1 (7%)	17,19,21	0.92	1 (5%)
2	NAG	G	2	2	14,14,15	0.63	0	17,19,21	1.40	2 (11%)
2	FUC	G	3	2	10,10,11	1.32	1 (10%)	14,14,16	1.24	1 (7%)
3	NAG	H	1	1,3	14,14,15	0.32	0	17,19,21	0.68	0
3	NAG	H	2	3	14,14,15	0.29	0	17,19,21	0.54	0
4	NAG	I	1	4,1	14,14,15	0.29	0	17,19,21	0.61	0
4	NAG	I	2	4	14,14,15	0.44	0	17,19,21	0.56	0
4	BMA	I	3	4	11,11,12	0.63	0	15,15,17	0.65	0
4	MAN	I	4	4	11,11,12	1.17	1 (9%)	15,15,17	1.33	1 (6%)
4	MAN	I	5	4	11,11,12	1.33	1 (9%)	15,15,17	1.41	1 (6%)
2	NAG	J	1	1,2	14,14,15	1.09	1 (7%)	17,19,21	0.85	1 (5%)
2	NAG	J	2	2	14,14,15	0.35	0	17,19,21	0.52	0
2	FUC	J	3	2	10,10,11	1.59	1 (10%)	14,14,16	0.97	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	C	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	C	2	2	-	1/6/23/26	0/1/1/1
2	FUC	C	3	2	-	-	0/1/1/1
3	NAG	D	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	D	2	3	-	4/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	NAG	E	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	E	2	4	-	2/6/23/26	0/1/1/1
4	BMA	E	3	4	-	0/2/19/22	0/1/1/1
4	MAN	E	4	4	-	2/2/19/22	1/1/1/1
4	MAN	E	5	4	-	1/2/19/22	0/1/1/1
2	NAG	F	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	F	2	2	-	0/6/23/26	0/1/1/1
2	FUC	F	3	2	-	-	0/1/1/1
2	NAG	G	1	1,2	-	0/6/23/26	0/1/1/1
2	NAG	G	2	2	-	3/6/23/26	0/1/1/1
2	FUC	G	3	2	-	-	0/1/1/1
3	NAG	H	1	1,3	-	2/6/23/26	0/1/1/1
3	NAG	H	2	3	-	2/6/23/26	0/1/1/1
4	NAG	I	1	4,1	-	0/6/23/26	0/1/1/1
4	NAG	I	2	4	-	2/6/23/26	0/1/1/1
4	BMA	I	3	4	-	2/2/19/22	0/1/1/1
4	MAN	I	4	4	-	2/2/19/22	0/1/1/1
4	MAN	I	5	4	-	0/2/19/22	0/1/1/1
2	NAG	J	1	1,2	-	2/6/23/26	0/1/1/1
2	NAG	J	2	2	-	2/6/23/26	0/1/1/1
2	FUC	J	3	2	-	-	0/1/1/1

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	J	1	NAG	O5-C1	-3.90	1.37	1.43
2	J	3	FUC	C1-C2	3.30	1.60	1.52
2	F	1	NAG	O5-C1	-3.28	1.38	1.43
2	C	3	FUC	C1-C2	3.27	1.60	1.52
4	E	5	MAN	C1-C2	3.24	1.59	1.52
2	G	3	FUC	C1-C2	3.16	1.59	1.52
4	I	5	MAN	C1-C2	3.06	1.59	1.52
2	G	1	NAG	O5-C1	-2.48	1.39	1.43
2	F	3	FUC	C1-C2	2.36	1.57	1.52
4	I	4	MAN	C1-C2	2.29	1.57	1.52
4	E	5	MAN	C2-C3	2.25	1.55	1.52
4	E	4	MAN	C4-C5	2.23	1.57	1.53
2	F	3	FUC	C6-C5	2.17	1.56	1.51
4	E	4	MAN	O5-C5	2.10	1.47	1.43
2	F	3	FUC	O5-C5	2.02	1.47	1.43

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	E	4	MAN	C1-O5-C5	4.52	118.24	112.19
2	G	2	NAG	C1-O5-C5	4.31	117.96	112.19
4	E	5	MAN	C1-O5-C5	4.10	117.68	112.19
4	I	5	MAN	C1-O5-C5	4.02	117.58	112.19
4	I	4	MAN	C1-O5-C5	3.92	117.44	112.19
4	E	5	MAN	C1-C2-C3	3.64	114.94	109.64
2	C	2	NAG	C1-O5-C5	3.18	116.45	112.19
3	D	2	NAG	C1-O5-C5	3.08	116.32	112.19
2	J	1	NAG	C1-O5-C5	2.67	115.76	112.19
2	C	3	FUC	C1-C2-C3	2.65	113.50	109.64
2	G	1	NAG	C1-O5-C5	2.65	115.73	112.19
2	C	2	NAG	C3-C4-C5	2.62	114.99	110.23
4	E	3	BMA	C3-C4-C5	2.50	114.76	110.23
4	E	5	MAN	O2-C2-C3	-2.43	105.11	110.15
2	G	3	FUC	C1-C2-C3	2.39	113.13	109.64
2	G	2	NAG	C3-C4-C5	2.23	114.27	110.23
2	J	3	FUC	O2-C2-C1	2.17	114.19	109.22
2	C	2	NAG	C2-N2-C7	2.14	125.77	122.90
2	C	3	FUC	C1-O5-C5	2.11	117.93	112.97
4	E	2	NAG	C1-O5-C5	2.07	114.96	112.19
3	D	2	NAG	C4-C3-C2	-2.06	107.99	111.02

There are no chirality outliers.

All (29) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	C	2	NAG	C3-C2-N2-C7
2	G	2	NAG	C3-C2-N2-C7
3	H	2	NAG	C1-C2-N2-C7
2	G	2	NAG	O5-C5-C6-O6
2	J	2	NAG	O5-C5-C6-O6
3	H	1	NAG	O5-C5-C6-O6
3	H	1	NAG	C4-C5-C6-O6
2	G	2	NAG	C4-C5-C6-O6
2	J	2	NAG	C4-C5-C6-O6
4	I	4	MAN	O5-C5-C6-O6
4	I	4	MAN	C4-C5-C6-O6
2	J	1	NAG	O5-C5-C6-O6
3	D	2	NAG	C4-C5-C6-O6
2	J	1	NAG	C4-C5-C6-O6
4	I	2	NAG	O5-C5-C6-O6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
4	I	2	NAG	C4-C5-C6-O6
3	D	1	NAG	O5-C5-C6-O6
4	E	2	NAG	O5-C5-C6-O6
3	D	1	NAG	C4-C5-C6-O6
4	E	2	NAG	C4-C5-C6-O6
4	E	4	MAN	C4-C5-C6-O6
4	I	3	BMA	O5-C5-C6-O6
3	D	2	NAG	O5-C5-C6-O6
4	E	5	MAN	O5-C5-C6-O6
3	D	2	NAG	C1-C2-N2-C7
4	E	4	MAN	O5-C5-C6-O6
4	I	3	BMA	C4-C5-C6-O6
3	D	2	NAG	C3-C2-N2-C7
3	H	2	NAG	C3-C2-N2-C7


All (1) ring outliers are listed below:


Mol	Chain	Res	Type	Atoms
4	E	4	MAN	C1-C2-C3-C4-C5-O5


1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	G	2	NAG	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.




















5.6 Ligand geometry [i](#)

Of 21 ligands modelled in this entry, 8 are monoatomic - leaving 13 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
6	GOL	B	517	-	5,5,5	0.50	0	5,5,5	0.29	0
6	GOL	A	519	-	5,5,5	0.31	0	5,5,5	0.32	0
6	GOL	B	523	-	5,5,5	0.26	0	5,5,5	0.64	0
6	GOL	B	518	-	5,5,5	0.37	0	5,5,5	0.39	0
6	GOL	A	521	-	5,5,5	0.44	0	5,5,5	0.24	0
6	GOL	B	519	-	5,5,5	0.47	0	5,5,5	0.24	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
6	GOL	A	518	-	5,5,5	0.27	0	5,5,5	0.60	0
6	GOL	B	522	-	5,5,5	0.29	0	5,5,5	0.54	0
6	GOL	B	521	-	5,5,5	0.35	0	5,5,5	0.63	0
6	GOL	A	523	-	5,5,5	0.41	0	5,5,5	0.31	0
6	GOL	B	520	-	5,5,5	0.58	0	5,5,5	0.54	0
6	GOL	A	522	-	5,5,5	0.35	0	5,5,5	0.33	0
6	GOL	A	520	-	5,5,5	0.44	0	5,5,5	0.41	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
6	GOL	B	517	-	-	2/4/4/4	-
6	GOL	A	519	-	-	2/4/4/4	-
6	GOL	B	523	-	-	4/4/4/4	-
6	GOL	B	518	-	-	0/4/4/4	-
6	GOL	A	521	-	-	1/4/4/4	-
6	GOL	B	519	-	-	2/4/4/4	-
6	GOL	A	518	-	-	2/4/4/4	-
6	GOL	B	522	-	-	2/4/4/4	-
6	GOL	B	521	-	-	2/4/4/4	-
6	GOL	A	523	-	-	2/4/4/4	-
6	GOL	B	520	-	-	2/4/4/4	-
6	GOL	A	522	-	-	2/4/4/4	-
6	GOL	A	520	-	-	3/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (26) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
6	A	519	GOL	O1-C1-C2-C3
6	B	517	GOL	O1-C1-C2-O2
6	B	517	GOL	O1-C1-C2-C3
6	B	520	GOL	C1-C2-C3-O3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
6	B	521	GOL	O1-C1-C2-C3
6	B	523	GOL	O1-C1-C2-C3
6	B	523	GOL	O2-C2-C3-O3
6	A	520	GOL	O1-C1-C2-C3
6	A	522	GOL	C1-C2-C3-O3
6	B	519	GOL	C1-C2-C3-O3
6	B	522	GOL	C1-C2-C3-O3
6	B	523	GOL	C1-C2-C3-O3
6	A	519	GOL	O1-C1-C2-O2
6	A	522	GOL	O2-C2-C3-O3
6	B	520	GOL	O2-C2-C3-O3
6	B	521	GOL	O1-C1-C2-O2
6	B	522	GOL	O2-C2-C3-O3
6	B	523	GOL	O1-C1-C2-O2
6	A	520	GOL	O2-C2-C3-O3
6	A	523	GOL	O1-C1-C2-O2
6	A	518	GOL	O2-C2-C3-O3
6	A	521	GOL	O2-C2-C3-O3
6	A	523	GOL	O1-C1-C2-C3
6	A	520	GOL	O1-C1-C2-O2
6	B	519	GOL	O2-C2-C3-O3
6	A	518	GOL	C1-C2-C3-O3

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
6	B	523	GOL	1	0
6	B	521	GOL	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	426/433 (98%)	-0.03	12 (2%) 55 61	21, 45, 72, 161	15 (3%)
1	B	426/433 (98%)	0.13	20 (4%) 37 43	23, 47, 79, 159	14 (3%)
All	All	852/866 (98%)	0.05	32 (3%) 44 50	21, 46, 78, 161	29 (3%)

All (32) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	B	23	VAL	5.7
1	B	33	ALA	5.6
1	B	28	ALA	5.1
1	A	25	LEU	4.9
1	A	22	LEU	4.8
1	B	20	HIS	4.6
1	A	23	VAL	4.5
1	A	24	PRO	4.5
1	A	31	ALA	4.4
1	A	28	ALA	4.1
1	B	32	PRO	3.7
1	A	20	HIS	3.6
1	B	22	LEU	3.5
1	A	32	PRO	3.4
1	A	26	ALA	3.3
1	B	27	PRO	3.2
1	B	26	ALA	3.0
1	B	51	ILE	3.0
1	B	21	LYS	2.9
1	B	31	ALA	2.9
1	B	53	ASP	2.8
1	A	33	ALA	2.8
1	B	52	THR	2.8
1	B	25	LEU	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	48	THR	2.7
1	A	27	PRO	2.7
1	B	24	PRO	2.7
1	B	136	LEU	2.5
1	B	29	ASP	2.4
1	B	54	ASP	2.4
1	A	21	LYS	2.3
1	B	30	ARG	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	FUC	J	3	10/11	0.32	0.20	106,128,160,167	0
4	MAN	E	5	11/12	0.37	0.15	111,137,156,167	0
2	FUC	F	3	10/11	0.48	0.18	93,118,140,143	0
2	FUC	C	3	10/11	0.53	0.16	95,108,127,129	0
4	MAN	E	4	11/12	0.54	0.17	102,137,158,166	0
4	BMA	E	3	11/12	0.54	0.13	117,138,162,166	0
3	NAG	D	2	14/15	0.55	0.16	70,111,136,149	0
2	NAG	G	2	14/15	0.55	0.14	102,125,150,152	0
4	MAN	I	5	11/12	0.55	0.17	100,122,141,146	0
2	NAG	J	2	14/15	0.57	0.14	95,123,150,156	0
2	FUC	G	3	10/11	0.61	0.14	119,125,149,150	0
3	NAG	H	2	14/15	0.62	0.16	76,112,140,143	0
4	MAN	I	4	11/12	0.63	0.14	94,113,130,138	0
2	NAG	F	2	14/15	0.67	0.13	85,113,138,144	0
2	NAG	C	2	14/15	0.69	0.13	89,117,142,145	0
4	BMA	I	3	11/12	0.69	0.12	97,109,128,131	0
2	NAG	F	1	14/15	0.76	0.13	66,91,111,119	0
2	NAG	J	1	14/15	0.79	0.13	71,95,116,123	0
4	NAG	E	2	14/15	0.80	0.13	78,95,118,125	0
2	NAG	C	1	14/15	0.82	0.12	67,85,108,108	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	NAG	G	1	14/15	0.85	0.10	83,102,125,129	0
3	NAG	H	1	14/15	0.86	0.12	68,84,103,108	0
4	NAG	I	2	14/15	0.87	0.10	67,87,104,107	0
3	NAG	D	1	14/15	0.87	0.11	55,70,87,93	0
4	NAG	E	1	14/15	0.90	0.11	52,65,79,85	0
4	NAG	I	1	14/15	0.91	0.08	50,61,76,80	0

The following is a graphical depiction of the model fit to experimental electron density for oligosaccharide. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around Chain C:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain F:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain G:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain J:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain D:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain H:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around Chain E:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around Chain I:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
6	GOL	A	520	6/6	0.71	0.17	68,82,93,96	0
6	GOL	B	521	6/6	0.74	0.19	56,67,74,79	0
6	GOL	B	520	6/6	0.76	0.17	58,74,87,105	0
6	GOL	A	519	6/6	0.76	0.17	70,88,97,105	0
6	GOL	B	517	6/6	0.77	0.17	65,80,96,96	0
5	ZN	A	503	1/1	0.81	0.36	74,74,74,74	0
6	GOL	A	523	6/6	0.82	0.16	58,71,96,106	0
5	ZN	B	503	1/1	0.83	0.29	74,74,74,74	0
6	GOL	A	521	6/6	0.83	0.14	57,70,84,84	0
5	ZN	A	524	1/1	0.84	0.19	44,44,44,44	1
6	GOL	A	522	6/6	0.86	0.15	54,76,134,134	0
6	GOL	B	519	6/6	0.86	0.14	59,71,82,82	0
6	GOL	B	522	6/6	0.87	0.13	61,73,86,86	0
6	GOL	B	523	6/6	0.87	0.13	55,67,83,84	0
6	GOL	B	518	6/6	0.88	0.11	65,78,89,91	0
5	ZN	A	504	1/1	0.89	0.23	44,44,44,44	1
6	GOL	A	518	6/6	0.89	0.11	51,62,70,85	0
5	ZN	A	502	1/1	0.95	0.12	48,48,48,48	0
5	ZN	B	502	1/1	0.96	0.12	48,48,48,48	0
5	ZN	B	501	1/1	0.98	0.13	47,47,47,47	0
5	ZN	A	501	1/1	0.98	0.12	42,42,42,42	0

6.5 Other polymers [i](#)

There are no such residues in this entry.