



Full wwPDB EM Validation Report ⓘ

Oct 12, 2024 – 09:57 pm BST

PDB ID : 5FUU
EMDB ID : EMD-3308
Title : Ectodomain of cleaved wild type JR-FL EnvDCT trimer in complex with PGT151 Fab
Authors : Lee, J.H.; Ward, A.B.
Deposited on : 2016-01-29
Resolution : 4.19 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY










The reported resolution of this entry is 4.19 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



| Metric | Whole archive (#Entries) | EM structures (#Entries) |
|-----------------------|-----------------------------|-----------------------------|
| Ramachandran outliers | 207382 | 16835 |
| Sidechain outliers | 206894 | 16415 |

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|--|
| 1 | A | 473 |  |
| 1 | C | 473 |  |
| 1 | E | 473 |  |
| 2 | B | 153 |  |
| 2 | D | 153 |  |
| 2 | F | 153 |  |
| 3 | H | 240 |  |
| 3 | M | 240 |  |
| 4 | L | 219 |  |


























Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|------------------|
| 4 | N | 219 | |
| 5 | 0 | 2 | |
| 5 | 1 | 2 | |
| 5 | 3 | 2 | |
| 5 | 4 | 2 | |
| 5 | 5 | 2 | |
| 5 | AA | 2 | |
| 5 | G | 2 | |
| 5 | Q | 2 | |
| 5 | R | 2 | |
| 5 | T | 2 | |
| 5 | X | 2 | |
| 5 | b | 2 | |
| 5 | c | 2 | |
| 5 | h | 2 | |
| 5 | k | 2 | |
| 5 | l | 2 | |
| 5 | o | 2 | |
| 5 | r | 2 | |
| 5 | s | 2 | |
| 5 | u | 2 | |
| 5 | w | 2 | |
| 5 | z | 2 | |
| 6 | 2 | 3 | |
| 6 | 7 | 3 | |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|--|
| 6 | I | 3 | 33%  |
| 6 | J | 3 | 33%  |
| 6 | K | 3 | 33%  |
| 6 | P | 3 | 100%  |
| 6 | S | 3 | 33%  |
| 6 | U | 3 | 67%  |
| 6 | V | 3 | 100%  |
| 6 | W | 3 | 33%  |
| 6 | a | 3 | 33%  |
| 6 | d | 3 | 67%  |
| 6 | g | 3 | 33%  |
| 6 | i | 3 | 33%  |
| 6 | j | 3 | 33%  |
| 6 | m | 3 | 33%  |
| 6 | n | 3 | 100%  |
| 6 | t | 3 | 100%  |
| 6 | v | 3 | 33%  |
| 7 | O | 7 | 86%  |
| 7 | f | 7 | 29%  |
| 7 | y | 7 | 86%  |
| 8 | 9 | 11 | 18%  |
| 8 | Y | 11 | 18%  |
| 9 | Z | 13 | 15%  |
| 10 | e | 5 | 100%  |
| 11 | 8 | 8 | 38%  |

Continued on next page...

Continued from previous page...

| Mol | Chain | Length | Quality of chain |
|-----|-------|--------|--|
| 11 | p | 8 | <div><div>50%</div><div>100%</div></div> |
| 12 | q | 3 | <div><div>67%</div><div>100%</div></div> |
| 13 | x | 6 | <div><div>33%</div><div>100%</div></div> |
| 14 | 6 | 4 | <div><div>25%</div><div>100%</div></div> |
| 15 | BA | 12 | <div><div>25%</div><div>100%</div></div> |

2 Entry composition

There are 16 unique types of molecules in this entry. The entry contains 20735 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called HIV-1 ENVELOPE GLYCOPROTEIN GP160.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|------|-----|-----|----|---------|-------|
| 1 | A | 449 | Total | C | N | O | S | 0 | 0 |
| | | | 3553 | 2233 | 624 | 671 | 25 | | |
| 1 | C | 444 | Total | C | N | O | S | 0 | 0 |
| | | | 3506 | 2208 | 613 | 660 | 25 | | |
| 1 | E | 448 | Total | C | N | O | S | 0 | 0 |
| | | | 3537 | 2224 | 620 | 668 | 25 | | |

There are 3 discrepancies between the modelled and reference sequences:

| Chain | Residue | Modelled | Actual | Comment | Reference |
|-------|---------|----------|--------|---------------------|------------|
| A | 31 | THR | VAL | engineered mutation | UNP Q75760 |
| C | 31 | THR | VAL | engineered mutation | UNP Q75760 |
| E | 31 | THR | VAL | engineered mutation | UNP Q75760 |

- Molecule 2 is a protein called HIV-1 ENVELOPE GLYCOPROTEIN GP160.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 2 | B | 144 | Total | C | N | O | S | 0 | 0 |
| | | | 1150 | 722 | 200 | 221 | 7 | | |
| 2 | D | 147 | Total | C | N | O | S | 0 | 0 |
| | | | 1159 | 731 | 203 | 218 | 7 | | |
| 2 | F | 153 | Total | C | N | O | S | 0 | 0 |
| | | | 1209 | 763 | 209 | 230 | 7 | | |

- Molecule 3 is a protein called IMMUNOGLOBULIN G PGT151.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 3 | H | 135 | Total | C | N | O | S | 0 | 0 |
| | | | 1073 | 682 | 188 | 197 | 6 | | |
| 3 | M | 135 | Total | C | N | O | S | 0 | 0 |
| | | | 1067 | 679 | 185 | 197 | 6 | | |

- Molecule 4 is a protein called IMMUNOGLOBULIN G PGT151.

| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|-----|-----|-----|---|---------|-------|
| 4 | L | 114 | Total | C | N | O | S | 0 | 0 |
| | | | 881 | 553 | 151 | 173 | 4 | | |
| 4 | N | 112 | Total | C | N | O | S | 0 | 0 |
| | | | 866 | 545 | 149 | 168 | 4 | | |

- Molecule 5 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




| Mol | Chain | Residues | Atoms | | | | | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|--|---------|-------|
| 5 | G | 2 | Total | C | N | O | | 0 | 0 |
| | | | 28 | 16 | 2 | 10 | | | |
| 5 | Q | 2 | Total | C | N | O | | 0 | 0 |
| | | | 28 | 16 | 2 | 10 | | | |
| 5 | R | 2 | Total | C | N | O | | 0 | 0 |
| | | | 28 | 16 | 2 | 10 | | | |
| 5 | T | 2 | Total | C | N | O | | 0 | 0 |
| | | | 28 | 16 | 2 | 10 | | | |
| 5 | X | 2 | Total | C | N | O | | 0 | 0 |
| | | | 28 | 16 | 2 | 10 | | | |
| 5 | b | 2 | Total | C | N | O | | 0 | 0 |
| | | | 28 | 16 | 2 | 10 | | | |
| 5 | c | 2 | Total | C | N | O | | 0 | 0 |
| | | | 28 | 16 | 2 | 10 | | | |
| 5 | h | 2 | Total | C | N | O | | 0 | 0 |
| | | | 28 | 16 | 2 | 10 | | | |
| 5 | k | 2 | Total | C | N | O | | 0 | 0 |
| | | | 28 | 16 | 2 | 10 | | | |
| 5 | l | 2 | Total | C | N | O | | 0 | 0 |
| | | | 28 | 16 | 2 | 10 | | | |
| 5 | o | 2 | Total | C | N | O | | 0 | 0 |
| | | | 28 | 16 | 2 | 10 | | | |
| 5 | r | 2 | Total | C | N | O | | 0 | 0 |
| | | | 28 | 16 | 2 | 10 | | | |
| 5 | s | 2 | Total | C | N | O | | 0 | 0 |
| | | | 28 | 16 | 2 | 10 | | | |
| 5 | u | 2 | Total | C | N | O | | 0 | 0 |
| | | | 28 | 16 | 2 | 10 | | | |
| 5 | w | 2 | Total | C | N | O | | 0 | 0 |
| | | | 28 | 16 | 2 | 10 | | | |

Continued on next page...

Continued from previous page...

| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| 5 | z | 2 | Total | C | N | O | 0 | 0 |
| | | | 28 | 16 | 2 | 10 | | |
| 5 | 0 | 2 | Total | C | N | O | 0 | 0 |
| | | | 28 | 16 | 2 | 10 | | |
| 5 | 1 | 2 | Total | C | N | O | 0 | 0 |
| | | | 28 | 16 | 2 | 10 | | |
| 5 | 3 | 2 | Total | C | N | O | 0 | 0 |
| | | | 28 | 16 | 2 | 10 | | |
| 5 | 4 | 2 | Total | C | N | O | 0 | 0 |
| | | | 28 | 16 | 2 | 10 | | |
| 5 | 5 | 2 | Total | C | N | O | 0 | 0 |
| | | | 28 | 16 | 2 | 10 | | |
| 5 | AA | 2 | Total | C | N | O | 0 | 0 |
| | | | 28 | 16 | 2 | 10 | | |

- Molecule 6 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| 6 | I | 3 | Total | C | N | O | 0 | 0 |
| | | | 39 | 22 | 2 | 15 | | |
| 6 | J | 3 | Total | C | N | O | 0 | 0 |
| | | | 39 | 22 | 2 | 15 | | |
| 6 | K | 3 | Total | C | N | O | 0 | 0 |
| | | | 39 | 22 | 2 | 15 | | |
| 6 | P | 3 | Total | C | N | O | 0 | 0 |
| | | | 39 | 22 | 2 | 15 | | |
| 6 | S | 3 | Total | C | N | O | 0 | 0 |
| | | | 39 | 22 | 2 | 15 | | |
| 6 | U | 3 | Total | C | N | O | 0 | 0 |
| | | | 39 | 22 | 2 | 15 | | |
| 6 | V | 3 | Total | C | N | O | 0 | 0 |
| | | | 39 | 22 | 2 | 15 | | |
| 6 | W | 3 | Total | C | N | O | 0 | 0 |
| | | | 39 | 22 | 2 | 15 | | |
| 6 | a | 3 | Total | C | N | O | 0 | 0 |
| | | | 39 | 22 | 2 | 15 | | |
| 6 | d | 3 | Total | C | N | O | 0 | 0 |
| | | | 39 | 22 | 2 | 15 | | |

Continued on next page...

Continued from previous page...


| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| 6 | g | 3 | Total | C | N | O | 0 | 0 |
| | | | 39 | 22 | 2 | 15 | | |
| 6 | i | 3 | Total | C | N | O | 0 | 0 |
| | | | 39 | 22 | 2 | 15 | | |
| 6 | j | 3 | Total | C | N | O | 0 | 0 |
| | | | 39 | 22 | 2 | 15 | | |
| 6 | m | 3 | Total | C | N | O | 0 | 0 |
| | | | 39 | 22 | 2 | 15 | | |
| 6 | n | 3 | Total | C | N | O | 0 | 0 |
| | | | 39 | 22 | 2 | 15 | | |
| 6 | t | 3 | Total | C | N | O | 0 | 0 |
| | | | 39 | 22 | 2 | 15 | | |
| 6 | v | 3 | Total | C | N | O | 0 | 0 |
| | | | 39 | 22 | 2 | 15 | | |
| 6 | 2 | 3 | Total | C | N | O | 0 | 0 |
| | | | 39 | 22 | 2 | 15 | | |
| 6 | 7 | 3 | Total | C | N | O | 0 | 0 |
| | | | 39 | 22 | 2 | 15 | | |

- Molecule 7 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| 7 | O | 7 | Total | C | N | O | 0 | 0 |
| | | | 83 | 46 | 2 | 35 | | |
| 7 | f | 7 | Total | C | N | O | 0 | 0 |
| | | | 83 | 46 | 2 | 35 | | |
| 7 | y | 7 | Total | C | N | O | 0 | 0 |
| | | | 83 | 46 | 2 | 35 | | |

- Molecule 8 is an oligosaccharide called beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-[beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|--------------|---------|--------|---------|---------|-------|
| 8 | Y | 11 | Total 135 | C 76 | N 5 | O 54 | 0 | 0 |
| 8 | 9 | 11 | Total 135 | C 76 | N 5 | O 54 | 0 | 0 |

- Molecule 9 is an oligosaccharide called beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-[beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)]alpha-D-mannopyranose-(1-3)-[beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.




| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| 9 | Z | 13 | Total | C | N | O | 0 | 0 |
| | | | 160 | 90 | 6 | 64 | | |

- Molecule 10 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| 10 | e | 5 | Total | C | N | O | 0 | 0 |
| | | | 61 | 34 | 2 | 25 | | |

- Molecule 11 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| 11 | p | 8 | Total | C | N | O | 0 | 0 |
| | | | 94 | 52 | 2 | 40 | | |
| 11 | 8 | 8 | Total | C | N | O | 0 | 0 |
| | | | 94 | 52 | 2 | 40 | | |

- Molecule 12 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| 12 | q | 3 | Total | C | N | O | 0 | 0 |
| | | | 38 | 22 | 2 | 14 | | |

- Molecule 13 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| 13 | x | 6 | Total | C | N | O | 0 | 0 |
| | | | 72 | 40 | 2 | 30 | | |

- Molecule 14 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| 14 | 6 | 4 | Total | C | N | O | 0 | 0 |
| | | | 50 | 28 | 2 | 20 | | |

- Molecule 15 is an oligosaccharide called beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-[beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)]alpha-D-mannopyranose-(1-3)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose.



| Mol | Chain | Residues | Atoms | | | | AltConf | Trace |
|-----|-------|----------|-------|----|---|----|---------|-------|
| 15 | BA | 12 | Total | C | N | O | 0 | 0 |
| | | | 149 | 84 | 6 | 59 | | |

- Molecule 16 is 2-acetamido-2-deoxy-beta-D-glucopyranose (three-letter code: NAG) (formula: C₈H₁₅NO₆).



| Mol | Chain | Residues | Atoms | | | | AltConf |
|-----|-------|----------|-------|---|---|---|---------|
| 16 | A | 1 | Total | C | N | O | 0 |
| | | | 14 | 8 | 1 | 5 | |
| 16 | A | 1 | Total | C | N | O | 0 |
| | | | 14 | 8 | 1 | 5 | |

Continued on next page...

Continued from previous page...


| Mol | Chain | Residues | Atoms | | | | AltConf |
|-----|-------|----------|-------|---|---|---|---------|
| 16 | A | 1 | Total | C | N | O | 0 |
| | | | 14 | 8 | 1 | 5 | |
| 16 | B | 1 | Total | C | N | O | 0 |
| | | | 14 | 8 | 1 | 5 | |
| 16 | B | 1 | Total | C | N | O | 0 |
| | | | 14 | 8 | 1 | 5 | |
| 16 | C | 1 | Total | C | N | O | 0 |
| | | | 14 | 8 | 1 | 5 | |
| 16 | D | 1 | Total | C | N | O | 0 |
| | | | 14 | 8 | 1 | 5 | |
| 16 | E | 1 | Total | C | N | O | 0 |
| | | | 14 | 8 | 1 | 5 | |
| 16 | E | 1 | Total | C | N | O | 0 |
| | | | 14 | 8 | 1 | 5 | |
| 16 | F | 1 | Total | C | N | O | 0 |
| | | | 14 | 8 | 1 | 5 | |

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: HIV-1 ENVELOPE GLYCOPROTEIN GP160

Chain A:  92% 5%




• Molecule 1: HIV-1 ENVELOPE GLYCOPROTEIN GP160

Chain C:  89% 5% 6%




• Molecule 1: HIV-1 ENVELOPE GLYCOPROTEIN GP160

Chain E:  91% 5%




• Molecule 2: HIV-1 ENVELOPE GLYCOPROTEIN GP160

Chain B:  87% 7% 6%



• Molecule 4: IMMUNOGLOBULIN G PGT151



• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



• Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain o:  100%

MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain r:  50%
 100%

MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain s:  50%
 100%

MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain u:  50%
 100%

MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain w:  100%

MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain z:  50%
 100%

MAG1
MAG2

- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 5: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain V:  100%

NAG1
NAG2
BMA3

- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain W:  33% 100%

NAG1
NAG2
BMA3

- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain a:  33% 100%

NAG1
NAG2
BMA3

- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d:  67% 100%

NAG1
NAG2
BMA3

- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain g:  33% 100%

NAG1
NAG2
BMA3

- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain i:  33% 100%

NAG1
NAG2
BMA3

- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 6: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 7: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 7: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-[beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 8: beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-[beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]beta-D

-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 9: 




● Molecule 9: beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-[beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)]alpha-D-mannopyranose-(1-3)-[beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z: 



● Molecule 10: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e: 




● Molecule 11: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain p: 



● Molecule 11: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain 8: 



- Molecule 12: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 13: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 14: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 15: beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-[beta-D-galactopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)]alpha-D-mannopyranose-(1-3)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-2)-[2-acetamido-2-deoxy-beta-D-glucopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-[alpha-L-fucopyranose-(1-6)]2-acetamido-2-deoxy-beta-D-glucopyranose



4 Experimental information

| Property | Value | Source |
|--------------------------------------|---------------------------|-----------|
| EM reconstruction method | SINGLE PARTICLE | Depositor |
| Imposed symmetry | POINT, C1 | Depositor |
| Number of particles used | 201386 | Depositor |
| Resolution determination method | Not provided | |
| CTF correction method | WHOLE MICROGRAPH | Depositor |
| Microscope | FEI TITAN KRIOS | Depositor |
| Voltage (kV) | 300 | Depositor |
| Electron dose ($e^-/\text{\AA}^2$) | 32.4 | Depositor |
| Minimum defocus (nm) | 1200 | Depositor |
| Maximum defocus (nm) | 3000 | Depositor |
| Magnification | 22500 | Depositor |
| Image detector | GATAN K2 SUMMIT (4k x 4k) | Depositor |
| Maximum map value | 0.206 | Depositor |
| Minimum map value | -0.086 | Depositor |
| Average map value | 0.000 | Depositor |
| Map value standard deviation | 0.006 | Depositor |
| Recommended contour level | 0.034 | Depositor |
| Map size (\AA) | 335.36, 335.36, 335.36 | wwPDB |
| Map dimensions | 256, 256, 256 | wwPDB |
| Map angles ($^\circ$) | 90.0, 90.0, 90.0 | wwPDB |
| Pixel spacing (\AA) | 1.31, 1.31, 1.31 | Depositor |

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MAN, NAG, GAL, FUC, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Chain | Bond lengths | | Bond angles | |
|-----|-------|--------------|----------------|-------------|----------------|
| | | RMSZ | # Z >5 | RMSZ | # Z >5 |
| 1 | A | 0.77 | 1/3625 (0.0%) | 0.69 | 2/4921 (0.0%) |
| 1 | C | 0.76 | 0/3578 | 0.70 | 2/4857 (0.0%) |
| 1 | E | 0.76 | 1/3609 (0.0%) | 0.72 | 1/4899 (0.0%) |
| 2 | B | 0.81 | 0/1168 | 0.67 | 0/1583 |
| 2 | D | 0.75 | 0/1178 | 0.69 | 0/1597 |
| 2 | F | 0.81 | 0/1228 | 0.71 | 1/1665 (0.1%) |
| 3 | H | 0.72 | 0/1102 | 0.70 | 1/1496 (0.1%) |
| 3 | M | 0.73 | 0/1096 | 0.69 | 0/1489 |
| 4 | L | 0.71 | 0/899 | 0.67 | 0/1213 |
| 4 | N | 0.69 | 0/884 | 0.70 | 0/1192 |
| All | All | 0.76 | 2/18367 (0.0%) | 0.70 | 7/24912 (0.0%) |

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

| Mol | Chain | #Chirality outliers | #Planarity outliers |
|-----|-------|---------------------|---------------------|
| 1 | A | 0 | 4 |
| 1 | C | 0 | 2 |
| 1 | E | 0 | 5 |
| 2 | B | 0 | 1 |
| 2 | D | 0 | 3 |
| 2 | F | 0 | 2 |
| All | All | 0 | 17 |

All (2) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|------|-------------|----------|
| 1 | E | 118 | PRO | N-CD | 5.63 | 1.55 | 1.47 |
| 1 | A | 118 | PRO | N-CD | 5.33 | 1.55 | 1.47 |

All (7) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|---------|-------|-------------|----------|
| 1 | C | 353 | PHE | N-CA-CB | -6.31 | 99.24 | 110.60 |
| 2 | F | 616 | ASN | CB-CA-C | 5.64 | 121.68 | 110.40 |
| 1 | C | 157 | CYS | N-CA-CB | -5.41 | 100.86 | 110.60 |
| 1 | A | 385 | CYS | N-CA-CB | -5.39 | 100.90 | 110.60 |
| 1 | E | 54 | CYS | N-CA-CB | -5.10 | 101.42 | 110.60 |
| 1 | A | 196 | CYS | N-CA-CB | -5.09 | 101.44 | 110.60 |
| 3 | H | 22 | CYS | N-CA-CB | -5.04 | 101.53 | 110.60 |

There are no chirality outliers.

All (17) planarity outliers are listed below:

| Mol | Chain | Res | Type | Group |
|-----|-------|-----|------|-------------------|
| 1 | A | 499 | THR | Mainchain |
| 1 | A | 507 | GLN | Mainchain |
| 1 | A | 81 | PRO | Peptide,Mainchain |
| 2 | B | 600 | GLY | Mainchain |
| 1 | C | 65 | VAL | Peptide,Mainchain |
| 2 | D | 518 | VAL | Mainchain |
| 2 | D | 528 | SER | Mainchain |
| 2 | D | 600 | GLY | Mainchain |
| 1 | E | 157 | CYS | Mainchain |
| 1 | E | 412 | ASN | Peptide,Mainchain |
| 1 | E | 65 | VAL | Mainchain |
| 1 | E | 66 | HIS | Mainchain |
| 2 | F | 518 | VAL | Mainchain |
| 2 | F | 600 | GLY | Mainchain |

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Favoured | Allowed | Outliers | Percentiles | |
|-----|-------|-----------------|------------|----------|----------|-------------|-----|
| 1 | A | 441/473 (93%) | 409 (93%) | 28 (6%) | 4 (1%) | 14 | 50 |
| 1 | C | 436/473 (92%) | 395 (91%) | 31 (7%) | 10 (2%) | 5 | 31 |
| 1 | E | 440/473 (93%) | 405 (92%) | 27 (6%) | 8 (2%) | 7 | 36 |
| 2 | B | 142/153 (93%) | 127 (89%) | 8 (6%) | 7 (5%) | 2 | 19 |
| 2 | D | 145/153 (95%) | 136 (94%) | 7 (5%) | 2 (1%) | 9 | 40 |
| 2 | F | 151/153 (99%) | 137 (91%) | 11 (7%) | 3 (2%) | 6 | 34 |
| 3 | H | 133/240 (55%) | 125 (94%) | 7 (5%) | 1 (1%) | 16 | 54 |
| 3 | M | 133/240 (55%) | 124 (93%) | 7 (5%) | 2 (2%) | 8 | 40 |
| 4 | L | 112/219 (51%) | 105 (94%) | 7 (6%) | 0 | 100 | 100 |
| 4 | N | 110/219 (50%) | 104 (94%) | 5 (4%) | 1 (1%) | 14 | 50 |
| All | All | 2243/2796 (80%) | 2067 (92%) | 138 (6%) | 38 (2%) | 10 | 37 |

All (38) Ramachandran outliers are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1 | A | 501 | ALA |
| 2 | B | 532 | ALA |
| 2 | B | 541 | ALA |
| 2 | B | 545 | LEU |
| 2 | B | 570 | VAL |
| 1 | C | 73 | ALA |
| 1 | C | 80 | ASN |
| 1 | C | 99 | ASN |
| 1 | C | 194 | ILE |
| 1 | C | 355 | ASN |
| 1 | E | 78 | ASP |
| 1 | E | 83 | GLU |
| 1 | E | 258 | GLN |
| 2 | F | 520 | LEU |
| 2 | F | 552 | GLN |
| 3 | H | 112 | SER |
| 3 | M | 112 | SER |
| 2 | B | 543 | LEU |
| 2 | B | 567 | GLN |
| 1 | C | 69 | TRP |
| 2 | D | 550 | GLN |
| 1 | E | 134 | VAL |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type |
|-----|-------|--------|------|
| 1 | E | 402 | THR |
| 4 | N | 51 | VAL |
| 1 | A | 504 | ARG |
| 1 | C | 354 | GLU |
| 1 | E | 70 | ALA |
| 2 | F | 601 | LYS |
| 3 | M | 100(K) | ASN |
| 2 | B | 601 | LYS |
| 1 | C | 199 | SER |
| 1 | E | 79 | PRO |
| 1 | A | 67 | ASN |
| 1 | A | 232 | THR |
| 1 | C | 165 | ILE |
| 1 | E | 299 | PRO |
| 1 | C | 43 | PRO |
| 2 | D | 570 | VAL |

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

| Mol | Chain | Analysed | Rotameric | Outliers | Percentiles | |
|-----|-------|-----------------|------------|----------|-------------|-----|
| 1 | A | 404/424 (95%) | 400 (99%) | 4 (1%) | 73 | 81 |
| 1 | C | 398/424 (94%) | 389 (98%) | 9 (2%) | 45 | 64 |
| 1 | E | 401/424 (95%) | 395 (98%) | 6 (2%) | 60 | 74 |
| 2 | B | 123/128 (96%) | 119 (97%) | 4 (3%) | 33 | 54 |
| 2 | D | 122/128 (95%) | 121 (99%) | 1 (1%) | 79 | 84 |
| 2 | F | 128/128 (100%) | 126 (98%) | 2 (2%) | 58 | 73 |
| 3 | H | 116/207 (56%) | 116 (100%) | 0 | 100 | 100 |
| 3 | M | 115/207 (56%) | 114 (99%) | 1 (1%) | 75 | 83 |
| 4 | L | 101/195 (52%) | 100 (99%) | 1 (1%) | 73 | 81 |
| 4 | N | 99/195 (51%) | 98 (99%) | 1 (1%) | 73 | 81 |
| All | All | 2007/2460 (82%) | 1978 (99%) | 29 (1%) | 62 | 75 |

All (29) residues with a non-rotameric sidechain are listed below:

| Mol | Chain | Res | Type |
|-----|-------|--------|------|
| 1 | A | 160 | ASN |
| 1 | A | 229 | ASN |
| 1 | A | 402 | THR |
| 1 | A | 499 | THR |
| 2 | B | 522 | PHE |
| 2 | B | 542 | ARG |
| 2 | B | 543 | LEU |
| 2 | B | 637 | ASN |
| 1 | C | 53 | PHE |
| 1 | C | 156 | ASN |
| 1 | C | 173 | TYR |
| 1 | C | 229 | ASN |
| 1 | C | 298 | ARG |
| 1 | C | 301 | ASN |
| 1 | C | 332 | ASN |
| 1 | C | 339 | ASN |
| 1 | C | 378 | CYS |
| 2 | D | 540 | GLN |
| 1 | E | 126 | CYS |
| 1 | E | 134 | VAL |
| 1 | E | 156 | ASN |
| 1 | E | 298 | ARG |
| 1 | E | 378 | CYS |
| 1 | E | 435 | TYR |
| 2 | F | 616 | ASN |
| 2 | F | 637 | ASN |
| 4 | L | 53 | ASN |
| 3 | M | 100(N) | TYR |
| 4 | N | 36 | TYR |

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

| Mol | Chain | Res | Type |
|-----|-------|-----|------|
| 1 | A | 442 | GLN |
| 1 | C | 389 | GLN |

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

203 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|-------------|-------------|------|-------------|
| | | | | | Counts | RMSZ | $\# Z > 2$ | Counts | RMSZ | $\# Z > 2$ |
| 5 | NAG | 0 | 1 | 1,5 | 14,14,15 | 0.49 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 5 | NAG | 0 | 2 | 5 | 14,14,15 | 0.51 | 0 | 17,19,21 | 1.38 | 3 (17%) |
| 5 | NAG | 1 | 1 | 1,5 | 14,14,15 | 0.51 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 5 | NAG | 1 | 2 | 5 | 14,14,15 | 0.50 | 0 | 17,19,21 | 1.38 | 3 (17%) |
| 6 | NAG | 2 | 1 | 6,1 | 14,14,15 | 0.50 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 6 | NAG | 2 | 2 | 6 | 14,14,15 | 0.52 | 0 | 17,19,21 | 1.38 | 3 (17%) |
| 6 | BMA | 2 | 3 | 6 | 11,11,12 | 0.64 | 0 | 15,15,17 | 1.46 | 3 (20%) |
| 5 | NAG | 3 | 1 | 1,5 | 14,14,15 | 0.51 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 5 | NAG | 3 | 2 | 5 | 14,14,15 | 0.52 | 0 | 17,19,21 | 1.38 | 3 (17%) |
| 5 | NAG | 4 | 1 | 1,5 | 14,14,15 | 0.50 | 0 | 17,19,21 | 2.24 | 3 (17%) |
| 5 | NAG | 4 | 2 | 5 | 14,14,15 | 0.50 | 0 | 17,19,21 | 1.38 | 3 (17%) |
| 5 | NAG | 5 | 1 | 1,5 | 14,14,15 | 0.51 | 0 | 17,19,21 | 2.24 | 3 (17%) |
| 5 | NAG | 5 | 2 | 5 | 14,14,15 | 0.49 | 0 | 17,19,21 | 1.39 | 3 (17%) |
| 14 | NAG | 6 | 1 | 1,14 | 14,14,15 | 0.51 | 0 | 17,19,21 | 2.24 | 3 (17%) |
| 14 | NAG | 6 | 2 | 14 | 14,14,15 | 0.52 | 0 | 17,19,21 | 1.38 | 3 (17%) |
| 14 | BMA | 6 | 3 | 14 | 11,11,12 | 0.65 | 0 | 15,15,17 | 1.47 | 3 (20%) |
| 14 | MAN | 6 | 4 | 14 | 11,11,12 | 0.61 | 0 | 15,15,17 | 2.53 | 4 (26%) |
| 6 | NAG | 7 | 1 | 6,1 | 14,14,15 | 0.52 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 6 | NAG | 7 | 2 | 6 | 14,14,15 | 0.51 | 0 | 17,19,21 | 1.39 | 3 (17%) |
| 6 | BMA | 7 | 3 | 6 | 11,11,12 | 0.64 | 0 | 15,15,17 | 1.47 | 3 (20%) |
| 11 | NAG | 8 | 1 | 11,1 | 14,14,15 | 0.50 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 11 | NAG | 8 | 2 | 11 | 14,14,15 | 0.52 | 0 | 17,19,21 | 1.39 | 3 (17%) |

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 11 | BMA | 8 | 3 | 11 | 11,11,12 | 0.64 | 0 | 15,15,17 | 1.46 | 3 (20%) |
| 11 | MAN | 8 | 4 | 11 | 11,11,12 | 0.56 | 0 | 15,15,17 | 1.71 | 4 (26%) |
| 11 | MAN | 8 | 5 | 11 | 11,11,12 | 0.59 | 0 | 15,15,17 | 2.42 | 5 (33%) |
| 11 | MAN | 8 | 6 | 11 | 11,11,12 | 0.62 | 0 | 15,15,17 | 2.54 | 3 (20%) |
| 11 | MAN | 8 | 7 | 11 | 11,11,12 | 0.58 | 0 | 15,15,17 | 2.03 | 7 (46%) |
| 11 | MAN | 8 | 8 | 11 | 11,11,12 | 0.60 | 0 | 15,15,17 | 2.41 | 7 (46%) |
| 8 | NAG | 9 | 1 | 8,2 | 14,14,15 | 1.52 | 4 (28%) | 17,19,21 | 1.10 | 1 (5%) |
| 8 | NAG | 9 | 10 | 8 | 14,14,15 | 1.38 | 3 (21%) | 17,19,21 | 1.21 | 1 (5%) |
| 8 | FUC | 9 | 11 | 8 | 10,10,11 | 1.52 | 2 (20%) | 14,14,16 | 0.95 | 0 |
| 8 | NAG | 9 | 2 | 8 | 14,14,15 | 1.34 | 2 (14%) | 17,19,21 | 1.30 | 1 (5%) |
| 8 | BMA | 9 | 3 | 8 | 11,11,12 | 1.36 | 2 (18%) | 15,15,17 | 1.21 | 1 (6%) |
| 8 | MAN | 9 | 4 | 8 | 11,11,12 | 1.53 | 3 (27%) | 15,15,17 | 1.33 | 2 (13%) |
| 8 | NAG | 9 | 5 | 8 | 14,14,15 | 1.44 | 3 (21%) | 17,19,21 | 1.33 | 1 (5%) |
| 8 | GAL | 9 | 6 | 8 | 11,11,12 | 1.35 | 2 (18%) | 15,15,17 | 1.12 | 1 (6%) |
| 8 | NAG | 9 | 7 | 8 | 14,14,15 | 1.43 | 3 (21%) | 17,19,21 | 1.15 | 1 (5%) |
| 8 | GAL | 9 | 8 | 8 | 11,11,12 | 1.36 | 2 (18%) | 15,15,17 | 1.11 | 1 (6%) |
| 8 | MAN | 9 | 9 | 8 | 11,11,12 | 1.72 | 4 (36%) | 15,15,17 | 1.47 | 2 (13%) |
| 5 | NAG | AA | 1 | 5,2 | 14,14,15 | 0.51 | 0 | 17,19,21 | 2.22 | 3 (17%) |
| 5 | NAG | AA | 2 | 5 | 14,14,15 | 0.51 | 0 | 17,19,21 | 1.38 | 3 (17%) |
| 15 | NAG | BA | 1 | 15,2 | 14,14,15 | 1.53 | 3 (21%) | 17,19,21 | 1.06 | 1 (5%) |
| 15 | NAG | BA | 10 | 15 | 14,14,15 | 1.42 | 3 (21%) | 17,19,21 | 1.30 | 1 (5%) |
| 15 | NAG | BA | 11 | 15 | 14,14,15 | 1.40 | 3 (21%) | 17,19,21 | 1.16 | 1 (5%) |
| 15 | FUC | BA | 12 | 15 | 10,10,11 | 1.51 | 2 (20%) | 14,14,16 | 0.95 | 1 (7%) |
| 15 | NAG | BA | 2 | 15 | 14,14,15 | 1.35 | 2 (14%) | 17,19,21 | 1.30 | 1 (5%) |
| 15 | BMA | BA | 3 | 15 | 11,11,12 | 1.36 | 2 (18%) | 15,15,17 | 1.22 | 1 (6%) |
| 15 | MAN | BA | 4 | 15 | 11,11,12 | 1.73 | 4 (36%) | 15,15,17 | 1.46 | 2 (13%) |
| 15 | NAG | BA | 5 | 15 | 14,14,15 | 1.37 | 3 (21%) | 17,19,21 | 1.18 | 1 (5%) |
| 15 | GAL | BA | 6 | 15 | 11,11,12 | 1.35 | 2 (18%) | 15,15,17 | 1.11 | 1 (6%) |
| 15 | NAG | BA | 7 | 15 | 14,14,15 | 1.37 | 3 (21%) | 17,19,21 | 1.29 | 1 (5%) |
| 15 | GAL | BA | 8 | 15 | 11,11,12 | 1.32 | 2 (18%) | 15,15,17 | 1.15 | 1 (6%) |
| 15 | MAN | BA | 9 | 15 | 11,11,12 | 1.54 | 3 (27%) | 15,15,17 | 1.35 | 2 (13%) |
| 5 | NAG | G | 1 | 1,5 | 14,14,15 | 0.50 | 0 | 17,19,21 | 2.24 | 3 (17%) |
| 5 | NAG | G | 2 | 5 | 14,14,15 | 0.53 | 0 | 17,19,21 | 1.39 | 3 (17%) |
| 6 | NAG | I | 1 | 6,1 | 14,14,15 | 0.51 | 0 | 17,19,21 | 2.22 | 3 (17%) |
| 6 | NAG | I | 2 | 6 | 14,14,15 | 0.50 | 0 | 17,19,21 | 1.38 | 3 (17%) |

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 6 | BMA | I | 3 | 6 | 11,11,12 | 0.65 | 0 | 15,15,17 | 1.47 | 3 (20%) |
| 6 | NAG | J | 1 | 6,1 | 14,14,15 | 0.51 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 6 | NAG | J | 2 | 6 | 14,14,15 | 0.54 | 0 | 17,19,21 | 1.38 | 3 (17%) |
| 6 | BMA | J | 3 | 6 | 11,11,12 | 0.66 | 0 | 15,15,17 | 1.46 | 3 (20%) |
| 6 | NAG | K | 1 | 6,1 | 14,14,15 | 0.51 | 0 | 17,19,21 | 2.25 | 3 (17%) |
| 6 | NAG | K | 2 | 6 | 14,14,15 | 0.48 | 0 | 17,19,21 | 1.42 | 3 (17%) |
| 6 | BMA | K | 3 | 6 | 11,11,12 | 0.64 | 0 | 15,15,17 | 1.48 | 3 (20%) |
| 7 | NAG | O | 1 | 1,7 | 14,14,15 | 0.62 | 0 | 17,19,21 | 0.66 | 0 |
| 7 | NAG | O | 2 | 7 | 14,14,15 | 0.56 | 0 | 17,19,21 | 0.90 | 0 |
| 7 | BMA | O | 3 | 7 | 11,11,12 | 0.66 | 0 | 15,15,17 | 0.86 | 0 |
| 7 | MAN | O | 4 | 7 | 11,11,12 | 0.60 | 0 | 15,15,17 | 0.70 | 0 |
| 7 | MAN | O | 5 | 7 | 11,11,12 | 0.52 | 0 | 15,15,17 | 0.73 | 0 |
| 7 | MAN | O | 6 | 7 | 11,11,12 | 0.66 | 0 | 15,15,17 | 1.09 | 2 (13%) |
| 7 | MAN | O | 7 | 7 | 11,11,12 | 0.65 | 0 | 15,15,17 | 0.64 | 0 |
| 6 | NAG | P | 1 | 6,1 | 14,14,15 | 0.49 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 6 | NAG | P | 2 | 6 | 14,14,15 | 0.52 | 0 | 17,19,21 | 1.38 | 3 (17%) |
| 6 | BMA | P | 3 | 6 | 11,11,12 | 0.64 | 0 | 15,15,17 | 1.46 | 3 (20%) |
| 5 | NAG | Q | 1 | 1,5 | 14,14,15 | 0.49 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 5 | NAG | Q | 2 | 5 | 14,14,15 | 0.50 | 0 | 17,19,21 | 1.38 | 3 (17%) |
| 5 | NAG | R | 1 | 1,5 | 14,14,15 | 0.50 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 5 | NAG | R | 2 | 5 | 14,14,15 | 0.51 | 0 | 17,19,21 | 1.38 | 3 (17%) |
| 6 | NAG | S | 1 | 6,1 | 14,14,15 | 0.50 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 6 | NAG | S | 2 | 6 | 14,14,15 | 0.52 | 0 | 17,19,21 | 1.37 | 3 (17%) |
| 6 | BMA | S | 3 | 6 | 11,11,12 | 0.64 | 0 | 15,15,17 | 1.46 | 3 (20%) |
| 5 | NAG | T | 1 | 1,5 | 14,14,15 | 0.51 | 0 | 17,19,21 | 2.24 | 3 (17%) |
| 5 | NAG | T | 2 | 5 | 14,14,15 | 0.51 | 0 | 17,19,21 | 1.38 | 3 (17%) |
| 6 | NAG | U | 1 | 6,1 | 14,14,15 | 0.50 | 0 | 17,19,21 | 2.24 | 3 (17%) |
| 6 | NAG | U | 2 | 6 | 14,14,15 | 0.49 | 0 | 17,19,21 | 1.38 | 3 (17%) |
| 6 | BMA | U | 3 | 6 | 11,11,12 | 0.64 | 0 | 15,15,17 | 1.45 | 3 (20%) |
| 6 | NAG | V | 1 | 6,1 | 14,14,15 | 0.52 | 0 | 17,19,21 | 2.25 | 3 (17%) |
| 6 | NAG | V | 2 | 6 | 14,14,15 | 0.51 | 0 | 17,19,21 | 1.39 | 3 (17%) |
| 6 | BMA | V | 3 | 6 | 11,11,12 | 0.64 | 0 | 15,15,17 | 1.47 | 3 (20%) |
| 6 | NAG | W | 1 | 6,1 | 14,14,15 | 0.52 | 0 | 17,19,21 | 2.24 | 3 (17%) |
| 6 | NAG | W | 2 | 6 | 14,14,15 | 0.51 | 0 | 17,19,21 | 1.39 | 3 (17%) |
| 6 | BMA | W | 3 | 6 | 11,11,12 | 0.65 | 0 | 15,15,17 | 1.47 | 3 (20%) |
| 5 | NAG | X | 1 | 1,5 | 14,14,15 | 0.49 | 0 | 17,19,21 | 2.21 | 3 (17%) |

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 5 | NAG | X | 2 | 5 | 14,14,15 | 0.53 | 0 | 17,19,21 | 1.39 | 3 (17%) |
| 8 | NAG | Y | 1 | 8,2 | 14,14,15 | 1.52 | 3 (21%) | 17,19,21 | 1.10 | 1 (5%) |
| 8 | NAG | Y | 10 | 8 | 14,14,15 | 1.38 | 3 (21%) | 17,19,21 | 1.22 | 1 (5%) |
| 8 | FUC | Y | 11 | 8 | 10,10,11 | 1.52 | 2 (20%) | 14,14,16 | 0.94 | 0 |
| 8 | NAG | Y | 2 | 8 | 14,14,15 | 1.34 | 2 (14%) | 17,19,21 | 1.29 | 1 (5%) |
| 8 | BMA | Y | 3 | 8 | 11,11,12 | 1.36 | 2 (18%) | 15,15,17 | 1.20 | 1 (6%) |
| 8 | MAN | Y | 4 | 8 | 11,11,12 | 1.53 | 3 (27%) | 15,15,17 | 1.34 | 2 (13%) |
| 8 | NAG | Y | 5 | 8 | 14,14,15 | 1.43 | 3 (21%) | 17,19,21 | 1.33 | 1 (5%) |
| 8 | GAL | Y | 6 | 8 | 11,11,12 | 1.34 | 2 (18%) | 15,15,17 | 1.11 | 1 (6%) |
| 8 | NAG | Y | 7 | 8 | 14,14,15 | 1.44 | 3 (21%) | 17,19,21 | 1.14 | 1 (5%) |
| 8 | GAL | Y | 8 | 8 | 11,11,12 | 1.34 | 2 (18%) | 15,15,17 | 1.11 | 1 (6%) |
| 8 | MAN | Y | 9 | 8 | 11,11,12 | 1.72 | 4 (36%) | 15,15,17 | 1.47 | 2 (13%) |
| 9 | NAG | Z | 1 | 9,2 | 14,14,15 | 1.53 | 3 (21%) | 17,19,21 | 1.07 | 1 (5%) |
| 9 | NAG | Z | 10 | 9 | 14,14,15 | 1.41 | 3 (21%) | 17,19,21 | 1.32 | 1 (5%) |
| 9 | GAL | Z | 11 | 9 | 11,11,12 | 1.34 | 2 (18%) | 15,15,17 | 1.12 | 1 (6%) |
| 9 | NAG | Z | 12 | 9 | 14,14,15 | 1.41 | 3 (21%) | 17,19,21 | 1.17 | 2 (11%) |
| 9 | FUC | Z | 13 | 9 | 10,10,11 | 1.51 | 2 (20%) | 14,14,16 | 0.96 | 1 (7%) |
| 9 | NAG | Z | 2 | 9 | 14,14,15 | 1.35 | 2 (14%) | 17,19,21 | 1.30 | 1 (5%) |
| 9 | BMA | Z | 3 | 9 | 11,11,12 | 1.37 | 2 (18%) | 15,15,17 | 1.22 | 1 (6%) |
| 9 | MAN | Z | 4 | 9 | 11,11,12 | 1.73 | 4 (36%) | 15,15,17 | 1.45 | 2 (13%) |
| 9 | NAG | Z | 5 | 9 | 14,14,15 | 1.36 | 3 (21%) | 17,19,21 | 1.19 | 1 (5%) |
| 9 | GAL | Z | 6 | 9 | 11,11,12 | 1.35 | 2 (18%) | 15,15,17 | 1.10 | 1 (6%) |
| 9 | NAG | Z | 7 | 9 | 14,14,15 | 1.36 | 3 (21%) | 17,19,21 | 1.29 | 1 (5%) |
| 9 | GAL | Z | 8 | 9 | 11,11,12 | 1.32 | 2 (18%) | 15,15,17 | 1.13 | 1 (6%) |
| 9 | MAN | Z | 9 | 9 | 11,11,12 | 1.55 | 3 (27%) | 15,15,17 | 1.34 | 2 (13%) |
| 6 | NAG | a | 1 | 6,1 | 14,14,15 | 0.51 | 0 | 17,19,21 | 2.24 | 3 (17%) |
| 6 | NAG | a | 2 | 6 | 14,14,15 | 0.53 | 0 | 17,19,21 | 1.36 | 3 (17%) |
| 6 | BMA | a | 3 | 6 | 11,11,12 | 0.64 | 0 | 15,15,17 | 1.46 | 3 (20%) |
| 5 | NAG | b | 1 | 1,5 | 14,14,15 | 0.50 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 5 | NAG | b | 2 | 5 | 14,14,15 | 0.51 | 0 | 17,19,21 | 1.39 | 3 (17%) |
| 5 | NAG | c | 1 | 1,5 | 14,14,15 | 0.51 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 5 | NAG | c | 2 | 5 | 14,14,15 | 0.51 | 0 | 17,19,21 | 1.38 | 3 (17%) |
| 6 | NAG | d | 1 | 6,1 | 14,14,15 | 0.51 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 6 | NAG | d | 2 | 6 | 14,14,15 | 0.53 | 0 | 17,19,21 | 1.38 | 3 (17%) |
| 6 | BMA | d | 3 | 6 | 11,11,12 | 0.64 | 0 | 15,15,17 | 1.47 | 3 (20%) |

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 10 | NAG | e | 1 | 1,10 | 14,14,15 | 0.51 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 10 | NAG | e | 2 | 10 | 14,14,15 | 0.49 | 0 | 17,19,21 | 1.42 | 3 (17%) |
| 10 | BMA | e | 3 | 10 | 11,11,12 | 0.63 | 0 | 15,15,17 | 1.47 | 3 (20%) |
| 10 | MAN | e | 4 | 10 | 11,11,12 | 0.56 | 0 | 15,15,17 | 1.70 | 4 (26%) |
| 10 | MAN | e | 5 | 10 | 11,11,12 | 0.58 | 0 | 15,15,17 | 2.55 | 4 (26%) |
| 7 | NAG | f | 1 | 1,7 | 14,14,15 | 0.61 | 0 | 17,19,21 | 0.66 | 0 |
| 7 | NAG | f | 2 | 7 | 14,14,15 | 0.58 | 0 | 17,19,21 | 0.89 | 0 |
| 7 | BMA | f | 3 | 7 | 11,11,12 | 0.65 | 0 | 15,15,17 | 0.85 | 0 |
| 7 | MAN | f | 4 | 7 | 11,11,12 | 0.61 | 0 | 15,15,17 | 0.69 | 0 |
| 7 | MAN | f | 5 | 7 | 11,11,12 | 0.53 | 0 | 15,15,17 | 0.73 | 0 |
| 7 | MAN | f | 6 | 7 | 11,11,12 | 0.66 | 0 | 15,15,17 | 1.09 | 2 (13%) |
| 7 | MAN | f | 7 | 7 | 11,11,12 | 0.65 | 0 | 15,15,17 | 0.63 | 0 |
| 6 | NAG | g | 1 | 6,1 | 14,14,15 | 0.49 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 6 | NAG | g | 2 | 6 | 14,14,15 | 0.51 | 0 | 17,19,21 | 1.38 | 3 (17%) |
| 6 | BMA | g | 3 | 6 | 11,11,12 | 0.64 | 0 | 15,15,17 | 1.47 | 3 (20%) |
| 5 | NAG | h | 1 | 1,5 | 14,14,15 | 0.49 | 0 | 17,19,21 | 2.22 | 3 (17%) |
| 5 | NAG | h | 2 | 5 | 14,14,15 | 0.51 | 0 | 17,19,21 | 1.38 | 3 (17%) |
| 6 | NAG | i | 1 | 6,1 | 14,14,15 | 0.50 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 6 | NAG | i | 2 | 6 | 14,14,15 | 0.51 | 0 | 17,19,21 | 1.37 | 3 (17%) |
| 6 | BMA | i | 3 | 6 | 11,11,12 | 0.65 | 0 | 15,15,17 | 1.47 | 3 (20%) |
| 6 | NAG | j | 1 | 6,1 | 14,14,15 | 0.51 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 6 | NAG | j | 2 | 6 | 14,14,15 | 0.52 | 0 | 17,19,21 | 1.37 | 3 (17%) |
| 6 | BMA | j | 3 | 6 | 11,11,12 | 0.64 | 0 | 15,15,17 | 1.47 | 3 (20%) |
| 5 | NAG | k | 1 | 1,5 | 14,14,15 | 0.52 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 5 | NAG | k | 2 | 5 | 14,14,15 | 0.53 | 0 | 17,19,21 | 1.38 | 3 (17%) |
| 5 | NAG | l | 1 | 1,5 | 14,14,15 | 0.49 | 0 | 17,19,21 | 2.24 | 3 (17%) |
| 5 | NAG | l | 2 | 5 | 14,14,15 | 0.51 | 0 | 17,19,21 | 1.38 | 3 (17%) |
| 6 | NAG | m | 1 | 6,1 | 14,14,15 | 0.51 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 6 | NAG | m | 2 | 6 | 14,14,15 | 0.51 | 0 | 17,19,21 | 1.38 | 3 (17%) |
| 6 | BMA | m | 3 | 6 | 11,11,12 | 0.62 | 0 | 15,15,17 | 1.45 | 3 (20%) |
| 6 | NAG | n | 1 | 6,1 | 14,14,15 | 0.52 | 0 | 17,19,21 | 2.24 | 3 (17%) |
| 6 | NAG | n | 2 | 6 | 14,14,15 | 0.52 | 0 | 17,19,21 | 1.38 | 3 (17%) |
| 6 | BMA | n | 3 | 6 | 11,11,12 | 0.66 | 0 | 15,15,17 | 1.47 | 3 (20%) |
| 5 | NAG | o | 1 | 1,5 | 14,14,15 | 0.51 | 0 | 17,19,21 | 2.24 | 3 (17%) |
| 5 | NAG | o | 2 | 5 | 14,14,15 | 0.52 | 0 | 17,19,21 | 1.39 | 3 (17%) |
| 11 | NAG | p | 1 | 11,1 | 14,14,15 | 0.49 | 0 | 17,19,21 | 2.23 | 3 (17%) |

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 11 | NAG | p | 2 | 11 | 14,14,15 | 0.52 | 0 | 17,19,21 | 1.38 | 3 (17%) |
| 11 | BMA | p | 3 | 11 | 11,11,12 | 0.64 | 0 | 15,15,17 | 1.47 | 3 (20%) |
| 11 | MAN | p | 4 | 11 | 11,11,12 | 0.54 | 0 | 15,15,17 | 1.70 | 3 (20%) |
| 11 | MAN | p | 5 | 11 | 11,11,12 | 0.60 | 0 | 15,15,17 | 2.43 | 5 (33%) |
| 11 | MAN | p | 6 | 11 | 11,11,12 | 0.62 | 0 | 15,15,17 | 2.54 | 3 (20%) |
| 11 | MAN | p | 7 | 11 | 11,11,12 | 0.59 | 0 | 15,15,17 | 2.03 | 7 (46%) |
| 11 | MAN | p | 8 | 11 | 11,11,12 | 0.59 | 0 | 15,15,17 | 2.41 | 7 (46%) |
| 12 | NAG | q | 1 | 12,2 | 14,14,15 | 1.52 | 4 (28%) | 17,19,21 | 1.10 | 1 (5%) |
| 12 | NAG | q | 2 | 12 | 14,14,15 | 1.36 | 2 (14%) | 17,19,21 | 1.29 | 1 (5%) |
| 12 | FUC | q | 3 | 12 | 10,10,11 | 1.51 | 2 (20%) | 14,14,16 | 0.95 | 0 |
| 5 | NAG | r | 1 | 5,2 | 14,14,15 | 0.51 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 5 | NAG | r | 2 | 5 | 14,14,15 | 0.52 | 0 | 17,19,21 | 1.38 | 3 (17%) |
| 5 | NAG | s | 1 | 5,2 | 14,14,15 | 1.53 | 3 (21%) | 17,19,21 | 1.07 | 1 (5%) |
| 5 | NAG | s | 2 | 5 | 14,14,15 | 1.35 | 2 (14%) | 17,19,21 | 1.30 | 1 (5%) |
| 6 | NAG | t | 1 | 6,1 | 14,14,15 | 0.49 | 0 | 17,19,21 | 2.24 | 3 (17%) |
| 6 | NAG | t | 2 | 6 | 14,14,15 | 0.53 | 0 | 17,19,21 | 1.38 | 3 (17%) |
| 6 | BMA | t | 3 | 6 | 11,11,12 | 0.62 | 0 | 15,15,17 | 1.47 | 3 (20%) |
| 5 | NAG | u | 1 | 1,5 | 14,14,15 | 0.51 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 5 | NAG | u | 2 | 5 | 14,14,15 | 0.52 | 0 | 17,19,21 | 1.39 | 3 (17%) |
| 6 | NAG | v | 1 | 6,1 | 14,14,15 | 0.51 | 0 | 17,19,21 | 2.22 | 3 (17%) |
| 6 | NAG | v | 2 | 6 | 14,14,15 | 0.53 | 0 | 17,19,21 | 1.37 | 3 (17%) |
| 6 | BMA | v | 3 | 6 | 11,11,12 | 0.66 | 0 | 15,15,17 | 1.47 | 3 (20%) |
| 5 | NAG | w | 1 | 1,5 | 14,14,15 | 0.51 | 0 | 17,19,21 | 2.24 | 3 (17%) |
| 5 | NAG | w | 2 | 5 | 14,14,15 | 0.52 | 0 | 17,19,21 | 1.38 | 3 (17%) |
| 13 | NAG | x | 1 | 1,13 | 14,14,15 | 0.52 | 0 | 17,19,21 | 2.24 | 3 (17%) |
| 13 | NAG | x | 2 | 13 | 14,14,15 | 0.49 | 0 | 17,19,21 | 1.40 | 3 (17%) |
| 13 | BMA | x | 3 | 13 | 11,11,12 | 0.64 | 0 | 15,15,17 | 1.48 | 3 (20%) |
| 13 | MAN | x | 4 | 13 | 11,11,12 | 0.55 | 0 | 15,15,17 | 1.72 | 4 (26%) |
| 13 | MAN | x | 5 | 13 | 11,11,12 | 0.58 | 0 | 15,15,17 | 2.44 | 5 (33%) |
| 13 | MAN | x | 6 | 13 | 11,11,12 | 0.60 | 0 | 15,15,17 | 2.54 | 4 (26%) |
| 7 | NAG | y | 1 | 1,7 | 14,14,15 | 0.62 | 0 | 17,19,21 | 0.66 | 0 |
| 7 | NAG | y | 2 | 7 | 14,14,15 | 0.58 | 0 | 17,19,21 | 0.89 | 0 |
| 7 | BMA | y | 3 | 7 | 11,11,12 | 0.66 | 0 | 15,15,17 | 0.86 | 0 |
| 7 | MAN | y | 4 | 7 | 11,11,12 | 0.61 | 0 | 15,15,17 | 0.69 | 0 |
| 7 | MAN | y | 5 | 7 | 11,11,12 | 0.53 | 0 | 15,15,17 | 0.73 | 0 |
| 7 | MAN | y | 6 | 7 | 11,11,12 | 0.66 | 0 | 15,15,17 | 1.09 | 2 (13%) |

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|-----|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 7 | MAN | y | 7 | 7 | 11,11,12 | 0.64 | 0 | 15,15,17 | 0.63 | 0 |
| 5 | NAG | z | 1 | 1,5 | 14,14,15 | 0.50 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 5 | NAG | z | 2 | 5 | 14,14,15 | 0.51 | 0 | 17,19,21 | 1.39 | 3 (17%) |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|-----------|---------|
| 5 | NAG | 0 | 1 | 1,5 | - | 1/6/23/26 | 0/1/1/1 |
| 5 | NAG | 0 | 2 | 5 | - | 0/6/23/26 | 0/1/1/1 |
| 5 | NAG | 1 | 1 | 1,5 | - | 0/6/23/26 | 0/1/1/1 |
| 5 | NAG | 1 | 2 | 5 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | 2 | 1 | 6,1 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | 2 | 2 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | BMA | 2 | 3 | 6 | - | 2/2/19/22 | 0/1/1/1 |
| 5 | NAG | 3 | 1 | 1,5 | - | 0/6/23/26 | 0/1/1/1 |
| 5 | NAG | 3 | 2 | 5 | - | 0/6/23/26 | 0/1/1/1 |
| 5 | NAG | 4 | 1 | 1,5 | - | 0/6/23/26 | 0/1/1/1 |
| 5 | NAG | 4 | 2 | 5 | - | 0/6/23/26 | 0/1/1/1 |
| 5 | NAG | 5 | 1 | 1,5 | - | 0/6/23/26 | 0/1/1/1 |
| 5 | NAG | 5 | 2 | 5 | - | 0/6/23/26 | 0/1/1/1 |
| 14 | NAG | 6 | 1 | 1,14 | - | 0/6/23/26 | 0/1/1/1 |
| 14 | NAG | 6 | 2 | 14 | - | 0/6/23/26 | 0/1/1/1 |
| 14 | BMA | 6 | 3 | 14 | - | 2/2/19/22 | 0/1/1/1 |
| 14 | MAN | 6 | 4 | 14 | - | 0/2/19/22 | 0/1/1/1 |
| 6 | NAG | 7 | 1 | 6,1 | - | 1/6/23/26 | 0/1/1/1 |
| 6 | NAG | 7 | 2 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | BMA | 7 | 3 | 6 | - | 2/2/19/22 | 0/1/1/1 |
| 11 | NAG | 8 | 1 | 11,1 | - | 1/6/23/26 | 0/1/1/1 |
| 11 | NAG | 8 | 2 | 11 | - | 0/6/23/26 | 0/1/1/1 |
| 11 | BMA | 8 | 3 | 11 | - | 0/2/19/22 | 0/1/1/1 |
| 11 | MAN | 8 | 4 | 11 | - | 0/2/19/22 | 0/1/1/1 |
| 11 | MAN | 8 | 5 | 11 | - | 0/2/19/22 | 0/1/1/1 |
| 11 | MAN | 8 | 6 | 11 | - | 0/2/19/22 | 0/1/1/1 |
| 11 | MAN | 8 | 7 | 11 | - | 0/2/19/22 | 0/1/1/1 |
| 11 | MAN | 8 | 8 | 11 | - | 0/2/19/22 | 0/1/1/1 |
| 8 | NAG | 9 | 1 | 8,2 | - | 0/6/23/26 | 0/1/1/1 |
| 8 | NAG | 9 | 10 | 8 | - | 0/6/23/26 | 0/1/1/1 |
| 8 | FUC | 9 | 11 | 8 | - | - | 0/1/1/1 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|-----------|---------|
| 8 | NAG | 9 | 2 | 8 | - | 0/6/23/26 | 0/1/1/1 |
| 8 | BMA | 9 | 3 | 8 | - | 2/2/19/22 | 0/1/1/1 |
| 8 | MAN | 9 | 4 | 8 | - | 0/2/19/22 | 0/1/1/1 |
| 8 | NAG | 9 | 5 | 8 | - | 0/6/23/26 | 0/1/1/1 |
| 8 | GAL | 9 | 6 | 8 | - | 0/2/19/22 | 0/1/1/1 |
| 8 | NAG | 9 | 7 | 8 | - | 0/6/23/26 | 0/1/1/1 |
| 8 | GAL | 9 | 8 | 8 | - | 0/2/19/22 | 0/1/1/1 |
| 8 | MAN | 9 | 9 | 8 | - | 0/2/19/22 | 0/1/1/1 |
| 5 | NAG | AA | 1 | 5,2 | - | 0/6/23/26 | 0/1/1/1 |
| 5 | NAG | AA | 2 | 5 | - | 0/6/23/26 | 0/1/1/1 |
| 15 | NAG | BA | 1 | 15,2 | - | 1/6/23/26 | 0/1/1/1 |
| 15 | NAG | BA | 10 | 15 | - | 0/6/23/26 | 0/1/1/1 |
| 15 | NAG | BA | 11 | 15 | - | 0/6/23/26 | 0/1/1/1 |
| 15 | FUC | BA | 12 | 15 | - | - | 0/1/1/1 |
| 15 | NAG | BA | 2 | 15 | - | 0/6/23/26 | 0/1/1/1 |
| 15 | BMA | BA | 3 | 15 | - | 0/2/19/22 | 0/1/1/1 |
| 15 | MAN | BA | 4 | 15 | - | 0/2/19/22 | 0/1/1/1 |
| 15 | NAG | BA | 5 | 15 | - | 0/6/23/26 | 0/1/1/1 |
| 15 | GAL | BA | 6 | 15 | - | 0/2/19/22 | 0/1/1/1 |
| 15 | NAG | BA | 7 | 15 | - | 0/6/23/26 | 0/1/1/1 |
| 15 | GAL | BA | 8 | 15 | - | 0/2/19/22 | 0/1/1/1 |
| 15 | MAN | BA | 9 | 15 | - | 1/2/19/22 | 0/1/1/1 |
| 5 | NAG | G | 1 | 1,5 | - | 1/6/23/26 | 0/1/1/1 |
| 5 | NAG | G | 2 | 5 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | I | 1 | 6,1 | - | 2/6/23/26 | 0/1/1/1 |
| 6 | NAG | I | 2 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | BMA | I | 3 | 6 | - | 2/2/19/22 | 0/1/1/1 |
| 6 | NAG | J | 1 | 6,1 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | J | 2 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | BMA | J | 3 | 6 | - | 2/2/19/22 | 0/1/1/1 |
| 6 | NAG | K | 1 | 6,1 | - | 1/6/23/26 | 0/1/1/1 |
| 6 | NAG | K | 2 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | BMA | K | 3 | 6 | - | 0/2/19/22 | 0/1/1/1 |
| 7 | NAG | O | 1 | 1,7 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | NAG | O | 2 | 7 | - | 2/6/23/26 | 0/1/1/1 |
| 7 | BMA | O | 3 | 7 | - | 0/2/19/22 | 0/1/1/1 |
| 7 | MAN | O | 4 | 7 | - | 0/2/19/22 | 0/1/1/1 |
| 7 | MAN | O | 5 | 7 | - | 2/2/19/22 | 0/1/1/1 |
| 7 | MAN | O | 6 | 7 | - | 2/2/19/22 | 0/1/1/1 |
| 7 | MAN | O | 7 | 7 | - | 0/2/19/22 | 0/1/1/1 |
| 6 | NAG | P | 1 | 6,1 | - | 0/6/23/26 | 0/1/1/1 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|-----------|---------|
| 6 | NAG | P | 2 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | BMA | P | 3 | 6 | - | 2/2/19/22 | 0/1/1/1 |
| 5 | NAG | Q | 1 | 1,5 | - | 0/6/23/26 | 0/1/1/1 |
| 5 | NAG | Q | 2 | 5 | - | 0/6/23/26 | 0/1/1/1 |
| 5 | NAG | R | 1 | 1,5 | - | 0/6/23/26 | 0/1/1/1 |
| 5 | NAG | R | 2 | 5 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | S | 1 | 6,1 | - | 1/6/23/26 | 0/1/1/1 |
| 6 | NAG | S | 2 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | BMA | S | 3 | 6 | - | 2/2/19/22 | 0/1/1/1 |
| 5 | NAG | T | 1 | 1,5 | - | 1/6/23/26 | 0/1/1/1 |
| 5 | NAG | T | 2 | 5 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | U | 1 | 6,1 | - | 1/6/23/26 | 0/1/1/1 |
| 6 | NAG | U | 2 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | BMA | U | 3 | 6 | - | 2/2/19/22 | 0/1/1/1 |
| 6 | NAG | V | 1 | 6,1 | - | 1/6/23/26 | 0/1/1/1 |
| 6 | NAG | V | 2 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | BMA | V | 3 | 6 | - | 2/2/19/22 | 0/1/1/1 |
| 6 | NAG | W | 1 | 6,1 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | W | 2 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | BMA | W | 3 | 6 | - | 2/2/19/22 | 0/1/1/1 |
| 5 | NAG | X | 1 | 1,5 | - | 2/6/23/26 | 0/1/1/1 |
| 5 | NAG | X | 2 | 5 | - | 0/6/23/26 | 0/1/1/1 |
| 8 | NAG | Y | 1 | 8,2 | - | 0/6/23/26 | 0/1/1/1 |
| 8 | NAG | Y | 10 | 8 | - | 0/6/23/26 | 0/1/1/1 |
| 8 | FUC | Y | 11 | 8 | - | - | 0/1/1/1 |
| 8 | NAG | Y | 2 | 8 | - | 0/6/23/26 | 0/1/1/1 |
| 8 | BMA | Y | 3 | 8 | - | 2/2/19/22 | 0/1/1/1 |
| 8 | MAN | Y | 4 | 8 | - | 0/2/19/22 | 0/1/1/1 |
| 8 | NAG | Y | 5 | 8 | - | 0/6/23/26 | 0/1/1/1 |
| 8 | GAL | Y | 6 | 8 | - | 0/2/19/22 | 0/1/1/1 |
| 8 | NAG | Y | 7 | 8 | - | 0/6/23/26 | 0/1/1/1 |
| 8 | GAL | Y | 8 | 8 | - | 0/2/19/22 | 0/1/1/1 |
| 8 | MAN | Y | 9 | 8 | - | 0/2/19/22 | 0/1/1/1 |
| 9 | NAG | Z | 1 | 9,2 | - | 1/6/23/26 | 0/1/1/1 |
| 9 | NAG | Z | 10 | 9 | - | 0/6/23/26 | 0/1/1/1 |
| 9 | GAL | Z | 11 | 9 | - | 0/2/19/22 | 0/1/1/1 |
| 9 | NAG | Z | 12 | 9 | - | 0/6/23/26 | 0/1/1/1 |
| 9 | FUC | Z | 13 | 9 | - | - | 0/1/1/1 |
| 9 | NAG | Z | 2 | 9 | - | 0/6/23/26 | 0/1/1/1 |
| 9 | BMA | Z | 3 | 9 | - | 0/2/19/22 | 0/1/1/1 |
| 9 | MAN | Z | 4 | 9 | - | 0/2/19/22 | 0/1/1/1 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|-----------|---------|
| 9 | NAG | Z | 5 | 9 | - | 0/6/23/26 | 0/1/1/1 |
| 9 | GAL | Z | 6 | 9 | - | 0/2/19/22 | 0/1/1/1 |
| 9 | NAG | Z | 7 | 9 | - | 0/6/23/26 | 0/1/1/1 |
| 9 | GAL | Z | 8 | 9 | - | 0/2/19/22 | 0/1/1/1 |
| 9 | MAN | Z | 9 | 9 | - | 1/2/19/22 | 0/1/1/1 |
| 6 | NAG | a | 1 | 6,1 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | a | 2 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | BMA | a | 3 | 6 | - | 2/2/19/22 | 0/1/1/1 |
| 5 | NAG | b | 1 | 1,5 | - | 0/6/23/26 | 0/1/1/1 |
| 5 | NAG | b | 2 | 5 | - | 0/6/23/26 | 0/1/1/1 |
| 5 | NAG | c | 1 | 1,5 | - | 2/6/23/26 | 0/1/1/1 |
| 5 | NAG | c | 2 | 5 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | d | 1 | 6,1 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | d | 2 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | BMA | d | 3 | 6 | - | 2/2/19/22 | 0/1/1/1 |
| 10 | NAG | e | 1 | 1,10 | - | 1/6/23/26 | 0/1/1/1 |
| 10 | NAG | e | 2 | 10 | - | 0/6/23/26 | 0/1/1/1 |
| 10 | BMA | e | 3 | 10 | - | 0/2/19/22 | 0/1/1/1 |
| 10 | MAN | e | 4 | 10 | - | 0/2/19/22 | 0/1/1/1 |
| 10 | MAN | e | 5 | 10 | - | 0/2/19/22 | 0/1/1/1 |
| 7 | NAG | f | 1 | 1,7 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | NAG | f | 2 | 7 | - | 2/6/23/26 | 0/1/1/1 |
| 7 | BMA | f | 3 | 7 | - | 0/2/19/22 | 0/1/1/1 |
| 7 | MAN | f | 4 | 7 | - | 0/2/19/22 | 0/1/1/1 |
| 7 | MAN | f | 5 | 7 | - | 2/2/19/22 | 0/1/1/1 |
| 7 | MAN | f | 6 | 7 | - | 2/2/19/22 | 0/1/1/1 |
| 7 | MAN | f | 7 | 7 | - | 0/2/19/22 | 0/1/1/1 |
| 6 | NAG | g | 1 | 6,1 | - | 1/6/23/26 | 0/1/1/1 |
| 6 | NAG | g | 2 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | BMA | g | 3 | 6 | - | 2/2/19/22 | 0/1/1/1 |
| 5 | NAG | h | 1 | 1,5 | - | 0/6/23/26 | 0/1/1/1 |
| 5 | NAG | h | 2 | 5 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | i | 1 | 6,1 | - | 2/6/23/26 | 0/1/1/1 |
| 6 | NAG | i | 2 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | BMA | i | 3 | 6 | - | 2/2/19/22 | 0/1/1/1 |
| 6 | NAG | j | 1 | 6,1 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | j | 2 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | BMA | j | 3 | 6 | - | 2/2/19/22 | 0/1/1/1 |
| 5 | NAG | k | 1 | 1,5 | - | 0/6/23/26 | 0/1/1/1 |
| 5 | NAG | k | 2 | 5 | - | 0/6/23/26 | 0/1/1/1 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|-----------|---------|
| 5 | NAG | l | 1 | 1,5 | - | 1/6/23/26 | 0/1/1/1 |
| 5 | NAG | l | 2 | 5 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | m | 1 | 6,1 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | m | 2 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | BMA | m | 3 | 6 | - | 2/2/19/22 | 0/1/1/1 |
| 6 | NAG | n | 1 | 6,1 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | n | 2 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | BMA | n | 3 | 6 | - | 2/2/19/22 | 0/1/1/1 |
| 5 | NAG | o | 1 | 1,5 | - | 0/6/23/26 | 0/1/1/1 |
| 5 | NAG | o | 2 | 5 | - | 0/6/23/26 | 0/1/1/1 |
| 11 | NAG | p | 1 | 11,1 | - | 2/6/23/26 | 0/1/1/1 |
| 11 | NAG | p | 2 | 11 | - | 0/6/23/26 | 0/1/1/1 |
| 11 | BMA | p | 3 | 11 | - | 0/2/19/22 | 0/1/1/1 |
| 11 | MAN | p | 4 | 11 | - | 0/2/19/22 | 0/1/1/1 |
| 11 | MAN | p | 5 | 11 | - | 0/2/19/22 | 0/1/1/1 |
| 11 | MAN | p | 6 | 11 | - | 0/2/19/22 | 0/1/1/1 |
| 11 | MAN | p | 7 | 11 | - | 0/2/19/22 | 0/1/1/1 |
| 11 | MAN | p | 8 | 11 | - | 0/2/19/22 | 0/1/1/1 |
| 12 | NAG | q | 1 | 12,2 | - | 0/6/23/26 | 0/1/1/1 |
| 12 | NAG | q | 2 | 12 | - | 0/6/23/26 | 0/1/1/1 |
| 12 | FUC | q | 3 | 12 | - | - | 0/1/1/1 |
| 5 | NAG | r | 1 | 5,2 | - | 0/6/23/26 | 0/1/1/1 |
| 5 | NAG | r | 2 | 5 | - | 0/6/23/26 | 0/1/1/1 |
| 5 | NAG | s | 1 | 5,2 | - | 1/6/23/26 | 0/1/1/1 |
| 5 | NAG | s | 2 | 5 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | t | 1 | 6,1 | - | 1/6/23/26 | 0/1/1/1 |
| 6 | NAG | t | 2 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | BMA | t | 3 | 6 | - | 2/2/19/22 | 0/1/1/1 |
| 5 | NAG | u | 1 | 1,5 | - | 0/6/23/26 | 0/1/1/1 |
| 5 | NAG | u | 2 | 5 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | NAG | v | 1 | 6,1 | - | 1/6/23/26 | 0/1/1/1 |
| 6 | NAG | v | 2 | 6 | - | 0/6/23/26 | 0/1/1/1 |
| 6 | BMA | v | 3 | 6 | - | 2/2/19/22 | 0/1/1/1 |
| 5 | NAG | w | 1 | 1,5 | - | 0/6/23/26 | 0/1/1/1 |
| 5 | NAG | w | 2 | 5 | - | 0/6/23/26 | 0/1/1/1 |
| 13 | NAG | x | 1 | 1,13 | - | 1/6/23/26 | 0/1/1/1 |
| 13 | NAG | x | 2 | 13 | - | 0/6/23/26 | 0/1/1/1 |
| 13 | BMA | x | 3 | 13 | - | 0/2/19/22 | 0/1/1/1 |
| 13 | MAN | x | 4 | 13 | - | 0/2/19/22 | 0/1/1/1 |
| 13 | MAN | x | 5 | 13 | - | 0/2/19/22 | 0/1/1/1 |
| 13 | MAN | x | 6 | 13 | - | 0/2/19/22 | 0/1/1/1 |

Continued on next page...

Continued from previous page...

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|-----|------|---------|-----------|---------|
| 7 | NAG | y | 1 | 1,7 | - | 0/6/23/26 | 0/1/1/1 |
| 7 | NAG | y | 2 | 7 | - | 2/6/23/26 | 0/1/1/1 |
| 7 | BMA | y | 3 | 7 | - | 0/2/19/22 | 0/1/1/1 |
| 7 | MAN | y | 4 | 7 | - | 0/2/19/22 | 0/1/1/1 |
| 7 | MAN | y | 5 | 7 | - | 2/2/19/22 | 0/1/1/1 |
| 7 | MAN | y | 6 | 7 | - | 2/2/19/22 | 0/1/1/1 |
| 7 | MAN | y | 7 | 7 | - | 0/2/19/22 | 0/1/1/1 |
| 5 | NAG | z | 1 | 1,5 | - | 0/6/23/26 | 0/1/1/1 |
| 5 | NAG | z | 2 | 5 | - | 0/6/23/26 | 0/1/1/1 |

All (138) bond length outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|------|-------------|----------|
| 8 | 9 | 9 | MAN | O5-C1 | 3.59 | 1.49 | 1.43 |
| 8 | Y | 9 | MAN | O5-C1 | 3.52 | 1.49 | 1.43 |
| 15 | BA | 4 | MAN | O5-C1 | 3.49 | 1.49 | 1.43 |
| 9 | Z | 4 | MAN | O5-C1 | 3.49 | 1.49 | 1.43 |
| 5 | s | 1 | NAG | O5-C1 | 3.24 | 1.48 | 1.43 |
| 15 | BA | 1 | NAG | O5-C1 | 3.21 | 1.48 | 1.43 |
| 9 | Z | 1 | NAG | O5-C1 | 3.20 | 1.48 | 1.43 |
| 12 | q | 1 | NAG | O5-C1 | 3.16 | 1.48 | 1.43 |
| 8 | Y | 1 | NAG | O5-C1 | 3.15 | 1.48 | 1.43 |
| 8 | 9 | 1 | NAG | O5-C1 | 3.14 | 1.48 | 1.43 |
| 15 | BA | 10 | NAG | O5-C1 | 3.12 | 1.48 | 1.43 |
| 9 | Z | 10 | NAG | O5-C1 | 3.05 | 1.48 | 1.43 |
| 8 | 9 | 5 | NAG | O5-C1 | 3.03 | 1.48 | 1.43 |
| 12 | q | 2 | NAG | O5-C1 | 3.02 | 1.48 | 1.43 |
| 9 | Z | 13 | FUC | O5-C1 | 3.00 | 1.48 | 1.43 |
| 8 | 9 | 11 | FUC | O5-C1 | 2.99 | 1.48 | 1.43 |
| 15 | BA | 12 | FUC | O5-C1 | 2.98 | 1.48 | 1.43 |
| 8 | Y | 5 | NAG | O5-C1 | 2.98 | 1.48 | 1.43 |
| 8 | Y | 11 | FUC | O5-C1 | 2.97 | 1.48 | 1.43 |
| 8 | Y | 2 | NAG | O5-C1 | 2.95 | 1.48 | 1.43 |
| 8 | 9 | 8 | GAL | O5-C1 | 2.94 | 1.48 | 1.43 |
| 8 | 9 | 2 | NAG | O5-C1 | 2.94 | 1.48 | 1.43 |
| 8 | 9 | 7 | NAG | O5-C1 | 2.94 | 1.48 | 1.43 |
| 12 | q | 3 | FUC | O5-C1 | 2.93 | 1.48 | 1.43 |
| 15 | BA | 11 | NAG | O5-C1 | 2.92 | 1.48 | 1.43 |
| 8 | Y | 7 | NAG | O5-C1 | 2.90 | 1.48 | 1.43 |
| 9 | Z | 12 | NAG | O5-C1 | 2.90 | 1.48 | 1.43 |
| 8 | 9 | 10 | NAG | O5-C1 | 2.90 | 1.48 | 1.43 |
| 8 | Y | 10 | NAG | O5-C1 | 2.89 | 1.48 | 1.43 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|------|-------------|----------|
| 9 | Z | 7 | NAG | O5-C1 | 2.88 | 1.48 | 1.43 |
| 15 | BA | 6 | GAL | O5-C1 | 2.88 | 1.48 | 1.43 |
| 15 | BA | 2 | NAG | O5-C1 | 2.88 | 1.48 | 1.43 |
| 15 | BA | 5 | NAG | O5-C1 | 2.87 | 1.48 | 1.43 |
| 8 | Y | 8 | GAL | O5-C1 | 2.87 | 1.48 | 1.43 |
| 15 | BA | 7 | NAG | O5-C1 | 2.86 | 1.48 | 1.43 |
| 9 | Z | 2 | NAG | O5-C1 | 2.85 | 1.48 | 1.43 |
| 5 | s | 2 | NAG | O5-C1 | 2.85 | 1.48 | 1.43 |
| 9 | Z | 6 | GAL | O5-C1 | 2.85 | 1.48 | 1.43 |
| 9 | Z | 5 | NAG | O5-C1 | 2.82 | 1.48 | 1.43 |
| 9 | Z | 9 | MAN | O5-C1 | 2.82 | 1.48 | 1.43 |
| 8 | 9 | 6 | GAL | O5-C1 | 2.81 | 1.48 | 1.43 |
| 15 | BA | 9 | MAN | O5-C1 | 2.80 | 1.48 | 1.43 |
| 9 | Z | 11 | GAL | O5-C1 | 2.80 | 1.48 | 1.43 |
| 15 | BA | 8 | GAL | O5-C1 | 2.78 | 1.48 | 1.43 |
| 8 | Y | 6 | GAL | O5-C1 | 2.76 | 1.48 | 1.43 |
| 8 | Y | 3 | BMA | O5-C1 | 2.75 | 1.48 | 1.43 |
| 9 | Z | 3 | BMA | O5-C1 | 2.74 | 1.48 | 1.43 |
| 9 | Z | 8 | GAL | O5-C1 | 2.74 | 1.48 | 1.43 |
| 8 | 9 | 3 | BMA | O5-C1 | 2.72 | 1.48 | 1.43 |
| 15 | BA | 3 | BMA | O5-C1 | 2.68 | 1.48 | 1.43 |
| 8 | Y | 4 | MAN | O5-C5 | 2.68 | 1.48 | 1.43 |
| 8 | 9 | 4 | MAN | O5-C5 | 2.67 | 1.48 | 1.43 |
| 8 | 9 | 4 | MAN | O5-C1 | 2.65 | 1.48 | 1.43 |
| 8 | Y | 4 | MAN | O5-C1 | 2.64 | 1.47 | 1.43 |
| 15 | BA | 4 | MAN | O5-C5 | 2.63 | 1.48 | 1.43 |
| 9 | Z | 4 | MAN | O5-C5 | 2.62 | 1.48 | 1.43 |
| 5 | s | 1 | NAG | O5-C5 | 2.60 | 1.48 | 1.43 |
| 8 | Y | 9 | MAN | O5-C5 | 2.60 | 1.48 | 1.43 |
| 9 | Z | 1 | NAG | O5-C5 | 2.57 | 1.48 | 1.43 |
| 8 | 9 | 9 | MAN | O5-C5 | 2.56 | 1.48 | 1.43 |
| 9 | Z | 9 | MAN | O5-C5 | 2.55 | 1.48 | 1.43 |
| 15 | BA | 1 | NAG | O5-C5 | 2.55 | 1.48 | 1.43 |
| 12 | q | 1 | NAG | O5-C5 | 2.54 | 1.48 | 1.43 |
| 15 | BA | 9 | MAN | O5-C5 | 2.54 | 1.48 | 1.43 |
| 8 | Y | 1 | NAG | O5-C5 | 2.52 | 1.48 | 1.43 |
| 15 | BA | 12 | FUC | O5-C5 | 2.51 | 1.48 | 1.43 |
| 8 | 9 | 1 | NAG | O5-C5 | 2.50 | 1.48 | 1.43 |
| 9 | Z | 13 | FUC | O5-C5 | 2.49 | 1.48 | 1.43 |
| 8 | Y | 11 | FUC | O5-C5 | 2.48 | 1.48 | 1.43 |
| 8 | 9 | 11 | FUC | O5-C5 | 2.47 | 1.48 | 1.43 |
| 12 | q | 3 | FUC | O5-C5 | 2.43 | 1.48 | 1.43 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|------|-------------|----------|
| 8 | Y | 4 | MAN | O2-C2 | 2.41 | 1.48 | 1.43 |
| 15 | BA | 11 | NAG | O5-C5 | 2.41 | 1.48 | 1.43 |
| 15 | BA | 3 | BMA | O5-C5 | 2.40 | 1.48 | 1.43 |
| 9 | Z | 3 | BMA | O5-C5 | 2.39 | 1.48 | 1.43 |
| 15 | BA | 9 | MAN | O2-C2 | 2.38 | 1.48 | 1.43 |
| 9 | Z | 4 | MAN | O2-C2 | 2.38 | 1.48 | 1.43 |
| 9 | Z | 12 | NAG | O5-C5 | 2.38 | 1.48 | 1.43 |
| 8 | 9 | 4 | MAN | O2-C2 | 2.38 | 1.48 | 1.43 |
| 15 | BA | 4 | MAN | O2-C2 | 2.38 | 1.48 | 1.43 |
| 8 | Y | 9 | MAN | O2-C2 | 2.37 | 1.48 | 1.43 |
| 8 | Y | 7 | NAG | O5-C5 | 2.37 | 1.48 | 1.43 |
| 9 | Z | 9 | MAN | O2-C2 | 2.36 | 1.48 | 1.43 |
| 8 | Y | 6 | GAL | O5-C5 | 2.36 | 1.48 | 1.43 |
| 9 | Z | 11 | GAL | O5-C5 | 2.36 | 1.48 | 1.43 |
| 8 | Y | 3 | BMA | O5-C5 | 2.35 | 1.48 | 1.43 |
| 8 | 9 | 3 | BMA | O5-C5 | 2.35 | 1.48 | 1.43 |
| 8 | 9 | 9 | MAN | O2-C2 | 2.34 | 1.48 | 1.43 |
| 8 | 9 | 6 | GAL | O5-C5 | 2.34 | 1.48 | 1.43 |
| 9 | Z | 8 | GAL | O5-C5 | 2.33 | 1.48 | 1.43 |
| 15 | BA | 4 | MAN | O4-C4 | 2.32 | 1.48 | 1.43 |
| 15 | BA | 8 | GAL | O5-C5 | 2.31 | 1.48 | 1.43 |
| 8 | 9 | 7 | NAG | O5-C5 | 2.30 | 1.48 | 1.43 |
| 9 | Z | 4 | MAN | O4-C4 | 2.30 | 1.48 | 1.43 |
| 8 | Y | 5 | NAG | O4-C4 | 2.29 | 1.48 | 1.43 |
| 8 | 9 | 7 | NAG | O4-C4 | 2.29 | 1.48 | 1.43 |
| 8 | Y | 5 | NAG | O5-C5 | 2.29 | 1.48 | 1.43 |
| 8 | Y | 8 | GAL | O5-C5 | 2.28 | 1.48 | 1.43 |
| 8 | 9 | 5 | NAG | O4-C4 | 2.28 | 1.48 | 1.43 |
| 8 | 9 | 5 | NAG | O5-C5 | 2.28 | 1.48 | 1.43 |
| 9 | Z | 5 | NAG | O5-C5 | 2.27 | 1.48 | 1.43 |
| 8 | Y | 10 | NAG | O5-C5 | 2.27 | 1.48 | 1.43 |
| 8 | 9 | 10 | NAG | O5-C5 | 2.26 | 1.48 | 1.43 |
| 9 | Z | 6 | GAL | O5-C5 | 2.26 | 1.48 | 1.43 |
| 15 | BA | 5 | NAG | O5-C5 | 2.26 | 1.48 | 1.43 |
| 8 | Y | 7 | NAG | O4-C4 | 2.25 | 1.48 | 1.43 |
| 8 | 9 | 10 | NAG | O4-C4 | 2.25 | 1.48 | 1.43 |
| 8 | 9 | 8 | GAL | O5-C5 | 2.25 | 1.48 | 1.43 |
| 15 | BA | 6 | GAL | O5-C5 | 2.24 | 1.48 | 1.43 |
| 8 | Y | 10 | NAG | O4-C4 | 2.23 | 1.48 | 1.43 |
| 15 | BA | 10 | NAG | O4-C4 | 2.23 | 1.48 | 1.43 |
| 9 | Z | 10 | NAG | O4-C4 | 2.23 | 1.48 | 1.43 |
| 5 | s | 2 | NAG | O5-C5 | 2.20 | 1.47 | 1.43 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(Å) | Ideal(Å) |
|-----|-------|-----|------|-------|------|-------------|----------|
| 9 | Z | 2 | NAG | O5-C5 | 2.20 | 1.47 | 1.43 |
| 5 | s | 1 | NAG | O4-C4 | 2.19 | 1.48 | 1.43 |
| 15 | BA | 2 | NAG | O5-C5 | 2.18 | 1.47 | 1.43 |
| 9 | Z | 12 | NAG | O4-C4 | 2.18 | 1.48 | 1.43 |
| 15 | BA | 10 | NAG | O5-C5 | 2.18 | 1.47 | 1.43 |
| 9 | Z | 10 | NAG | O5-C5 | 2.18 | 1.47 | 1.43 |
| 8 | Y | 1 | NAG | O4-C4 | 2.18 | 1.48 | 1.43 |
| 15 | BA | 7 | NAG | O4-C4 | 2.18 | 1.48 | 1.43 |
| 15 | BA | 11 | NAG | O4-C4 | 2.17 | 1.48 | 1.43 |
| 9 | Z | 7 | NAG | O4-C4 | 2.17 | 1.48 | 1.43 |
| 8 | Y | 9 | MAN | O4-C4 | 2.16 | 1.48 | 1.43 |
| 9 | Z | 1 | NAG | O4-C4 | 2.16 | 1.48 | 1.43 |
| 15 | BA | 1 | NAG | O4-C4 | 2.16 | 1.48 | 1.43 |
| 8 | 9 | 9 | MAN | O4-C4 | 2.15 | 1.48 | 1.43 |
| 8 | 9 | 1 | NAG | O4-C4 | 2.15 | 1.48 | 1.43 |
| 12 | q | 1 | NAG | O4-C4 | 2.15 | 1.48 | 1.43 |
| 12 | q | 2 | NAG | O5-C5 | 2.14 | 1.47 | 1.43 |
| 15 | BA | 7 | NAG | O5-C5 | 2.12 | 1.47 | 1.43 |
| 9 | Z | 5 | NAG | O4-C4 | 2.12 | 1.48 | 1.43 |
| 8 | 9 | 2 | NAG | O5-C5 | 2.11 | 1.47 | 1.43 |
| 8 | Y | 2 | NAG | O5-C5 | 2.11 | 1.47 | 1.43 |
| 15 | BA | 5 | NAG | O4-C4 | 2.10 | 1.47 | 1.43 |
| 9 | Z | 7 | NAG | O5-C5 | 2.07 | 1.47 | 1.43 |
| 8 | 9 | 1 | NAG | C8-C7 | 2.05 | 1.54 | 1.50 |
| 12 | q | 1 | NAG | C8-C7 | 2.03 | 1.54 | 1.50 |

All (482) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|-------|-------------|----------|
| 6 | K | 1 | NAG | O5-C1-C2 | -7.43 | 99.56 | 111.29 |
| 6 | t | 1 | NAG | O5-C1-C2 | -7.42 | 99.57 | 111.29 |
| 6 | V | 1 | NAG | O5-C1-C2 | -7.41 | 99.59 | 111.29 |
| 6 | a | 1 | NAG | O5-C1-C2 | -7.41 | 99.59 | 111.29 |
| 5 | G | 1 | NAG | O5-C1-C2 | -7.41 | 99.59 | 111.29 |
| 6 | U | 1 | NAG | O5-C1-C2 | -7.41 | 99.59 | 111.29 |
| 5 | 5 | 1 | NAG | O5-C1-C2 | -7.40 | 99.61 | 111.29 |
| 5 | T | 1 | NAG | O5-C1-C2 | -7.39 | 99.61 | 111.29 |
| 5 | l | 1 | NAG | O5-C1-C2 | -7.39 | 99.61 | 111.29 |
| 5 | k | 1 | NAG | O5-C1-C2 | -7.39 | 99.62 | 111.29 |
| 6 | n | 1 | NAG | O5-C1-C2 | -7.39 | 99.62 | 111.29 |
| 5 | 4 | 1 | NAG | O5-C1-C2 | -7.38 | 99.63 | 111.29 |
| 14 | 6 | 1 | NAG | O5-C1-C2 | -7.38 | 99.63 | 111.29 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|-------|-------------|----------|
| 6 | i | 1 | NAG | O5-C1-C2 | -7.38 | 99.64 | 111.29 |
| 5 | 3 | 1 | NAG | O5-C1-C2 | -7.38 | 99.64 | 111.29 |
| 13 | x | 1 | NAG | O5-C1-C2 | -7.37 | 99.64 | 111.29 |
| 6 | d | 1 | NAG | O5-C1-C2 | -7.37 | 99.65 | 111.29 |
| 5 | u | 1 | NAG | O5-C1-C2 | -7.37 | 99.66 | 111.29 |
| 5 | w | 1 | NAG | O5-C1-C2 | -7.37 | 99.66 | 111.29 |
| 11 | p | 1 | NAG | O5-C1-C2 | -7.37 | 99.66 | 111.29 |
| 6 | m | 1 | NAG | O5-C1-C2 | -7.36 | 99.66 | 111.29 |
| 11 | 8 | 1 | NAG | O5-C1-C2 | -7.36 | 99.66 | 111.29 |
| 6 | J | 1 | NAG | O5-C1-C2 | -7.36 | 99.66 | 111.29 |
| 10 | e | 1 | NAG | O5-C1-C2 | -7.36 | 99.67 | 111.29 |
| 5 | o | 1 | NAG | O5-C1-C2 | -7.35 | 99.68 | 111.29 |
| 5 | 1 | 1 | NAG | O5-C1-C2 | -7.35 | 99.68 | 111.29 |
| 6 | 2 | 1 | NAG | O5-C1-C2 | -7.35 | 99.68 | 111.29 |
| 5 | c | 1 | NAG | O5-C1-C2 | -7.35 | 99.68 | 111.29 |
| 5 | R | 1 | NAG | O5-C1-C2 | -7.34 | 99.69 | 111.29 |
| 6 | j | 1 | NAG | O5-C1-C2 | -7.34 | 99.69 | 111.29 |
| 6 | 7 | 1 | NAG | O5-C1-C2 | -7.34 | 99.70 | 111.29 |
| 6 | W | 1 | NAG | O5-C1-C2 | -7.34 | 99.70 | 111.29 |
| 5 | r | 1 | NAG | O5-C1-C2 | -7.34 | 99.70 | 111.29 |
| 5 | b | 1 | NAG | O5-C1-C2 | -7.34 | 99.70 | 111.29 |
| 6 | S | 1 | NAG | O5-C1-C2 | -7.34 | 99.70 | 111.29 |
| 5 | z | 1 | NAG | O5-C1-C2 | -7.33 | 99.71 | 111.29 |
| 5 | 0 | 1 | NAG | O5-C1-C2 | -7.33 | 99.71 | 111.29 |
| 5 | Q | 1 | NAG | O5-C1-C2 | -7.33 | 99.72 | 111.29 |
| 6 | P | 1 | NAG | O5-C1-C2 | -7.32 | 99.72 | 111.29 |
| 6 | g | 1 | NAG | O5-C1-C2 | -7.32 | 99.73 | 111.29 |
| 5 | h | 1 | NAG | O5-C1-C2 | -7.31 | 99.74 | 111.29 |
| 6 | v | 1 | NAG | O5-C1-C2 | -7.31 | 99.74 | 111.29 |
| 5 | AA | 1 | NAG | O5-C1-C2 | -7.30 | 99.76 | 111.29 |
| 6 | I | 1 | NAG | O5-C1-C2 | -7.28 | 99.79 | 111.29 |
| 5 | X | 1 | NAG | O5-C1-C2 | -7.24 | 99.85 | 111.29 |
| 11 | p | 6 | MAN | C1-C2-C3 | 7.03 | 118.31 | 109.67 |
| 10 | e | 5 | MAN | C1-C2-C3 | 7.02 | 118.30 | 109.67 |
| 11 | 8 | 6 | MAN | C1-C2-C3 | 7.00 | 118.27 | 109.67 |
| 13 | x | 6 | MAN | C1-C2-C3 | 6.98 | 118.25 | 109.67 |
| 14 | 6 | 4 | MAN | C1-C2-C3 | 6.95 | 118.22 | 109.67 |
| 11 | 8 | 5 | MAN | O2-C2-C1 | 5.08 | 119.54 | 109.15 |
| 13 | x | 5 | MAN | O2-C2-C1 | 5.07 | 119.53 | 109.15 |
| 11 | p | 5 | MAN | O2-C2-C1 | 5.07 | 119.53 | 109.15 |
| 11 | 8 | 8 | MAN | C6-C5-C4 | -5.04 | 101.19 | 113.00 |
| 11 | p | 8 | MAN | C6-C5-C4 | -5.02 | 101.24 | 113.00 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|-------|-------------|----------|
| 13 | x | 5 | MAN | C1-O5-C5 | 4.88 | 118.81 | 112.19 |
| 11 | p | 5 | MAN | C1-O5-C5 | 4.81 | 118.70 | 112.19 |
| 11 | 8 | 5 | MAN | C1-O5-C5 | 4.79 | 118.69 | 112.19 |
| 8 | Y | 9 | MAN | C1-O5-C5 | 4.54 | 118.34 | 112.19 |
| 8 | 9 | 9 | MAN | C1-O5-C5 | 4.53 | 118.33 | 112.19 |
| 15 | BA | 4 | MAN | C1-O5-C5 | 4.51 | 118.30 | 112.19 |
| 9 | Z | 4 | MAN | C1-O5-C5 | 4.47 | 118.25 | 112.19 |
| 8 | Y | 5 | NAG | C1-O5-C5 | 4.19 | 117.87 | 112.19 |
| 8 | 9 | 5 | NAG | C1-O5-C5 | 4.19 | 117.86 | 112.19 |
| 13 | x | 5 | MAN | O2-C2-C3 | -4.16 | 101.80 | 110.14 |
| 9 | Z | 10 | NAG | C1-O5-C5 | 4.14 | 117.80 | 112.19 |
| 13 | x | 6 | MAN | C2-C3-C4 | -4.13 | 103.75 | 110.89 |
| 10 | e | 5 | MAN | C2-C3-C4 | -4.12 | 103.77 | 110.89 |
| 11 | p | 5 | MAN | O2-C2-C3 | -4.12 | 101.89 | 110.14 |
| 11 | 8 | 6 | MAN | C2-C3-C4 | -4.11 | 103.79 | 110.89 |
| 11 | 8 | 5 | MAN | O2-C2-C3 | -4.10 | 101.93 | 110.14 |
| 14 | 6 | 4 | MAN | C2-C3-C4 | -4.09 | 103.81 | 110.89 |
| 11 | p | 6 | MAN | C2-C3-C4 | -4.09 | 103.82 | 110.89 |
| 15 | BA | 10 | NAG | C1-O5-C5 | 4.09 | 117.73 | 112.19 |
| 8 | 9 | 2 | NAG | C1-O5-C5 | 4.09 | 117.73 | 112.19 |
| 9 | Z | 2 | NAG | C1-O5-C5 | 4.05 | 117.69 | 112.19 |
| 8 | Y | 2 | NAG | C1-O5-C5 | 4.05 | 117.68 | 112.19 |
| 15 | BA | 2 | NAG | C1-O5-C5 | 4.05 | 117.67 | 112.19 |
| 5 | s | 2 | NAG | C1-O5-C5 | 4.03 | 117.66 | 112.19 |
| 12 | q | 2 | NAG | C1-O5-C5 | 4.01 | 117.63 | 112.19 |
| 9 | Z | 7 | NAG | C1-O5-C5 | 3.97 | 117.57 | 112.19 |
| 15 | BA | 7 | NAG | C1-O5-C5 | 3.97 | 117.56 | 112.19 |
| 11 | 8 | 7 | MAN | O4-C4-C3 | -3.93 | 101.27 | 110.35 |
| 11 | p | 7 | MAN | O4-C4-C3 | -3.93 | 101.27 | 110.35 |
| 15 | BA | 3 | BMA | C1-O5-C5 | 3.86 | 117.42 | 112.19 |
| 9 | Z | 3 | BMA | C1-O5-C5 | 3.83 | 117.38 | 112.19 |
| 8 | 9 | 3 | BMA | C1-O5-C5 | 3.77 | 117.30 | 112.19 |
| 8 | Y | 3 | BMA | C1-O5-C5 | 3.75 | 117.28 | 112.19 |
| 8 | Y | 10 | NAG | C1-O5-C5 | 3.62 | 117.09 | 112.19 |
| 8 | 9 | 10 | NAG | C1-O5-C5 | 3.60 | 117.07 | 112.19 |
| 5 | R | 2 | NAG | O5-C5-C6 | -3.57 | 101.60 | 107.20 |
| 5 | 5 | 2 | NAG | O5-C5-C6 | -3.57 | 101.61 | 107.20 |
| 5 | X | 2 | NAG | O5-C5-C6 | -3.56 | 101.62 | 107.20 |
| 11 | 8 | 2 | NAG | O5-C5-C6 | -3.56 | 101.62 | 107.20 |
| 5 | Q | 2 | NAG | O5-C5-C6 | -3.55 | 101.63 | 107.20 |
| 6 | V | 2 | NAG | O5-C5-C6 | -3.55 | 101.64 | 107.20 |
| 11 | p | 2 | NAG | O5-C5-C6 | -3.54 | 101.65 | 107.20 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|-------|-------------|----------|
| 15 | BA | 9 | MAN | C1-O5-C5 | 3.54 | 116.99 | 112.19 |
| 11 | 8 | 8 | MAN | O4-C4-C3 | -3.54 | 102.17 | 110.35 |
| 11 | p | 8 | MAN | O4-C4-C3 | -3.54 | 102.18 | 110.35 |
| 6 | P | 2 | NAG | O5-C5-C6 | -3.53 | 101.67 | 107.20 |
| 5 | z | 2 | NAG | O5-C5-C6 | -3.53 | 101.67 | 107.20 |
| 5 | b | 2 | NAG | O5-C5-C6 | -3.53 | 101.67 | 107.20 |
| 5 | u | 2 | NAG | O5-C5-C6 | -3.53 | 101.67 | 107.20 |
| 9 | Z | 9 | MAN | C1-O5-C5 | 3.53 | 116.97 | 112.19 |
| 6 | W | 2 | NAG | O5-C5-C6 | -3.52 | 101.68 | 107.20 |
| 9 | Z | 5 | NAG | C1-O5-C5 | 3.52 | 116.97 | 112.19 |
| 6 | U | 2 | NAG | O5-C5-C6 | -3.52 | 101.68 | 107.20 |
| 5 | 1 | 2 | NAG | O5-C5-C6 | -3.52 | 101.68 | 107.20 |
| 5 | AA | 2 | NAG | O5-C5-C6 | -3.52 | 101.68 | 107.20 |
| 6 | m | 2 | NAG | O5-C5-C6 | -3.52 | 101.68 | 107.20 |
| 6 | v | 2 | NAG | O5-C5-C6 | -3.52 | 101.69 | 107.20 |
| 6 | 7 | 2 | NAG | O5-C5-C6 | -3.52 | 101.69 | 107.20 |
| 5 | o | 2 | NAG | O5-C5-C6 | -3.52 | 101.69 | 107.20 |
| 5 | c | 2 | NAG | O5-C5-C6 | -3.52 | 101.69 | 107.20 |
| 6 | 2 | 2 | NAG | O5-C5-C6 | -3.51 | 101.69 | 107.20 |
| 5 | l | 2 | NAG | O5-C5-C6 | -3.51 | 101.70 | 107.20 |
| 5 | 0 | 2 | NAG | O5-C5-C6 | -3.51 | 101.70 | 107.20 |
| 5 | T | 2 | NAG | O5-C5-C6 | -3.51 | 101.71 | 107.20 |
| 5 | 4 | 2 | NAG | O5-C5-C6 | -3.51 | 101.71 | 107.20 |
| 6 | g | 2 | NAG | O5-C5-C6 | -3.51 | 101.71 | 107.20 |
| 5 | h | 2 | NAG | O5-C5-C6 | -3.50 | 101.71 | 107.20 |
| 6 | S | 2 | NAG | O5-C5-C6 | -3.50 | 101.71 | 107.20 |
| 10 | e | 2 | NAG | O5-C5-C6 | -3.50 | 101.72 | 107.20 |
| 6 | j | 2 | NAG | O5-C5-C6 | -3.50 | 101.72 | 107.20 |
| 5 | r | 2 | NAG | O5-C5-C6 | -3.50 | 101.72 | 107.20 |
| 14 | 6 | 2 | NAG | O5-C5-C6 | -3.50 | 101.72 | 107.20 |
| 5 | w | 2 | NAG | O5-C5-C6 | -3.49 | 101.72 | 107.20 |
| 6 | i | 2 | NAG | O5-C5-C6 | -3.49 | 101.73 | 107.20 |
| 6 | J | 2 | NAG | O5-C5-C6 | -3.49 | 101.73 | 107.20 |
| 10 | e | 5 | MAN | O5-C1-C2 | -3.49 | 105.39 | 110.77 |
| 6 | K | 2 | NAG | O5-C5-C6 | -3.49 | 101.74 | 107.20 |
| 5 | k | 2 | NAG | O5-C5-C6 | -3.48 | 101.74 | 107.20 |
| 6 | I | 2 | NAG | O5-C5-C6 | -3.48 | 101.75 | 107.20 |
| 6 | d | 2 | NAG | O5-C5-C6 | -3.48 | 101.75 | 107.20 |
| 13 | x | 2 | NAG | O5-C5-C6 | -3.48 | 101.75 | 107.20 |
| 5 | 3 | 2 | NAG | O5-C5-C6 | -3.48 | 101.75 | 107.20 |
| 5 | G | 2 | NAG | O5-C5-C6 | -3.47 | 101.76 | 107.20 |
| 6 | t | 2 | NAG | O5-C5-C6 | -3.47 | 101.77 | 107.20 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|-------|-------------|----------|
| 8 | Y | 4 | MAN | C1-O5-C5 | 3.47 | 116.89 | 112.19 |
| 6 | n | 2 | NAG | O5-C5-C6 | -3.47 | 101.77 | 107.20 |
| 15 | BA | 5 | NAG | C1-O5-C5 | 3.46 | 116.88 | 112.19 |
| 11 | p | 6 | MAN | O5-C1-C2 | -3.46 | 105.43 | 110.77 |
| 14 | 6 | 4 | MAN | O5-C1-C2 | -3.46 | 105.44 | 110.77 |
| 6 | a | 2 | NAG | O5-C5-C6 | -3.44 | 101.81 | 107.20 |
| 8 | 9 | 4 | MAN | C1-O5-C5 | 3.44 | 116.85 | 112.19 |
| 11 | 8 | 6 | MAN | O5-C1-C2 | -3.43 | 105.48 | 110.77 |
| 13 | x | 6 | MAN | O5-C1-C2 | -3.42 | 105.49 | 110.77 |
| 11 | p | 8 | MAN | O5-C5-C6 | 3.41 | 112.54 | 107.20 |
| 11 | 8 | 8 | MAN | O5-C5-C6 | 3.40 | 112.54 | 107.20 |
| 11 | 8 | 4 | MAN | O5-C5-C6 | 3.38 | 112.50 | 107.20 |
| 8 | Y | 1 | NAG | C1-O5-C5 | 3.37 | 116.76 | 112.19 |
| 12 | q | 1 | NAG | C1-O5-C5 | 3.37 | 116.76 | 112.19 |
| 8 | 9 | 1 | NAG | C1-O5-C5 | 3.36 | 116.75 | 112.19 |
| 11 | p | 4 | MAN | O5-C5-C6 | 3.35 | 112.45 | 107.20 |
| 9 | Z | 12 | NAG | C1-O5-C5 | 3.31 | 116.67 | 112.19 |
| 15 | BA | 11 | NAG | C1-O5-C5 | 3.30 | 116.66 | 112.19 |
| 9 | Z | 1 | NAG | C1-O5-C5 | 3.29 | 116.65 | 112.19 |
| 13 | x | 4 | MAN | O5-C5-C6 | 3.28 | 112.35 | 107.20 |
| 10 | e | 4 | MAN | O5-C5-C6 | 3.28 | 112.34 | 107.20 |
| 5 | s | 1 | NAG | C1-O5-C5 | 3.27 | 116.62 | 112.19 |
| 15 | BA | 1 | NAG | C1-O5-C5 | 3.25 | 116.60 | 112.19 |
| 8 | 9 | 7 | NAG | C1-O5-C5 | 3.24 | 116.59 | 112.19 |
| 11 | p | 7 | MAN | O4-C4-C5 | 3.24 | 117.34 | 109.30 |
| 11 | 8 | 7 | MAN | O4-C4-C5 | 3.21 | 117.27 | 109.30 |
| 8 | Y | 7 | NAG | C1-O5-C5 | 3.20 | 116.53 | 112.19 |
| 11 | 8 | 8 | MAN | C3-C4-C5 | -3.15 | 104.63 | 110.24 |
| 11 | p | 8 | MAN | C3-C4-C5 | -3.13 | 104.66 | 110.24 |
| 15 | BA | 8 | GAL | C1-O5-C5 | 3.08 | 116.36 | 112.19 |
| 9 | Z | 11 | GAL | C1-O5-C5 | 3.04 | 116.32 | 112.19 |
| 9 | Z | 8 | GAL | C1-O5-C5 | 3.03 | 116.30 | 112.19 |
| 8 | 9 | 6 | GAL | C1-O5-C5 | 3.02 | 116.29 | 112.19 |
| 8 | Y | 6 | GAL | C1-O5-C5 | 3.01 | 116.27 | 112.19 |
| 6 | I | 3 | BMA | O2-C2-C3 | 3.00 | 116.14 | 110.14 |
| 6 | a | 3 | BMA | O2-C2-C3 | 2.98 | 116.11 | 110.14 |
| 6 | v | 3 | BMA | O2-C2-C3 | 2.98 | 116.11 | 110.14 |
| 6 | j | 3 | BMA | O2-C2-C3 | 2.98 | 116.11 | 110.14 |
| 6 | t | 3 | BMA | O2-C2-C3 | 2.97 | 116.09 | 110.14 |
| 6 | g | 3 | BMA | O2-C2-C3 | 2.97 | 116.09 | 110.14 |
| 6 | 7 | 3 | BMA | O2-C2-C3 | 2.96 | 116.07 | 110.14 |
| 6 | W | 3 | BMA | O2-C2-C3 | 2.96 | 116.07 | 110.14 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|-------|-------------|----------|
| 6 | i | 3 | BMA | O2-C2-C3 | 2.96 | 116.06 | 110.14 |
| 14 | 6 | 3 | BMA | O2-C2-C3 | 2.96 | 116.06 | 110.14 |
| 15 | BA | 9 | MAN | C1-C2-C3 | 2.95 | 113.30 | 109.67 |
| 6 | P | 3 | BMA | O2-C2-C3 | 2.95 | 116.06 | 110.14 |
| 6 | n | 3 | BMA | O2-C2-C3 | 2.95 | 116.06 | 110.14 |
| 15 | BA | 6 | GAL | C1-O5-C5 | 2.95 | 116.19 | 112.19 |
| 6 | d | 3 | BMA | O2-C2-C3 | 2.95 | 116.04 | 110.14 |
| 13 | x | 3 | BMA | O2-C2-C3 | 2.94 | 116.04 | 110.14 |
| 6 | J | 3 | BMA | O2-C2-C3 | 2.94 | 116.03 | 110.14 |
| 6 | V | 3 | BMA | O2-C2-C3 | 2.94 | 116.03 | 110.14 |
| 11 | 8 | 3 | BMA | O2-C2-C3 | 2.94 | 116.03 | 110.14 |
| 8 | Y | 8 | GAL | C1-O5-C5 | 2.94 | 116.18 | 112.19 |
| 11 | p | 3 | BMA | O2-C2-C3 | 2.94 | 116.03 | 110.14 |
| 9 | Z | 9 | MAN | C1-C2-C3 | 2.94 | 113.28 | 109.67 |
| 11 | 8 | 8 | MAN | O2-C2-C3 | -2.94 | 104.25 | 110.14 |
| 6 | K | 3 | BMA | O2-C2-C3 | 2.93 | 116.02 | 110.14 |
| 9 | Z | 6 | GAL | C1-O5-C5 | 2.93 | 116.17 | 112.19 |
| 8 | 9 | 4 | MAN | C1-C2-C3 | 2.93 | 113.27 | 109.67 |
| 6 | 2 | 3 | BMA | O2-C2-C3 | 2.93 | 116.01 | 110.14 |
| 8 | Y | 4 | MAN | C1-C2-C3 | 2.93 | 113.27 | 109.67 |
| 6 | S | 3 | BMA | O2-C2-C3 | 2.93 | 116.01 | 110.14 |
| 8 | 9 | 8 | GAL | C1-O5-C5 | 2.93 | 116.16 | 112.19 |
| 11 | p | 8 | MAN | O2-C2-C3 | -2.92 | 104.29 | 110.14 |
| 10 | e | 3 | BMA | O2-C2-C3 | 2.92 | 115.99 | 110.14 |
| 6 | U | 3 | BMA | O2-C2-C3 | 2.90 | 115.96 | 110.14 |
| 6 | m | 3 | BMA | O2-C2-C3 | 2.90 | 115.95 | 110.14 |
| 11 | p | 7 | MAN | O5-C5-C6 | -2.84 | 102.75 | 107.20 |
| 11 | 8 | 7 | MAN | O5-C5-C6 | -2.83 | 102.77 | 107.20 |
| 6 | V | 1 | NAG | O7-C7-C8 | -2.82 | 116.83 | 122.06 |
| 7 | O | 6 | MAN | O5-C5-C6 | 2.81 | 111.61 | 107.20 |
| 5 | o | 1 | NAG | O7-C7-C8 | -2.81 | 116.84 | 122.06 |
| 6 | W | 1 | NAG | O7-C7-C8 | -2.81 | 116.84 | 122.06 |
| 14 | 6 | 1 | NAG | O7-C7-C8 | -2.81 | 116.85 | 122.06 |
| 6 | n | 1 | NAG | O7-C7-C8 | -2.80 | 116.85 | 122.06 |
| 7 | f | 6 | MAN | O5-C5-C6 | 2.79 | 111.58 | 107.20 |
| 6 | j | 1 | NAG | O7-C7-C8 | -2.79 | 116.87 | 122.06 |
| 6 | 7 | 1 | NAG | O7-C7-C8 | -2.79 | 116.87 | 122.06 |
| 5 | Q | 1 | NAG | O7-C7-C8 | -2.79 | 116.87 | 122.06 |
| 5 | T | 1 | NAG | O7-C7-C8 | -2.79 | 116.88 | 122.06 |
| 5 | 0 | 1 | NAG | O7-C7-C8 | -2.79 | 116.88 | 122.06 |
| 13 | x | 1 | NAG | O7-C7-C8 | -2.79 | 116.88 | 122.06 |
| 10 | e | 1 | NAG | O7-C7-C8 | -2.78 | 116.89 | 122.06 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|-------|-------------|----------|
| 6 | K | 1 | NAG | O7-C7-C8 | -2.78 | 116.90 | 122.06 |
| 6 | J | 1 | NAG | O7-C7-C8 | -2.78 | 116.90 | 122.06 |
| 11 | 8 | 5 | MAN | O4-C4-C3 | -2.77 | 103.94 | 110.35 |
| 5 | u | 1 | NAG | O7-C7-C8 | -2.77 | 116.91 | 122.06 |
| 5 | b | 1 | NAG | O7-C7-C8 | -2.77 | 116.91 | 122.06 |
| 6 | d | 1 | NAG | O7-C7-C8 | -2.77 | 116.91 | 122.06 |
| 7 | y | 6 | MAN | O5-C5-C6 | 2.77 | 111.55 | 107.20 |
| 5 | w | 1 | NAG | O7-C7-C8 | -2.77 | 116.91 | 122.06 |
| 11 | p | 5 | MAN | O4-C4-C3 | -2.77 | 103.95 | 110.35 |
| 6 | S | 1 | NAG | O7-C7-C8 | -2.76 | 116.92 | 122.06 |
| 6 | 2 | 1 | NAG | O7-C7-C8 | -2.76 | 116.92 | 122.06 |
| 13 | x | 5 | MAN | O4-C4-C3 | -2.76 | 103.96 | 110.35 |
| 6 | i | 1 | NAG | O7-C7-C8 | -2.76 | 116.93 | 122.06 |
| 5 | 3 | 1 | NAG | O7-C7-C8 | -2.76 | 116.93 | 122.06 |
| 5 | 1 | 1 | NAG | O7-C7-C8 | -2.76 | 116.93 | 122.06 |
| 5 | 5 | 1 | NAG | O7-C7-C8 | -2.76 | 116.94 | 122.06 |
| 6 | I | 1 | NAG | O7-C7-C8 | -2.76 | 116.94 | 122.06 |
| 5 | l | 1 | NAG | O7-C7-C8 | -2.75 | 116.94 | 122.06 |
| 5 | r | 1 | NAG | O7-C7-C8 | -2.75 | 116.95 | 122.06 |
| 5 | AA | 1 | NAG | O7-C7-C8 | -2.75 | 116.95 | 122.06 |
| 5 | c | 1 | NAG | O7-C7-C8 | -2.75 | 116.96 | 122.06 |
| 5 | z | 1 | NAG | O7-C7-C8 | -2.75 | 116.96 | 122.06 |
| 5 | h | 1 | NAG | O7-C7-C8 | -2.74 | 116.96 | 122.06 |
| 5 | X | 1 | NAG | O7-C7-C8 | -2.74 | 116.97 | 122.06 |
| 6 | v | 1 | NAG | O7-C7-C8 | -2.74 | 116.97 | 122.06 |
| 6 | P | 1 | NAG | O7-C7-C8 | -2.74 | 116.97 | 122.06 |
| 5 | 4 | 1 | NAG | O7-C7-C8 | -2.74 | 116.98 | 122.06 |
| 11 | 8 | 1 | NAG | O7-C7-C8 | -2.73 | 116.98 | 122.06 |
| 5 | k | 1 | NAG | O7-C7-C8 | -2.73 | 116.99 | 122.06 |
| 5 | R | 1 | NAG | O7-C7-C8 | -2.73 | 116.99 | 122.06 |
| 5 | G | 1 | NAG | O7-C7-C8 | -2.72 | 117.00 | 122.06 |
| 6 | m | 1 | NAG | O7-C7-C8 | -2.72 | 117.01 | 122.06 |
| 6 | g | 1 | NAG | O7-C7-C8 | -2.72 | 117.01 | 122.06 |
| 6 | t | 1 | NAG | O7-C7-C8 | -2.72 | 117.01 | 122.06 |
| 5 | c | 1 | NAG | C4-C3-C2 | -2.72 | 107.04 | 111.02 |
| 11 | p | 1 | NAG | O7-C7-C8 | -2.72 | 117.01 | 122.06 |
| 6 | W | 1 | NAG | C4-C3-C2 | -2.71 | 107.04 | 111.02 |
| 6 | v | 1 | NAG | C4-C3-C2 | -2.71 | 107.05 | 111.02 |
| 6 | a | 1 | NAG | O7-C7-C8 | -2.71 | 117.03 | 122.06 |
| 6 | U | 1 | NAG | O7-C7-C8 | -2.70 | 117.04 | 122.06 |
| 5 | R | 1 | NAG | C4-C3-C2 | -2.70 | 107.06 | 111.02 |
| 8 | 9 | 9 | MAN | C1-C2-C3 | 2.70 | 112.98 | 109.67 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|-------|-------------|----------|
| 6 | I | 1 | NAG | C4-C3-C2 | -2.70 | 107.06 | 111.02 |
| 5 | 5 | 1 | NAG | C4-C3-C2 | -2.70 | 107.07 | 111.02 |
| 5 | o | 1 | NAG | C4-C3-C2 | -2.69 | 107.07 | 111.02 |
| 6 | 7 | 1 | NAG | C4-C3-C2 | -2.69 | 107.08 | 111.02 |
| 5 | h | 1 | NAG | C4-C3-C2 | -2.69 | 107.08 | 111.02 |
| 6 | m | 1 | NAG | C4-C3-C2 | -2.69 | 107.08 | 111.02 |
| 8 | Y | 9 | MAN | C1-C2-C3 | 2.67 | 112.95 | 109.67 |
| 6 | t | 1 | NAG | C4-C3-C2 | -2.67 | 107.10 | 111.02 |
| 11 | 8 | 1 | NAG | C4-C3-C2 | -2.67 | 107.10 | 111.02 |
| 5 | u | 1 | NAG | C4-C3-C2 | -2.67 | 107.10 | 111.02 |
| 5 | 4 | 1 | NAG | C4-C3-C2 | -2.67 | 107.10 | 111.02 |
| 6 | t | 3 | BMA | O4-C4-C5 | -2.67 | 102.67 | 109.30 |
| 6 | V | 1 | NAG | C4-C3-C2 | -2.67 | 107.11 | 111.02 |
| 6 | n | 1 | NAG | C4-C3-C2 | -2.67 | 107.11 | 111.02 |
| 6 | a | 1 | NAG | C4-C3-C2 | -2.66 | 107.11 | 111.02 |
| 5 | 0 | 1 | NAG | C4-C3-C2 | -2.66 | 107.12 | 111.02 |
| 5 | G | 1 | NAG | C4-C3-C2 | -2.66 | 107.12 | 111.02 |
| 5 | l | 1 | NAG | C4-C3-C2 | -2.66 | 107.12 | 111.02 |
| 5 | k | 1 | NAG | C4-C3-C2 | -2.66 | 107.12 | 111.02 |
| 6 | U | 1 | NAG | C4-C3-C2 | -2.66 | 107.12 | 111.02 |
| 13 | x | 1 | NAG | C4-C3-C2 | -2.66 | 107.12 | 111.02 |
| 6 | 2 | 3 | BMA | O4-C4-C5 | -2.66 | 102.69 | 109.30 |
| 5 | AA | 1 | NAG | C4-C3-C2 | -2.65 | 107.13 | 111.02 |
| 6 | P | 1 | NAG | C4-C3-C2 | -2.65 | 107.13 | 111.02 |
| 5 | z | 1 | NAG | C4-C3-C2 | -2.65 | 107.13 | 111.02 |
| 5 | l | 1 | NAG | C4-C3-C2 | -2.65 | 107.13 | 111.02 |
| 5 | r | 1 | NAG | C4-C3-C2 | -2.65 | 107.13 | 111.02 |
| 5 | b | 1 | NAG | C4-C3-C2 | -2.65 | 107.14 | 111.02 |
| 6 | J | 3 | BMA | O4-C4-C5 | -2.65 | 102.72 | 109.30 |
| 6 | i | 1 | NAG | C4-C3-C2 | -2.65 | 107.14 | 111.02 |
| 5 | T | 1 | NAG | C4-C3-C2 | -2.65 | 107.14 | 111.02 |
| 5 | w | 1 | NAG | C4-C3-C2 | -2.65 | 107.14 | 111.02 |
| 14 | 6 | 1 | NAG | C4-C3-C2 | -2.65 | 107.14 | 111.02 |
| 6 | S | 3 | BMA | O4-C4-C5 | -2.64 | 102.73 | 109.30 |
| 6 | j | 3 | BMA | O4-C4-C5 | -2.64 | 102.74 | 109.30 |
| 5 | X | 1 | NAG | C4-C3-C2 | -2.64 | 107.15 | 111.02 |
| 6 | W | 3 | BMA | O4-C4-C5 | -2.64 | 102.74 | 109.30 |
| 6 | d | 1 | NAG | C4-C3-C2 | -2.64 | 107.15 | 111.02 |
| 11 | 8 | 3 | BMA | O4-C4-C5 | -2.64 | 102.75 | 109.30 |
| 6 | a | 3 | BMA | O4-C4-C5 | -2.64 | 102.75 | 109.30 |
| 11 | p | 3 | BMA | O4-C4-C5 | -2.63 | 102.75 | 109.30 |
| 5 | Q | 1 | NAG | C4-C3-C2 | -2.63 | 107.16 | 111.02 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|-------|-------------|----------|
| 6 | j | 1 | NAG | C4-C3-C2 | -2.63 | 107.16 | 111.02 |
| 11 | p | 1 | NAG | C4-C3-C2 | -2.63 | 107.16 | 111.02 |
| 6 | V | 3 | BMA | O4-C4-C5 | -2.63 | 102.77 | 109.30 |
| 5 | 3 | 1 | NAG | C4-C3-C2 | -2.63 | 107.16 | 111.02 |
| 6 | d | 3 | BMA | O4-C4-C5 | -2.63 | 102.77 | 109.30 |
| 10 | e | 1 | NAG | C4-C3-C2 | -2.63 | 107.17 | 111.02 |
| 6 | 7 | 3 | BMA | O4-C4-C5 | -2.63 | 102.77 | 109.30 |
| 6 | i | 3 | BMA | O4-C4-C5 | -2.63 | 102.78 | 109.30 |
| 6 | g | 1 | NAG | C4-C3-C2 | -2.63 | 107.17 | 111.02 |
| 6 | g | 3 | BMA | O4-C4-C5 | -2.62 | 102.78 | 109.30 |
| 6 | I | 3 | BMA | O4-C4-C5 | -2.62 | 102.78 | 109.30 |
| 6 | m | 3 | BMA | O4-C4-C5 | -2.62 | 102.79 | 109.30 |
| 6 | 2 | 1 | NAG | C4-C3-C2 | -2.62 | 107.18 | 111.02 |
| 6 | S | 1 | NAG | C4-C3-C2 | -2.62 | 107.18 | 111.02 |
| 14 | 6 | 3 | BMA | O4-C4-C5 | -2.62 | 102.80 | 109.30 |
| 6 | v | 3 | BMA | O4-C4-C5 | -2.62 | 102.80 | 109.30 |
| 6 | n | 3 | BMA | O4-C4-C5 | -2.62 | 102.80 | 109.30 |
| 6 | K | 1 | NAG | C4-C3-C2 | -2.61 | 107.19 | 111.02 |
| 6 | P | 3 | BMA | O4-C4-C5 | -2.61 | 102.82 | 109.30 |
| 6 | J | 1 | NAG | C4-C3-C2 | -2.61 | 107.19 | 111.02 |
| 6 | U | 3 | BMA | O4-C4-C5 | -2.60 | 102.83 | 109.30 |
| 6 | K | 3 | BMA | O4-C4-C5 | -2.59 | 102.87 | 109.30 |
| 13 | x | 3 | BMA | O4-C4-C5 | -2.59 | 102.87 | 109.30 |
| 10 | e | 3 | BMA | O4-C4-C5 | -2.58 | 102.89 | 109.30 |
| 13 | x | 4 | MAN | O5-C1-C2 | 2.56 | 114.72 | 110.77 |
| 15 | BA | 4 | MAN | C1-C2-C3 | 2.56 | 112.81 | 109.67 |
| 10 | e | 4 | MAN | O5-C1-C2 | 2.52 | 114.66 | 110.77 |
| 9 | Z | 4 | MAN | C1-C2-C3 | 2.52 | 112.76 | 109.67 |
| 11 | 8 | 4 | MAN | O5-C1-C2 | 2.48 | 114.61 | 110.77 |
| 11 | p | 4 | MAN | O5-C1-C2 | 2.47 | 114.58 | 110.77 |
| 6 | K | 3 | BMA | C6-C5-C4 | -2.46 | 107.23 | 113.00 |
| 13 | x | 3 | BMA | C6-C5-C4 | -2.46 | 107.24 | 113.00 |
| 10 | e | 3 | BMA | C6-C5-C4 | -2.45 | 107.27 | 113.00 |
| 6 | J | 3 | BMA | C6-C5-C4 | -2.44 | 107.30 | 113.00 |
| 6 | 7 | 3 | BMA | C6-C5-C4 | -2.43 | 107.31 | 113.00 |
| 6 | W | 3 | BMA | C6-C5-C4 | -2.43 | 107.31 | 113.00 |
| 6 | j | 3 | BMA | C6-C5-C4 | -2.43 | 107.31 | 113.00 |
| 6 | K | 2 | NAG | O5-C1-C2 | -2.43 | 107.45 | 111.29 |
| 6 | P | 3 | BMA | C6-C5-C4 | -2.42 | 107.33 | 113.00 |
| 6 | d | 3 | BMA | C6-C5-C4 | -2.42 | 107.33 | 113.00 |
| 6 | n | 3 | BMA | C6-C5-C4 | -2.42 | 107.33 | 113.00 |
| 11 | 8 | 8 | MAN | O2-C2-C1 | 2.42 | 114.10 | 109.15 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|-------|-------------|----------|
| 6 | v | 3 | BMA | C6-C5-C4 | -2.42 | 107.34 | 113.00 |
| 6 | U | 3 | BMA | C6-C5-C4 | -2.42 | 107.34 | 113.00 |
| 6 | I | 3 | BMA | C6-C5-C4 | -2.41 | 107.35 | 113.00 |
| 14 | 6 | 3 | BMA | C6-C5-C4 | -2.41 | 107.35 | 113.00 |
| 6 | 2 | 3 | BMA | C6-C5-C4 | -2.41 | 107.35 | 113.00 |
| 6 | m | 3 | BMA | C6-C5-C4 | -2.41 | 107.35 | 113.00 |
| 11 | 8 | 3 | BMA | C6-C5-C4 | -2.41 | 107.36 | 113.00 |
| 6 | g | 3 | BMA | C6-C5-C4 | -2.41 | 107.37 | 113.00 |
| 6 | i | 3 | BMA | C6-C5-C4 | -2.41 | 107.37 | 113.00 |
| 11 | p | 3 | BMA | C6-C5-C4 | -2.41 | 107.37 | 113.00 |
| 6 | V | 3 | BMA | C6-C5-C4 | -2.40 | 107.37 | 113.00 |
| 11 | p | 8 | MAN | O2-C2-C1 | 2.40 | 114.07 | 109.15 |
| 6 | S | 3 | BMA | C6-C5-C4 | -2.40 | 107.39 | 113.00 |
| 6 | a | 3 | BMA | C6-C5-C4 | -2.39 | 107.40 | 113.00 |
| 6 | t | 3 | BMA | C6-C5-C4 | -2.39 | 107.41 | 113.00 |
| 13 | x | 2 | NAG | O5-C1-C2 | -2.37 | 107.54 | 111.29 |
| 10 | e | 2 | NAG | O5-C1-C2 | -2.35 | 107.57 | 111.29 |
| 10 | e | 2 | NAG | C4-C3-C2 | -2.35 | 107.57 | 111.02 |
| 5 | G | 2 | NAG | O5-C1-C2 | -2.31 | 107.64 | 111.29 |
| 5 | 3 | 2 | NAG | O5-C1-C2 | -2.31 | 107.64 | 111.29 |
| 6 | n | 2 | NAG | O5-C1-C2 | -2.30 | 107.66 | 111.29 |
| 11 | 8 | 5 | MAN | O6-C6-C5 | 2.29 | 119.16 | 111.29 |
| 6 | t | 2 | NAG | O5-C1-C2 | -2.29 | 107.67 | 111.29 |
| 6 | V | 2 | NAG | O5-C1-C2 | -2.29 | 107.67 | 111.29 |
| 5 | 5 | 2 | NAG | O5-C1-C2 | -2.29 | 107.67 | 111.29 |
| 11 | p | 5 | MAN | O6-C6-C5 | 2.29 | 119.14 | 111.29 |
| 5 | Q | 2 | NAG | O5-C1-C2 | -2.29 | 107.68 | 111.29 |
| 5 | T | 2 | NAG | O5-C1-C2 | -2.28 | 107.68 | 111.29 |
| 14 | 6 | 2 | NAG | O5-C1-C2 | -2.28 | 107.68 | 111.29 |
| 6 | W | 2 | NAG | O5-C1-C2 | -2.28 | 107.69 | 111.29 |
| 5 | h | 2 | NAG | O5-C1-C2 | -2.27 | 107.70 | 111.29 |
| 5 | w | 2 | NAG | O5-C1-C2 | -2.27 | 107.70 | 111.29 |
| 6 | 7 | 2 | NAG | O5-C1-C2 | -2.27 | 107.70 | 111.29 |
| 13 | x | 5 | MAN | O6-C6-C5 | 2.27 | 119.09 | 111.29 |
| 5 | b | 2 | NAG | O5-C1-C2 | -2.27 | 107.70 | 111.29 |
| 5 | k | 2 | NAG | O5-C1-C2 | -2.27 | 107.70 | 111.29 |
| 5 | 0 | 2 | NAG | O5-C1-C2 | -2.27 | 107.70 | 111.29 |
| 5 | o | 2 | NAG | O5-C1-C2 | -2.27 | 107.71 | 111.29 |
| 6 | K | 2 | NAG | C4-C3-C2 | -2.27 | 107.69 | 111.02 |
| 6 | I | 2 | NAG | O5-C1-C2 | -2.26 | 107.71 | 111.29 |
| 6 | d | 2 | NAG | O5-C1-C2 | -2.26 | 107.71 | 111.29 |
| 5 | c | 2 | NAG | O5-C1-C2 | -2.26 | 107.72 | 111.29 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|-------|-------------|----------|
| 5 | r | 2 | NAG | C4-C3-C2 | -2.26 | 107.70 | 111.02 |
| 13 | x | 2 | NAG | C4-C3-C2 | -2.26 | 107.70 | 111.02 |
| 6 | m | 2 | NAG | O5-C1-C2 | -2.26 | 107.72 | 111.29 |
| 11 | p | 2 | NAG | O5-C1-C2 | -2.26 | 107.72 | 111.29 |
| 11 | 8 | 7 | MAN | O3-C3-C2 | -2.26 | 105.67 | 109.99 |
| 6 | U | 2 | NAG | O5-C1-C2 | -2.25 | 107.73 | 111.29 |
| 5 | z | 2 | NAG | O5-C1-C2 | -2.25 | 107.73 | 111.29 |
| 6 | 7 | 2 | NAG | C4-C3-C2 | -2.25 | 107.72 | 111.02 |
| 5 | u | 2 | NAG | O5-C1-C2 | -2.25 | 107.74 | 111.29 |
| 6 | J | 2 | NAG | O5-C1-C2 | -2.25 | 107.74 | 111.29 |
| 11 | 8 | 2 | NAG | O5-C1-C2 | -2.25 | 107.74 | 111.29 |
| 5 | l | 2 | NAG | O5-C1-C2 | -2.24 | 107.75 | 111.29 |
| 5 | X | 2 | NAG | O5-C1-C2 | -2.24 | 107.75 | 111.29 |
| 5 | 1 | 2 | NAG | O5-C1-C2 | -2.24 | 107.75 | 111.29 |
| 5 | 4 | 2 | NAG | O5-C1-C2 | -2.24 | 107.76 | 111.29 |
| 6 | g | 2 | NAG | O5-C1-C2 | -2.24 | 107.76 | 111.29 |
| 6 | i | 2 | NAG | O5-C1-C2 | -2.23 | 107.76 | 111.29 |
| 5 | u | 2 | NAG | C4-C3-C2 | -2.23 | 107.75 | 111.02 |
| 5 | R | 2 | NAG | O5-C1-C2 | -2.23 | 107.77 | 111.29 |
| 5 | r | 2 | NAG | O5-C1-C2 | -2.23 | 107.77 | 111.29 |
| 5 | l | 2 | NAG | C4-C3-C2 | -2.23 | 107.75 | 111.02 |
| 6 | P | 2 | NAG | O5-C1-C2 | -2.23 | 107.77 | 111.29 |
| 11 | p | 7 | MAN | O3-C3-C2 | -2.23 | 105.73 | 109.99 |
| 5 | AA | 2 | NAG | O5-C1-C2 | -2.23 | 107.77 | 111.29 |
| 6 | W | 2 | NAG | C4-C3-C2 | -2.23 | 107.76 | 111.02 |
| 6 | 2 | 2 | NAG | O5-C1-C2 | -2.22 | 107.78 | 111.29 |
| 5 | G | 2 | NAG | C4-C3-C2 | -2.22 | 107.76 | 111.02 |
| 6 | d | 2 | NAG | C4-C3-C2 | -2.22 | 107.77 | 111.02 |
| 5 | o | 2 | NAG | C4-C3-C2 | -2.22 | 107.77 | 111.02 |
| 6 | j | 2 | NAG | O5-C1-C2 | -2.21 | 107.79 | 111.29 |
| 6 | 2 | 2 | NAG | C4-C3-C2 | -2.21 | 107.78 | 111.02 |
| 6 | v | 2 | NAG | O5-C1-C2 | -2.21 | 107.80 | 111.29 |
| 5 | AA | 2 | NAG | C4-C3-C2 | -2.21 | 107.78 | 111.02 |
| 6 | S | 2 | NAG | O5-C1-C2 | -2.21 | 107.80 | 111.29 |
| 11 | 8 | 7 | MAN | C1-O5-C5 | 2.20 | 115.18 | 112.19 |
| 6 | a | 2 | NAG | O5-C1-C2 | -2.20 | 107.81 | 111.29 |
| 5 | k | 2 | NAG | C4-C3-C2 | -2.20 | 107.79 | 111.02 |
| 5 | 0 | 2 | NAG | C4-C3-C2 | -2.20 | 107.79 | 111.02 |
| 6 | P | 2 | NAG | C4-C3-C2 | -2.20 | 107.79 | 111.02 |
| 6 | g | 2 | NAG | C4-C3-C2 | -2.20 | 107.79 | 111.02 |
| 14 | 6 | 2 | NAG | C4-C3-C2 | -2.20 | 107.79 | 111.02 |
| 5 | w | 2 | NAG | C4-C3-C2 | -2.20 | 107.79 | 111.02 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|-------|-------------|----------|
| 5 | 3 | 2 | NAG | C4-C3-C2 | -2.20 | 107.80 | 111.02 |
| 5 | 5 | 2 | NAG | C4-C3-C2 | -2.20 | 107.80 | 111.02 |
| 5 | z | 2 | NAG | C4-C3-C2 | -2.20 | 107.80 | 111.02 |
| 6 | m | 2 | NAG | C4-C3-C2 | -2.20 | 107.80 | 111.02 |
| 5 | b | 2 | NAG | C4-C3-C2 | -2.20 | 107.80 | 111.02 |
| 6 | I | 2 | NAG | C4-C3-C2 | -2.19 | 107.80 | 111.02 |
| 5 | X | 2 | NAG | C4-C3-C2 | -2.19 | 107.81 | 111.02 |
| 11 | 8 | 2 | NAG | C4-C3-C2 | -2.19 | 107.81 | 111.02 |
| 5 | 4 | 2 | NAG | C4-C3-C2 | -2.19 | 107.81 | 111.02 |
| 6 | a | 2 | NAG | C4-C3-C2 | -2.19 | 107.81 | 111.02 |
| 6 | n | 2 | NAG | C4-C3-C2 | -2.19 | 107.81 | 111.02 |
| 5 | c | 2 | NAG | C4-C3-C2 | -2.19 | 107.81 | 111.02 |
| 6 | J | 2 | NAG | C4-C3-C2 | -2.19 | 107.81 | 111.02 |
| 6 | S | 2 | NAG | C4-C3-C2 | -2.19 | 107.81 | 111.02 |
| 11 | p | 7 | MAN | C1-O5-C5 | 2.18 | 115.15 | 112.19 |
| 11 | p | 2 | NAG | C4-C3-C2 | -2.18 | 107.82 | 111.02 |
| 6 | V | 2 | NAG | C4-C3-C2 | -2.18 | 107.82 | 111.02 |
| 5 | T | 2 | NAG | C4-C3-C2 | -2.18 | 107.82 | 111.02 |
| 6 | t | 2 | NAG | C4-C3-C2 | -2.18 | 107.82 | 111.02 |
| 13 | x | 4 | MAN | O3-C3-C4 | 2.18 | 115.39 | 110.35 |
| 6 | U | 2 | NAG | C4-C3-C2 | -2.17 | 107.83 | 111.02 |
| 6 | j | 2 | NAG | C4-C3-C2 | -2.17 | 107.83 | 111.02 |
| 5 | h | 2 | NAG | C4-C3-C2 | -2.17 | 107.84 | 111.02 |
| 6 | v | 2 | NAG | C4-C3-C2 | -2.16 | 107.85 | 111.02 |
| 5 | Q | 2 | NAG | C4-C3-C2 | -2.16 | 107.86 | 111.02 |
| 5 | l | 2 | NAG | C4-C3-C2 | -2.14 | 107.88 | 111.02 |
| 6 | i | 2 | NAG | C4-C3-C2 | -2.14 | 107.88 | 111.02 |
| 10 | e | 4 | MAN | O3-C3-C4 | 2.14 | 115.30 | 110.35 |
| 11 | 8 | 8 | MAN | C2-C3-C4 | 2.13 | 114.58 | 110.89 |
| 11 | p | 8 | MAN | C2-C3-C4 | 2.13 | 114.58 | 110.89 |
| 5 | R | 2 | NAG | C4-C3-C2 | -2.13 | 107.90 | 111.02 |
| 11 | 8 | 4 | MAN | O3-C3-C4 | 2.12 | 115.26 | 110.35 |
| 11 | p | 4 | MAN | O3-C3-C4 | 2.12 | 115.24 | 110.35 |
| 13 | x | 6 | MAN | O5-C5-C6 | -2.10 | 103.91 | 107.20 |
| 15 | BA | 12 | FUC | C1-C2-C3 | 2.10 | 112.25 | 109.67 |
| 9 | Z | 13 | FUC | C1-C2-C3 | 2.10 | 112.24 | 109.67 |
| 11 | p | 7 | MAN | O5-C1-C2 | 2.08 | 113.97 | 110.77 |
| 7 | y | 6 | MAN | C1-O5-C5 | -2.06 | 109.40 | 112.19 |
| 14 | 6 | 4 | MAN | O5-C5-C6 | -2.06 | 103.98 | 107.20 |
| 13 | x | 4 | MAN | O4-C4-C3 | -2.05 | 105.61 | 110.35 |
| 11 | 8 | 7 | MAN | O5-C1-C2 | 2.05 | 113.93 | 110.77 |
| 10 | e | 5 | MAN | O5-C5-C6 | -2.04 | 104.01 | 107.20 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|-----|------|----------|-------|-------------|----------|
| 11 | p | 7 | MAN | O3-C3-C4 | 2.02 | 115.03 | 110.35 |
| 10 | e | 4 | MAN | O4-C4-C3 | -2.02 | 105.68 | 110.35 |
| 11 | 8 | 7 | MAN | O3-C3-C4 | 2.02 | 115.01 | 110.35 |
| 7 | O | 6 | MAN | C1-O5-C5 | -2.01 | 109.47 | 112.19 |
| 9 | Z | 12 | NAG | O5-C1-C2 | -2.01 | 108.12 | 111.29 |
| 7 | f | 6 | MAN | C1-O5-C5 | -2.00 | 109.48 | 112.19 |
| 11 | 8 | 4 | MAN | O4-C4-C3 | -2.00 | 105.72 | 110.35 |

There are no chirality outliers.

All (90) torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms |
|-----|-------|-----|------|-------------|
| 5 | X | 1 | NAG | C3-C2-N2-C7 |
| 5 | s | 1 | NAG | C1-C2-N2-C7 |
| 9 | Z | 1 | NAG | C1-C2-N2-C7 |
| 11 | p | 1 | NAG | C3-C2-N2-C7 |
| 11 | 8 | 1 | NAG | C3-C2-N2-C7 |
| 15 | BA | 1 | NAG | C1-C2-N2-C7 |
| 8 | Y | 3 | BMA | C4-C5-C6-O6 |
| 8 | 9 | 3 | BMA | C4-C5-C6-O6 |
| 7 | f | 5 | MAN | O5-C5-C6-O6 |
| 7 | y | 5 | MAN | O5-C5-C6-O6 |
| 7 | O | 5 | MAN | O5-C5-C6-O6 |
| 8 | Y | 3 | BMA | O5-C5-C6-O6 |
| 8 | 9 | 3 | BMA | O5-C5-C6-O6 |
| 7 | O | 2 | NAG | C8-C7-N2-C2 |
| 7 | f | 2 | NAG | C8-C7-N2-C2 |
| 7 | y | 2 | NAG | C8-C7-N2-C2 |
| 7 | O | 6 | MAN | C4-C5-C6-O6 |
| 7 | f | 6 | MAN | C4-C5-C6-O6 |
| 7 | y | 6 | MAN | C4-C5-C6-O6 |
| 6 | i | 1 | NAG | C1-C2-N2-C7 |
| 7 | O | 6 | MAN | O5-C5-C6-O6 |
| 7 | f | 6 | MAN | O5-C5-C6-O6 |
| 15 | BA | 9 | MAN | O5-C5-C6-O6 |
| 7 | y | 6 | MAN | O5-C5-C6-O6 |
| 7 | y | 2 | NAG | O7-C7-N2-C2 |
| 7 | O | 2 | NAG | O7-C7-N2-C2 |
| 7 | f | 2 | NAG | O7-C7-N2-C2 |
| 9 | Z | 9 | MAN | O5-C5-C6-O6 |
| 5 | c | 1 | NAG | C3-C2-N2-C7 |
| 6 | I | 1 | NAG | C3-C2-N2-C7 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms |
|-----|-------|-----|------|-------------|
| 6 | v | 1 | NAG | C3-C2-N2-C7 |
| 6 | U | 3 | BMA | C4-C5-C6-O6 |
| 6 | I | 3 | BMA | C4-C5-C6-O6 |
| 6 | P | 3 | BMA | C4-C5-C6-O6 |
| 6 | V | 3 | BMA | C4-C5-C6-O6 |
| 6 | g | 3 | BMA | C4-C5-C6-O6 |
| 6 | v | 3 | BMA | C4-C5-C6-O6 |
| 6 | 7 | 3 | BMA | C4-C5-C6-O6 |
| 6 | J | 3 | BMA | C4-C5-C6-O6 |
| 6 | W | 3 | BMA | C4-C5-C6-O6 |
| 6 | a | 3 | BMA | C4-C5-C6-O6 |
| 6 | d | 3 | BMA | C4-C5-C6-O6 |
| 6 | i | 3 | BMA | C4-C5-C6-O6 |
| 6 | j | 3 | BMA | C4-C5-C6-O6 |
| 6 | m | 3 | BMA | C4-C5-C6-O6 |
| 14 | 6 | 3 | BMA | C4-C5-C6-O6 |
| 6 | S | 3 | BMA | C4-C5-C6-O6 |
| 6 | n | 3 | BMA | C4-C5-C6-O6 |
| 6 | 2 | 3 | BMA | C4-C5-C6-O6 |
| 6 | t | 3 | BMA | C4-C5-C6-O6 |
| 6 | I | 3 | BMA | O5-C5-C6-O6 |
| 6 | U | 3 | BMA | O5-C5-C6-O6 |
| 6 | m | 3 | BMA | O5-C5-C6-O6 |
| 6 | g | 3 | BMA | O5-C5-C6-O6 |
| 6 | v | 3 | BMA | O5-C5-C6-O6 |
| 6 | 7 | 3 | BMA | O5-C5-C6-O6 |
| 6 | P | 3 | BMA | O5-C5-C6-O6 |
| 6 | W | 3 | BMA | O5-C5-C6-O6 |
| 6 | i | 3 | BMA | O5-C5-C6-O6 |
| 6 | 2 | 3 | BMA | O5-C5-C6-O6 |
| 6 | J | 3 | BMA | O5-C5-C6-O6 |
| 6 | d | 3 | BMA | O5-C5-C6-O6 |
| 6 | j | 3 | BMA | O5-C5-C6-O6 |
| 6 | t | 3 | BMA | O5-C5-C6-O6 |
| 14 | 6 | 3 | BMA | O5-C5-C6-O6 |
| 6 | S | 3 | BMA | O5-C5-C6-O6 |
| 6 | V | 3 | BMA | O5-C5-C6-O6 |
| 6 | a | 3 | BMA | O5-C5-C6-O6 |
| 6 | n | 3 | BMA | O5-C5-C6-O6 |
| 7 | f | 5 | MAN | C4-C5-C6-O6 |
| 7 | y | 5 | MAN | C4-C5-C6-O6 |
| 7 | O | 5 | MAN | C4-C5-C6-O6 |

Continued on next page...


Continued from previous page...


| Mol | Chain | Res | Type | Atoms |
|-----|-------|-----|------|-------------|
| 6 | i | 1 | NAG | C3-C2-N2-C7 |
| 10 | e | 1 | NAG | O7-C7-N2-C2 |
| 5 | G | 1 | NAG | O7-C7-N2-C2 |
| 5 | T | 1 | NAG | O7-C7-N2-C2 |
| 5 | X | 1 | NAG | O7-C7-N2-C2 |
| 5 | c | 1 | NAG | O7-C7-N2-C2 |
| 5 | l | 1 | NAG | O7-C7-N2-C2 |
| 5 | 0 | 1 | NAG | O7-C7-N2-C2 |
| 6 | I | 1 | NAG | O7-C7-N2-C2 |
| 6 | K | 1 | NAG | O7-C7-N2-C2 |
| 6 | S | 1 | NAG | O7-C7-N2-C2 |
| 6 | U | 1 | NAG | O7-C7-N2-C2 |
| 6 | V | 1 | NAG | O7-C7-N2-C2 |
| 6 | g | 1 | NAG | O7-C7-N2-C2 |
| 6 | t | 1 | NAG | O7-C7-N2-C2 |
| 6 | 7 | 1 | NAG | O7-C7-N2-C2 |
| 11 | p | 1 | NAG | O7-C7-N2-C2 |
| 13 | x | 1 | NAG | O7-C7-N2-C2 |


There are no ring outliers.


No monomer is involved in short contacts.


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.































































Oligosaccharide Chain AA












Oligosaccharide Chain P




Oligosaccharide Chain S





Oligosaccharide Chain U






Oligosaccharide Chain V

































































5.6 Ligand geometry [i](#)

10 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|------|------|--------------|------|-------------|-------------|------|-------------|
| | | | | | Counts | RMSZ | $\# Z > 2$ | Counts | RMSZ | $\# Z > 2$ |
| 16 | NAG | A | 1397 | 1 | 14,14,15 | 0.50 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 16 | NAG | D | 1600 | 2 | 14,14,15 | 0.52 | 0 | 17,19,21 | 2.25 | 3 (17%) |

| Mol | Type | Chain | Res | Link | Bond lengths | | | Bond angles | | |
|-----|------|-------|------|------|--------------|------|----------|-------------|------|----------|
| | | | | | Counts | RMSZ | # Z > 2 | Counts | RMSZ | # Z > 2 |
| 16 | NAG | E | 1397 | 1 | 14,14,15 | 0.50 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 16 | NAG | B | 1600 | 2 | 14,14,15 | 0.51 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 16 | NAG | B | 1625 | 2 | 14,14,15 | 0.50 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 16 | NAG | E | 1187 | 1 | 14,14,15 | 0.51 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 16 | NAG | F | 1600 | 2 | 14,14,15 | 0.52 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 16 | NAG | A | 1135 | 1 | 14,14,15 | 0.51 | 0 | 17,19,21 | 2.23 | 3 (17%) |
| 16 | NAG | A | 1355 | 1 | 14,14,15 | 0.49 | 0 | 17,19,21 | 2.24 | 3 (17%) |
| 16 | NAG | C | 1397 | 1 | 14,14,15 | 0.50 | 0 | 17,19,21 | 2.24 | 3 (17%) |

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

| Mol | Type | Chain | Res | Link | Chirals | Torsions | Rings |
|-----|------|-------|------|------|---------|-----------|---------|
| 16 | NAG | A | 1397 | 1 | - | 0/6/23/26 | 0/1/1/1 |
| 16 | NAG | D | 1600 | 2 | - | 1/6/23/26 | 0/1/1/1 |
| 16 | NAG | E | 1397 | 1 | - | 0/6/23/26 | 0/1/1/1 |
| 16 | NAG | B | 1600 | 2 | - | 0/6/23/26 | 0/1/1/1 |
| 16 | NAG | B | 1625 | 2 | - | 0/6/23/26 | 0/1/1/1 |
| 16 | NAG | E | 1187 | 1 | - | 0/6/23/26 | 0/1/1/1 |
| 16 | NAG | F | 1600 | 2 | - | 0/6/23/26 | 0/1/1/1 |
| 16 | NAG | A | 1135 | 1 | - | 1/6/23/26 | 0/1/1/1 |
| 16 | NAG | A | 1355 | 1 | - | 0/6/23/26 | 0/1/1/1 |
| 16 | NAG | C | 1397 | 1 | - | 0/6/23/26 | 0/1/1/1 |

There are no bond length outliers.

All (30) bond angle outliers are listed below:

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|----------|-------|-------------|----------|
| 16 | D | 1600 | NAG | O5-C1-C2 | -7.39 | 99.61 | 111.29 |
| 16 | C | 1397 | NAG | O5-C1-C2 | -7.38 | 99.63 | 111.29 |
| 16 | F | 1600 | NAG | O5-C1-C2 | -7.38 | 99.64 | 111.29 |
| 16 | A | 1355 | NAG | O5-C1-C2 | -7.38 | 99.64 | 111.29 |
| 16 | A | 1135 | NAG | O5-C1-C2 | -7.37 | 99.65 | 111.29 |
| 16 | B | 1600 | NAG | O5-C1-C2 | -7.36 | 99.66 | 111.29 |
| 16 | B | 1625 | NAG | O5-C1-C2 | -7.34 | 99.69 | 111.29 |
| 16 | E | 1397 | NAG | O5-C1-C2 | -7.34 | 99.69 | 111.29 |
| 16 | E | 1187 | NAG | O5-C1-C2 | -7.34 | 99.69 | 111.29 |
| 16 | A | 1397 | NAG | O5-C1-C2 | -7.33 | 99.72 | 111.29 |

Continued on next page...

Continued from previous page...

| Mol | Chain | Res | Type | Atoms | Z | Observed(°) | Ideal(°) |
|-----|-------|------|------|----------|-------|-------------|----------|
| 16 | D | 1600 | NAG | O7-C7-C8 | -2.83 | 116.79 | 122.06 |
| 16 | A | 1397 | NAG | O7-C7-C8 | -2.81 | 116.84 | 122.06 |
| 16 | C | 1397 | NAG | O7-C7-C8 | -2.81 | 116.84 | 122.06 |
| 16 | E | 1397 | NAG | O7-C7-C8 | -2.80 | 116.85 | 122.06 |
| 16 | B | 1600 | NAG | O7-C7-C8 | -2.79 | 116.87 | 122.06 |
| 16 | E | 1187 | NAG | O7-C7-C8 | -2.78 | 116.90 | 122.06 |
| 16 | F | 1600 | NAG | O7-C7-C8 | -2.77 | 116.91 | 122.06 |
| 16 | B | 1625 | NAG | O7-C7-C8 | -2.76 | 116.92 | 122.06 |
| 16 | A | 1135 | NAG | O7-C7-C8 | -2.76 | 116.92 | 122.06 |
| 16 | A | 1355 | NAG | O7-C7-C8 | -2.75 | 116.95 | 122.06 |
| 16 | D | 1600 | NAG | C4-C3-C2 | -2.72 | 107.03 | 111.02 |
| 16 | A | 1355 | NAG | C4-C3-C2 | -2.68 | 107.09 | 111.02 |
| 16 | A | 1135 | NAG | C4-C3-C2 | -2.67 | 107.10 | 111.02 |
| 16 | B | 1600 | NAG | C4-C3-C2 | -2.67 | 107.11 | 111.02 |
| 16 | F | 1600 | NAG | C4-C3-C2 | -2.67 | 107.11 | 111.02 |
| 16 | B | 1625 | NAG | C4-C3-C2 | -2.66 | 107.11 | 111.02 |
| 16 | E | 1187 | NAG | C4-C3-C2 | -2.66 | 107.12 | 111.02 |
| 16 | C | 1397 | NAG | C4-C3-C2 | -2.66 | 107.12 | 111.02 |
| 16 | A | 1397 | NAG | C4-C3-C2 | -2.63 | 107.16 | 111.02 |
| 16 | E | 1397 | NAG | C4-C3-C2 | -2.62 | 107.18 | 111.02 |

There are no chirality outliers.

All (2) torsion outliers are listed below:

| Mol | Chain | Res | Type | Atoms |
|-----|-------|------|------|-------------|
| 16 | A | 1135 | NAG | O7-C7-N2-C2 |
| 16 | D | 1600 | NAG | O7-C7-N2-C2 |

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-3308. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 128



Y Index: 128




Z Index: 128


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 141



Y Index: 128




Z Index: 132


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.034. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 197 nm³; this corresponds to an approximate mass of 178 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.239 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-3308 and PDB model 5FUU. Per-residue inclusion information can be found in section 3 on page 14.

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.034 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.034).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 95% of all backbone atoms, 75% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ





























































The table lists the average atom inclusion at the recommended contour level (0.034) and Q-score for the entire model and for each chain.

| Chain | Atom inclusion | Q-score |
|-------|--|--|
| All |  0.7510 |  0.3670 |
| 0 |  0.4640 |  0.2010 |
| 1 |  0.4640 |  0.1470 |
| 2 |  0.5900 |  0.1880 |
| 3 |  0.6070 |  0.2680 |
| 4 |  0.1790 |  0.1680 |
| 5 |  0.5710 |  0.2330 |
| 6 |  0.5600 |  0.2810 |
| 7 |  0.4870 |  0.2990 |
| 8 |  0.5320 |  0.3290 |
| 9 |  0.6890 |  0.3110 |
| A |  0.7770 |  0.3800 |
| AA |  0.3570 |  0.2390 |
| B |  0.7610 |  0.3620 |
| BA |  0.5570 |  0.2290 |
| C |  0.7850 |  0.3860 |
| D |  0.7610 |  0.3860 |
| E |  0.7860 |  0.3860 |
| F |  0.7710 |  0.3890 |
| G |  0.5360 |  0.2070 |
| H |  0.8020 |  0.3890 |
| I |  0.5640 |  0.2900 |
| J |  0.4100 |  0.3180 |
| K |  0.4620 |  0.2500 |
| L |  0.7220 |  0.3370 |
| M |  0.8270 |  0.3950 |
| N |  0.7690 |  0.3370 |
| O |  0.7230 |  0.3550 |
| P |  0.4870 |  0.2400 |
| Q |  0.6070 |  0.2900 |
| R |  0.7140 |  0.3680 |
| S |  0.6150 |  0.2730 |
| T |  0.5710 |  0.2050 |
| U |  0.5130 |  0.2220 |
| V |  0.6670 |  0.3260 |



Continued on next page...

Continued from previous page...

| Chain | Atom inclusion | Q-score |
|-------|--|--|
| W |  0.4870 |  0.3550 |
| X |  0.5360 |  0.2820 |
| Y |  0.6960 |  0.3470 |
| Z |  0.6440 |  0.3150 |
| a |  0.5130 |  0.2100 |
| b |  0.3930 |  0.2500 |
| c |  0.4290 |  0.1540 |
| d |  0.3080 |  0.1950 |
| e |  0.5570 |  0.3060 |
| f |  0.6510 |  0.3170 |
| g |  0.5130 |  0.2020 |
| h |  0.5710 |  0.3400 |
| i |  0.4620 |  0.2990 |
| j |  0.5640 |  0.2570 |
| k |  0.4640 |  0.3430 |
| l |  0.2860 |  0.2700 |
| m |  0.5130 |  0.2590 |
| n |  0.6670 |  0.3450 |
| o |  0.5710 |  0.2520 |
| p |  0.4890 |  0.3700 |
| q |  0.5000 |  0.2570 |
| r |  0.3210 |  0.2000 |
| s |  0.4640 |  0.3000 |
| t |  0.5900 |  0.2520 |
| u |  0.3930 |  0.3080 |
| v |  0.4870 |  0.2680 |
| w |  0.6070 |  0.3000 |
| x |  0.4720 |  0.2700 |
| y |  0.7350 |  0.3250 |
| z |  0.4290 |  0.2030 |