



Full wwPDB X-ray Structure Validation Report ⓘ

Feb 4, 2025 – 12:35 pm GMT

PDB ID : 9G7I
Title : Structure of carbon monoxide dehydrogenase/acetyl-CoA synthase (CODH/ACS) in complex with acetyl-Coenzyme A from *Clostridium autoethanogenum*
Authors : Lemaire, O.N.; Yin, M.D.; Murphy, B.J.; Wagner, T.
Deposited on : 2024-07-21
Resolution : 2.93 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	3.0
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.40


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.93 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1067 (2.96-2.92)
Clashscore	180529	1122 (2.96-2.92)
Ramachandran outliers	177936	1075 (2.96-2.92)
Sidechain outliers	177891	1075 (2.96-2.92)
RSRZ outliers	164620	1067 (2.96-2.92)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	708	<div> <div>13%</div> <div>84%</div> <div>13%</div> <div>..</div> </div>
1	D	708	<div> <div>3%</div> <div>93%</div> <div>7%</div> </div>
2	B	631	<div> <div>94%</div> <div>6%</div> </div>
2	C	631	<div> <div>%</div> <div>92%</div> <div>7%</div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
5	EDO	B	717	-	-	-	X

2 Entry composition [i](#)

There are 14 unique types of molecules in this entry. The entry contains 20497 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called CO-methylating acetyl-CoA synthase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	694	Total	C	N	O	S	0	1	0
			5284	3383	860	1006	35			
1	D	708	Total	C	N	O	S	0	0	0
			5392	3449	884	1023	36			

- Molecule 2 is a protein called Carbon monoxide dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	B	629	Total	C	N	O	S	0	0	0
			4723	2967	814	902	40			
2	C	630	Total	C	N	O	S	0	1	0
			4742	2978	818	906	40			

- Molecule 3 is IRON/SULFUR CLUSTER (three-letter code: SF4) (formula: Fe₄S₄).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	Fe	S	0	0
			8	4	4		
3	B	1	Total	Fe	S	0	0
			8	4	4		
3	C	1	Total	Fe	S	0	0
			8	4	4		
3	C	1	Total	Fe	S	0	0
			8	4	4		
3	D	1	Total	Fe	S	0	0
			8	4	4		

- Molecule 4 is NICKEL (II) ION (three-letter code: NI) (formula: Ni) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	2	Total	Ni	0	0
			2	2		
4	D	2	Total	Ni	0	0
			2	2		

- Molecule 5 is 1,2-ETHANEDIOL (three-letter code: EDO) (formula: C₂H₆O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total	C	O	0	0
			4	2	2		
5	A	1	Total	C	O	0	0
			4	2	2		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	A	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0
5	B	1	Total 4	C 2	O 2	0	0

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	C	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		
5	C	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		
5	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 6 is 2-{2-[2-(2-{2-[2-(2-ETHOXY-ETHOXY)-ETHOXY]-ETHOXY}-ETHOXY)-ETHOXY]-ETHOXY}-ETHANOL (three-letter code: PE4) (formula: C₁₆H₃₄O₈).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
6	A	1	Total	C	O	0	0
			10	6	4		

- Molecule 7 is GLYCEROL (three-letter code: GOL) (formula: $C_3H_8O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
7	A	1	Total	C	O	0	0
			6	3	3		
7	B	1	Total	C	O	0	0
			6	3	3		
7	B	1	Total	C	O	0	0
			6	3	3		
7	B	1	Total	C	O	0	0
			6	3	3		
7	B	1	Total	C	O	0	0
			6	3	3		
7	D	1	Total	C	O	0	0
			6	3	3		

- Molecule 8 is DI(HYDROXYETHYL)ETHER (three-letter code: PEG) (formula: $C_4H_{10}O_3$).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	C	O	0	0
			7	4	3		
8	B	1	Total	C	O	0	0
			7	4	3		
8	D	1	Total	C	O	0	0
			7	4	3		

- Molecule 9 is CALCIUM ION (three-letter code: CA) (formula: Ca).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	4	Total	Ca	0	0
			4	4		
9	B	1	Total	Ca	0	0
			1	1		
9	C	3	Total	Ca	0	0
			3	3		
9	D	2	Total	Ca	0	0
			2	2		

- Molecule 10 is CHLORIDE ION (three-letter code: CL) (formula: Cl).


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	A	2	Total	Cl	0	0
			2	2		
10	B	5	Total	Cl	0	0
			5	5		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
10	C	1	Total	Cl	0	0
			1	1		

- Molecule 11 is FE(4)-NI(1)-S(4) CLUSTER (three-letter code: XCC) (formula: Fe_4NiS_4) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
11	B	1	Total	Fe	Ni	S	0	0
			9	4	1	4		
11	C	1	Total	Fe	Ni	S	0	0
			9	4	1	4		

- Molecule 12 is ACETYL COENZYME *A (three-letter code: ACO) (formula: $\text{C}_{23}\text{H}_{38}\text{N}_7\text{O}_{17}\text{P}_3\text{S}$) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	
12	D	1	Total	C	N	O	P	S	0	0
			51	23	7	17	3	1		

- Molecule 13 is 2-AMINO-2-HYDROXYMETHYL-PROPANE-1,3-DIOL (three-letter code: TRS) (formula: $C_4H_{12}NO_3$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
13	D	1	Total	C	N	O	0	0
			8	4	1	3		


- Molecule 14 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
14	A	2	Total 2	O 2	0	0
14	B	5	Total 5	O 5	0	0
14	C	5	Total 5	O 5	0	0
14	D	2	Total 2	O 2	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: CO-methylating acetyl-CoA synthase




- Molecule 1: CO-methylating acetyl-CoA synthase




- Molecule 2: Carbon monoxide dehydrogenase

Chain B:  94% 6%



● Molecule 2: Carbon monoxide dehydrogenase

Chain C:  92% 7%



4 Data and refinement statistics

Property	Value	Source
Space group	P 42 21 2	Depositor
Cell constants a, b, c, α , β , γ	298.08Å 298.08Å 127.53Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.68 – 2.93 49.68 – 2.93	Depositor EDS
% Data completeness (in resolution range)	81.4 (49.68-2.93) 81.4 (49.68-2.93)	Depositor EDS
R_{merge}	0.21	Depositor
R_{sym}	0.04	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.69 (at 2.96Å)	Xtriage
Refinement program	PHENIX (1.20.1_4487: ???)	Depositor
R, R_{free}	0.190 , 0.220 0.192 , 0.219	Depositor DCC
R_{free} test set	15853 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	84.5	Xtriage
Anisotropy	0.013	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.30 , 64.2	EDS
L-test for twinning ²	$\langle L \rangle = 0.48$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	20497	wwPDB-VP
Average B, all atoms (Å ²)	89.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 1.95% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: SF4, CA, GOL, CL, EDO, PEG, NI, TRS, XCC, ACO, PE4

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.40	0/5375	0.53	1/7271 (0.0%)
1	D	0.33	0/5488	0.48	0/7428
2	B	0.34	0/4797	0.51	0/6488
2	C	0.34	0/4817	0.49	0/6515
All	All	0.36	0/20477	0.50	1/27702 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	407	ARG	NE-CZ-NH2	-5.95	117.32	120.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	5284	0	5365	64	0
1	D	5392	0	5489	30	0
2	B	4723	0	4803	28	0
2	C	4742	0	4818	30	0
3	A	8	0	0	1	0
3	B	8	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	C	16	0	0	0	0
3	D	8	0	0	1	0
4	A	2	0	0	0	0
4	D	2	0	0	0	0
5	A	32	0	48	0	0
5	B	60	0	90	0	0
5	C	28	0	42	0	0
5	D	16	0	24	0	0
6	A	10	0	12	0	0
7	A	6	0	8	0	0
7	B	24	0	32	0	0
7	D	6	0	8	0	0
8	A	7	0	10	0	0
8	B	7	0	10	0	0
8	D	7	0	10	0	0
9	A	4	0	0	0	0
9	B	1	0	0	0	0
9	C	3	0	0	0	0
9	D	2	0	0	0	0
10	A	2	0	0	0	0
10	B	5	0	0	0	0
10	C	1	0	0	0	0
11	B	9	0	0	0	0
11	C	9	0	0	0	0
12	D	51	0	34	2	0
13	D	8	0	12	0	0
14	A	2	0	0	0	0
14	B	5	0	0	0	0
14	C	5	0	0	0	0
14	D	2	0	0	0	0
All	All	20497	0	20815	143	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (143) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:C:424:ILE:HD11	1:D:281:THR:HB	1.64	0.79
1:A:299:VAL:HG23	1:A:393:GLU:HB3	1.73	0.71
1:A:316:LEU:HB3	1:A:408:ILE:HD11	1.73	0.71

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:277:LYS:O	1:D:281:THR:HG23	1.92	0.70
1:A:408:ILE:HG13	1:A:408:ILE:O	1.94	0.67
1:A:647:VAL:HG22	1:A:694:LEU:HD21	1.82	0.62
2:B:54:PRO:HD2	2:C:37:GLN:HB3	1.81	0.62
1:D:297:ILE:HG22	1:D:421:HIS:HB3	1.83	0.60
1:A:379:PRO:HG3	1:A:467:ARG:HD3	1.84	0.60
2:B:557:MET:HE3	2:C:52:MET:HG3	1.87	0.56
1:A:463:ARG:HG3	1:A:467:ARG:HH21	1.72	0.55
1:A:647:VAL:CG2	1:A:694:LEU:HD21	2.38	0.54
1:A:317:ALA:HB3	1:A:408:ILE:HG12	1.90	0.53
2:C:423:GLN:HB2	1:D:281:THR:HG22	1.90	0.53
2:C:159:VAL:HG11	2:C:219:MET:SD	2.49	0.52
2:B:196:ILE:HD12	2:C:557:MET:HE1	1.90	0.52
2:C:301:SER:C	2:C:405:LEU:HD11	2.30	0.52
1:D:124:GLY:HA3	1:D:209:PHE:CZ	2.44	0.52
1:D:161:LEU:HD11	1:D:186:ILE:HD12	1.90	0.52
2:C:330:ASP:OD1	2:C:331:VAL:N	2.33	0.51
1:A:329:LEU:HD22	1:A:460:ALA:CA	2.39	0.51
1:D:592:MET:SD	1:D:631:ILE:HG12	2.51	0.51
1:A:405:TRP:HZ2	1:A:407:ARG:CZ	2.23	0.51
2:B:533:VAL:HG12	2:B:544:MET:HG2	1.93	0.51
2:B:330:ASP:OD1	2:B:331:VAL:N	2.43	0.50
1:A:469:ALA:HA	1:A:472:GLU:HB2	1.92	0.50
1:D:408:ILE:HD11	1:D:422:PHE:HE2	1.76	0.50
1:A:640:GLU:O	1:A:645:ARG:NE	2.45	0.50
2:B:179:TYR:CG	2:B:180:PRO:HD2	2.47	0.50
2:B:557:MET:CE	2:C:52:MET:HG3	2.41	0.50
1:A:664:THR:O	1:A:668:LEU:HG	2.12	0.50
1:A:513:LEU:HD23	1:A:516:LYS:HE2	1.94	0.49
2:C:195:HIS:CE1	2:C:196:ILE:HG22	2.47	0.49
1:A:507:CYS:N	3:A:801:SF4:S1	2.86	0.49
2:C:300:VAL:HG23	2:C:306:ILE:HB	1.95	0.49
1:A:296:PRO:HB2	1:A:424:GLU:OE1	2.13	0.48
1:A:419:LEU:HD21	1:A:447:THR:HG21	1.95	0.48
1:D:636:PHE:CD2	1:D:637:MET:HG3	2.48	0.48
1:A:418:ARG:HG3	1:A:420:LYS:H	1.79	0.48
2:B:557:MET:HA	2:C:51:SER:OG	2.13	0.48
1:D:614:THR:HG22	1:D:623:PHE:HB3	1.95	0.48
2:B:249:LYS:O	2:B:389:ARG:NH1	2.46	0.48
2:B:264:SER:HB2	2:B:300:VAL:HG21	1.95	0.48
1:A:330:VAL:HG11	1:A:381:LEU:HD22	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:498:ILE:O	1:A:503:ARG:NH1	2.47	0.47
1:A:319:PHE:CE2	1:A:360:MET:HB2	2.49	0.47
1:A:297:ILE:HB	1:A:421:HIS:HB3	1.96	0.47
1:A:507:CYS:HB3	1:A:576:CYS:SG	2.54	0.47
1:D:381:LEU:HD12	1:D:430:MET:SD	2.55	0.47
1:A:402:ASN:HB2	1:A:464:TYR:HE2	1.80	0.47
1:A:475:VAL:HB	1:A:477:GLU:HG2	1.95	0.47
1:D:321:GLY:HA2	12:D:805:ACO:H62A	1.80	0.46
2:C:557:MET:SD	2:C:558:SER:N	2.88	0.46
1:A:643:LEU:CD1	1:A:669:TYR:HE2	2.29	0.46
2:C:564:ILE:HA	2:C:567:TYR:CE2	2.51	0.46
1:D:661:LEU:HD21	1:D:674:PHE:HD2	1.80	0.46
2:C:453:ASN:OD1	2:C:455:LYS:HG3	2.16	0.46
1:A:417:PHE:CE1	1:A:421:HIS:HB2	2.50	0.46
2:B:258:GLY:HA3	2:B:330:ASP:OD1	2.15	0.46
2:B:162:PRO:HG2	2:B:218:TRP:HE3	1.82	0.45
1:A:353:ILE:HD11	1:A:360:MET:HG3	1.97	0.45
2:B:195:HIS:CE1	2:B:196:ILE:HG22	2.51	0.45
1:D:318:GLU:OE1	1:D:359:ARG:NE	2.49	0.45
1:D:88:THR:OG1	1:D:244:SER:HB3	2.16	0.45
1:D:135:VAL:HG22	1:D:230:ALA:HB2	1.97	0.45
1:D:163:CYS:HB3	1:D:188:LEU:HD11	1.99	0.45
1:A:437:VAL:HG11	1:A:521:LEU:CD2	2.47	0.45
2:C:254:VAL:HB	2:C:290:LEU:HD23	1.99	0.45
1:D:392:ILE:HB	1:D:395:VAL:HG22	1.98	0.45
1:D:199:VAL:HG13	1:D:252:LEU:HD11	1.97	0.45
1:A:33:TYR:CD2	1:A:101:VAL:HG13	2.51	0.45
1:A:378:GLU:O	1:A:381:LEU:HB2	2.17	0.45
1:A:664:THR:HA	1:A:667:GLU:CD	2.38	0.45
2:C:483:ALA:HB1	2:C:519:HIS:CD2	2.51	0.44
1:D:666:LYS:HB2	1:D:670:ASN:HB3	2.00	0.44
1:A:476:ASP:OD1	1:A:501:PRO:HB2	2.17	0.44
2:C:354:PRO:HA	2:C:357:HIS:CD2	2.53	0.44
1:D:135:VAL:HG22	1:D:230:ALA:CB	2.47	0.44
1:D:311:ARG:HH11	12:D:805:ACO:P2A	2.40	0.44
1:A:645:ARG:HD2	1:A:707:ILE:HD12	1.99	0.44
1:A:614:THR:HG22	1:A:623:PHE:HB3	2.00	0.44
2:C:162:PRO:HG2	2:C:218:TRP:HE3	1.82	0.44
1:A:325:LYS:NZ	1:A:453:GLU:HG2	2.32	0.44
2:C:264:SER:HB2	2:C:300:VAL:HG11	1.98	0.44
1:A:463:ARG:HA	1:A:463:ARG:HD2	1.79	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:545:LYS:HE3	1:A:549:THR:HG23	2.00	0.43
1:D:35:VAL:HG12	1:D:101:VAL:HG21	2.00	0.43
1:A:277:LYS:HD2	2:B:423:GLN:HB3	1.99	0.43
1:A:298:PRO:HD2	1:A:421:HIS:CE1	2.53	0.43
1:A:699:HIS:CD2	1:A:700:PRO:HD2	2.53	0.43
2:B:597:MET:HG3	2:B:601:VAL:HG22	2.00	0.43
1:A:460:ALA:HB1	1:A:464:TYR:CZ	2.54	0.43
1:D:667:GLU:HB2	1:D:669:TYR:CD1	2.54	0.43
2:B:411:GLU:HA	2:B:411:GLU:OE1	2.19	0.43
1:A:155:TYR:OH	1:A:233:ASN:ND2	2.52	0.43
2:B:186:GLU:HG3	2:B:215:THR:HG21	2.00	0.43
2:B:431:LYS:HA	2:B:539:LEU:HD21	2.00	0.42
1:A:382:GLU:HG3	1:A:467:ARG:HH12	1.83	0.42
2:B:260:GLU:HG2	2:B:331:VAL:HG22	2.02	0.42
2:B:368:GLU:CD	2:B:368:GLU:H	2.23	0.42
2:C:108:SER:OG	2:C:111:GLY:HA3	2.19	0.42
2:B:16:LEU:HD21	2:B:28:TRP:CE3	2.54	0.42
2:B:92:ALA:HA	2:C:192:HIS:CD2	2.54	0.42
2:C:592:ILE:O	2:C:597:MET:HB2	2.20	0.42
1:A:578:GLU:OE1	1:A:595:ARG:NH1	2.53	0.42
2:B:80:ARG:NH2	3:B:702:SF4:S1	2.89	0.42
2:C:405:LEU:HD23	2:C:405:LEU:N	2.34	0.42
1:A:161:LEU:HD11	1:A:186:ILE:HD12	2.01	0.42
1:A:426:ILE:O	1:A:430:MET:HG2	2.20	0.42
2:B:290:LEU:HD23	2:B:290:LEU:HA	1.86	0.42
2:C:354:PRO:HA	2:C:357:HIS:NE2	2.35	0.42
1:A:46:VAL:HG21	1:A:196:ILE:HD11	2.02	0.41
1:A:47:ILE:HG13	1:A:93:GLU:OE1	2.20	0.41
1:A:476:ASP:OD1	1:A:502:GLU:HG3	2.20	0.41
1:A:322:ASN:ND2	1:A:652:GLU:OE2	2.53	0.41
1:A:457:GLY:HA2	1:A:461:VAL:HB	2.02	0.41
2:B:557:MET:HE2	2:B:557:MET:HB2	1.85	0.41
1:D:487:LEU:HD23	3:D:801:SF4:S2	2.60	0.41
1:D:614:THR:HG22	1:D:623:PHE:CB	2.51	0.41
1:D:561:VAL:HG13	1:D:571:MET:HG2	2.03	0.41
1:A:199:VAL:HG13	1:A:252:LEU:HD11	2.02	0.41
1:A:401:ARG:HB3	1:A:464:TYR:CE1	2.56	0.41
1:A:474:LEU:HD23	1:A:475:VAL:N	2.35	0.41
1:D:564:TYR:CD1	1:D:635:LYS:HB3	2.55	0.41
1:A:221:LEU:CD2	1:A:252:LEU:HD23	2.50	0.41
1:A:561:VAL:HG21	1:A:571:MET:SD	2.60	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:420:VAL:CG2	2:B:432:PRO:HG3	2.51	0.41
2:C:329:VAL:HG11	2:C:349:PHE:HE1	1.85	0.41
2:B:185:ARG:HG2	2:B:185:ARG:NH1	2.36	0.41
2:C:451:CYS:O	2:C:555:GLU:HB2	2.21	0.41
2:C:452:ASN:HD22	2:C:452:ASN:HA	1.75	0.40
1:A:124:GLY:HA3	1:A:209:PHE:CE2	2.55	0.40
1:A:124:GLY:HA3	1:A:209:PHE:CZ	2.56	0.40
1:A:401:ARG:HB3	1:A:464:TYR:CZ	2.55	0.40
2:C:47:CYS:SG	2:C:80:ARG:NH2	2.94	0.40
1:A:463:ARG:HA	1:A:463:ARG:HH11	1.86	0.40
1:A:637:MET:HE3	1:A:640:GLU:HB2	2.03	0.40
2:C:348:LYS:HD2	2:C:385:ASN:ND2	2.37	0.40
1:D:631:ILE:HG22	1:D:661:LEU:HD12	2.03	0.40
1:A:327:TRP:CZ2	1:A:455:LEU:HB3	2.57	0.40
1:A:577:PHE:CE1	1:A:580:ILE:HD11	2.57	0.40
2:B:453:ASN:OD1	2:B:455:LYS:HG3	2.22	0.40
1:D:701:ALA:HA	1:D:704:MET:CE	2.51	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	685/708 (97%)	649 (95%)	35 (5%)	1 (0%)	48	72
1	D	706/708 (100%)	670 (95%)	35 (5%)	1 (0%)	48	72
2	B	627/631 (99%)	591 (94%)	35 (6%)	1 (0%)	44	66
2	C	629/631 (100%)	601 (96%)	26 (4%)	2 (0%)	37	60
All	All	2647/2678 (99%)	2511 (95%)	131 (5%)	5 (0%)	44	66

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	C	332	GLN
1	A	575	GLY
2	B	332	GLN
2	C	243	ASN
1	D	575	GLY

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	571/583 (98%)	565 (99%)	6 (1%)	70	82
1	D	583/583 (100%)	581 (100%)	2 (0%)	91	95
2	B	518/520 (100%)	514 (99%)	4 (1%)	79	87
2	C	520/520 (100%)	515 (99%)	5 (1%)	73	84
All	All	2192/2206 (99%)	2175 (99%)	17 (1%)	79	87

All (17) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	297	ILE
1	A	360	MET
1	A	408	ILE
1	A	463	ARG
1	A	610	LEU
1	A	669	TYR
2	B	185	ARG
2	B	196	ILE
2	B	423	GLN
2	B	451	CYS
2	C	185	ARG
2	C	196	ILE
2	C	222	PHE
2	C	451	CYS
2	C	523	CYS
1	D	312	LYS
1	D	497	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	233	ASN
2	B	423	GLN
2	C	385	ASN
1	D	156	GLN
1	D	233	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 75 ligands modelled in this entry, 22 are monoatomic - leaving 53 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	EDO	A	819	-	3,3,3	0.06	0	2,2,2	0.19	0
5	EDO	B	726	-	3,3,3	0.06	0	2,2,2	0.19	0
5	EDO	C	711	-	3,3,3	0.25	0	2,2,2	0.32	0
7	GOL	A	807	-	5,5,5	0.04	0	5,5,5	0.18	0
5	EDO	A	804	-	3,3,3	0.18	0	2,2,2	0.16	0
6	PE4	A	805	-	9,9,23	0.49	0	8,8,22	0.63	0
5	EDO	D	813	-	3,3,3	0.06	0	2,2,2	0.18	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	EDO	B	724	-	3,3,3	0.05	0	2,2,2	0.21	0
5	EDO	C	713	-	3,3,3	0.06	0	2,2,2	0.19	0
5	EDO	B	716	-	3,3,3	0.26	0	2,2,2	0.28	0
3	SF4	A	801	1	0,12,12	-	-	-		
5	EDO	B	722	-	3,3,3	0.04	0	2,2,2	0.12	0
11	XCC	C	704	2	0,11,11	-	-	-		
5	EDO	D	812	-	3,3,3	0.29	0	2,2,2	0.20	0
5	EDO	A	815	-	3,3,3	0.30	0	2,2,2	0.32	0
5	EDO	B	723	-	3,3,3	0.07	0	2,2,2	0.21	0
5	EDO	C	709	-	3,3,3	0.33	0	2,2,2	0.20	0
5	EDO	B	714	-	3,3,3	0.32	0	2,2,2	0.22	0
3	SF4	C	701	2	0,12,12	-	-	-		
7	GOL	B	701	-	5,5,5	0.07	0	5,5,5	0.20	0
5	EDO	A	820	-	3,3,3	0.06	0	2,2,2	0.19	0
5	EDO	B	727	-	3,3,3	0.06	0	2,2,2	0.18	0
5	EDO	A	818	-	3,3,3	0.41	0	2,2,2	0.08	0
5	EDO	B	715	-	3,3,3	0.33	0	2,2,2	0.20	0
7	GOL	B	707	-	5,5,5	0.09	0	5,5,5	0.33	0
5	EDO	C	703	-	3,3,3	0.33	0	2,2,2	0.18	0
5	EDO	D	811	-	3,3,3	0.23	0	2,2,2	0.44	0
7	GOL	B	706	-	5,5,5	0.09	0	5,5,5	0.31	0
5	EDO	B	720	-	3,3,3	0.07	0	2,2,2	0.18	0
5	EDO	A	806	-	3,3,3	0.38	0	2,2,2	0.10	0
5	EDO	A	816	-	3,3,3	0.26	0	2,2,2	0.31	0
5	EDO	B	718	-	3,3,3	0.07	0	2,2,2	0.20	0
5	EDO	A	817	-	3,3,3	0.29	0	2,2,2	0.22	0
11	XCC	B	705	2	0,11,11	-	-	-		
5	EDO	C	710	-	3,3,3	0.30	0	2,2,2	0.18	0
7	GOL	D	806	-	5,5,5	0.09	0	5,5,5	0.32	0
8	PEG	B	703	-	6,6,6	0.24	0	5,5,5	0.27	0
3	SF4	D	801	1	0,12,12	-	-	-		
5	EDO	C	714	-	3,3,3	0.05	0	2,2,2	0.18	0
12	ACO	D	805	-	45,53,53	1.83	10 (22%)	56,79,79	1.29	5 (8%)
13	TRS	D	807	-	7,7,7	0.13	0	9,9,9	0.19	0
5	EDO	B	717	-	3,3,3	0.16	0	2,2,2	0.48	0
7	GOL	B	704	-	5,5,5	0.04	0	5,5,5	0.20	0
5	EDO	B	719	-	3,3,3	0.07	0	2,2,2	0.20	0
5	EDO	B	721	-	3,3,3	0.06	0	2,2,2	0.19	0
5	EDO	D	810	-	3,3,3	0.31	0	2,2,2	0.21	0
3	SF4	C	702	2	0,12,12	-	-	-		
8	PEG	A	808	-	6,6,6	0.17	0	5,5,5	0.18	0
3	SF4	B	702	2	0,12,12	-	-	-		
5	EDO	B	725	-	3,3,3	0.05	0	2,2,2	0.18	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
5	EDO	C	712	-	3,3,3	0.36	0	2,2,2	0.16	0
8	PEG	D	804	-	6,6,6	0.20	0	5,5,5	0.20	0
5	EDO	B	728	-	3,3,3	0.06	0	2,2,2	0.20	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	A	819	-	-	1/1/1/1	-
5	EDO	B	726	-	-	0/1/1/1	-
5	EDO	C	711	-	-	0/1/1/1	-
7	GOL	A	807	-	-	0/4/4/4	-
5	EDO	A	804	-	-	1/1/1/1	-
6	PE4	A	805	-	-	3/7/7/21	-
5	EDO	D	813	-	-	1/1/1/1	-
5	EDO	B	724	-	-	1/1/1/1	-
5	EDO	C	713	-	-	0/1/1/1	-
5	EDO	B	716	-	-	0/1/1/1	-
3	SF4	A	801	1	-	-	0/6/5/5
5	EDO	B	722	-	-	1/1/1/1	-
11	XCC	C	704	2	-	-	0/3/3/3
5	EDO	D	812	-	-	1/1/1/1	-
5	EDO	A	815	-	-	0/1/1/1	-
5	EDO	B	723	-	-	0/1/1/1	-
5	EDO	C	709	-	-	1/1/1/1	-
5	EDO	B	714	-	-	1/1/1/1	-
3	SF4	C	701	2	-	-	0/6/5/5
7	GOL	B	701	-	-	0/4/4/4	-
5	EDO	A	820	-	-	0/1/1/1	-
5	EDO	B	727	-	-	0/1/1/1	-
5	EDO	A	818	-	-	1/1/1/1	-
5	EDO	B	715	-	-	1/1/1/1	-
7	GOL	B	707	-	-	1/4/4/4	-
5	EDO	C	703	-	-	1/1/1/1	-
5	EDO	D	811	-	-	0/1/1/1	-
7	GOL	B	706	-	-	0/4/4/4	-
5	EDO	B	720	-	-	0/1/1/1	-
5	EDO	A	806	-	-	1/1/1/1	-
5	EDO	A	816	-	-	0/1/1/1	-
5	EDO	B	718	-	-	1/1/1/1	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	EDO	A	817	-	-	0/1/1/1	-
11	XCC	B	705	2	-	-	0/3/3/3
5	EDO	C	710	-	-	0/1/1/1	-
7	GOL	D	806	-	-	2/4/4/4	-
8	PEG	B	703	-	-	2/4/4/4	-
12	ACO	D	805	-	-	22/47/67/67	0/3/3/3
5	EDO	C	714	-	-	1/1/1/1	-
13	TRS	D	807	-	-	8/9/9/9	-
3	SF4	D	801	1	-	-	0/6/5/5
5	EDO	B	717	-	-	0/1/1/1	-
7	GOL	B	704	-	-	0/4/4/4	-
5	EDO	B	719	-	-	1/1/1/1	-
5	EDO	B	721	-	-	0/1/1/1	-
5	EDO	D	810	-	-	1/1/1/1	-
3	SF4	C	702	2	-	-	0/6/5/5
8	PEG	A	808	-	-	1/4/4/4	-
5	EDO	B	725	-	-	0/1/1/1	-
5	EDO	C	712	-	-	1/1/1/1	-
8	PEG	D	804	-	-	1/4/4/4	-
3	SF4	B	702	2	-	-	0/6/5/5
5	EDO	B	728	-	-	1/1/1/1	-

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
12	D	805	ACO	C9P-N8P	5.80	1.46	1.33
12	D	805	ACO	C5P-N4P	5.64	1.46	1.33
12	D	805	ACO	C3B-C4B	3.95	1.63	1.52
12	D	805	ACO	C6A-N6A	3.15	1.45	1.34
12	D	805	ACO	P3B-O3B	2.99	1.65	1.59
12	D	805	ACO	C5A-C4A	-2.53	1.34	1.40
12	D	805	ACO	O2B-C2B	2.30	1.48	1.43
12	D	805	ACO	O9P-C9P	-2.18	1.19	1.23
12	D	805	ACO	O5P-C5P	-2.16	1.18	1.23
12	D	805	ACO	C2A-N3A	2.11	1.35	1.32

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	D	805	ACO	N3A-C2A-N1A	-5.64	119.86	128.68
12	D	805	ACO	P2A-O3A-P1A	-2.84	123.09	132.83

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
12	D	805	ACO	O4B-C1B-C2B	-2.27	103.61	106.93
12	D	805	ACO	C2P-C3P-N4P	-2.14	107.91	112.42
12	D	805	ACO	C6P-C5P-N4P	2.14	120.02	116.42

There are no chirality outliers.

All (58) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
5	A	806	EDO	O1-C1-C2-O2
12	D	805	ACO	O4B-C4B-C5B-O5B
12	D	805	ACO	C5B-O5B-P1A-O1A
12	D	805	ACO	C5B-O5B-P1A-O2A
12	D	805	ACO	OAP-CAP-CBP-CCP
12	D	805	ACO	C9P-CAP-CBP-CCP
12	D	805	ACO	OAP-CAP-CBP-CDP
12	D	805	ACO	C9P-CAP-CBP-CDP
12	D	805	ACO	OAP-CAP-CBP-CEP
12	D	805	ACO	C9P-CAP-CBP-CEP
12	D	805	ACO	CAP-C9P-N8P-C7P
12	D	805	ACO	S1P-C2P-C3P-N4P
13	D	807	TRS	N-C-C2-O2
13	D	807	TRS	C1-C-C3-O3
13	D	807	TRS	C2-C-C3-O3
13	D	807	TRS	N-C-C3-O3
12	D	805	ACO	O9P-C9P-N8P-C7P
12	D	805	ACO	C3B-C4B-C5B-O5B
8	B	703	PEG	O1-C1-C2-O2
7	D	806	GOL	C1-C2-C3-O3
8	B	703	PEG	O2-C3-C4-O4
5	A	818	EDO	O1-C1-C2-O2
5	A	819	EDO	O1-C1-C2-O2
5	B	722	EDO	O1-C1-C2-O2
5	C	703	EDO	O1-C1-C2-O2
5	C	712	EDO	O1-C1-C2-O2
5	C	714	EDO	O1-C1-C2-O2
5	D	810	EDO	O1-C1-C2-O2
12	D	805	ACO	O-C-S1P-C2P
6	A	805	PE4	O7-C13-C14-O8
12	D	805	ACO	P2A-O3A-P1A-O1A
7	B	707	GOL	O2-C2-C3-O3
5	B	714	EDO	O1-C1-C2-O2
12	D	805	ACO	P2A-O3A-P1A-O5B

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
12	D	805	ACO	CH3-C-S1P-C2P
6	A	805	PE4	C12-C11-O6-C10
12	D	805	ACO	C5B-O5B-P1A-O3A
13	D	807	TRS	C2-C-C1-O1
5	B	719	EDO	O1-C1-C2-O2
5	C	709	EDO	O1-C1-C2-O2
5	D	812	EDO	O1-C1-C2-O2
5	D	813	EDO	O1-C1-C2-O2
5	B	728	EDO	O1-C1-C2-O2
6	A	805	PE4	C11-C12-O7-C13
12	D	805	ACO	O5P-C5P-C6P-C7P
5	B	715	EDO	O1-C1-C2-O2
13	D	807	TRS	C3-C-C1-O1
12	D	805	ACO	N4P-C5P-C6P-C7P
12	D	805	ACO	P1A-O3A-P2A-O4A
12	D	805	ACO	P1A-O3A-P2A-O5A
8	D	804	PEG	O1-C1-C2-O2
7	D	806	GOL	O2-C2-C3-O3
5	A	804	EDO	O1-C1-C2-O2
5	B	724	EDO	O1-C1-C2-O2
13	D	807	TRS	N-C-C1-O1
13	D	807	TRS	C3-C-C2-O2
5	B	718	EDO	O1-C1-C2-O2
8	A	808	PEG	C4-C3-O2-C2


There are no ring outliers.


4 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	A	801	SF4	1	0
3	D	801	SF4	1	0
12	D	805	ACO	2	0
3	B	702	SF4	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the

average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	694/708 (98%)	0.45	90 (12%) 9 12	42, 112, 196, 245	1 (0%)
1	D	708/708 (100%)	-0.03	23 (3%) 50 47	63, 93, 159, 220	0
2	B	629/631 (99%)	-0.62	2 (0%) 90 90	39, 57, 82, 133	0
2	C	630/631 (99%)	-0.43	5 (0%) 82 81	39, 72, 104, 157	1 (0%)
All	All	2661/2678 (99%)	-0.14	120 (4%) 39 36	39, 76, 169, 245	2 (0%)

All (120) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	371	THR	8.0
1	A	438	VAL	6.4
1	A	431	LEU	6.3
1	A	427	TYR	5.4
1	A	368	VAL	5.3
1	A	331	MET	5.0
1	A	338	VAL	5.0
1	A	361	PRO	5.0
1	A	362	LEU	4.6
1	A	471	LEU	4.5
1	A	292	ILE	4.4
1	A	425	VAL	4.4
2	B	63	LYS	4.4
1	A	341	HIS	4.2
1	A	356	ALA	4.2
1	A	296	PRO	4.1
1	D	491	PHE	4.1
1	A	332	CYS	4.0
1	A	434	PHE	4.0
1	A	475	VAL	4.0
1	A	504	LEU	3.6

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	461	VAL	3.6
1	A	459	TYR	3.6
1	A	661	LEU	3.6
1	D	668	LEU	3.6
2	C	425	GLY	3.4
1	A	374	GLN	3.4
1	A	444	THR	3.4
1	A	367	LYS	3.3
1	A	377	PHE	3.3
1	A	524	THR	3.3
1	A	343	ILE	3.3
1	A	299	VAL	3.3
1	A	531	PRO	3.2
1	A	398	VAL	3.2
1	D	708	MET	3.1
2	C	242	ALA	3.1
1	A	375	LYS	3.0
1	D	313	ASN	3.0
1	D	322	ASN	3.0
1	D	292	ILE	3.0
1	A	600	THR	3.0
1	A	333	ALA	3.0
1	D	307	GLY	2.9
1	A	400	GLN	2.9
1	D	470	ARG	2.9
1	D	358	GLY	2.9
1	A	460	ALA	2.9
1	A	533	GLU	2.9
1	D	246	GLY	2.9
1	A	303	ALA	2.9
1	A	387	TYR	2.9
2	C	260	GLU	2.8
1	A	399	GLY	2.8
1	A	464	TYR	2.8
1	A	405	TRP	2.8
1	D	669	TYR	2.8
1	D	666	LYS	2.8
1	A	403	LEU	2.7
1	A	428	ALA	2.7
1	A	478	LYS	2.7
1	A	366	ILE	2.7
1	A	396	MET	2.7

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	685	THR	2.7
2	B	425	GLY	2.7
1	A	422	PHE	2.6
1	A	408	ILE	2.6
1	A	394	GLY	2.6
1	D	309	ARG	2.6
1	A	418	ARG	2.5
1	A	293	THR	2.5
1	D	314	ASP	2.5
1	A	334	ASP	2.5
1	D	355	LYS	2.5
1	A	503	ARG	2.5
1	A	523	PRO	2.5
1	A	386	HIS	2.5
1	A	337	GLU	2.5
1	A	381	LEU	2.5
1	A	445	ILE	2.5
1	A	384	ARG	2.5
1	A	298	PRO	2.4
2	C	236[A]	HIS	2.4
1	A	430	MET	2.4
1	A	669	TYR	2.4
1	A	421	HIS	2.4
1	A	607	PHE	2.4
2	C	426	PRO	2.4
1	A	419	LEU	2.4
1	D	667	GLU	2.4
1	D	356	ALA	2.4
1	A	511	SER	2.4
1	A	663	LYS	2.4
1	A	417	PHE	2.4
1	A	528	GLN	2.3
1	A	476	ASP	2.3
1	A	433	GLU	2.3
1	D	459	TYR	2.3
1	A	529	ALA	2.3
1	A	493	PRO	2.3
1	A	370	GLY	2.2
1	A	426	ILE	2.2
1	A	335	GLN	2.2
1	A	346	ILE	2.2
1	D	436	SER	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	A	641	GLY	2.2
1	A	519	LEU	2.2
1	A	477	GLU	2.2
1	D	664	THR	2.1
1	A	455	LEU	2.1
1	A	302	ALA	2.1
1	A	447	THR	2.1
1	A	520	GLU	2.1
1	A	363	GLY	2.1
1	A	642	GLY	2.1
1	A	510	VAL	2.1
1	D	434	PHE	2.1
1	D	311	ARG	2.0
1	A	415	LYS	2.0
1	D	661	LEU	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q < 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	EDO	A	815	4/4	0.52	0.20	99,104,118,120	0
5	EDO	B	723	4/4	0.52	0.26	97,98,106,108	0
5	EDO	B	717	4/4	0.53	0.43	73,78,86,94	0
7	GOL	A	807	6/6	0.54	0.12	121,132,134,137	0
12	ACO	D	805	51/51	0.54	0.22	53,160,214,232	0
7	GOL	B	707	6/6	0.56	0.23	79,103,116,118	0
5	EDO	A	816	4/4	0.60	0.36	72,74,85,100	0
5	EDO	C	711	4/4	0.60	0.27	74,80,81,85	0

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
5	EDO	D	813	4/4	0.60	0.38	87,101,117,121	0
5	EDO	D	811	4/4	0.61	0.15	101,109,109,120	0
5	EDO	D	812	4/4	0.63	0.13	99,111,116,119	0
10	CL	B	712	1/1	0.66	0.16	122,122,122,122	0
5	EDO	B	724	4/4	0.67	0.26	89,96,100,112	0
9	CA	D	808	1/1	0.67	0.14	126,126,126,126	0
9	CA	A	810	1/1	0.68	0.11	136,136,136,136	0
5	EDO	B	721	4/4	0.68	0.30	99,102,105,122	0
10	CL	B	713	1/1	0.70	0.16	98,98,98,98	0
5	EDO	B	718	4/4	0.71	0.15	92,94,100,108	0
5	EDO	C	710	4/4	0.72	0.23	105,108,111,121	0
5	EDO	A	806	4/4	0.72	0.20	91,96,102,106	0
8	PEG	D	804	7/7	0.72	0.29	94,111,120,121	0
5	EDO	C	713	4/4	0.72	0.14	100,101,110,111	0
13	TRS	D	807	8/8	0.74	0.24	60,85,102,103	0
7	GOL	B	701	6/6	0.75	0.21	79,87,110,114	0
7	GOL	B	706	6/6	0.75	0.12	88,96,103,107	0
9	CA	C	707	1/1	0.75	0.32	123,123,123,123	0
5	EDO	B	725	4/4	0.75	0.19	82,89,105,110	0
5	EDO	A	804	4/4	0.76	0.19	80,82,92,94	0
5	EDO	A	820	4/4	0.76	0.30	92,99,107,117	0
9	CA	D	809	1/1	0.77	0.17	163,163,163,163	0
5	EDO	B	714	4/4	0.78	0.19	87,88,93,120	0
5	EDO	B	727	4/4	0.78	0.30	66,91,92,101	0
7	GOL	D	806	6/6	0.78	0.24	93,115,117,119	0
5	EDO	C	709	4/4	0.79	0.22	84,90,98,104	0
5	EDO	D	810	4/4	0.80	0.20	80,100,104,110	0
6	PE4	A	805	10/24	0.80	0.19	94,110,120,121	0
8	PEG	B	703	7/7	0.81	0.19	83,87,108,116	0
5	EDO	C	712	4/4	0.82	0.29	98,100,108,111	0
7	GOL	B	704	6/6	0.82	0.19	90,96,98,104	0
5	EDO	B	715	4/4	0.82	0.22	74,91,94,100	0
9	CA	A	809	1/1	0.83	0.14	125,125,125,125	0
9	CA	C	705	1/1	0.84	0.14	103,103,103,103	0
5	EDO	A	819	4/4	0.84	0.17	83,96,97,100	0
5	EDO	B	719	4/4	0.85	0.21	97,104,106,108	0
5	EDO	B	722	4/4	0.85	0.31	71,75,75,93	0
8	PEG	A	808	7/7	0.86	0.19	83,99,110,130	0
5	EDO	C	703	4/4	0.87	0.26	91,93,94,96	0
5	EDO	B	716	4/4	0.87	0.15	63,72,77,80	0
5	EDO	B	728	4/4	0.88	0.28	72,73,83,89	0
10	CL	A	814	1/1	0.88	0.22	105,105,105,105	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
10	CL	A	813	1/1	0.89	0.15	94,94,94,94	0
5	EDO	A	817	4/4	0.89	0.28	88,91,108,124	0
10	CL	B	709	1/1	0.90	0.11	68,68,68,68	0
10	CL	B	710	1/1	0.90	0.19	78,78,78,78	0
9	CA	A	812	1/1	0.90	0.12	124,124,124,124	0
9	CA	C	706	1/1	0.91	0.11	123,123,123,123	0
9	CA	B	708	1/1	0.91	0.14	122,122,122,122	0
5	EDO	C	714	4/4	0.91	0.18	81,82,83,83	0
9	CA	A	811	1/1	0.92	0.09	118,118,118,118	0
5	EDO	B	720	4/4	0.92	0.14	56,72,80,88	0
5	EDO	A	818	4/4	0.93	0.13	86,93,97,100	0
10	CL	B	711	1/1	0.93	0.12	96,96,96,96	0
5	EDO	B	726	4/4	0.93	0.15	89,93,93,113	0
11	XCC	C	704	9/9	0.94	0.08	55,81,126,128	0
10	CL	C	708	1/1	0.95	0.10	83,83,83,83	0
3	SF4	A	801	8/8	0.97	0.06	99,149,172,181	0
4	NI	A	803	1/1	0.98	0.06	183,183,183,183	0
3	SF4	B	702	8/8	0.99	0.04	53,55,72,74	0
11	XCC	B	705	9/9	0.99	0.04	45,60,75,88	0
4	NI	D	802	1/1	0.99	0.03	75,75,75,75	0
4	NI	D	803	1/1	0.99	0.02	53,53,53,53	0
4	NI	A	802	1/1	0.99	0.04	117,117,117,117	0
3	SF4	C	702	8/8	1.00	0.06	43,52,66,71	0
3	SF4	D	801	8/8	1.00	0.02	70,73,93,94	0
3	SF4	C	701	8/8	1.00	0.04	44,53,59,60	0




The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around ACO D 805:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around PE4 A 805:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around XCC C 704:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NI A 803:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around XCC B 705:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




Electron density around NI D 802:


$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around NI D 803:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.