



# Full wwPDB X-ray Structure Validation Report ⓘ

Jun 17, 2024 – 10:43 PM EDT

PDB ID : 3H49  
Title : Crystal structure of a putative Ribokinase (Apo Form) from E.coli at 1.8Å resolution  
Authors : Satyanarayana, L.; Eswaramoorthy, S.; Burley, S.K.; Swaminathan, S.; New York SGX Research Center for Structural Genomics (NYSGXRC)  
Deposited on : 2009-04-18  
Resolution : 1.80 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	2022.3.0, CSD as543be (2022)
Xtriage (Phenix)	:	1.20.1
EDS	:	2.37.1
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
Refmac	:	5.8.0158
CCP4	:	7.0.044 (Gargrove)
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.37.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 1.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	130704	5950 (1.80-1.80)
Clashscore	141614	6793 (1.80-1.80)
Ramachandran outliers	138981	6697 (1.80-1.80)
Sidechain outliers	138945	6696 (1.80-1.80)
RSRZ outliers	127900	5850 (1.80-1.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	325	<div> <div>7%</div> <div>69%</div> <div>22%</div> <div>6%</div> </div>
1	B	325	<div> <div>5%</div> <div>71%</div> <div>20%</div> <div>8%</div> </div>

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 4901 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ribokinase.

Mol	Chain	Residues	Atoms						ZeroOcc	AltConf	Trace
1	A	307	Total	C	N	O	S	Se	0	0	0
			2321	1463	396	448	8	6			
1	B	299	Total	C	N	O	S	Se	0	0	0
			2269	1432	387	436	8	6			

There are 22 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-1	MSE	-	expression tag	UNP P77493
A	0	SER	-	expression tag	UNP P77493
A	1	LEU	-	expression tag	UNP P77493
A	316	GLU	-	expression tag	UNP P77493
A	317	GLY	-	expression tag	UNP P77493
A	318	HIS	-	expression tag	UNP P77493
A	319	HIS	-	expression tag	UNP P77493
A	320	HIS	-	expression tag	UNP P77493
A	321	HIS	-	expression tag	UNP P77493
A	322	HIS	-	expression tag	UNP P77493
A	323	HIS	-	expression tag	UNP P77493
B	-1	MSE	-	expression tag	UNP P77493
B	0	SER	-	expression tag	UNP P77493
B	1	LEU	-	expression tag	UNP P77493
B	316	GLU	-	expression tag	UNP P77493
B	317	GLY	-	expression tag	UNP P77493
B	318	HIS	-	expression tag	UNP P77493
B	319	HIS	-	expression tag	UNP P77493
B	320	HIS	-	expression tag	UNP P77493
B	321	HIS	-	expression tag	UNP P77493
B	322	HIS	-	expression tag	UNP P77493
B	323	HIS	-	expression tag	UNP P77493


- Molecule 2 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
2	A	152	Total 152	O 152	0	0
2	B	159	Total 159	O 159	0	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

#### • Molecule 1: Ribokinase



#### • Molecule 1: Ribokinase



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	48.09Å 73.72Å 82.15Å 90.00° 96.49° 90.00°	Depositor
Resolution (Å)	34.71 – 1.80 34.71 – 1.80	Depositor EDS
% Data completeness (in resolution range)	94.5 (34.71-1.80) 94.6 (34.71-1.80)	Depositor EDS
$R_{merge}$	0.09	Depositor
$R_{sym}$	0.09	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.34 (at 1.81Å)	Xtriage
Refinement program	CNS 1.1	Depositor
R, $R_{free}$	0.213 , 0.237 0.211 , 0.237	Depositor DCC
$R_{free}$ test set	1984 reflections (3.84%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	20.0	Xtriage
Anisotropy	0.299	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.36 , 43.8	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.51$ , $\langle L^2 \rangle = 0.35$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.95	EDS
Total number of atoms	4901	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	26.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 39.75 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 3.0304e-04. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
1	A	0.32	0/2342	0.62	0/3156
1	B	0.32	0/2289	0.62	0/3081
All	All	0.32	0/4631	0.62	0/6237

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2321	0	2373	84	0
1	B	2269	0	2322	57	0
2	A	152	0	0	21	0
2	B	159	0	0	8	0
All	All	4901	0	4695	141	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 15.

All (141) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:231:ASP:HA	2:A:351:HOH:O	1.57	1.00

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:240:MSE:HE1	1:A:242:MSE:HB2	1.44	1.00
1:A:304:LYS:HA	2:A:426:HOH:O	1.63	0.98
1:B:139:LEU:HD21	1:B:153:LEU:HD22	1.45	0.94
1:B:229:GLY:O	1:B:230:LYS:HB2	1.69	0.93
1:A:252:ALA:HB1	1:A:291:VAL:HB	1.50	0.92
1:A:16:ILE:HG12	1:A:38:MSE:HG2	1.53	0.91
1:A:3:ASN:HD22	1:A:3:ASN:N	1.69	0.90
1:A:304:LYS:HG2	2:A:340:HOH:O	1.74	0.88
1:A:307:GLU:HB2	2:A:426:HOH:O	1.77	0.83
1:A:19:GLN:HB2	1:A:102:VAL:HB	1.60	0.83
1:A:16:ILE:HD11	1:A:38:MSE:HE3	1.59	0.82
1:A:14:VAL:HG11	1:A:38:MSE:HE2	1.63	0.81
1:B:139:LEU:HD22	1:B:157:PHE:CZ	2.18	0.79
1:A:206:LYS:HB3	1:A:211:GLU:HG3	1.65	0.79
1:B:301:LYS:HB3	1:B:304:LYS:HG2	1.65	0.77
1:A:37:ALA:HB2	2:A:439:HOH:O	1.82	0.77
1:B:139:LEU:HD21	1:B:153:LEU:CD2	2.17	0.74
1:B:74:LEU:HD22	1:B:84:ILE:HD12	1.70	0.73
1:A:240:MSE:CE	1:A:242:MSE:HB2	2.18	0.73
1:A:251:THR:HG23	1:A:252:ALA:H	1.58	0.69
1:A:196:ASN:HB3	2:A:457:HOH:O	1.92	0.68
1:B:19:GLN:HB2	1:B:102:VAL:HB	1.74	0.68
1:A:253:ILE:HD12	1:A:294:VAL:HG13	1.75	0.68
1:B:236:LYS:HG3	1:B:241:THR:HG22	1.75	0.68
1:A:3:ASN:OD1	1:A:57:ARG:NH1	2.27	0.67
1:A:254:ASP:OD2	1:A:256:ILE:HG12	1.95	0.67
1:A:196:ASN:HB3	2:A:367:HOH:O	1.97	0.65
1:A:251:THR:HG22	2:A:415:HOH:O	1.97	0.65
1:B:74:LEU:O	1:B:78:ARG:HG3	1.98	0.64
1:A:277:ARG:HB3	1:A:277:ARG:NH1	2.13	0.62
1:A:229:GLY:O	1:A:230:LYS:HB2	2.00	0.62
1:B:298:THR:HG21	1:B:302:ASN:ND2	2.15	0.62
1:A:199:GLU:HG3	2:A:367:HOH:O	2.00	0.62
1:B:301:LYS:HB3	1:B:304:LYS:CG	2.30	0.62
1:A:3:ASN:O	1:A:57:ARG:HB3	2.00	0.61
1:A:35:ARG:HD2	2:A:459:HOH:O	1.99	0.61
1:B:74:LEU:HD21	1:B:87:LEU:HD23	1.83	0.61
1:B:74:LEU:CD2	1:B:87:LEU:HD23	2.31	0.61
1:A:3:ASN:N	1:A:3:ASN:ND2	2.39	0.60
1:B:122:ASN:ND2	1:B:124:ASP:H	2.00	0.60
1:A:173:LYS:HG3	1:A:199:GLU:OE2	2.01	0.59

*Continued on next page...*



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:232:GLY:H	1:A:246:ALA:HB2	1.66	0.59
1:B:49:THR:OG1	1:B:76:HIS:HE1	1.83	0.59
1:A:3:ASN:ND2	2:A:350:HOH:O	2.36	0.58
1:A:211:GLU:HB2	2:A:461:HOH:O	2.03	0.58
1:B:139:LEU:CD2	1:B:153:LEU:HD22	2.26	0.57
1:B:4:LEU:HD22	1:B:134:ALA:HB2	1.87	0.57
1:B:50:ILE:HD13	1:B:261:ASN:HA	1.87	0.57
1:A:229:GLY:O	1:A:230:LYS:CB	2.52	0.56
1:B:59:ALA:HA	1:B:83:ASP:HB3	1.87	0.56
1:A:252:ALA:CB	1:A:291:VAL:HB	2.28	0.56
1:B:300:VAL:HG12	1:B:301:LYS:N	2.21	0.56
1:A:139:LEU:HD23	1:A:142:ILE:HG12	1.87	0.56
1:B:141:SER:N	1:B:170:ASP:OD1	2.39	0.56
1:A:217:LEU:HD11	1:A:236:LYS:HG3	1.87	0.55
1:A:71:GLN:NE2	2:A:435:HOH:O	2.39	0.55
1:A:251:THR:O	1:A:252:ALA:HB3	2.07	0.55
1:A:14:VAL:CG1	1:A:38:MSE:HE2	2.35	0.55
1:A:235:ILE:HG21	1:A:276:LEU:HD21	1.89	0.55
1:B:142:ILE:O	1:B:143:PHE:HB2	2.08	0.54
1:B:229:GLY:O	1:B:230:LYS:CB	2.49	0.54
1:A:201:LYS:HG3	1:A:206:LYS:O	2.08	0.53
1:B:139:LEU:HD22	1:B:157:PHE:HZ	1.72	0.53
1:A:193:LEU:HG	1:A:195:PRO:HD3	1.89	0.53
1:A:10:GLY:HA3	1:A:44:ALA:HB2	1.91	0.52
1:A:175:ARG:NH1	2:A:404:HOH:O	2.41	0.52
1:A:163:ARG:HH11	1:A:163:ARG:HG3	1.74	0.52
1:A:232:GLY:N	1:A:246:ALA:HB2	2.25	0.51
1:A:274:LYS:HB3	1:A:278:GLU:HB2	1.93	0.51
1:B:4:LEU:N	2:B:411:HOH:O	2.43	0.51
1:B:62:SER:HB3	1:B:87:LEU:CD1	2.40	0.51
1:B:144:ASN:HA	1:B:172:ILE:HD11	1.93	0.51
1:A:208:THR:OG1	1:A:211:GLU:HG2	2.11	0.50
1:B:240:MSE:HG2	1:B:241:THR:N	2.25	0.50
1:B:295:GLY:HA2	1:B:302:ASN:HD21	1.78	0.49
1:A:208:THR:O	1:A:212:ILE:HG13	2.13	0.49
1:B:35:ARG:NH1	1:B:37:ALA:HB3	2.28	0.48
1:A:142:ILE:O	1:A:143:PHE:HB2	2.13	0.48
1:A:63:ARG:NH2	2:A:460:HOH:O	2.46	0.48
1:B:292:LEU:O	2:B:439:HOH:O	2.20	0.48
1:A:74:LEU:HD21	1:A:87:LEU:HD22	1.95	0.48
1:B:292:LEU:HD12	2:B:439:HOH:O	2.14	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:173:LYS:HE3	1:A:199:GLU:HG2	1.95	0.47
1:A:63:ARG:HD2	1:A:125:ASP:OD1	2.14	0.47
1:A:141:SER:HB3	1:A:172:ILE:HG23	1.96	0.47
1:B:143:PHE:CE2	1:B:171:MSE:HE2	2.49	0.47
1:A:59:ALA:HA	1:A:83:ASP:HB3	1.97	0.47
1:A:139:LEU:HD22	1:A:153:LEU:HD22	1.97	0.47
1:B:134:ALA:HB3	1:B:165:MSE:HE3	1.96	0.47
1:B:35:ARG:HH11	1:B:37:ALA:HB3	1.80	0.47
1:B:90:ASP:HB3	1:B:93:ILE:HG12	1.97	0.47
1:B:275:ASN:OD1	1:B:278:GLU:HG3	2.15	0.47
1:A:304:LYS:O	1:A:308:GLN:HB2	2.15	0.46
1:B:39:THR:HG23	2:B:342:HOH:O	2.16	0.46
1:B:69:ALA:HB3	1:B:95:THR:HB	1.98	0.45
1:A:108:ARG:HA	2:A:379:HOH:O	2.16	0.45
1:A:139:LEU:CD2	1:A:153:LEU:HD22	2.46	0.45
1:B:45:ILE:HG22	2:B:356:HOH:O	2.15	0.45
1:B:291:VAL:HG13	2:B:437:HOH:O	2.17	0.45
1:A:114:ARG:HH11	1:A:114:ARG:HG3	1.81	0.45
1:A:228:THR:O	1:A:229:GLY:C	2.55	0.45
1:B:144:ASN:HA	1:B:172:ILE:CD1	2.46	0.45
1:A:171:MSE:HE1	1:A:203:LEU:CD2	2.45	0.45
1:B:118:LEU:C	1:B:118:LEU:HD23	2.37	0.45
1:B:122:ASN:HD22	1:B:124:ASP:H	1.64	0.45
1:A:64:ILE:HG13	1:A:89:GLN:HG2	1.97	0.45
1:B:143:PHE:HE2	1:B:171:MSE:HE2	1.82	0.45
1:A:75:ASP:HA	1:A:78:ARG:NH1	2.32	0.45
1:A:144:ASN:HA	1:A:172:ILE:CD1	2.47	0.45
1:A:253:ILE:HD11	1:A:293:SER:HA	1.99	0.44
1:B:10:GLY:HA3	1:B:44:ALA:HB2	2.00	0.44
1:A:251:THR:HG23	1:A:252:ALA:N	2.30	0.44
1:A:56:HIS:HE1	1:A:272:GLU:OE2	2.00	0.43
1:A:250:ILE:HA	2:A:415:HOH:O	2.17	0.43
1:A:254:ASP:CG	1:A:256:ILE:HG12	2.37	0.43
1:A:118:LEU:C	1:A:118:LEU:HD23	2.39	0.43
1:B:131:PHE:HB3	1:B:163:ARG:HD2	2.00	0.43
1:A:35:ARG:NH1	2:A:428:HOH:O	2.50	0.43
1:A:131:PHE:HB3	1:A:163:ARG:HD2	2.01	0.43
1:A:302:ASN:HB2	2:A:340:HOH:O	2.18	0.43
1:A:78:ARG:CZ	1:A:78:ARG:HB2	2.49	0.43
1:A:139:LEU:HD21	1:A:153:LEU:CD2	2.49	0.43
1:A:196:ASN:CB	2:A:367:HOH:O	2.59	0.43

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:122:ASN:HD21	1:B:124:ASP:HB2	1.84	0.43
1:B:285:ALA:HB2	1:B:310:LEU:HD21	2.01	0.42
1:B:175:ARG:O	1:B:176:LEU:HD23	2.19	0.42
1:A:161:LYS:HD3	1:A:161:LYS:HA	1.79	0.42
1:B:141:SER:HB3	1:B:172:ILE:HG23	2.02	0.42
1:B:291:VAL:HA	2:B:437:HOH:O	2.19	0.42
1:A:163:ARG:HG3	1:A:163:ARG:NH1	2.34	0.42
1:B:274:LYS:HB3	1:B:278:GLU:HB2	2.01	0.41
1:B:198:ALA:O	1:B:202:LEU:HD13	2.21	0.41
1:A:131:PHE:CB	1:A:163:ARG:HD2	2.51	0.41
1:A:160:ALA:HB3	1:A:167:ILE:HD11	2.03	0.41
1:B:103:THR:OG1	1:B:107:GLU:HB3	2.21	0.41
1:B:208:THR:O	1:B:212:ILE:HG13	2.21	0.40
1:A:139:LEU:HD21	1:A:153:LEU:HD21	2.03	0.40
1:A:240:MSE:HE2	1:A:241:THR:C	2.41	0.40
1:B:290:SER:HB3	2:B:393:HOH:O	2.20	0.40
1:A:35:ARG:CG	2:A:439:HOH:O	2.70	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	305/325 (94%)	292 (96%)	9 (3%)	4 (1%)	12	3
1	B	295/325 (91%)	284 (96%)	8 (3%)	3 (1%)	15	5
All	All	600/650 (92%)	576 (96%)	17 (3%)	7 (1%)	13	3

All (7) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	B	229	GLY

Continued on next page...

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	230	LYS
1	A	229	GLY
1	A	230	LYS
1	B	141	SER
1	A	141	SER
1	A	303	ARG

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	252/261 (97%)	246 (98%)	6 (2%)	49	36
1	B	247/261 (95%)	246 (100%)	1 (0%)	91	89
All	All	499/522 (96%)	492 (99%)	7 (1%)	67	59

All (7) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	3	ASN
1	A	231	ASP
1	A	240	MSE
1	A	251	THR
1	A	254	ASP
1	A	294	VAL
1	B	240	MSE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (7) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	56	HIS
1	A	71	GLN
1	A	81	ASN
1	A	115	ASN
1	B	76	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	B	122	ASN
1	B	302	ASN

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

### 5.7 Other polymers [i](#)

There are no such residues in this entry.

### 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data

### 6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	A	301/325 (92%)	0.38	24 (7%) 12 9	14, 25, 47, 52	0
1	B	293/325 (90%)	0.12	16 (5%) 25 20	12, 22, 40, 46	0
All	All	594/650 (91%)	0.25	40 (6%) 17 14	12, 23, 44, 52	0

All (40) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	252	ALA	6.5
1	A	253	ILE	6.1
1	A	247	VAL	5.9
1	B	256	ILE	5.3
1	A	308	GLN	4.9
1	A	251	THR	4.7
1	A	3	ASN	4.7
1	A	250	ILE	4.0
1	A	305	LEU	4.0
1	B	104	GLU	3.5
1	A	249	GLY	3.4
1	A	254	ASP	3.3
1	B	300	VAL	3.3
1	A	302	ASN	3.2
1	A	107	GLU	3.2
1	A	105	ASP	3.2
1	A	140	ALA	3.2
1	A	88	LYS	3.1
1	B	238	GLY	3.0
1	B	105	ASP	3.0
1	B	140	ALA	3.0
1	A	197	PHE	2.9
1	B	229	GLY	2.9
1	B	289	ILE	2.7

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
1	A	304	LYS	2.7
1	A	248	ALA	2.6
1	A	230	LYS	2.6
1	B	308	GLN	2.6
1	A	292	LEU	2.4
1	A	229	GLY	2.4
1	B	107	GLU	2.4
1	B	239	ASP	2.3
1	B	255	THR	2.2
1	A	294	VAL	2.2
1	A	104	GLU	2.1
1	B	176	LEU	2.1
1	A	196	ASN	2.0
1	B	304	LYS	2.0
1	B	305	LEU	2.0
1	B	35	ARG	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.