



Full wwPDB EM Validation Report ⓘ

Mar 3, 2025 – 12:44 pm GMT

PDB ID : 9HBY
EMDB ID : EMD-52034
Title : TiLV-NP hexamer (pseudo-C6) (local refinement around 3 TiLV-NPs)
Authors : Arragain, B.; Cusack, S.
Deposited on : 2024-11-08
Resolution : 3.10 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : **FAILED**
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.41


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	A	354	78% 6% 16%
1	C	354	80% 9% 11%
1	D	354	79% 10% 10%
1	E	354	5% 94%
2	M	52	12% 10% 77%
2	N	52	8% 13% 77%
2	O	52	10% 8% 79%

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 7976 atoms, of which 0 are hydrogens and 0 are deuteriums.


In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Tilapia Lake Virus nucleoprotein (segment 4).

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	297	Total	C	N	O	S	0	0
			2286	1440	413	416	17		
1	C	316	Total	C	N	O	S	0	0
			2418	1519	438	444	17		
1	D	317	Total	C	N	O	S	0	0
			2422	1521	439	445	17		
1	E	21	Total	C	N	O	S	0	0
			148	92	26	29	1		

- Molecule 2 is a DNA chain called 40-mer vRNA loop.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	M	12	Total	C	N	O	P	0	0
			240	116	40	72	12		
2	N	12	Total	C	N	O	P	0	0
			240	116	40	72	12		
2	O	11	Total	C	N	O	P	0	0
			222	107	38	66	11		



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	366980	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	40	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: Y5P, P5P

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.24	0/2326	0.47	0/3131
1	C	0.25	0/2460	0.48	0/3315
1	D	0.24	0/2464	0.47	0/3320
1	E	0.24	0/149	0.45	0/200
All	All	0.25	0/7399	0.47	0/9966

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2286	0	2323	12	0
1	C	2418	0	2454	16	0
1	D	2422	0	2457	24	0
1	E	148	0	146	3	0
2	M	240	0	129	3	0
2	N	240	0	129	4	0
2	O	222	0	118	3	0
All	All	7976	0	7756	57	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including

hydrogen atoms). The all-atom clashscore for this structure is 4.

All (57) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:288:GLN:HG2	1:C:292:SER:OG	1.89	0.72
1:D:225:ASN:OD1	1:D:290:THR:OG1	2.04	0.72
1:D:340:SER:OG	1:E:295:LEU:O	2.11	0.68
1:D:244:ILE:HG21	1:D:328:GLN:HG3	1.78	0.65
1:D:321:GLU:OE2	1:E:303:SER:OG	2.16	0.63
1:C:185:ASP:O	1:C:191:TYR:OH	2.17	0.62
1:C:263:ASP:OD1	1:C:264:GLY:N	2.38	0.57
1:C:113:SER:OG	1:C:113:SER:O	2.23	0.56
1:C:59:ASN:ND2	1:C:252:GLU:OE2	2.39	0.56
1:A:113:SER:O	1:A:113:SER:OG	2.21	0.55
1:D:338:GLY:O	1:E:308:SER:OG	2.24	0.55
1:D:185:ASP:O	1:D:191:TYR:OH	2.25	0.53
1:A:59:ASN:ND2	1:A:252:GLU:OE2	2.41	0.52
1:C:283:VAL:HG12	1:C:283:VAL:O	2.09	0.52
1:D:254:LEU:HD13	1:D:341:LEU:HD22	1.94	0.50
1:D:258:ALA:HB2	1:D:266:LEU:HD13	1.93	0.49
1:A:161:VAL:HG21	1:A:199:ALA:HB3	1.93	0.49
1:D:59:ASN:ND2	1:D:252:GLU:OE1	2.45	0.48
1:A:198:ARG:NH1	2:M:7:P5P:O2'	2.46	0.48
1:C:258:ALA:CB	1:C:266:LEU:HD13	2.44	0.48
1:C:161:VAL:HG21	1:C:199:ALA:HB3	1.96	0.48
1:D:84:VAL:HG12	1:D:84:VAL:O	2.14	0.48
1:C:253:LEU:HD23	1:C:270:TRP:HB2	1.95	0.47
1:D:313:THR:HG22	1:D:313:THR:O	2.14	0.47
1:C:44:GLU:HA	1:C:44:GLU:OE1	2.16	0.46
1:A:192:LEU:HD12	1:A:204:VAL:HG22	1.98	0.45
1:D:290:THR:HG23	1:D:291:GLY:N	2.32	0.45
1:D:234:ARG:NH2	1:D:247:GLN:O	2.50	0.45
1:A:258:ALA:HB2	1:A:266:LEU:HD13	1.99	0.45
1:A:84:VAL:O	1:A:84:VAL:HG12	2.18	0.44
1:D:161:VAL:HG21	1:D:199:ALA:HB3	2.00	0.44
1:D:164:GLU:OE1	1:D:196:SER:OG	2.32	0.44
1:D:195:ASP:N	1:D:195:ASP:OD1	2.50	0.43
1:D:258:ALA:CB	1:D:266:LEU:HD13	2.48	0.43
2:M:12:Y5P:H6	2:M:12:Y5P:O5'	2.18	0.43
1:C:313:THR:HG22	1:C:313:THR:O	2.17	0.43
2:N:6:P5P:C2'	2:N:7:P5P:O5'	2.67	0.43
1:C:258:ALA:HB2	1:C:266:LEU:HD13	2.00	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:131:LEU:HD11	2:O:9:Y5P:O4'	2.19	0.42
1:D:252:GLU:O	1:D:256:SER:OG	2.29	0.42
2:N:7:P5P:OP2	2:N:7:P5P:H8	2.19	0.42
1:C:198:ARG:NE	2:N:10:P5P:N1	2.68	0.42
1:D:307:ASP:OD1	1:D:309:ARG:N	2.53	0.42
1:C:131:LEU:HD11	2:N:9:Y5P:O4'	2.19	0.42
1:D:78:ASP:N	1:D:78:ASP:OD1	2.52	0.42
1:D:198:ARG:NE	2:O:8:Y5P:O2'	2.53	0.42
1:A:258:ALA:CB	1:A:266:LEU:HD13	2.50	0.42
1:A:316:THR:OG1	1:A:317:ASN:N	2.53	0.41
1:C:249:THR:HG22	1:C:250:LEU:N	2.35	0.41
1:A:84:VAL:HG13	1:A:92:ARG:HG3	2.01	0.41
1:A:249:THR:HG23	1:A:278:SER:O	2.20	0.41
2:M:7:P5P:OP2	2:M:7:P5P:H8	2.21	0.41
1:A:249:THR:HG22	1:A:250:LEU:N	2.35	0.41
1:D:95:GLU:OE1	1:D:95:GLU:N	2.54	0.41
1:C:192:LEU:HD12	1:C:204:VAL:HG22	2.03	0.41
1:D:87:ALA:HB1	1:D:91:LYS:CG	2.51	0.41
2:O:6:P5P:H3'	2:O:7:P5P:H8	2.04	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	293/354 (83%)	288 (98%)	5 (2%)	0	100	100
1	C	314/354 (89%)	304 (97%)	10 (3%)	0	100	100
1	D	315/354 (89%)	301 (96%)	14 (4%)	0	100	100
1	E	19/354 (5%)	18 (95%)	1 (5%)	0	100	100
All	All	941/1416 (66%)	911 (97%)	30 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	242/285 (85%)	236 (98%)	6 (2%)	42	69
1	C	256/285 (90%)	248 (97%)	8 (3%)	35	63
1	D	256/285 (90%)	250 (98%)	6 (2%)	45	70
1	E	16/285 (6%)	15 (94%)	1 (6%)	15	42
All	All	770/1140 (68%)	749 (97%)	21 (3%)	41	67

All (21) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	58	ASP
1	A	113	SER
1	A	135	MET
1	A	172	SER
1	A	240	HIS
1	A	344	CYS
1	C	120	TRP
1	C	135	MET
1	C	155	SER
1	C	172	SER
1	C	177	ASP
1	C	293	CYS
1	C	337	SER
1	C	344	CYS
1	D	78	ASP
1	D	95	GLU
1	D	195	ASP
1	D	246	ASP
1	D	273	SER
1	D	293	CYS
1	E	293	CYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	154	ASN
1	C	288	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

35 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	Y5P	O	12	2	14,19,20	2.34	1 (7%)	18,26,29	0.98	1 (5%)
2	P5P	O	1	-	16,23,24	1.32	3 (18%)	14,33,36	1.94	2 (14%)
2	P5P	N	3	2	16,23,24	0.78	0	14,33,36	0.73	0
2	P5P	M	4	2	16,23,24	0.78	0	14,33,36	0.73	0
2	Y5P	N	8	2	14,19,20	2.36	1 (7%)	18,26,29	0.99	1 (5%)
2	Y5P	N	2	2	14,19,20	3.71	1 (7%)	18,26,29	0.77	1 (5%)
2	P5P	N	5	2	16,23,24	0.77	0	14,33,36	0.74	0
2	P5P	N	6	2	16,23,24	0.79	0	14,33,36	0.74	0
2	P5P	O	10	2	16,23,24	0.77	0	14,33,36	0.73	0
2	P5P	M	1	2	16,23,24	1.31	3 (18%)	14,33,36	1.95	2 (14%)
2	Y5P	M	2	2	14,19,20	3.68	1 (7%)	18,26,29	0.77	1 (5%)
2	P5P	M	3	2	16,23,24	0.79	0	14,33,36	0.73	0
2	P5P	N	10	2	16,23,24	0.79	0	14,33,36	0.77	0
2	P5P	O	11	2	16,23,24	0.78	0	14,33,36	0.72	0
2	P5P	N	7	2	16,23,24	0.79	0	14,33,36	0.73	0
2	P5P	M	11	2	16,23,24	0.78	0	14,33,36	0.72	0
2	P5P	M	7	2	16,23,24	0.77	0	14,33,36	0.73	0
2	P5P	O	6	2	16,23,24	0.77	0	14,33,36	0.77	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	P5P	M	10	2	16,23,24	0.79	0	14,33,36	0.76	0
2	P5P	N	4	2	16,23,24	0.78	0	14,33,36	0.76	0
2	P5P	O	3	2	16,23,24	0.79	0	14,33,36	0.74	0
2	P5P	M	6	2	16,23,24	0.79	0	14,33,36	0.74	0
2	P5P	O	5	2	16,23,24	0.77	0	14,33,36	0.74	0
2	Y5P	O	8	2	14,19,20	2.33	1 (7%)	18,26,29	0.99	1 (5%)
2	Y5P	O	9	2	14,19,20	2.35	1 (7%)	18,26,29	1.01	1 (5%)
2	Y5P	N	12	2	14,19,20	2.33	1 (7%)	18,26,29	0.99	1 (5%)
2	P5P	O	7	2	16,23,24	0.77	0	14,33,36	0.74	0
2	Y5P	N	9	2	14,19,20	2.38	1 (7%)	18,26,29	0.98	1 (5%)
2	P5P	N	1	2	16,23,24	1.33	3 (18%)	14,33,36	1.95	2 (14%)
2	P5P	O	4	2	16,23,24	0.79	0	14,33,36	0.73	0
2	Y5P	M	9	2	14,19,20	2.34	1 (7%)	18,26,29	1.00	1 (5%)
2	Y5P	M	8	2	14,19,20	2.32	1 (7%)	18,26,29	0.99	1 (5%)
2	P5P	M	5	2	16,23,24	0.79	0	14,33,36	0.74	0
2	P5P	N	11	2	16,23,24	0.78	0	14,33,36	0.74	0
2	Y5P	M	12	2	14,19,20	2.32	1 (7%)	18,26,29	1.00	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	Y5P	O	12	2	-	1/7/33/34	0/2/2/2
2	P5P	O	1	-	-	0/3/25/26	0/3/3/3
2	P5P	N	3	2	-	0/3/25/26	0/3/3/3
2	P5P	M	4	2	-	0/3/25/26	0/3/3/3
2	Y5P	N	8	2	-	2/7/33/34	0/2/2/2
2	Y5P	N	2	2	-	1/7/33/34	0/2/2/2
2	P5P	N	5	2	-	2/3/25/26	0/3/3/3
2	P5P	N	6	2	-	0/3/25/26	0/3/3/3
2	P5P	O	10	2	-	1/3/25/26	0/3/3/3
2	P5P	M	1	2	-	3/3/25/26	0/3/3/3
2	Y5P	M	2	2	-	1/7/33/34	0/2/2/2
2	P5P	M	3	2	-	0/3/25/26	0/3/3/3
2	P5P	N	10	2	-	1/3/25/26	0/3/3/3
2	P5P	O	11	2	-	0/3/25/26	0/3/3/3
2	P5P	N	7	2	-	1/3/25/26	0/3/3/3
2	P5P	M	11	2	-	0/3/25/26	0/3/3/3

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	P5P	M	7	2	-	2/3/25/26	0/3/3/3
2	P5P	O	6	2	-	0/3/25/26	0/3/3/3
2	P5P	M	10	2	-	1/3/25/26	0/3/3/3
2	P5P	N	4	2	-	1/3/25/26	0/3/3/3
2	P5P	O	3	2	-	3/3/25/26	0/3/3/3
2	P5P	M	6	2	-	0/3/25/26	0/3/3/3
2	P5P	O	5	2	-	0/3/25/26	0/3/3/3
2	Y5P	O	8	2	-	2/7/33/34	0/2/2/2
2	Y5P	O	9	2	-	1/7/33/34	0/2/2/2
2	Y5P	N	12	2	-	1/7/33/34	0/2/2/2
2	P5P	O	7	2	-	0/3/25/26	0/3/3/3
2	Y5P	N	9	2	-	1/7/33/34	0/2/2/2
2	P5P	N	1	2	-	3/3/25/26	0/3/3/3
2	P5P	O	4	2	-	0/3/25/26	0/3/3/3
2	Y5P	M	9	2	-	1/7/33/34	0/2/2/2
2	Y5P	M	8	2	-	3/7/33/34	0/2/2/2
2	P5P	M	5	2	-	0/3/25/26	0/3/3/3
2	P5P	N	11	2	-	0/3/25/26	0/3/3/3
2	Y5P	M	12	2	-	1/7/33/34	0/2/2/2

All (20) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	N	2	Y5P	C4-N3	-13.72	1.33	1.46
2	M	2	Y5P	C4-N3	-13.60	1.33	1.46
2	N	9	Y5P	C4-N3	-8.78	1.38	1.46
2	N	8	Y5P	C4-N3	-8.68	1.38	1.46
2	O	9	Y5P	C4-N3	-8.65	1.38	1.46
2	O	12	Y5P	C4-N3	-8.60	1.38	1.46
2	M	9	Y5P	C4-N3	-8.59	1.38	1.46
2	N	12	Y5P	C4-N3	-8.57	1.38	1.46
2	O	8	Y5P	C4-N3	-8.56	1.38	1.46
2	M	12	Y5P	C4-N3	-8.50	1.38	1.46
2	M	8	Y5P	C4-N3	-8.50	1.38	1.46
2	N	1	P5P	C6-N1	4.08	1.39	1.32
2	O	1	P5P	C6-N1	4.05	1.39	1.32
2	M	1	P5P	C6-N1	3.99	1.39	1.32
2	M	1	P5P	C8-N7	-2.11	1.30	1.34
2	N	1	P5P	C8-N7	-2.10	1.31	1.34
2	O	1	P5P	C8-N7	-2.10	1.31	1.34
2	O	1	P5P	C2-N1	2.10	1.37	1.33

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	M	1	P5P	C2-N1	2.10	1.37	1.33
2	N	1	P5P	C2-N1	2.10	1.37	1.33

All (17) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	M	1	P5P	C6-N1-C2	6.45	125.09	115.84
2	O	1	P5P	C6-N1-C2	6.44	125.06	115.84
2	N	1	P5P	C6-N1-C2	6.39	125.00	115.84
2	M	8	Y5P	N1-C2-N3	-3.59	114.81	125.33
2	M	12	Y5P	N1-C2-N3	-3.58	114.83	125.33
2	O	9	Y5P	N1-C2-N3	-3.58	114.84	125.33
2	N	8	Y5P	N1-C2-N3	-3.57	114.86	125.33
2	O	8	Y5P	N1-C2-N3	-3.56	114.88	125.33
2	O	12	Y5P	N1-C2-N3	-3.56	114.89	125.33
2	N	12	Y5P	N1-C2-N3	-3.54	114.94	125.33
2	M	9	Y5P	N1-C2-N3	-3.51	115.04	125.33
2	N	9	Y5P	N1-C2-N3	-3.50	115.06	125.33
2	N	1	P5P	N1-C2-N3	-2.95	123.87	127.65
2	O	1	P5P	N1-C2-N3	-2.92	123.92	127.65
2	M	1	P5P	N1-C2-N3	-2.90	123.94	127.65
2	N	2	Y5P	N1-C2-N3	-2.05	119.31	125.33
2	M	2	Y5P	N1-C2-N3	-2.02	119.39	125.33

There are no chirality outliers.

All (33) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	M	1	P5P	C3'-C4'-C5'-O5'
2	M	2	Y5P	O4'-C1'-N1-C2
2	N	12	Y5P	O4'-C1'-N1-C2
2	N	2	Y5P	O4'-C1'-N1-C2
2	M	8	Y5P	O4'-C1'-N1-C2
2	N	8	Y5P	O4'-C1'-N1-C2
2	O	8	Y5P	O4'-C1'-N1-C2
2	M	12	Y5P	O4'-C1'-N1-C2
2	O	12	Y5P	O4'-C1'-N1-C2
2	N	1	P5P	C4'-C5'-O5'-P
2	M	1	P5P	O4'-C4'-C5'-O5'
2	O	3	P5P	O4'-C4'-C5'-O5'
2	N	1	P5P	C3'-C4'-C5'-O5'
2	M	1	P5P	C4'-C5'-O5'-P

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms
2	N	1	P5P	O4'-C4'-C5'-O5'
2	M	8	Y5P	C3'-C4'-C5'-O5'
2	M	9	Y5P	O4'-C1'-N1-C2
2	N	5	P5P	C3'-C4'-C5'-O5'
2	N	9	Y5P	O4'-C1'-N1-C2
2	O	9	Y5P	O4'-C1'-N1-C2
2	N	7	P5P	C4'-C5'-O5'-P
2	M	8	Y5P	O4'-C4'-C5'-O5'
2	O	3	P5P	C4'-C5'-O5'-P
2	O	3	P5P	C3'-C4'-C5'-O5'
2	M	10	P5P	O4'-C4'-C5'-O5'
2	M	7	P5P	C4'-C5'-O5'-P
2	N	5	P5P	O4'-C4'-C5'-O5'
2	O	8	Y5P	C3'-C4'-C5'-O5'
2	M	7	P5P	O4'-C4'-C5'-O5'
2	N	10	P5P	O4'-C4'-C5'-O5'
2	O	10	P5P	O4'-C4'-C5'-O5'
2	N	4	P5P	C3'-C4'-C5'-O5'
2	N	8	Y5P	C3'-C4'-C5'-O5'

There are no ring outliers.

10 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	N	6	P5P	1	0
2	N	10	P5P	1	0
2	N	7	P5P	2	0
2	M	7	P5P	2	0
2	O	6	P5P	1	0
2	O	8	Y5P	1	0
2	O	9	Y5P	1	0
2	O	7	P5P	1	0
2	N	9	Y5P	1	0
2	M	12	Y5P	1	0

5.5 Carbohydrates

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.