



## Full wwPDB EM Validation Report ⓘ

Nov 4, 2024 – 09:03 PM JST

PDB ID : 8HFR  
EMDB ID : EMD-34725  
Title : NPC-trapped pre-60S particle  
Authors : Li, Z.Q.; Chen, S.J.; Sui, S.F.  
Deposited on : 2022-11-12  
Resolution : 2.64 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113  
MolProbity : 4.02b-467  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 2.64 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	h1	120	
2	g2	121	
3	b3	59	
4	B4	254	
5	V5	137	
6	O6	199	
7	f7	107	

























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	F8	176	
9	v9	486	
10	rA	647	
11	tB	199	
12	cC	105	
13	CD	387	
14	yE	245	
15	UF	121	
16	dG	113	
17	eH	130	
18	xI	212	
19	qJ	175	
20	Bt	184	
20	DK	184	
20	FR	184	
21	LL	199	
22	KM	165	
23	AN	599	
23	CW	599	
23	EX	599	
24	DO	362	
25	RP	189	
26	MQ	138	
27	mS	106	
28	pT	593	





Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	YU	127	
30	vV	518	
31	nY	92	
32	SZ	172	
33	ia	100	
34	Ib	191	
35	Xc	142	
36	xd	261	
37	1e	3396	
38	2f	121	
39	Wg	236	
40	jh	88	
41	li	51	
42	Hj	256	
43	Qk	186	
44	Tl	160	
45	sm	178	
46	3n	158	
47	No	204	
48	zp	106	
49	Zq	136	
50	kr	78	
51	As	217	
52	Gu	244	
53	Pv	184	

Continued on next page...

*Continued from previous page...*

Mol	Chain	Length	Quality of chain
54	aw	149	 99% ..
55	ox	166	 86% 14%
56	Jy	174	 95% • 5%
57	Ez	297	 97% ..

## 2 Entry composition

There are 58 unique types of molecules in this entry. The entry contains 152374 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 60S ribosomal protein L35-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	h1	119	Total	C	N	O	S	0	0
			961	610	185	165	1		

- Molecule 2 is a protein called 60S ribosomal protein L34-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	g2	114	Total	C	N	O	S	0	0
			885	546	180	155	4		

- Molecule 3 is a protein called 60S ribosomal protein L29.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	b3	55	Total	C	N	O	0	0
			422	262	91	69		

- Molecule 4 is a protein called 60S ribosomal protein L2-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	B4	251	Total	C	N	O	S	0	0
			1901	1183	386	331	1		

- Molecule 5 is a protein called 60S ribosomal protein L23-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	V5	136	Total	C	N	O	S	0	0
			990	622	185	176	7		

- Molecule 6 is a protein called 60S ribosomal protein L16-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	O6	197	Total	C	N	O	S	0	0
			1548	1000	288	259	1		

- Molecule 7 is a protein called 60S ribosomal protein L33-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	f7	106	Total	C	N	O	S	0	0
			847	537	165	144	1		

- Molecule 8 is a protein called 60S ribosomal protein L6-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	F8	175	Total	C	N	O	S	0	0
			1241	797	231	212	1		

- Molecule 9 is a protein called Nucleolar GTP-binding protein 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	v9	106	Total	C	N	O	S	0	0
			748	475	134	138	1		

- Molecule 10 is a protein called Nucleolar GTP-binding protein 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	rA	647	Total	C	N	O	S	0	0
			5044	3164	918	938	24		

- Molecule 11 is a protein called Ribosome biogenesis protein RLP24.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	tB	154	Total	C	N	O	S	0	0
			1246	779	245	213	9		

- Molecule 12 is a protein called 60S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	cC	97	Total	C	N	O	S	0	0
			689	440	119	129	1		

- Molecule 13 is a protein called 60S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	CD	386	Total	C	N	O	S	0	0
			2968	1896	572	492	8		

- Molecule 14 is a protein called Eukaryotic translation initiation factor 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	yE	242	Total	C	N	O	S	0	0
			1786	1113	313	354	6		

- Molecule 15 is a protein called 60S ribosomal protein L22-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	UF	115	Total	C	N	O		0	0
			864	560	146	158			

- Molecule 16 is a protein called 60S ribosomal protein L31-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	dG	110	Total	C	N	O	S	0	0
			862	549	167	145	1		

- Molecule 17 is a protein called 60S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	eH	129	Total	C	N	O	S	0	0
			1034	655	207	171	1		

- Molecule 18 is a protein called Shuttling pre-60S factor ECM1.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	xI	65	Total	C	N	O	S	0	0
			524	327	97	99	1		

- Molecule 19 is a protein called Ribosome biogenesis protein ALB1.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	qJ	135	Total	C	N	O		0	0
			1022	640	198	184			

- Molecule 20 is a protein called mRNA transport regulator MTR2.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	DK	165	Total	C	N	O		0	0
			816	486	165	165			
20	FR	165	Total	C	N	O		0	0
			816	486	165	165			
20	Bt	165	Total	C	N	O		0	0
			816	486	165	165			



- Molecule 21 is a protein called 60S ribosomal protein L13-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
21	LL	198	Total	C	N	O	0	0
			1492	934	309	249		

- Molecule 22 is a protein called YEAST 60S ribosomal protein L12-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
22	KM	159	Total	C	N	O	0	0
			796	473	164	159		

- Molecule 23 is a protein called mRNA export factor MEX67.

Mol	Chain	Residues	Atoms				AltConf	Trace
23	AN	371	Total	C	N	O	0	0
			1843	1101	371	371		
23	CW	427	Total	C	N	O	0	0
			2120	1266	427	427		
23	EX	347	Total	C	N	O	0	0
			1725	1031	347	347		

- Molecule 24 is a protein called 60S ribosomal protein L4-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	DO	361	Total	C	N	O	S	0	0
			2675	1688	516	468	3		

- Molecule 25 is a protein called 60S ribosomal protein L19-A.

Mol	Chain	Residues	Atoms				AltConf	Trace
25	RP	188	Total	C	N	O	0	0
			1374	853	290	231		

- Molecule 26 is a protein called 60S ribosomal protein L14-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	MQ	136	Total	C	N	O	S	0	0
			1042	668	197	175	2		

- Molecule 27 is a protein called 60S ribosomal protein L42-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	mS	93	Total	C	N	O	S	0	0
			711	445	142	119	5		

- Molecule 28 is a protein called Probable metalloprotease ARX1.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	pT	580	Total	C	N	O	S	0	0
			4285	2690	746	834	15		

- Molecule 29 is a protein called 60S ribosomal protein L26-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	YU	126	Total	C	N	O	S	0	0
			989	623	192	174			

- Molecule 30 is a protein called 60S ribosomal export protein NMD3.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	vV	245	Total	C	N	O	S	0	0
			1875	1208	317	343	7		

- Molecule 31 is a protein called 60S ribosomal protein L43-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	nY	91	Total	C	N	O	S	0	0
			673	415	136	117	5		

- Molecule 32 is a protein called 60S ribosomal protein L20-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	SZ	171	Total	C	N	O	S	0	0
			1420	916	265	236	3		

- Molecule 33 is a protein called 60S ribosomal protein L36-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	ia	96	Total	C	N	O	S	0	0
			718	448	143	125	2		

- Molecule 34 is a protein called 60S ribosomal protein L9-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	Ib	191	Total	C	N	O	S	0	0
			1446	926	267	250	3		

- Molecule 35 is a protein called 60S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	Xc	123	Total	C	N	O	S	0	0
			963	620	170	171	2		

- Molecule 36 is a protein called Ribosome biogenesis protein NSA2.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	xd	72	Total	C	N	O	S	0	0
			601	373	130	97	1		

- Molecule 37 is a RNA chain called 25S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	1e	3274	Total	C	N	O	P	0	0
			69952	31234	12578	22866	3274		

- Molecule 38 is a RNA chain called 5S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	2f	121	Total	C	N	O	P	0	0
			2579	1152	461	845	121		

- Molecule 39 is a protein called Ribosome assembly factor MRT4.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	Wg	233	Total	C	N	O		0	0
			1190	709	244	237			

- Molecule 40 is a protein called 60S ribosomal protein L37-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	jh	87	Total	C	N	O	S	0	0
			677	411	147	114	5		

- Molecule 41 is a protein called 60S ribosomal protein L39.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	li	50	Total	C	N	O	S	0	0
			433	269	97	65	2		

- Molecule 42 is a protein called 60S ribosomal protein L8-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	Hj	230	Total	C	N	O	S	0	0
			1660	1066	298	294	2		

- Molecule 43 is a protein called 60S ribosomal protein L18-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	Qk	185	Total	C	N	O	S	0	0
			1434	903	289	240	2		

- Molecule 44 is a protein called 60S ribosomal protein L21-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	Tl	160	Total	C	N	O	S	0	0
			1256	790	245	217	4		

- Molecule 45 is a protein called Translation machinery-associated protein 16.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	sm	150	Total	C	N	O	S	0	0
			1036	631	213	190	2		

- Molecule 46 is a RNA chain called 5.8S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	3n	156	Total	C	N	O	P	0	0
			3313	1482	582	1093	156		

- Molecule 47 is a protein called 60S ribosomal protein L15-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	No	203	Total	C	N	O	S	0	0
			1720	1077	361	281	1		

- Molecule 48 is a protein called UPF0642 protein YBL028C.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	zp	88	Total	C	N	O	S	0	0
			668	412	134	121	1		

- Molecule 49 is a protein called 60S ribosomal protein L27-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	Zq	135	Total	C	N	O		0	0
			1052	684	195	173			

- Molecule 50 is a protein called 60S ribosomal protein L38.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	kr	77	Total	C	N	O		0	0
			573	362	106	105			

- Molecule 51 is a protein called YEAST 60S ribosomal protein L1-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	As	217	Total	C	N	O		0	0
			1089	653	218	218			

- Molecule 52 is a protein called 60S ribosomal protein L7-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	Gu	223	Total	C	N	O	S	0	0
			1784	1152	325	306	1		

- Molecule 53 is a protein called 60S ribosomal protein L17-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	Pv	182	Total	C	N	O		0	0
			1383	859	277	247			

- Molecule 54 is a protein called 60S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	aw	148	Total	C	N	O	S	0	0
			1170	746	230	191	3		

- Molecule 55 is a protein called Bud site selection protein 20.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	ox	143	Total	C	N	O	S	0	0
			1147	720	210	214	3		

- Molecule 56 is a protein called 60S ribosomal protein L11-A.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	Jy	166	Total	C	N	O	S	0	0
			1270	792	244	230	4		

- Molecule 57 is a protein called 60S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	Ez	290	Total	C	N	O	S	0	0
			1973	1245	372	355	1		

- Molecule 58 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
58	g2	2	Total	Mg	0
			2	2	
58	B4	1	Total	Mg	0
			1	1	
58	CD	2	Total	Mg	0
			2	2	
58	1e	223	Total	Mg	0
			223	223	
58	2f	1	Total	Mg	0
			1	1	
58	3n	6	Total	Mg	0
			6	6	
58	No	1	Total	Mg	0
			1	1	
58	zp	1	Total	Mg	0
			1	1	

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 60S ribosomal protein L35-A

Chain h1:  99%




- Molecule 2: 60S ribosomal protein L34-A

Chain g2:  94% 6%



- Molecule 3: 60S ribosomal protein L29

Chain b3:  93% 7%




- Molecule 4: 60S ribosomal protein L2-A

Chain B4:  95%



- Molecule 5: 60S ribosomal protein L23-A

Chain V5:  93% 7%



- Molecule 6: 60S ribosomal protein L16-A

Chain O6:  96%





- Molecule 7: 60S ribosomal protein L33-A

Chain f7:  99%







- Molecule 8: 60S ribosomal protein L6-A

Chain F8:  5% 97%




- Molecule 9: Nucleolar GTP-binding protein 2

Chain v9:  21% 78%




- Molecule 10: Nucleolar GTP-binding protein 1



Chain rA:  98%









- Molecule 11: Ribosome biogenesis protein RLP24




- Molecule 12: 60S ribosomal protein L30




- Molecule 13: 60S ribosomal protein L3




- Molecule 14: Eukaryotic translation initiation factor 6



- Molecule 15: 60S ribosomal protein L22-A



- Molecule 16: 60S ribosomal protein L31-A






- Molecule 17: 60S ribosomal protein L32

Chain eH:  99%






- Molecule 18: Shuttling pre-60S factor ECM1

Chain xI:  29% 69%






- Molecule 19: Ribosome biogenesis protein ALB1

Chain qJ:  10% 76% 23%





- Molecule 20: mRNA transport regulator MTR2

Chain DK:  87% 82% 7% 10%





- Molecule 20: mRNA transport regulator MTR2

Chain FR: 




- Molecule 20: mRNA transport regulator MTR2

Chain Bt: 





- Molecule 21: 60S ribosomal protein L13-A

Chain LL: 



- Molecule 22: YEAST 60S ribosomal protein L12-A

Chain KM: 



- Molecule 23: mRNA export factor MEX67

Chain AN: 





Chain DO:  96%



- Molecule 25: 60S ribosomal protein L19-A

Chain RP:  21% 97%





- Molecule 26: 60S ribosomal protein L14-A

Chain MQ:  96%




- Molecule 27: 60S ribosomal protein L42-A

Chain mS:  87% 12%



- Molecule 28: Probable metalloprotease ARX1

Chain pT:  6% 97%



- Molecule 29: 60S ribosomal protein L26-A

Chain YU:  96%



- Molecule 30: 60S ribosomal export protein NMD3

Chain vV:  47% 53%




[illegible]

Chain 1e:

6% 70% 24%



G2823	A2895	U2565	U2349	G2121	A2047	G1984	A1850	G1674	C1508	A1308
G2824	A2896	C2566	C2366	G2122	G2048	G1985	G1851	A1683	U1523	U1309
C2825	A2705	A2569	A2373	U2127	A2049	U1986	C1854	A1683	G1523	G1313
C2836	U2712	U2570	C2374	A2131	C2050	G1987	A1858	U1688	A1524	A1330
A2837	U2713	U2571	G2375	C2132	G2051	C1988	A1864	U1705	U1533	U1331
A2838	G2714	C2572	G2375	U2133	G2052	U1989	A1865	U1705	U1533	A1332
G2839	A2715	G2573	C2383	G2137	C2053	U1990	A1866	U1724	G1536	U1348
C2840	U2716	C2574	G2385	U2140	G2054	G1991	A1867	C1725	A1539	A1350
G2841	U2719	A2581	U2388	U2141	U2055	U1992	C1872	G1730	U1555	U1351
U2842	U2722	C2582	U2388	A2142	G2057	G1993	G1878	A1731	C1556	A1352
C2843	U2493	G2585	G2393	G2146	G2058	G1994	A1879	U1732	A1557	U1353
A2845	A2494	C2586	G2393	C2146	U2059	A1880	U1880	A1741	C1562	G1354
U2846	C2495	A2593	G2400	U2153	U2060	U1880	U1880	U1742	C1563	A1355
A2847	C2496	U2594	A2401	U2153	G2061	A1886	A1886	A1750	U1564	U1356
U2848	U2497	U2595	U2411	A2158	G2062	G1906	G1906	G1751	G1564	G1357
C2849	U2498	G2607	U2411	U2159	G2063	C1907	C1907	A1751	G1566	U1368
U2855	A2502	G2614	A2419	G2160	U2064	G1926	G1926	C1759	U1567	U1368
G2856	U2505	U2617	C2422	C2163	G2006	G1926	G1926	A1760	U1568	A1386
C2857	U2506	C2622	A2443	G2169	G2007	U1937	U1937	C1761	U1569	G1392
U2858	C2507	A2511	C2444	U2176	U2067	G2008	C1951	C1762	U1570	G1392
C2859	A2511	U2626	A2445	C2176	U2068	C2009	G1952	U1763	A1571	A1399
U2860	U2514	G2627	U2446	A2188	G2069	U2010	G1953	U1764	U1572	G1400
U2861	A2515	C2627	U2446	U2189	U2070	U2011	G1954	G1766	C1574	A1419
U2862	U2516	U2629	U2446	U2189	U2071	U2012	U1955	G1767	A1575	U1425
G2863	U2517	C2635	G2450	U2193	A2071	C2013	A1956	G1768	G1577	U1425
A2864	U2635	A2635	G2451	U2205	A2072	U2014	G1957	G1770	C1577	G1434
U2865	U2636	C2638	U2452	U2206	A2073	C2015	U1958	G1778	G1579	C1437
C2867	G2777	G2778	U2453	A2207	C2074	U2016	G1959	C1779	A1580	A1446
U2868	U2778	U2779	U2454	A2208	C2075	G2017	A1960	G1780	C1582	G1447
U2869	U2783	U2784	U2455	G2209	G2076	C2018	G1961	A1797	A1583	U1448
C2870	A2792	A2793	U2456	G2210	U2077	U2019	G1962	G1808	A1587	G1450
A2871	G2793	G2794	U2457	U2211	U2078	A2020	G1963	G1808	A1589	U1455
U2872	U2794	U2795	U2458	A2214	C2079	G2021	C1964	A1813	A1605	U1458
G2873	G2795	G2796	U2459	A2244	U2080	G2022	C1965	A1814	G1604	U1458
U2874	U2796	U2797	U2460	C2248	U2081	C2023	U1966	U1815	C1608	G1466
C2875	G2800	G2801	U2461	G	U2082	G2024	U1967	A1816	U1619	A1481
U2876	A2802	A2803	U2462	G	G2083	G2025	G1968	U1819	U1620	A1482
A2887	U2804	U2805	U2463	A	C2084	A2026	G1969	U1820	U1629	G1487
G2888	U2806	U2807	U2464	A	U2085	C2027	G1970	U1821	A1643	U1494
C2889	C2810	C2811	U2465	A	U2086	U2028	U1971	U1821	C1644	U1495
U2890	U2817	U2818	U2466	A	C2087	A2029	C1971	A1839	G1646	C1496
A2891	A2819	A2820	U2467	A	U2088	U2030	A1972	A1842	C1657	A1503
U2892	U2821	U2822	U2468	C	U2089	U2031	A1973	A1842	C1657	A1503
C2893	U2823	U2824	U2469	A	U2090	U2032	G1974	A1842	C1657	A1503
U2894	U2825	U2826	U2470	A	U2091	U2033	A1975	A1842	C1657	A1503
A2895	U2827	U2828	U2471	A	U2092	C2034	G1976	A1842	C1657	A1503
C2896	U2829	U2830	U2472	A	U2093	G2035	G1977	A1842	C1657	A1503
U2897	U2831	U2832	U2473	A	U2094	U2036	G1978	A1842	C1657	A1503
A2898	U2833	U2834	U2474	A	U2095	G2037	A1979	A1842	C1657	A1503
C2899	U2835	U2836	U2475	A	U2096	G2038	G1980	A1842	C1657	A1503
U2900	U2837	U2838	U2476	A	U2097	C2039	G1981	A1842	C1657	A1503
A2901	U2839	U2840	U2477	A	U2098	U2040	G1982	A1842	C1657	A1503
U2902	U2841	U2842	U2478	A	U2099	U2041	G1983	A1842	C1657	A1503
C2903	U2843	U2844	U2479	A	U2100	U2042	G1984	A1842	C1657	A1503
U2904	U2845	U2846	U2480	A	U2101	U2043	G1985	A1842	C1657	A1503
A2905	U2847	U2848	U2481	A	U2102	U2044	G1986	A1842	C1657	A1503
C2906	U2849	U2850	U2482	A	U2103	U2045	G1987	A1842	C1657	A1503
U2907	U2851	U2852	U2483	A	U2104	U2046	G1988	A1842	C1657	A1503
A2908	U2853	U2854	U2484	A	U2105	U2047	G1989	A1842	C1657	A1503
C2909	U2855	U2856	U2485	A	U2106	U2048	G1990	A1842	C1657	A1503
U2910	U2857	U2858	U2486	A	U2107	U2049	G1991	A1842	C1657	A1503
A2911	U2859	U2860	U2487	A	U2108	U2050	G1992	A1842	C1657	A1503
C2912	U2861	U2862	U2488	A	U2109	U2051	G1993	A1842	C1657	A1503
U2913	U2863	U2864	U2489	A	U2110	U2052	G1994	A1842	C1657	A1503
A2914	U2865	U2866	U2490	A	U2111	U2053	G1995	A1842	C1657	A1503
C2915	U2867	U2868	U2491	A	U2112	U2054	G1996	A1842	C1657	A1503
U2916	U2869	U2870	U2492	A	U2113	U2055	G1997	A1842	C1657	A1503
A2917	U2871	U2872	U2493	A	U2114	U2056	G1998	A1842	C1657	A1503
C2918	U2873	U2874	U2494	A	U2115	U2057	G1999	A1842	C1657	A1503
U2919	U2875	U2876	U2495	A	U2116	U2058	G2000	A1842	C1657	A1503
A2920	U2877	U2878	U2496	A	U2117	U2059	G2001	A1842	C1657	A1503
C2921	U2879	U2880	U2497	A	U2118	U2060	G2002	A1842	C1657	A1503
U2922	U2881	U2882	U2498	A	U2119	U2061	G2003	A1842	C1657	A1503
A2923	U2883	U2884	U2499	A	U2120	U2062	G2004	A1842	C1657	A1503
C2924	U2885	U2886	U2500	A	U2121	U2063	G2005	A1842	C1657	A1503
U2925	U2887	U2888	U2501	A	U2122	U2064	G2006	A1842	C1657	A1503
A2926	U2889	U2890	U2502	A	U2123	U2065	G2007	A1842	C1657	A1503
C2927	U2891	U2892	U2503	A	U2124	U2066	G2008	A1842	C1657	A1503
U2928	U2893	U2894	U2504	A	U2125	U2067	G2009	A1842	C1657	A1503
A2929	U2895	U2896	U2505	A	U2126	U2068	G2010	A1842	C1657	A1503
C2930	U2897	U2898	U2506	A	U2127	U2069	G2011	A1842	C1657	A1503
U2931	U2899	U2900	U2507	A	U2128	U2070	G2012	A1842	C1657	A1503
A2932	U2901	U2902	U2508	A	U2129	U2071	G2013	A1842	C1657	A1503
C2933	U2903	U2904	U2509	A	U2130	U2072	G2014	A1842	C1657	A1503
U2934	U2905	U2906	U2510	A	U2131	U2073	G2015	A1842	C1657	A1503
A2935	U2907	U2908	U2511	A	U2132	U2074	G2016	A1842	C1657	A1503
C2936	U2909	U2910	U2512	A	U2133	U2075	G2017	A1842	C1657	A1503
U2937	U2911	U2912	U2513	A	U2134	U2076	G2018	A1842	C1657	A1503
A2938	U2913	U2914	U2514	A	U2135	U2077	G2019	A1842	C1657	A1503
C2939	U2915	U2916	U2515	A	U2136	U2078	G2020	A1842	C1657	A1503
U2940	U2917	U2918	U2516	A	U2137	U2079	G2021	A1842	C1657	A1503
A2941	U2919	U2920	U2517	A	U2138	U2080	G2022	A1842	C1657	A1503
C2942	U2921	U2922	U2518	A	U2139	U2081	G2023	A1842	C1657	A1503
U2943	U2923	U2924	U2519	A	U2140	U2082	G2024	A1842	C1657	A1503
A2944	U2925	U2926	U2520	A	U2141	U2083	G2025	A1842	C1657	A1503
C2945	U2927	U2928	U2521	A	U2142	U2084	G2026	A1842	C1657	A1503
U2946	U2929	U2930	U2522	A	U2143	U2085	G2027	A1842	C1657	A1503
A2947	U2931	U2932	U2523	A	U2144	U2086	G2028	A1842	C1657	A1503
C2948	U2933	U2934	U2524	A	U2145	U2087	G2029	A1842	C1657	A1503
U2949	U2935	U2936	U2525	A	U2146	U2088	G2030	A1842	C1657	A1503
A2950	U2937	U2938	U2526	A	U2147	U2089	G2031	A1842	C1657	A1503
C2951	U2939	U2940	U2527	A	U2148	U2090	G2032	A1842	C1657	A1503
U2952	U2941	U2942	U2528	A	U2149	U2091	G2033	A1842	C1657	A1503
A2953	U2943	U2944	U2529	A	U2150	U2092	G2034	A1842	C1657	A1503
C2954	U2945	U2946	U2530	A	U2151	U2093	G2035	A1842	C1657	A1503
U2955	U2947	U2948	U2531	A	U2152	U2094	G2036	A1842	C1657	A1503
A2956	U2949	U2950	U2532	A	U2153	U2095	G2037	A1842	C1657	A1503
C2957	U2951	U2952	U2533	A	U2154	U2096	G2038	A1842	C1657	A1503
U2958	U2953	U2954	U2534	A	U2155	U2097	G2039	A1842	C1657	A1503
A2959	U2955	U2956	U2535	A	U2156	U2098	G2040	A1842	C1657	A1503
C2960	U2957	U2958	U2536	A	U2157	U2099	G2041	A1842	C1657	A1503
U2961	U2959	U2960	U2537	A	U2158	U2100	G2042	A1842	C1657	A1503
A2962	U2961	U2962	U2538	A	U2159	U2101	G2043	A1842	C1657	A1503
C2963	U2963	U2964	U2539	A	U2160	U2102	G2044	A1842	C1657	A1503
U2964	U2965	U2966	U2540	A	U2161	U2103	G2045	A1842	C1657	A1503
A2965	U2967	U2968	U2541	A	U2162	U2104	G2046	A1842	C1657	A1503
C2966	U2969	U2970	U2542	A	U2163	U2105				



• Molecule 38: 5S ribosomal RNA

Chain 2f: 83% 14%




• Molecule 39: Ribosome assembly factor MRT4

Chain Wg: 5% 94%



• Molecule 40: 60S ribosomal protein L37-A

Chain jh: 99%




• Molecule 41: 60S ribosomal protein L39

Chain li: 98%



• Molecule 42: 60S ribosomal protein L8-A

Chain Hj: 89% 10%




- Molecule 43: 60S ribosomal protein L18-A

Chain Qk: 99%




- Molecule 44: 60S ribosomal protein L21-A

Chain Tl: 99%



- Molecule 45: Translation machinery-associated protein 16

Chain sm: 26% 82% 16%




- Molecule 46: 5.8S ribosomal RNA

Chain 3n: 77% 20%




- Molecule 47: 60S ribosomal protein L15-A

Chain No: 99%




- Molecule 48: UPF0642 protein YBL028C

Chain zp: 7% 83% 17%



- Molecule 49: 60S ribosomal protein L27-A

Chain Zq: 99% ..




- Molecule 50: 60S ribosomal protein L38

Chain kr: 99% .




- Molecule 51: YEAST 60S ribosomal protein L1-A

Chain As: 15% 94% 5%




- Molecule 52: 60S ribosomal protein L7-A

Chain Gu: 91% 9%



- Molecule 53: 60S ribosomal protein L17-A

Chain Pv: 98% ..





- Molecule 54: 60S ribosomal protein L28

Chain aw: 99% ..



- Molecule 55: Bud site selection protein 20



- Molecule 56: 60S ribosomal protein L11-A



- Molecule 57: 60S ribosomal protein L5



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	86343	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	50	Depositor
Minimum defocus (nm)	1500	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	1.373	Depositor
Minimum map value	-0.495	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.038	Depositor
Recommended contour level	0.12	Depositor
Map size (Å)	534.39996, 534.39996, 534.39996	wwPDB
Map dimensions	800, 800, 800	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.668, 0.668, 0.668	Depositor

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	h1	0.41	0/970	0.51	0/1292
2	g2	0.43	0/895	0.55	0/1198
3	b3	0.33	0/433	0.47	0/583
4	B4	0.40	0/1935	0.60	0/2601
5	V5	0.37	0/1005	0.57	0/1353
6	O6	0.43	0/1578	0.52	0/2119
7	f7	0.45	0/865	0.54	0/1164
8	F8	0.37	0/1261	0.58	1/1715 (0.1%)
9	v9	0.45	0/761	0.59	0/1036
10	rA	0.35	0/5129	0.55	0/6913
11	tB	0.45	1/1268 (0.1%)	0.58	1/1697 (0.1%)
12	cC	0.36	0/697	0.48	0/940
13	CD	0.43	0/3038	0.62	2/4100 (0.0%)
14	yE	0.34	0/1808	0.59	0/2466
15	UF	0.41	0/881	0.60	0/1198
16	dG	0.39	0/876	0.54	0/1180
17	eH	0.40	0/1055	0.59	0/1413
18	xI	0.38	0/529	0.51	0/707
19	qJ	0.33	0/1033	0.54	0/1382
20	Bt	0.31	0/814	0.72	9/1131 (0.8%)
20	DK	0.30	0/814	0.74	9/1131 (0.8%)
20	FR	0.31	0/814	0.74	9/1131 (0.8%)
21	LL	0.37	0/1517	0.52	0/2049
22	KM	0.47	0/796	0.74	9/1103 (0.8%)
23	AN	0.27	0/1841	0.68	16/2567 (0.6%)
23	CW	0.28	0/2116	0.66	17/2947 (0.6%)
23	EX	0.27	0/1722	0.69	16/2400 (0.7%)
24	DO	0.40	0/2727	0.58	0/3703
25	RP	0.37	0/1391	0.47	0/1871
26	MQ	0.39	0/1057	0.60	0/1426
27	mS	0.38	0/722	0.54	0/963
28	pT	0.34	0/4360	0.55	1/5945 (0.0%)

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
29	YU	0.37	0/1000	0.56	0/1336
30	vV	0.32	0/1913	0.56	0/2603
31	nY	0.39	0/680	0.59	0/910
32	SZ	0.40	0/1456	0.54	0/1960
33	ia	0.34	0/723	0.54	0/964
34	Ib	0.38	0/1467	0.56	0/1984
35	Xc	0.45	0/978	0.57	0/1321
36	xd	0.30	0/611	0.45	0/804
37	1e	0.81	0/78291	1.13	443/122066 (0.4%)
38	2f	0.64	0/2883	1.08	15/4491 (0.3%)
39	Wg	0.39	0/1191	0.68	9/1651 (0.5%)
40	jh	0.44	0/692	0.64	0/919
41	li	0.41	0/440	0.58	0/584
42	Hj	0.38	0/1691	0.59	0/2308
43	Qk	0.38	0/1458	0.54	0/1956
44	Tl	0.36	0/1279	0.49	0/1718
45	sm	0.29	0/1043	0.56	2/1403 (0.1%)
46	3n	0.86	0/3702	1.07	9/5764 (0.2%)
47	No	0.43	0/1757	0.54	1/2354 (0.0%)
48	zp	0.35	0/675	0.54	0/898
49	Zq	0.37	0/1078	0.52	0/1453
50	kr	0.32	0/579	0.58	0/785
51	As	0.38	0/1088	0.68	8/1512 (0.5%)
52	Gu	0.41	0/1821	0.54	0/2452
53	Pv	0.39	0/1406	0.53	0/1898
54	aw	0.39	0/1201	0.52	0/1608
55	ox	0.37	0/1167	0.56	0/1574
56	Jy	0.31	0/1288	0.57	0/1728
57	Ez	0.34	0/2012	0.54	2/2750 (0.1%)
All	All	0.64	1/162278 (0.0%)	0.93	579/237178 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
5	V5	0	1
10	rA	0	4
13	CD	0	1
23	AN	0	1
24	DO	0	1

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	#Chirality outliers	#Planarity outliers
28	pT	0	1
36	xd	0	1
42	Hj	0	1
All	All	0	11

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
11	tB	36	CYS	CB-SG	7.33	1.94	1.82

All (579) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	1e	3217	C	N1-C2-O2	14.16	127.40	118.90
37	1e	2050	C	N1-C2-O2	12.91	126.64	118.90
37	1e	3217	C	N3-C2-O2	-11.93	113.55	121.90
37	1e	3217	C	C2-N1-C1'	11.16	131.08	118.80
37	1e	3306	U	N3-C2-O2	-10.21	115.05	122.20
37	1e	3078	U	N1-C2-O2	9.30	129.31	122.80
37	1e	3078	U	N3-C2-O2	-9.26	115.72	122.20
37	1e	2070	U	N1-C2-O2	9.24	129.27	122.80
37	1e	922	U	C2-N1-C1'	9.15	128.68	117.70
37	1e	2537	U	N3-C2-O2	-9.09	115.84	122.20
37	1e	3169	U	N1-C2-O2	8.96	129.07	122.80
37	1e	2050	C	N3-C2-O2	-8.89	115.67	121.90
37	1e	3217	C	C6-N1-C2	-8.82	116.77	120.30
37	1e	2038	C	N1-C2-O2	8.78	124.17	118.90
37	1e	3181	C	N1-C2-O2	8.70	124.12	118.90
37	1e	1007	U	N1-C2-O2	8.68	128.88	122.80
37	1e	1007	U	C2-N1-C1'	8.63	128.05	117.70
37	1e	1269	U	C2-N1-C1'	8.52	127.93	117.70
37	1e	2070	U	N3-C2-O2	-8.52	116.24	122.20
37	1e	2726	C	N3-C2-O2	-8.51	115.94	121.90
37	1e	2652	U	N3-C2-O2	-8.50	116.25	122.20
37	1e	1496	C	C2-N1-C1'	8.40	128.04	118.80
37	1e	3078	U	C2-N1-C1'	8.29	127.65	117.70
37	1e	3181	C	C2-N1-C1'	8.24	127.87	118.80
37	1e	2070	U	C2-N1-C1'	8.22	127.56	117.70
37	1e	1576	G	P-O3'-C3'	8.18	129.52	119.70
37	1e	1578	C	N1-C2-O2	8.18	123.81	118.90
37	1e	2112	U	C2-N1-C1'	8.17	127.50	117.70
37	1e	922	U	N1-C2-O2	8.16	128.52	122.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	1e	1007	U	N3-C2-O2	-8.14	116.50	122.20
37	1e	2015	C	N3-C2-O2	-8.04	116.27	121.90
37	1e	2550	U	N3-C2-O2	-8.04	116.57	122.20
37	1e	406	G	O4'-C1'-N9	8.01	114.61	108.20
37	1e	1555	U	C2-N1-C1'	7.99	127.29	117.70
37	1e	3057	U	N3-C2-O2	-7.98	116.61	122.20
37	1e	78	U	N3-C2-O2	-7.96	116.63	122.20
37	1e	2849	C	N1-C2-O2	7.96	123.67	118.90
37	1e	835	G	O4'-C1'-N9	7.95	114.56	108.20
37	1e	3389	U	N1-C2-O2	7.94	128.36	122.80
37	1e	2531	C	N1-C2-O2	7.94	123.66	118.90
37	1e	2726	C	N1-C2-O2	7.84	123.61	118.90
37	1e	734	C	N1-C2-O2	7.84	123.61	118.90
37	1e	2090	U	C2-N1-C1'	7.83	127.10	117.70
37	1e	3389	U	N3-C2-O2	-7.83	116.72	122.20
38	2f	44	C	N1-C2-O2	7.79	123.57	118.90
37	1e	97	U	N3-C2-O2	-7.78	116.75	122.20
37	1e	3389	U	C2-N1-C1'	7.71	126.95	117.70
37	1e	2090	U	N1-C2-O2	7.70	128.19	122.80
38	2f	105	C	N1-C2-O2	7.70	123.52	118.90
37	1e	922	U	N3-C2-O2	-7.69	116.82	122.20
37	1e	3181	C	N3-C2-O2	-7.68	116.53	121.90
37	1e	2726	C	C2-N1-C1'	7.66	127.22	118.80
37	1e	3306	U	C2-N1-C1'	7.64	126.87	117.70
37	1e	1819	U	N1-C2-O2	7.61	128.13	122.80
37	1e	2537	U	N1-C2-O2	7.59	128.12	122.80
46	3n	125	U	C2-N1-C1'	7.59	126.81	117.70
37	1e	2068	U	N1-C2-O2	7.58	128.11	122.80
37	1e	2899	C	C2-N1-C1'	7.57	127.13	118.80
37	1e	2015	C	N1-C2-O2	7.51	123.41	118.90
37	1e	1448	U	N3-C2-O2	-7.47	116.97	122.20
37	1e	2112	U	N1-C2-O2	7.46	128.02	122.80
37	1e	2550	U	N1-C2-O2	7.42	127.99	122.80
37	1e	3169	U	N3-C2-O2	-7.41	117.02	122.20
37	1e	3166	C	N1-C2-O2	7.39	123.33	118.90
37	1e	3214	U	C2-N1-C1'	7.39	126.56	117.70
37	1e	2039	C	C6-N1-C2	-7.36	117.36	120.30
37	1e	2112	U	N3-C2-O2	-7.34	117.06	122.20
37	1e	3217	C	C6-N1-C1'	-7.34	111.99	120.80
11	tB	36	CYS	CA-CB-SG	7.34	127.21	114.00
37	1e	1349	G	N3-C4-C5	-7.31	124.95	128.60
37	1e	1608	C	C2-N1-C1'	7.25	126.78	118.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	1e	2466	G	N3-C4-N9	7.25	130.35	126.00
20	FR	89	PRO	N-CA-CB	7.25	112.00	103.30
37	1e	2541	U	P-O3'-C3'	7.22	128.37	119.70
37	1e	2068	U	N3-C2-O2	-7.21	117.15	122.20
46	3n	64	U	N3-C2-O2	-7.20	117.16	122.20
37	1e	2899	C	N1-C2-O2	7.18	123.21	118.90
37	1e	2899	C	N3-C2-O2	-7.15	116.89	121.90
37	1e	2550	U	C2-N1-C1'	7.14	126.26	117.70
37	1e	2638	C	N1-C2-O2	7.08	123.15	118.90
37	1e	270	U	N3-C2-O2	-7.08	117.25	122.20
37	1e	1496	C	C6-N1-C2	-7.07	117.47	120.30
37	1e	3306	U	N1-C2-O2	7.07	127.75	122.80
37	1e	2980	U	N3-C2-O2	-7.07	117.25	122.20
37	1e	1555	U	N1-C2-O2	7.07	127.75	122.80
37	1e	3285	C	C5-C6-N1	7.07	124.53	121.00
37	1e	1578	C	N3-C2-O2	-7.06	116.96	121.90
37	1e	2038	C	N3-C2-O2	-7.05	116.97	121.90
37	1e	2849	C	C2-N1-C1'	7.04	126.54	118.80
13	CD	94	GLU	C-N-CA	7.03	139.28	121.70
37	1e	3058	U	C2-N1-C1'	7.03	126.13	117.70
37	1e	3131	U	C2-N1-C1'	7.03	126.13	117.70
37	1e	1604	G	C4-N9-C1'	7.02	135.62	126.50
37	1e	1029	G	O4'-C1'-N9	7.02	113.81	108.20
37	1e	3300	U	N3-C2-O2	-7.02	117.29	122.20
37	1e	1038	C	P-O3'-C3'	7.01	128.11	119.70
37	1e	2928	C	C2-N1-C1'	7.01	126.51	118.80
37	1e	1815	U	P-O3'-C3'	7.00	128.10	119.70
37	1e	1027	A	P-O3'-C3'	6.97	128.06	119.70
37	1e	2537	U	C6-N1-C2	-6.94	116.83	121.00
37	1e	3057	U	N1-C2-O2	6.92	127.65	122.80
37	1e	1269	U	N1-C2-O2	6.91	127.64	122.80
37	1e	2029	A	P-O3'-C3'	6.85	127.92	119.70
37	1e	1239	C	C2-N1-C1'	6.83	126.31	118.80
37	1e	2565	U	N1-C2-O2	6.83	127.58	122.80
37	1e	1495	U	N1-C2-N3	6.79	118.98	114.90
37	1e	3104	U	N1-C2-O2	6.79	127.56	122.80
37	1e	1349	G	N3-C4-N9	6.79	130.07	126.00
37	1e	1872	C	N3-C2-O2	-6.78	117.15	121.90
37	1e	2726	C	C6-N1-C2	-6.78	117.59	120.30
37	1e	113	C	C2-N1-C1'	6.72	126.20	118.80
37	1e	3355	U	C2-N1-C1'	6.72	125.77	117.70
37	1e	1115	G	C4-N9-C1'	6.71	135.23	126.50

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	1e	2531	C	N3-C2-O2	-6.71	117.20	121.90
37	1e	3048	A	O4'-C1'-N9	6.71	113.57	108.20
37	1e	2078	C	N1-C2-O2	6.70	122.92	118.90
37	1e	3214	U	N3-C2-O2	-6.69	117.52	122.20
37	1e	2050	C	C5-C6-N1	6.69	124.34	121.00
37	1e	2132	C	C6-N1-C2	-6.69	117.62	120.30
37	1e	1269	U	N3-C2-O2	-6.68	117.52	122.20
37	1e	1872	C	N1-C2-O2	6.68	122.91	118.90
37	1e	2466	G	C4-N9-C1'	6.66	135.16	126.50
37	1e	2466	G	C6-C5-N7	-6.66	126.40	130.40
37	1e	865	U	N1-C2-O2	6.64	127.45	122.80
37	1e	1496	C	C5-C6-N1	6.64	124.32	121.00
37	1e	2716	U	N3-C2-O2	-6.63	117.56	122.20
37	1e	2083	G	C4-N9-C1'	6.62	135.11	126.50
37	1e	1349	G	C4-N9-C1'	6.62	135.10	126.50
37	1e	1555	U	N3-C2-O2	-6.61	117.58	122.20
38	2f	26	C	N1-C2-O2	6.59	122.85	118.90
37	1e	2899	C	C6-N1-C2	-6.58	117.67	120.30
37	1e	2083	G	N3-C4-C5	-6.57	125.32	128.60
37	1e	2065	U	C2-N1-C1'	6.56	125.57	117.70
37	1e	1819	U	C2-N1-C1'	6.56	125.57	117.70
37	1e	2652	U	N1-C2-O2	6.55	127.39	122.80
37	1e	743	C	N1-C2-O2	6.55	122.83	118.90
37	1e	2466	G	C8-N9-C1'	-6.55	118.48	127.00
37	1e	270	U	N1-C2-O2	6.53	127.37	122.80
37	1e	1034	U	C2-N1-C1'	6.53	125.54	117.70
39	Wg	150	PRO	N-CA-CB	6.51	111.12	103.30
46	3n	125	U	N1-C2-O2	6.51	127.36	122.80
37	1e	3228	C	P-O3'-C3'	6.51	127.51	119.70
46	3n	100	U	C2-N1-C1'	6.50	125.51	117.70
20	DK	89	PRO	N-CA-CB	6.50	111.09	103.30
37	1e	1097	G	P-O3'-C3'	6.50	127.50	119.70
37	1e	865	U	N3-C2-O2	-6.49	117.66	122.20
37	1e	3058	U	N1-C2-O2	6.49	127.34	122.80
37	1e	1608	C	N1-C2-O2	6.45	122.77	118.90
39	Wg	185	PRO	N-CA-CB	6.45	111.03	103.30
20	FR	137	PRO	N-CA-CB	6.44	111.03	103.30
37	1e	2980	U	N1-C2-O2	6.43	127.30	122.80
37	1e	411	U	N3-C2-O2	-6.43	117.70	122.20
37	1e	1819	U	N3-C2-O2	-6.42	117.70	122.20
37	1e	2722	U	N3-C2-O2	-6.41	117.71	122.20
37	1e	3181	C	C6-N1-C2	-6.41	117.74	120.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	1e	3169	U	C5-C4-O4	6.40	129.74	125.90
37	1e	979	U	N3-C2-O2	-6.39	117.73	122.20
37	1e	3217	C	C5-C6-N1	6.37	124.19	121.00
37	1e	916	G	P-O3'-C3'	6.37	127.34	119.70
23	AN	369	PRO	N-CA-CB	6.34	110.91	103.30
37	1e	1496	C	N1-C2-O2	6.34	122.70	118.90
37	1e	1764	U	N3-C2-O2	-6.33	117.77	122.20
37	1e	3265	C	C2-N1-C1'	6.33	125.77	118.80
37	1e	2078	C	C2-N1-C1'	6.33	125.76	118.80
37	1e	2585	G	N3-C4-C5	-6.32	125.44	128.60
37	1e	2083	G	N3-C4-N9	6.31	129.79	126.00
37	1e	2629	U	N3-C2-O2	-6.29	117.79	122.20
37	1e	1155	C	C2-N1-C1'	6.29	125.72	118.80
37	1e	986	U	N3-C2-O2	-6.29	117.80	122.20
37	1e	1095	U	P-O3'-C3'	6.29	127.24	119.70
37	1e	743	C	N3-C2-O2	-6.28	117.50	121.90
37	1e	2090	U	N3-C2-O2	-6.28	117.80	122.20
37	1e	2349	U	N3-C2-O2	-6.27	117.81	122.20
37	1e	2056	U	O5'-P-OP1	-6.26	100.07	105.70
20	Bt	137	PRO	N-CA-CB	6.25	110.79	103.30
37	1e	2565	U	N3-C2-O2	-6.24	117.83	122.20
37	1e	2849	C	N3-C2-O2	-6.23	117.54	121.90
37	1e	3171	U	P-O3'-C3'	6.22	127.16	119.70
23	CW	329	PRO	N-CA-CB	6.22	110.76	103.30
37	1e	2063	U	C5-C6-N1	6.21	125.81	122.70
37	1e	2366	C	C2-N1-C1'	6.21	125.62	118.80
20	Bt	119	PRO	N-CA-CB	6.19	110.73	103.30
20	FR	58	PRO	N-CA-CB	6.19	110.72	103.30
23	EX	453	PRO	N-CA-CB	6.18	110.71	103.30
38	2f	31	U	N3-C2-O2	-6.18	117.88	122.20
37	1e	734	C	N3-C2-O2	-6.17	117.58	121.90
22	KM	89	PRO	N-CA-CB	6.17	110.71	103.30
37	1e	1248	C	N1-C2-O2	6.17	122.60	118.90
37	1e	2856	G	N3-C4-N9	6.16	129.70	126.00
37	1e	2873	U	C2-N1-C1'	6.16	125.09	117.70
37	1e	177	U	N3-C2-O2	-6.16	117.89	122.20
37	1e	2189	U	N3-C2-O2	-6.15	117.90	122.20
37	1e	3104	U	N3-C2-O2	-6.15	117.90	122.20
37	1e	1604	G	N3-C4-C5	-6.13	125.53	128.60
37	1e	2133	U	N3-C2-O2	-6.13	117.91	122.20
20	DK	177	PRO	N-CA-CB	6.12	110.65	103.30
37	1e	524	U	N3-C2-O2	-6.12	117.92	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	1e	113	C	C6-N1-C2	-6.11	117.86	120.30
37	1e	2006	G	N3-C4-N9	6.11	129.66	126.00
37	1e	2537	U	O4'-C1'-N1	6.10	113.08	108.20
23	EX	369	PRO	N-CA-CB	6.09	110.61	103.30
46	3n	64	U	N1-C2-O2	6.08	127.06	122.80
20	DK	143	PRO	N-CA-CB	6.08	110.59	103.30
37	1e	2477	G	N3-C4-N9	6.07	129.65	126.00
37	1e	1495	U	C4-C5-C6	6.07	123.34	119.70
20	FR	143	PRO	N-CA-CB	6.06	110.57	103.30
37	1e	1064	A	P-O3'-C3'	6.04	126.95	119.70
37	1e	379	C	C6-N1-C2	-6.04	117.88	120.30
20	Bt	58	PRO	N-CA-CB	6.04	110.55	103.30
37	1e	3078	U	P-O3'-C3'	6.04	126.95	119.70
37	1e	543	C	N1-C2-O2	6.03	122.52	118.90
37	1e	2983	C	C2-N1-C1'	6.03	125.43	118.80
22	KM	163	PRO	N-CA-CB	6.03	110.53	103.30
23	AN	409	PRO	N-CA-CB	6.01	110.51	103.30
23	AN	319	PRO	N-CA-CB	6.01	110.51	103.30
37	1e	2207	A	O4'-C1'-N9	6.01	113.01	108.20
20	Bt	89	PRO	N-CA-CB	6.00	110.50	103.30
37	1e	2101	C	P-O3'-C3'	6.00	126.89	119.70
20	DK	139	PRO	N-CA-CB	6.00	110.49	103.30
37	1e	541	U	N3-C2-O2	-5.99	118.00	122.20
20	DK	58	PRO	N-CA-CB	5.99	110.48	103.30
37	1e	1764	U	C2-N1-C1'	5.98	124.88	117.70
37	1e	524	U	N1-C2-O2	5.97	126.98	122.80
37	1e	2980	U	C2-N1-C1'	5.97	124.86	117.70
37	1e	2638	C	N3-C2-O2	-5.97	117.72	121.90
37	1e	3269	U	P-O3'-C3'	5.97	126.86	119.70
37	1e	2189	U	N1-C2-O2	5.96	126.97	122.80
37	1e	3196	U	N3-C2-O2	-5.95	118.03	122.20
37	1e	2861	U	N1-C2-O2	5.95	126.97	122.80
37	1e	1953	G	P-O3'-C3'	5.95	126.83	119.70
37	1e	3214	U	N1-C2-O2	5.95	126.96	122.80
37	1e	1034	U	N1-C2-O2	5.94	126.96	122.80
38	2f	44	C	N3-C2-O2	-5.94	117.74	121.90
23	CW	409	PRO	N-CA-CB	5.94	110.43	103.30
51	As	59	PRO	N-CA-CB	5.93	110.42	103.30
23	CW	453	PRO	N-CA-CB	5.93	110.41	103.30
37	1e	922	U	C6-N1-C1'	-5.93	112.90	121.20
37	1e	979	U	P-O3'-C3'	5.93	126.81	119.70
37	1e	1764	U	N1-C2-O2	5.92	126.95	122.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	1e	1645	U	N3-C2-O2	-5.92	118.05	122.20
37	1e	3166	C	N3-C2-O2	-5.92	117.76	121.90
37	1e	78	U	N1-C2-O2	5.92	126.94	122.80
37	1e	36	C	N1-C2-O2	5.92	122.45	118.90
37	1e	142	C	C6-N1-C2	-5.91	117.93	120.30
37	1e	1034	U	N3-C2-O2	-5.91	118.06	122.20
37	1e	2078	C	N3-C2-O2	-5.90	117.77	121.90
23	EX	225	PRO	N-CA-CB	5.90	110.38	103.30
37	1e	1124	U	N1-C2-O2	5.90	126.93	122.80
37	1e	1878	G	C4-N9-C1'	5.90	134.16	126.50
37	1e	2928	C	C6-N1-C2	-5.89	117.94	120.30
37	1e	2582	C	C2-N1-C1'	5.89	125.28	118.80
37	1e	166	C	C2-N1-C1'	5.88	125.27	118.80
37	1e	3218	A	P-O3'-C3'	5.88	126.76	119.70
23	AN	390	PRO	N-CA-CB	5.88	110.36	103.30
38	2f	105	C	N3-C2-O2	-5.87	117.79	121.90
37	1e	1269	U	C6-N1-C1'	-5.87	112.98	121.20
23	CW	264	PRO	N-CA-CB	5.86	110.34	103.30
37	1e	2992	U	N3-C2-O2	-5.86	118.09	122.20
23	AN	453	PRO	N-CA-CB	5.86	110.33	103.30
37	1e	1604	G	N3-C4-N9	5.86	129.51	126.00
20	Bt	143	PRO	N-CA-CB	5.85	110.33	103.30
20	FR	177	PRO	N-CA-CB	5.85	110.32	103.30
23	EX	409	PRO	N-CA-CB	5.84	110.31	103.30
37	1e	2479	C	C6-N1-C2	-5.84	117.97	120.30
20	DK	119	PRO	N-CA-CB	5.83	110.30	103.30
20	FR	119	PRO	N-CA-CB	5.83	110.30	103.30
22	KM	88	PRO	N-CA-CB	5.82	110.29	103.30
23	EX	329	PRO	N-CA-CB	5.82	110.29	103.30
37	1e	3058	U	N3-C2-O2	-5.82	118.12	122.20
23	AN	329	PRO	N-CA-CB	5.81	110.27	103.30
37	1e	1355	A	P-O3'-C3'	5.80	126.66	119.70
37	1e	2537	U	C5-C6-N1	5.80	125.60	122.70
37	1e	915	A	C2-N3-C4	5.80	113.50	110.60
37	1e	2050	C	C2-N1-C1'	5.79	125.17	118.80
37	1e	3196	U	C6-N1-C2	-5.79	117.53	121.00
37	1e	1155	C	C6-N1-C2	-5.78	117.99	120.30
37	1e	2840	C	C6-N1-C2	-5.78	117.99	120.30
23	CW	318	PRO	N-CA-CB	5.78	110.24	103.30
37	1e	97	U	N1-C2-O2	5.78	126.84	122.80
37	1e	2766	U	N3-C2-O2	-5.78	118.16	122.20
23	EX	319	PRO	N-CA-CB	5.77	110.22	103.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
22	KM	34	PRO	N-CA-CB	5.76	110.22	103.30
37	1e	1448	U	N1-C2-O2	5.76	126.83	122.80
37	1e	734	C	C2-N1-C1'	5.76	125.14	118.80
20	Bt	177	PRO	N-CA-CB	5.76	110.21	103.30
37	1e	2716	U	N1-C2-O2	5.76	126.83	122.80
37	1e	1368	U	N1-C2-O2	5.75	126.83	122.80
51	As	212	PRO	N-CA-CB	5.75	110.20	103.30
37	1e	1115	G	C8-N9-C1'	-5.75	119.52	127.00
28	pT	574	PRO	N-CA-CB	5.75	110.20	103.30
22	KM	39	PRO	N-CA-CB	5.75	110.20	103.30
39	Wg	138	PRO	N-CA-CB	5.75	110.19	103.30
37	1e	142	C	N1-C2-O2	5.75	122.35	118.90
38	2f	26	C	N3-C2-O2	-5.74	117.88	121.90
37	1e	2537	U	P-O3'-C3'	5.74	126.58	119.70
20	DK	33	PRO	N-CA-CB	5.74	110.18	103.30
37	1e	3355	U	N1-C2-O2	5.73	126.81	122.80
46	3n	125	U	N3-C2-O2	-5.73	118.19	122.20
37	1e	1851	G	N3-C4-N9	5.72	129.43	126.00
51	As	43	PRO	N-CA-CB	5.72	110.17	103.30
23	CW	319	PRO	N-CA-CB	5.72	110.17	103.30
37	1e	2132	C	N3-C2-O2	-5.72	117.90	121.90
37	1e	2336	U	N3-C2-O2	-5.72	118.20	122.20
23	CW	150	PRO	N-CA-CB	5.72	110.16	103.30
37	1e	1604	G	C8-N9-C1'	-5.71	119.58	127.00
8	F8	123	PRO	N-CA-CB	5.71	110.15	103.30
37	1e	541	U	N1-C2-O2	5.71	126.80	122.80
37	1e	897	U	N3-C2-O2	-5.71	118.20	122.20
20	Bt	47	PRO	N-CA-CB	5.71	110.15	103.30
37	1e	2546	C	C5-C6-N1	5.70	123.85	121.00
37	1e	895	A	N7-C8-N9	5.70	116.65	113.80
23	AN	318	PRO	N-CA-CB	5.69	110.13	103.30
37	1e	2840	C	C5-C6-N1	5.69	123.85	121.00
37	1e	944	C	C6-N1-C2	-5.69	118.02	120.30
37	1e	2571	U	O4'-C1'-N1	-5.69	103.65	108.20
38	2f	73	C	C6-N1-C2	-5.69	118.02	120.30
37	1e	1222	G	O4'-C1'-N9	5.69	112.75	108.20
37	1e	2137	U	C2-N1-C1'	5.69	124.52	117.70
23	EX	379	PRO	N-CA-CB	5.68	110.12	103.30
37	1e	1573	G	N3-C4-N9	5.68	129.41	126.00
37	1e	2552	C	C2-N1-C1'	5.68	125.05	118.80
37	1e	3037	U	N3-C2-O2	-5.68	118.22	122.20
51	As	137	PRO	N-CA-CB	5.68	110.11	103.30

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	1e	2050	C	C6-N1-C2	-5.68	118.03	120.30
20	Bt	33	PRO	N-CA-CB	5.67	110.11	103.30
37	1e	2840	C	N1-C2-O2	5.67	122.30	118.90
38	2f	106	U	N3-C2-O2	-5.67	118.23	122.20
39	Wg	156	PRO	N-CA-CB	5.67	110.10	103.30
20	FR	47	PRO	N-CA-CB	5.67	110.10	103.30
37	1e	3300	U	N1-C2-O2	5.67	126.77	122.80
37	1e	1425	U	N3-C2-O2	-5.67	118.23	122.20
37	1e	2856	G	N3-C4-C5	-5.66	125.77	128.60
23	CW	379	PRO	N-CA-CB	5.66	110.09	103.30
23	CW	369	PRO	N-CA-CB	5.66	110.09	103.30
37	1e	2622	C	N1-C2-O2	5.65	122.29	118.90
37	1e	1565	G	C4-N9-C1'	5.64	133.84	126.50
37	1e	1190	A	C4-N9-C1'	5.64	136.46	126.30
37	1e	1573	G	C4-N9-C1'	5.64	133.84	126.50
23	AN	241	PRO	N-CA-CB	5.64	110.07	103.30
37	1e	1620	U	N1-C2-O2	5.64	126.75	122.80
37	1e	2176	U	N3-C2-O2	-5.64	118.25	122.20
39	Wg	172	PRO	N-CA-CB	5.63	110.06	103.30
57	Ez	255	PRO	N-CA-CB	5.63	110.05	103.30
23	EX	318	PRO	N-CA-CB	5.62	110.04	103.30
37	1e	2629	U	N1-C2-O2	5.62	126.73	122.80
37	1e	3034	C	N1-C2-O2	5.61	122.27	118.90
20	DK	137	PRO	N-CA-CB	5.61	110.03	103.30
37	1e	1190	A	C2-N3-C4	5.61	113.41	110.60
20	Bt	139	PRO	N-CA-CB	5.61	110.03	103.30
20	FR	139	PRO	N-CA-CB	5.61	110.03	103.30
23	EX	241	PRO	N-CA-CB	5.61	110.03	103.30
23	EX	305	PRO	N-CA-CB	5.61	110.03	103.30
37	1e	1578	C	C6-N1-C2	-5.61	118.06	120.30
37	1e	1578	C	C2-N1-C1'	5.60	124.97	118.80
37	1e	2477	G	N3-C4-C5	-5.60	125.80	128.60
37	1e	2606	G	N3-C4-C5	-5.60	125.80	128.60
37	1e	1525	G	C4-N9-C1'	5.60	133.78	126.50
23	EX	131	PRO	N-CA-CB	5.59	110.01	103.30
37	1e	2904	U	N1-C2-O2	5.59	126.71	122.80
23	CW	305	PRO	N-CA-CB	5.58	110.00	103.30
23	AN	188	PRO	N-CA-CB	5.58	110.00	103.30
23	CW	58	PRO	N-CA-CB	5.58	110.00	103.30
37	1e	1907	C	N1-C2-O2	5.58	122.25	118.90
23	EX	117	PRO	N-CA-CB	5.57	109.99	103.30
37	1e	354	U	N1-C2-O2	5.57	126.70	122.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	1e	3166	C	C6-N1-C2	-5.57	118.07	120.30
37	1e	1508	C	N1-C2-O2	5.57	122.24	118.90
37	1e	2898	G	P-O3'-C3'	5.57	126.38	119.70
38	2f	96	U	N3-C2-O2	-5.56	118.31	122.20
23	AN	225	PRO	N-CA-CB	5.56	109.97	103.30
23	EX	390	PRO	N-CA-CB	5.56	109.97	103.30
23	CW	390	PRO	N-CA-CB	5.56	109.97	103.30
37	1e	1237	G	N3-C4-N9	5.55	129.33	126.00
37	1e	2764	C	N3-C2-O2	-5.55	118.01	121.90
37	1e	2477	G	C4-N9-C1'	5.55	133.72	126.50
37	1e	2768	U	N3-C2-O2	-5.55	118.31	122.20
23	EX	264	PRO	N-CA-CB	5.55	109.96	103.30
37	1e	36	C	N3-C2-O2	-5.55	118.02	121.90
37	1e	979	U	N1-C2-O2	5.55	126.68	122.80
23	CW	117	PRO	N-CA-CB	5.54	109.95	103.30
23	AN	264	PRO	N-CA-CB	5.54	109.95	103.30
37	1e	1122	U	N3-C2-O2	-5.54	118.32	122.20
37	1e	3155	U	N1-C2-O2	5.54	126.68	122.80
37	1e	1907	C	N3-C2-O2	-5.54	118.02	121.90
37	1e	2070	U	C5-C6-N1	5.54	125.47	122.70
37	1e	192	C	C2-N1-C1'	5.54	124.89	118.80
37	1e	1007	U	C6-N1-C1'	-5.54	113.45	121.20
23	CW	225	PRO	N-CA-CB	5.53	109.94	103.30
37	1e	3131	U	N1-C2-O2	5.53	126.67	122.80
37	1e	3166	C	C5-C6-N1	5.53	123.77	121.00
37	1e	2163	C	C6-N1-C2	-5.53	118.09	120.30
23	AN	305	PRO	N-CA-CB	5.52	109.93	103.30
37	1e	2856	G	C4-N9-C1'	5.52	133.68	126.50
20	FR	33	PRO	N-CA-CB	5.52	109.93	103.30
37	1e	2193	U	N1-C2-O2	5.52	126.66	122.80
39	Wg	163	PRO	N-CA-CB	5.52	109.92	103.30
37	1e	2001	U	N1-C2-O2	5.52	126.66	122.80
37	1e	2983	C	N3-C2-O2	-5.52	118.04	121.90
23	CW	131	PRO	N-CA-CB	5.51	109.91	103.30
37	1e	2193	U	N3-C2-O2	-5.51	118.35	122.20
23	AN	117	PRO	N-CA-CB	5.50	109.90	103.30
22	KM	7	PRO	N-CA-CB	5.50	109.90	103.30
23	EX	150	PRO	N-CA-CB	5.49	109.89	103.30
23	EX	188	PRO	N-CA-CB	5.49	109.89	103.30
37	1e	1076	C	C6-N1-C2	-5.49	118.11	120.30
37	1e	3269	U	N3-C2-O2	-5.49	118.36	122.20
23	AN	379	PRO	N-CA-CB	5.49	109.88	103.30

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
38	2f	90	U	N1-C2-O2	5.49	126.64	122.80
37	1e	1605	A	O4'-C1'-N9	5.48	112.59	108.20
51	As	56	PRO	N-CA-CB	5.48	109.88	103.30
37	1e	2861	U	C2-N1-C1'	5.48	124.28	117.70
37	1e	954	U	N3-C2-O2	-5.48	118.37	122.20
39	Wg	127	PRO	N-CA-CB	5.48	109.87	103.30
37	1e	2927	C	N1-C2-O2	5.47	122.18	118.90
37	1e	2766	U	C2-N1-C1'	5.47	124.26	117.70
51	As	61	PRO	N-CA-CB	5.46	109.85	103.30
37	1e	2983	C	C6-N1-C2	-5.46	118.12	120.30
37	1e	1458	U	N3-C2-O2	-5.46	118.38	122.20
37	1e	1688	U	N3-C2-O2	-5.45	118.38	122.20
37	1e	2090	U	C6-N1-C1'	-5.45	113.56	121.20
37	1e	118	U	N1-C2-O2	5.45	126.62	122.80
37	1e	142	C	N3-C2-O2	-5.44	118.09	121.90
37	1e	2035	G	N3-C4-N9	5.44	129.26	126.00
37	1e	2089	A	O4'-C1'-N9	5.44	112.55	108.20
37	1e	2274	U	N3-C2-O2	-5.44	118.39	122.20
37	1e	2153	U	N3-C2-O2	-5.44	118.39	122.20
37	1e	3196	U	C5-C6-N1	5.44	125.42	122.70
37	1e	1037	C	N3-C2-O2	-5.43	118.09	121.90
37	1e	2383	C	C6-N1-C2	-5.43	118.13	120.30
45	sm	137	PRO	N-CA-CB	5.43	109.82	103.30
37	1e	2083	G	C8-N9-C1'	-5.43	119.94	127.00
37	1e	1124	U	N3-C2-O2	-5.43	118.40	122.20
37	1e	915	A	C4-N9-C1'	5.43	136.07	126.30
37	1e	2083	G	O4'-C1'-N9	5.42	112.54	108.20
37	1e	1495	U	C5-C6-N1	-5.42	119.99	122.70
37	1e	2001	U	N3-C2-O2	-5.42	118.41	122.20
37	1e	2928	C	N1-C2-O2	5.42	122.15	118.90
37	1e	599	C	P-O3'-C3'	5.41	126.20	119.70
37	1e	1878	G	N3-C4-C5	-5.41	125.89	128.60
57	Ez	251	PRO	N-CA-CB	5.41	109.79	103.30
23	AN	150	PRO	N-CA-CB	5.41	109.79	103.30
37	1e	228	U	N3-C2-O2	-5.40	118.42	122.20
23	AN	131	PRO	N-CA-CB	5.40	109.78	103.30
37	1e	986	U	N1-C2-O2	5.40	126.58	122.80
37	1e	354	U	N3-C2-O2	-5.40	118.42	122.20
37	1e	1983	G	N3-C2-N2	5.39	123.68	119.90
46	3n	102	U	N3-C2-O2	-5.39	118.42	122.20
51	As	135	PRO	N-CA-CB	5.39	109.77	103.30
37	1e	2836	C	N3-C2-O2	-5.39	118.13	121.90

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	1e	2638	C	C6-N1-C2	-5.39	118.14	120.30
37	1e	3181	C	C6-N1-C1'	-5.38	114.34	120.80
20	DK	47	PRO	N-CA-CB	5.38	109.75	103.30
37	1e	2682	C	C6-N1-C2	-5.38	118.15	120.30
22	KM	75	PRO	N-CA-CB	5.38	109.75	103.30
22	KM	148	PRO	N-CA-CB	5.38	109.75	103.30
37	1e	2112	U	C6-N1-C1'	-5.37	113.68	121.20
37	1e	2127	U	N3-C2-O2	-5.36	118.44	122.20
37	1e	2783	U	N3-C2-O2	-5.36	118.45	122.20
37	1e	1037	C	N1-C2-O2	5.34	122.11	118.90
37	1e	1349	G	C8-N9-C1'	-5.34	120.05	127.00
37	1e	1496	C	C6-N1-C1'	-5.34	114.39	120.80
51	As	126	PRO	N-CA-CB	5.34	109.71	103.30
37	1e	2712	U	C2-N1-C1'	5.34	124.11	117.70
37	1e	379	C	C5-C6-N1	5.34	123.67	121.00
37	1e	1620	U	N3-C2-O2	-5.33	118.47	122.20
37	1e	3235	C	C6-N1-C2	-5.33	118.17	120.30
37	1e	2666	C	C6-N1-C2	-5.33	118.17	120.30
39	Wg	132	PRO	N-CA-CB	5.33	109.69	103.30
37	1e	1064	A	OP2-P-O3'	5.32	116.91	105.20
37	1e	1224	C	C6-N1-C2	-5.32	118.17	120.30
37	1e	1237	G	C4-N9-C1'	5.32	133.41	126.50
37	1e	3057	U	C2-N1-C1'	5.32	124.08	117.70
37	1e	42	C	C6-N1-C2	-5.31	118.18	120.30
37	1e	2517	U	N3-C2-O2	-5.31	118.48	122.20
37	1e	1239	C	C6-N1-C2	-5.31	118.18	120.30
37	1e	2945	G	C4-N9-C1'	5.31	133.40	126.50
37	1e	1646	G	O4'-C1'-N9	5.30	112.44	108.20
37	1e	2766	U	N1-C2-O2	5.30	126.51	122.80
22	KM	30	PRO	N-CA-CB	5.29	109.65	103.30
37	1e	1759	C	C2-N1-C1'	5.29	124.62	118.80
38	2f	26	C	C6-N1-C2	-5.29	118.18	120.30
37	1e	379	C	C2-N1-C1'	5.29	124.62	118.80
23	CW	241	PRO	N-CA-CB	5.28	109.64	103.30
37	1e	2617	U	N3-C2-O2	-5.28	118.50	122.20
37	1e	1688	U	N1-C2-O2	5.28	126.50	122.80
37	1e	3169	U	C2-N3-C4	5.28	130.16	127.00
38	2f	52	G	P-O3'-C3'	5.27	126.03	119.70
38	2f	74	C	C6-N1-C2	-5.27	118.19	120.30
37	1e	1437	C	C2-N1-C1'	5.27	124.60	118.80
37	1e	1565	G	N3-C4-N9	5.27	129.16	126.00
37	1e	3277	U	N3-C2-O2	-5.26	118.52	122.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	1e	2869	U	N3-C2-O2	-5.26	118.52	122.20
37	1e	1272	C	C6-N1-C2	-5.26	118.20	120.30
37	1e	1937	U	N3-C2-O2	-5.26	118.52	122.20
37	1e	2840	C	C2-N1-C1'	5.26	124.59	118.80
37	1e	2024	G	P-O3'-C3'	5.26	126.01	119.70
37	1e	3265	C	C6-N1-C2	-5.26	118.20	120.30
37	1e	44	U	N3-C2-O2	-5.25	118.52	122.20
37	1e	87	U	N3-C2-O2	-5.25	118.53	122.20
37	1e	3131	U	N3-C2-O2	-5.25	118.53	122.20
37	1e	2024	G	OP1-P-O3'	5.25	116.74	105.20
37	1e	3078	U	C6-N1-C1'	-5.24	113.86	121.20
37	1e	2622	C	N3-C2-O2	-5.24	118.23	121.90
37	1e	1573	G	N3-C4-C5	-5.24	125.98	128.60
38	2f	105	C	C6-N1-C2	-5.24	118.21	120.30
37	1e	1368	U	N3-C2-O2	-5.23	118.54	122.20
37	1e	2029	A	OP1-P-O3'	5.23	116.71	105.20
37	1e	2849	C	C6-N1-C2	-5.23	118.21	120.30
37	1e	777	U	N3-C2-O2	-5.23	118.54	122.20
37	1e	2984	C	C6-N1-C2	-5.23	118.21	120.30
37	1e	2729	U	N3-C2-O2	-5.22	118.54	122.20
37	1e	2038	C	C2-N1-C1'	5.22	124.54	118.80
37	1e	2764	C	N1-C2-O2	5.22	122.03	118.90
37	1e	543	C	N3-C2-O2	-5.22	118.25	121.90
37	1e	1983	G	N1-C2-N2	-5.21	111.51	116.20
37	1e	2040	U	C5-C6-N1	5.20	125.30	122.70
37	1e	1555	U	C6-N1-C1'	-5.20	113.92	121.20
37	1e	2068	U	C2-N1-C1'	5.20	123.94	117.70
37	1e	2466	G	N9-C4-C5	-5.20	103.32	105.40
37	1e	3363	U	N3-C2-O2	-5.20	118.56	122.20
37	1e	2274	U	N1-C2-O2	5.18	126.43	122.80
37	1e	283	G	C4-N9-C1'	5.18	133.24	126.50
37	1e	3173	G	N3-C4-N9	5.18	129.11	126.00
37	1e	1239	C	C5-C6-N1	5.18	123.59	121.00
37	1e	2531	C	C2-N1-C1'	5.17	124.49	118.80
46	3n	35	C	C6-N1-C2	-5.17	118.23	120.30
46	3n	100	U	N3-C2-O2	-5.17	118.58	122.20
37	1e	1854	C	C6-N1-C2	-5.16	118.23	120.30
23	CW	188	PRO	N-CA-CB	5.16	109.49	103.30
39	Wg	51	PRO	N-CA-CB	5.16	109.49	103.30
37	1e	2476	C	C6-N1-C2	-5.15	118.24	120.30
37	1e	2114	C	C6-N1-C2	-5.15	118.24	120.30
37	1e	1608	C	C6-N1-C1'	-5.15	114.62	120.80

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
45	sm	77	PRO	N-CA-CB	5.15	109.48	103.30
37	1e	2546	C	C6-N1-C2	-5.14	118.24	120.30
37	1e	2585	G	N3-C4-N9	5.14	129.09	126.00
37	1e	2846	U	C2-N1-C1'	5.14	123.87	117.70
37	1e	1508	C	C6-N1-C2	-5.13	118.25	120.30
37	1e	1767	C	C6-N1-C2	-5.13	118.25	120.30
37	1e	1565	G	N3-C4-C5	-5.13	126.03	128.60
37	1e	1004	U	N3-C2-O2	-5.13	118.61	122.20
37	1e	2904	U	N3-C2-O2	-5.12	118.61	122.20
13	CD	47	LEU	CA-CB-CG	5.12	127.07	115.30
37	1e	3317	U	N1-C2-O2	5.11	126.38	122.80
37	1e	3265	C	C5-C6-N1	5.10	123.55	121.00
37	1e	1732	U	N3-C2-O2	-5.10	118.63	122.20
37	1e	515	C	C6-N1-C2	-5.09	118.26	120.30
37	1e	2137	U	O4'-C1'-N1	5.09	112.27	108.20
37	1e	2617	U	C2-N1-C1'	5.09	123.81	117.70
37	1e	2565	U	C2-N1-C1'	5.09	123.81	117.70
37	1e	2146	C	C6-N1-C2	-5.09	118.27	120.30
37	1e	3037	U	N1-C2-O2	5.08	126.36	122.80
37	1e	2035	G	C4-N9-C1'	5.08	133.10	126.50
37	1e	2489	C	C5-C6-N1	5.08	123.54	121.00
37	1e	1007	U	C5-C6-N1	5.07	125.24	122.70
37	1e	2585	G	C4-N9-C1'	5.07	133.09	126.50
37	1e	3148	U	N3-C2-O2	-5.07	118.65	122.20
37	1e	3034	C	N3-C2-O2	-5.07	118.35	121.90
37	1e	326	U	N3-C2-O2	-5.07	118.65	122.20
37	1e	3235	C	C2-N1-C1'	5.06	124.37	118.80
37	1e	2861	U	N3-C2-O2	-5.05	118.66	122.20
37	1e	2176	U	N1-C2-O2	5.05	126.33	122.80
37	1e	270	U	C2-N1-C1'	5.04	123.75	117.70
37	1e	922	U	C5-C6-N1	5.04	125.22	122.70
37	1e	101	G	C4-N9-C1'	5.04	133.05	126.50
37	1e	166	C	N1-C2-O2	5.04	121.92	118.90
37	1e	2928	C	C5-C6-N1	5.03	123.52	121.00
37	1e	101	G	O4'-C1'-N9	5.03	112.22	108.20
37	1e	2869	U	N1-C2-O2	5.03	126.32	122.80
37	1e	1878	G	C8-N9-C1'	-5.03	120.47	127.00
37	1e	1115	G	N3-C4-N9	5.03	129.02	126.00
37	1e	2783	U	N1-C2-O2	5.03	126.32	122.80
47	No	152	CYS	C-N-CA	5.03	134.26	121.70
37	1e	3354	U	C2-N1-C1'	5.02	123.72	117.70
37	1e	2101	C	OP1-P-O3'	5.01	116.23	105.20

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
37	1e	1269	U	O4'-C1'-N1	5.01	112.21	108.20
37	1e	2006	G	C4-N9-C1'	5.01	133.01	126.50
37	1e	3214	U	O4'-C1'-N1	5.00	112.20	108.20
37	1e	3355	U	N3-C2-O2	-5.00	118.70	122.20

There are no chirality outliers.

All (11) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
23	AN	435	THR	Peptide
13	CD	138	ALA	Peptide
24	DO	318	LEU	Peptide
42	Hj	34	PHE	Peptide
5	V5	89	ASP	Peptide
28	pT	468	LEU	Peptide
10	rA	177	ASN	Peptide
10	rA	353	ARG	Peptide
10	rA	354	ILE	Peptide
10	rA	558	TYR	Peptide
36	xd	4	ASN	Peptide

## 5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	h1	961	0	1063	0	0
2	g2	885	0	932	0	0
3	b3	422	0	413	0	0
4	B4	1901	0	1964	6	0
5	V5	990	0	1029	4	0
6	O6	1548	0	1651	4	0
7	f7	847	0	871	0	0
8	F8	1241	0	1195	3	0
9	v9	748	0	648	0	0
10	rA	5044	0	4945	0	0
11	tB	1246	0	1236	0	0
12	cC	689	0	664	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
13	CD	2968	0	3006	9	0
14	yE	1786	0	1767	0	0
15	UF	864	0	844	3	0
16	dG	862	0	892	0	0
17	eH	1034	0	1101	0	0
18	xI	524	0	535	0	0
19	qJ	1022	0	1052	0	0
20	Bt	816	0	361	0	0
20	DK	816	0	361	3	0
20	FR	816	0	361	0	0
21	LL	1492	0	1490	4	0
22	KM	796	0	394	6	0
23	AN	1843	0	775	2	0
23	CW	2120	0	911	4	0
23	EX	1725	0	724	5	0
24	DO	2675	0	2740	4	0
25	RP	1374	0	1360	3	0
26	MQ	1042	0	1125	2	0
27	mS	711	0	732	0	0
28	pT	4285	0	4172	0	0
29	YU	989	0	1077	2	0
30	vV	1875	0	1845	0	0
31	nY	673	0	690	0	0
32	SZ	1420	0	1449	3	0
33	ia	718	0	778	0	0
34	Ib	1446	0	1481	0	0
35	Xc	963	0	1015	0	0
36	xd	601	0	624	0	0
37	1e	69952	0	35148	0	0
38	2f	2579	0	1304	0	0
39	Wg	1190	0	570	0	0
40	jh	677	0	674	0	0
41	li	433	0	466	0	0
42	Hj	1660	0	1634	0	0
43	Qk	1434	0	1528	0	0
44	Tl	1256	0	1287	0	0
45	sm	1036	0	881	0	0
46	3n	3313	0	1675	0	0
47	No	1720	0	1779	0	0
48	zp	668	0	643	0	0
49	Zq	1052	0	1071	0	0
50	kr	573	0	579	0	0

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
51	As	1089	0	502	0	0
52	Gu	1784	0	1863	0	0
53	Pv	1383	0	1374	0	0
54	aw	1170	0	1204	0	0
55	ox	1147	0	1175	0	0
56	Jy	1270	0	1271	0	0
57	Ez	1973	0	1688	0	0
58	1e	223	0	0	0	0
58	2f	1	0	0	0	0
58	3n	6	0	0	0	0
58	B4	1	0	0	0	0
58	CD	2	0	0	0	0
58	No	1	0	0	0	0
58	g2	2	0	0	0	0
58	zp	1	0	0	0	0
All	All	152374	0	108589	66	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 2.

All (66) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
22:KM:18:VAL:HA	22:KM:57:LYS:HA	1.75	0.67
23:AN:371:THR:HA	23:AN:406:THR:H	1.65	0.62
20:DK:118:VAL:H	23:CW:252:ARG:HA	1.67	0.59
23:EX:398:THR:HA	23:EX:447:ARG:O	2.04	0.58
4:B4:27:ALA:O	4:B4:128:ARG:NH2	2.37	0.58
24:DO:338:LYS:O	24:DO:340:GLY:N	2.40	0.54
26:MQ:72:LEU:HD11	26:MQ:81:VAL:HG12	1.89	0.54
5:V5:80:ARG:NH1	5:V5:117:PRO:O	2.40	0.54
5:V5:81:GLN:NE2	5:V5:83:LYS:O	2.40	0.53
23:EX:191:LYS:O	23:EX:217:ARG:N	2.40	0.51
5:V5:15:LEU:HA	5:V5:53:SER:HB3	1.92	0.51
23:CW:388:SER:HA	23:CW:395:PHE:HA	1.92	0.51
6:O6:113:ASP:OD1	6:O6:113:ASP:N	2.44	0.51
13:CD:77:THR:OG1	13:CD:326:GLY:O	2.29	0.51
4:B4:33:ASP:OD1	4:B4:33:ASP:N	2.45	0.50
15:UF:43:VAL:HG13	15:UF:49:ASN:HB3	1.93	0.50
15:UF:19:VAL:HG12	15:UF:105:LEU:HD23	1.94	0.50
5:V5:27:ASP:OD1	5:V5:27:ASP:N	2.42	0.49

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
13:CD:171:LEU:HD21	13:CD:333:LYS:HB2	1.94	0.49
22:KM:79:SER:O	22:KM:82:ILE:N	2.46	0.49
6:O6:89:SER:O	6:O6:89:SER:OG	2.29	0.48
26:MQ:23:ILE:HA	26:MQ:63:VAL:HG12	1.95	0.48
23:EX:325:SER:HA	23:EX:471:SER:HA	1.96	0.48
13:CD:41:VAL:HA	13:CD:185:GLY:HA3	1.96	0.47
23:AN:217:ARG:HA	23:AN:243:LEU:HA	1.95	0.47
13:CD:187:SER:O	13:CD:190:GLU:N	2.48	0.47
22:KM:155:ILE:HA	22:KM:159:GLU:H	1.80	0.47
13:CD:228:GLY:O	13:CD:232:ARG:HB2	2.15	0.46
13:CD:93:VAL:HG23	13:CD:102:LEU:HD22	1.97	0.46
32:SZ:52:LYS:H	32:SZ:55:SER:HB2	1.80	0.46
22:KM:79:SER:O	22:KM:80:LEU:C	2.53	0.46
23:EX:384:MET:HA	23:EX:398:THR:O	2.15	0.46
32:SZ:12:ARG:HD3	32:SZ:22:PRO:HD2	1.99	0.45
25:RP:116:ASP:OD1	25:RP:116:ASP:N	2.49	0.45
24:DO:181:VAL:HG11	24:DO:224:GLY:HA3	1.98	0.44
32:SZ:47:LYS:HB2	32:SZ:47:LYS:HE3	1.86	0.44
8:F8:5:LYS:HA	8:F8:5:LYS:HD2	1.78	0.44
8:F8:105:TYR:OH	8:F8:137:ASP:OD2	2.31	0.44
25:RP:84:THR:O	25:RP:88:ARG:HB2	2.18	0.44
29:YU:112:ASP:OD1	29:YU:112:ASP:N	2.50	0.44
4:B4:33:ASP:O	4:B4:37:ARG:HB2	2.17	0.44
15:UF:19:VAL:HG21	15:UF:30:PRO:HB3	2.00	0.43
4:B4:117:GLU:OE2	4:B4:163:ARG:NH2	2.49	0.43
21:LL:27:ASP:OD1	21:LL:27:ASP:N	2.45	0.43
29:YU:51:ARG:HG2	29:YU:52:ARG:H	1.84	0.42
4:B4:28:LYS:HE2	4:B4:28:LYS:HB3	1.87	0.42
13:CD:57:VAL:HG22	13:CD:73:VAL:HG22	2.02	0.42
13:CD:117:ARG:HA	13:CD:175:LYS:HE3	2.00	0.42
22:KM:15:LEU:O	22:KM:16:ARG:C	2.57	0.42
25:RP:98:ARG:NH2	25:RP:130:ASN:OD1	2.41	0.42
13:CD:10:ARG:HH12	13:CD:263:SER:HB2	1.85	0.42
22:KM:84:ALA:O	22:KM:85:LEU:C	2.59	0.42
23:EX:357:GLY:O	23:EX:360:SER:N	2.53	0.42
20:DK:157:ILE:HA	20:DK:161:ASP:H	1.84	0.41
24:DO:206:LEU:HD23	24:DO:248:VAL:HG22	2.02	0.41
21:LL:176:GLU:OE2	21:LL:183:ARG:NH1	2.53	0.41
23:CW:453:PRO:HA	23:CW:458:VAL:HA	2.01	0.41
21:LL:195:ALA:O	21:LL:199:LYS:CB	2.68	0.41
4:B4:136:ILE:HD13	4:B4:148:VAL:HG12	2.03	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:O6:61:ALA:HA	6:O6:70:PRO:HD2	2.03	0.41
24:DO:113:VAL:HB	24:DO:118:LYS:HE2	2.03	0.41
6:O6:10:ASP:HB2	6:O6:117:ARG:HB3	2.02	0.40
20:DK:153:ILE:HA	20:DK:166:ILE:HA	2.03	0.40
23:CW:34:THR:O	23:CW:38:LEU:CB	2.69	0.40
8:F8:156:LYS:HE3	8:F8:156:LYS:HB3	1.94	0.40
21:LL:171:ARG:HA	21:LL:171:ARG:HD2	1.83	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	h1	117/120 (98%)	114 (97%)	3 (3%)	0	100	100
2	g2	112/121 (93%)	109 (97%)	3 (3%)	0	100	100
3	b3	53/59 (90%)	49 (92%)	4 (8%)	0	100	100
4	B4	249/254 (98%)	226 (91%)	23 (9%)	0	100	100
5	V5	134/137 (98%)	131 (98%)	3 (2%)	0	100	100
6	O6	195/199 (98%)	194 (100%)	1 (0%)	0	100	100
7	f7	104/107 (97%)	98 (94%)	6 (6%)	0	100	100
8	F8	173/176 (98%)	157 (91%)	15 (9%)	1 (1%)	22	32
9	v9	102/486 (21%)	89 (87%)	10 (10%)	3 (3%)	3	4
10	rA	645/647 (100%)	581 (90%)	57 (9%)	7 (1%)	12	17
11	tB	152/199 (76%)	143 (94%)	9 (6%)	0	100	100
12	cC	95/105 (90%)	93 (98%)	2 (2%)	0	100	100
13	CD	384/387 (99%)	358 (93%)	25 (6%)	1 (0%)	37	51
14	yE	240/245 (98%)	227 (95%)	13 (5%)	0	100	100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
15	UF	113/121 (93%)	103 (91%)	10 (9%)	0	100	100
16	dG	108/113 (96%)	100 (93%)	8 (7%)	0	100	100
17	eH	127/130 (98%)	123 (97%)	4 (3%)	0	100	100
18	xI	61/212 (29%)	55 (90%)	5 (8%)	1 (2%)	8	10
19	qJ	127/175 (73%)	117 (92%)	10 (8%)	0	100	100
20	Bt	161/184 (88%)	143 (89%)	17 (11%)	1 (1%)	22	32
20	DK	161/184 (88%)	142 (88%)	18 (11%)	1 (1%)	22	32
20	FR	161/184 (88%)	140 (87%)	18 (11%)	3 (2%)	6	8
21	LL	196/199 (98%)	190 (97%)	6 (3%)	0	100	100
22	KM	157/165 (95%)	127 (81%)	29 (18%)	1 (1%)	22	32
23	AN	367/599 (61%)	329 (90%)	36 (10%)	2 (0%)	25	37
23	CW	419/599 (70%)	363 (87%)	51 (12%)	5 (1%)	11	15
23	EX	341/599 (57%)	287 (84%)	48 (14%)	6 (2%)	7	9
24	DO	359/362 (99%)	333 (93%)	25 (7%)	1 (0%)	37	51
25	RP	186/189 (98%)	182 (98%)	4 (2%)	0	100	100
26	MQ	134/138 (97%)	124 (92%)	10 (8%)	0	100	100
27	mS	91/106 (86%)	82 (90%)	9 (10%)	0	100	100
28	pT	578/593 (98%)	529 (92%)	49 (8%)	0	100	100
29	YU	124/127 (98%)	121 (98%)	3 (2%)	0	100	100
30	vV	241/518 (46%)	219 (91%)	22 (9%)	0	100	100
31	nY	89/92 (97%)	84 (94%)	5 (6%)	0	100	100
32	SZ	169/172 (98%)	157 (93%)	12 (7%)	0	100	100
33	ia	94/100 (94%)	84 (89%)	10 (11%)	0	100	100
34	Ib	189/191 (99%)	176 (93%)	13 (7%)	0	100	100
35	Xc	121/142 (85%)	111 (92%)	9 (7%)	1 (1%)	16	24
36	xd	70/261 (27%)	66 (94%)	4 (6%)	0	100	100
39	Wg	231/236 (98%)	196 (85%)	33 (14%)	2 (1%)	14	22
40	jh	85/88 (97%)	79 (93%)	6 (7%)	0	100	100
41	li	48/51 (94%)	46 (96%)	2 (4%)	0	100	100
42	Hj	228/256 (89%)	214 (94%)	13 (6%)	1 (0%)	30	43
43	Qk	183/186 (98%)	174 (95%)	9 (5%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
44	Tl	158/160 (99%)	154 (98%)	4 (2%)	0	100	100
45	sm	148/178 (83%)	121 (82%)	25 (17%)	2 (1%)	9	12
47	No	201/204 (98%)	195 (97%)	6 (3%)	0	100	100
48	zp	84/106 (79%)	72 (86%)	12 (14%)	0	100	100
49	Zq	133/136 (98%)	123 (92%)	10 (8%)	0	100	100
50	kr	75/78 (96%)	68 (91%)	7 (9%)	0	100	100
51	As	215/217 (99%)	176 (82%)	34 (16%)	5 (2%)	5	6
52	Gu	221/244 (91%)	208 (94%)	13 (6%)	0	100	100
53	Pv	180/184 (98%)	174 (97%)	6 (3%)	0	100	100
54	aw	146/149 (98%)	134 (92%)	12 (8%)	0	100	100
55	ox	141/166 (85%)	132 (94%)	9 (6%)	0	100	100
56	Jy	164/174 (94%)	144 (88%)	20 (12%)	0	100	100
57	Ez	288/297 (97%)	274 (95%)	14 (5%)	0	100	100
All	All	10628/12807 (83%)	9740 (92%)	844 (8%)	44 (0%)	32	43

All (44) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
8	F8	123	PRO
9	v9	158	GLU
24	DO	339	LEU
20	FR	89	PRO
23	EX	379	PRO
39	Wg	132	PRO
51	As	59	PRO
20	Bt	47	PRO
9	v9	160	LEU
9	v9	161	VAL
22	KM	16	ARG
23	CW	387	ILE
35	Xc	21	LYS
39	Wg	120	VAL
51	As	114	GLU
10	rA	228	PRO
10	rA	355	ASN
10	rA	399	ALA
20	DK	89	PRO

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
45	sm	137	PRO
51	As	66	CYS
51	As	109	ALA
10	rA	178	VAL
10	rA	225	LEU
13	CD	239	PRO
23	AN	241	PRO
20	FR	46	ASN
20	FR	47	PRO
23	CW	249	VAL
10	rA	9	PRO
10	rA	179	GLY
23	CW	356	ILE
23	EX	264	PRO
23	EX	390	PRO
42	Hj	204	ARG
23	AN	369	PRO
23	EX	356	ILE
18	xI	205	VAL
23	EX	224	ASN
23	CW	23	ILE
23	CW	304	SER
23	EX	240	PHE
45	sm	136	CYS
51	As	67	ILE

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	h1	102/105 (97%)	102 (100%)	0	100	100
2	g2	94/103 (91%)	94 (100%)	0	100	100
3	b3	39/47 (83%)	39 (100%)	0	100	100
4	B4	191/196 (97%)	191 (100%)	0	100	100
5	V5	101/105 (96%)	100 (99%)	1 (1%)	73	85

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
6	O6	158/162 (98%)	158 (100%)	0	100	100
7	f7	89/91 (98%)	89 (100%)	0	100	100
8	F8	108/153 (71%)	108 (100%)	0	100	100
9	v9	62/428 (14%)	62 (100%)	0	100	100
10	rA	521/573 (91%)	517 (99%)	4 (1%)	79	89
11	tB	125/180 (69%)	124 (99%)	1 (1%)	79	89
12	cC	62/88 (70%)	62 (100%)	0	100	100
13	CD	292/323 (90%)	286 (98%)	6 (2%)	48	69
14	yE	196/211 (93%)	196 (100%)	0	100	100
15	UF	86/107 (80%)	86 (100%)	0	100	100
16	dG	87/97 (90%)	87 (100%)	0	100	100
17	eH	110/111 (99%)	110 (100%)	0	100	100
18	xI	57/184 (31%)	55 (96%)	2 (4%)	31	48
19	qJ	107/153 (70%)	105 (98%)	2 (2%)	52	71
21	LL	133/159 (84%)	131 (98%)	2 (2%)	60	77
22	KM	3/136 (2%)	1 (33%)	2 (67%)	0	0
24	DO	267/289 (92%)	265 (99%)	2 (1%)	81	90
25	RP	117/154 (76%)	116 (99%)	1 (1%)	75	87
26	MQ	104/109 (95%)	104 (100%)	0	100	100
27	mS	72/91 (79%)	71 (99%)	1 (1%)	62	78
28	pT	453/520 (87%)	451 (100%)	2 (0%)	89	95
29	YU	108/110 (98%)	107 (99%)	1 (1%)	75	87
30	vV	201/467 (43%)	201 (100%)	0	100	100
31	nY	65/72 (90%)	64 (98%)	1 (2%)	60	77
32	SZ	150/156 (96%)	149 (99%)	1 (1%)	81	90
33	ia	73/82 (89%)	72 (99%)	1 (1%)	62	78
34	Ib	150/171 (88%)	147 (98%)	3 (2%)	50	70
35	Xc	101/118 (86%)	97 (96%)	4 (4%)	27	42
36	xd	59/229 (26%)	59 (100%)	0	100	100
39	Wg	9/213 (4%)	9 (100%)	0	100	100
40	jh	69/71 (97%)	69 (100%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
41	li	44/46 (96%)	44 (100%)	0	100	100
42	Hj	153/208 (74%)	153 (100%)	0	100	100
43	Qk	148/151 (98%)	147 (99%)	1 (1%)	81	90
44	Tl	130/137 (95%)	129 (99%)	1 (1%)	79	89
45	sm	75/162 (46%)	74 (99%)	1 (1%)	65	80
47	No	175/176 (99%)	175 (100%)	0	100	100
48	zp	63/95 (66%)	63 (100%)	0	100	100
49	Zq	105/116 (90%)	104 (99%)	1 (1%)	73	85
50	kr	58/69 (84%)	58 (100%)	0	100	100
51	As	4/198 (2%)	4 (100%)	0	100	100
52	Gu	185/205 (90%)	185 (100%)	0	100	100
53	Pv	131/146 (90%)	130 (99%)	1 (1%)	79	89
54	aw	117/119 (98%)	116 (99%)	1 (1%)	75	87
55	ox	126/141 (89%)	126 (100%)	0	100	100
56	Jy	130/150 (87%)	129 (99%)	1 (1%)	79	89
57	Ez	143/245 (58%)	143 (100%)	0	100	100
All	All	6508/8928 (73%)	6464 (99%)	44 (1%)	80	90

All (44) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
5	V5	98	ASN
10	rA	159	ARG
10	rA	168	ARG
10	rA	175	TYR
10	rA	561	ARG
11	tB	32	CYS
13	CD	85	VAL
13	CD	110	LEU
13	CD	114	VAL
13	CD	244	ARG
13	CD	332	ARG
13	CD	382	THR
18	xI	200	THR
18	xI	202	ARG
19	qJ	27	ARG

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
19	qJ	89	LEU
21	LL	21	ARG
21	LL	104	ARG
22	KM	16	ARG
22	KM	80	LEU
24	DO	138	ARG
24	DO	230	VAL
25	RP	84	THR
27	mS	59	HIS
28	pT	57	ARG
28	pT	134	ARG
29	YU	74	TYR
31	nY	60	CYS
32	SZ	172	TYR
33	ia	93	ILE
34	Ib	20	ILE
34	Ib	21	LYS
34	Ib	22	SER
35	Xc	24	LYS
35	Xc	25	VAL
35	Xc	132	LEU
35	Xc	141	ILE
43	Qk	147	ARG
44	Tl	83	ARG
45	sm	85	ARG
49	Zq	23	VAL
53	Pv	171	ARG
54	aw	60	TYR
56	Jy	92	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (22) such sidechains are listed below:

Mol	Chain	Res	Type
2	g2	108	GLN
10	rA	195	GLN
10	rA	549	GLN
19	qJ	24	ASN
24	DO	328	ASN
28	pT	146	HIS
28	pT	255	ASN
30	vV	163	GLN
34	Ib	9	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
34	Ib	157	ASN
34	Ib	163	GLN
35	Xc	79	ASN
39	Wg	54	GLN
42	Hj	38	GLN
42	Hj	95	ASN
43	Qk	45	ASN
45	sm	120	GLN
52	Gu	48	ASN
52	Gu	225	GLN
56	Jy	95	ASN
56	Jy	101	ASN
57	Ez	57	ASN

### 5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
37	1e	3270/3396 (96%)	760 (23%)	0
38	2f	120/121 (99%)	15 (12%)	0
46	3n	155/158 (98%)	31 (20%)	0
All	All	3545/3675 (96%)	806 (22%)	0

All (806) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
37	1e	6	A
37	1e	26	A
37	1e	40	A
37	1e	43	A
37	1e	49	A
37	1e	59	G
37	1e	60	A
37	1e	65	A
37	1e	66	A
37	1e	72	C
37	1e	92	G
37	1e	99	A
37	1e	109	A
37	1e	110	G
37	1e	111	C
37	1e	117	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
37	1e	118	U
37	1e	119	U
37	1e	120	G
37	1e	122	A
37	1e	130	A
37	1e	134	U
37	1e	135	C
37	1e	136	G
37	1e	155	G
37	1e	156	G
37	1e	157	A
37	1e	164	A
37	1e	165	A
37	1e	169	U
37	1e	170	G
37	1e	171	G
37	1e	172	G
37	1e	173	G
37	1e	177	U
37	1e	187	A
37	1e	190	U
37	1e	191	U
37	1e	192	C
37	1e	200	C
37	1e	206	G
37	1e	210	U
37	1e	211	A
37	1e	213	A
37	1e	218	G
37	1e	219	A
37	1e	220	G
37	1e	240	U
37	1e	241	G
37	1e	242	C
37	1e	243	G
37	1e	245	U
37	1e	247	C
37	1e	248	U
37	1e	249	U
37	1e	251	G
37	1e	253	A
37	1e	259	C

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
37	1e	269	G
37	1e	270	U
37	1e	286	U
37	1e	295	A
37	1e	297	G
37	1e	298	U
37	1e	305	U
37	1e	323	A
37	1e	329	U
37	1e	337	G
37	1e	338	A
37	1e	339	C
37	1e	376	G
37	1e	398	A
37	1e	399	A
37	1e	401	U
37	1e	402	A
37	1e	403	C
37	1e	420	G
37	1e	421	G
37	1e	422	A
37	1e	439	C
37	1e	520	U
37	1e	521	A
37	1e	523	A
37	1e	533	A
37	1e	543	C
37	1e	545	U
37	1e	546	C
37	1e	547	G
37	1e	548	G
37	1e	552	G
37	1e	555	U
37	1e	556	U
37	1e	557	A
37	1e	559	A
37	1e	578	A
37	1e	579	G
37	1e	589	A
37	1e	597	G
37	1e	600	G
37	1e	603	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
37	1e	604	G
37	1e	608	A
37	1e	611	A
37	1e	620	U
37	1e	621	A
37	1e	622	A
37	1e	629	U
37	1e	636	C
37	1e	648	C
37	1e	649	A
37	1e	660	A
37	1e	677	A
37	1e	681	U
37	1e	684	G
37	1e	690	A
37	1e	691	A
37	1e	705	A
37	1e	712	G
37	1e	715	A
37	1e	719	U
37	1e	725	G
37	1e	735	A
37	1e	737	G
37	1e	760	G
37	1e	761	A
37	1e	765	C
37	1e	767	U
37	1e	770	G
37	1e	771	A
37	1e	776	U
37	1e	777	U
37	1e	780	A
37	1e	781	G
37	1e	785	G
37	1e	786	A
37	1e	801	A
37	1e	806	A
37	1e	817	A
37	1e	830	A
37	1e	849	C
37	1e	861	C
37	1e	871	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
37	1e	874	U
37	1e	875	G
37	1e	896	A
37	1e	897	U
37	1e	907	G
37	1e	908	G
37	1e	914	A
37	1e	916	G
37	1e	917	A
37	1e	921	A
37	1e	923	C
37	1e	924	G
37	1e	925	A
37	1e	937	G
37	1e	938	C
37	1e	944	C
37	1e	959	C
37	1e	960	U
37	1e	961	C
37	1e	962	A
37	1e	980	A
37	1e	981	U
37	1e	982	C
37	1e	999	G
37	1e	1001	G
37	1e	1002	A
37	1e	1005	G
37	1e	1006	A
37	1e	1007	U
37	1e	1008	U
37	1e	1009	A
37	1e	1010	G
37	1e	1012	G
37	1e	1014	U
37	1e	1015	U
37	1e	1016	C
37	1e	1017	C
37	1e	1018	G
37	1e	1019	G
37	1e	1020	G
37	1e	1026	A
37	1e	1028	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
37	1e	1029	G
37	1e	1034	U
37	1e	1035	G
37	1e	1036	A
37	1e	1037	C
37	1e	1039	U
37	1e	1041	U
37	1e	1044	U
37	1e	1045	C
37	1e	1048	A
37	1e	1049	C
37	1e	1057	A
37	1e	1063	G
37	1e	1064	A
37	1e	1065	A
37	1e	1072	G
37	1e	1093	A
37	1e	1094	U
37	1e	1095	U
37	1e	1096	U
37	1e	1097	G
37	1e	1098	A
37	1e	1104	G
37	1e	1117	G
37	1e	1124	U
37	1e	1128	U
37	1e	1129	A
37	1e	1130	A
37	1e	1131	G
37	1e	1134	G
37	1e	1144	U
37	1e	1153	A
37	1e	1155	C
37	1e	1159	A
37	1e	1160	C
37	1e	1180	A
37	1e	1181	U
37	1e	1192	C
37	1e	1195	A
37	1e	1196	C
37	1e	1199	C
37	1e	1200	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
37	1e	1201	C
37	1e	1203	A
37	1e	1204	A
37	1e	1207	G
37	1e	1209	G
37	1e	1210	U
37	1e	1217	A
37	1e	1222	G
37	1e	1234	G
37	1e	1235	U
37	1e	1236	G
37	1e	1238	C
37	1e	1241	U
37	1e	1245	A
37	1e	1252	A
37	1e	1253	U
37	1e	1254	C
37	1e	1258	U
37	1e	1259	A
37	1e	1262	G
37	1e	1263	A
37	1e	1264	G
37	1e	1265	U
37	1e	1268	G
37	1e	1269	U
37	1e	1280	C
37	1e	1286	A
37	1e	1287	A
37	1e	1301	A
37	1e	1302	A
37	1e	1304	A
37	1e	1305	U
37	1e	1307	G
37	1e	1309	U
37	1e	1313	G
37	1e	1330	A
37	1e	1332	A
37	1e	1348	U
37	1e	1349	G
37	1e	1350	A
37	1e	1351	U
37	1e	1352	A

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
37	1e	1354	G
37	1e	1355	A
37	1e	1356	U
37	1e	1357	G
37	1e	1386	A
37	1e	1392	G
37	1e	1399	A
37	1e	1400	G
37	1e	1419	A
37	1e	1434	G
37	1e	1437	C
37	1e	1446	A
37	1e	1450	G
37	1e	1455	U
37	1e	1466	G
37	1e	1481	A
37	1e	1482	A
37	1e	1483	G
37	1e	1487	G
37	1e	1494	U
37	1e	1503	A
37	1e	1508	C
37	1e	1523	U
37	1e	1533	U
37	1e	1536	G
37	1e	1539	A
37	1e	1555	U
37	1e	1557	A
37	1e	1562	C
37	1e	1563	C
37	1e	1565	G
37	1e	1567	U
37	1e	1568	U
37	1e	1569	U
37	1e	1570	U
37	1e	1571	A
37	1e	1572	U
37	1e	1574	C
37	1e	1575	A
37	1e	1576	G
37	1e	1577	G
37	1e	1580	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
37	1e	1581	C
37	1e	1582	C
37	1e	1583	A
37	1e	1587	A
37	1e	1589	A
37	1e	1605	A
37	1e	1619	A
37	1e	1620	U
37	1e	1629	U
37	1e	1643	A
37	1e	1645	U
37	1e	1657	C
37	1e	1674	G
37	1e	1683	A
37	1e	1705	U
37	1e	1724	U
37	1e	1725	C
37	1e	1730	G
37	1e	1741	A
37	1e	1742	U
37	1e	1750	A
37	1e	1751	G
37	1e	1759	C
37	1e	1760	A
37	1e	1761	C
37	1e	1762	C
37	1e	1763	U
37	1e	1766	G
37	1e	1768	U
37	1e	1770	G
37	1e	1778	G
37	1e	1780	G
37	1e	1797	A
37	1e	1808	G
37	1e	1813	A
37	1e	1814	A
37	1e	1816	A
37	1e	1819	U
37	1e	1820	U
37	1e	1821	U
37	1e	1839	A
37	1e	1842	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
37	1e	1846	C
37	1e	1847	A
37	1e	1849	C
37	1e	1850	A
37	1e	1858	A
37	1e	1864	A
37	1e	1866	C
37	1e	1867	A
37	1e	1880	U
37	1e	1886	A
37	1e	1906	G
37	1e	1926	C
37	1e	1937	U
37	1e	1951	C
37	1e	1952	G
37	1e	1953	G
37	1e	1954	G
37	1e	1959	G
37	1e	1962	G
37	1e	1964	C
37	1e	1965	C
37	1e	1967	U
37	1e	1968	G
37	1e	1971	C
37	1e	1972	A
37	1e	1976	G
37	1e	1977	C
37	1e	1978	A
37	1e	1980	C
37	1e	1981	G
37	1e	1987	G
37	1e	1988	C
37	1e	1989	U
37	1e	1990	U
37	1e	1993	G
37	1e	1994	G
37	1e	1995	A
37	1e	2001	U
37	1e	2002	G
37	1e	2003	G
37	1e	2004	U
37	1e	2005	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
37	1e	2007	G
37	1e	2010	U
37	1e	2011	U
37	1e	2013	C
37	1e	2016	U
37	1e	2017	G
37	1e	2018	C
37	1e	2019	U
37	1e	2020	A
37	1e	2025	G
37	1e	2026	A
37	1e	2027	C
37	1e	2028	U
37	1e	2029	A
37	1e	2030	C
37	1e	2032	U
37	1e	2033	G
37	1e	2034	C
37	1e	2037	G
37	1e	2040	U
37	1e	2041	U
37	1e	2042	G
37	1e	2043	U
37	1e	2044	U
37	1e	2049	A
37	1e	2051	G
37	1e	2052	G
37	1e	2053	C
37	1e	2054	C
37	1e	2055	U
37	1e	2056	U
37	1e	2057	G
37	1e	2058	G
37	1e	2059	U
37	1e	2060	A
37	1e	2061	G
37	1e	2062	G
37	1e	2065	U
37	1e	2066	C
37	1e	2067	U
37	1e	2069	G
37	1e	2071	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
37	1e	2073	A
37	1e	2076	G
37	1e	2080	C
37	1e	2081	U
37	1e	2083	G
37	1e	2084	C
37	1e	2085	U
37	1e	2086	A
37	1e	2087	C
37	1e	2088	A
37	1e	2089	A
37	1e	2090	U
37	1e	2091	U
37	1e	2092	A
37	1e	2093	A
37	1e	2094	C
37	1e	2095	G
37	1e	2096	A
37	1e	2097	U
37	1e	2098	C
37	1e	2102	U
37	1e	2112	U
37	1e	2113	A
37	1e	2121	G
37	1e	2122	G
37	1e	2131	A
37	1e	2140	U
37	1e	2142	A
37	1e	2158	A
37	1e	2160	G
37	1e	2169	G
37	1e	2176	U
37	1e	2188	A
37	1e	2205	U
37	1e	2206	G
37	1e	2209	U
37	1e	2210	G
37	1e	2214	A
37	1e	2244	A
37	1e	2319	U
37	1e	2334	U
37	1e	2335	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
37	1e	2336	U
37	1e	2373	A
37	1e	2375	G
37	1e	2385	G
37	1e	2388	U
37	1e	2393	G
37	1e	2400	G
37	1e	2401	A
37	1e	2411	U
37	1e	2419	A
37	1e	2422	C
37	1e	2443	A
37	1e	2444	C
37	1e	2446	U
37	1e	2449	A
37	1e	2451	G
37	1e	2452	G
37	1e	2453	U
37	1e	2454	G
37	1e	2455	U
37	1e	2456	A
37	1e	2458	A
37	1e	2459	A
37	1e	2460	U
37	1e	2461	A
37	1e	2462	A
37	1e	2463	G
37	1e	2464	U
37	1e	2465	G
37	1e	2467	G
37	1e	2468	A
37	1e	2470	C
37	1e	2472	U
37	1e	2473	C
37	1e	2474	G
37	1e	2475	G
37	1e	2477	G
37	1e	2480	A
37	1e	2481	G
37	1e	2483	G
37	1e	2484	A
37	1e	2485	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
37	1e	2488	A
37	1e	2489	C
37	1e	2490	C
37	1e	2491	A
37	1e	2492	C
37	1e	2494	A
37	1e	2495	C
37	1e	2496	C
37	1e	2497	U
37	1e	2498	U
37	1e	2502	A
37	1e	2505	U
37	1e	2506	U
37	1e	2507	C
37	1e	2511	A
37	1e	2514	U
37	1e	2515	A
37	1e	2522	G
37	1e	2530	G
37	1e	2531	C
37	1e	2532	U
37	1e	2537	U
37	1e	2538	U
37	1e	2539	C
37	1e	2540	A
37	1e	2541	U
37	1e	2542	U
37	1e	2544	U
37	1e	2546	C
37	1e	2549	G
37	1e	2550	U
37	1e	2552	C
37	1e	2555	G
37	1e	2561	A
37	1e	2566	C
37	1e	2569	A
37	1e	2570	U
37	1e	2571	U
37	1e	2572	C
37	1e	2573	G
37	1e	2576	G
37	1e	2581	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
37	1e	2585	G
37	1e	2593	A
37	1e	2606	G
37	1e	2607	G
37	1e	2614	G
37	1e	2626	A
37	1e	2628	A
37	1e	2635	A
37	1e	2648	G
37	1e	2651	G
37	1e	2652	U
37	1e	2656	A
37	1e	2672	G
37	1e	2674	A
37	1e	2677	G
37	1e	2679	A
37	1e	2689	A
37	1e	2690	G
37	1e	2691	A
37	1e	2694	A
37	1e	2696	A
37	1e	2705	A
37	1e	2714	G
37	1e	2719	U
37	1e	2727	A
37	1e	2728	G
37	1e	2729	U
37	1e	2753	G
37	1e	2755	C
37	1e	2762	A
37	1e	2771	U
37	1e	2772	C
37	1e	2777	G
37	1e	2778	G
37	1e	2792	A
37	1e	2794	G
37	1e	2796	G
37	1e	2800	G
37	1e	2801	A
37	1e	2803	A
37	1e	2804	A
37	1e	2810	C

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
37	1e	2817	A
37	1e	2818	U
37	1e	2819	A
37	1e	2820	A
37	1e	2821	C
37	1e	2822	U
37	1e	2823	G
37	1e	2825	C
37	1e	2826	U
37	1e	2836	C
37	1e	2837	A
37	1e	2838	A
37	1e	2840	C
37	1e	2841	G
37	1e	2842	U
37	1e	2843	U
37	1e	2845	A
37	1e	2846	U
37	1e	2847	A
37	1e	2848	G
37	1e	2855	U
37	1e	2856	G
37	1e	2857	C
37	1e	2858	U
37	1e	2859	U
37	1e	2860	U
37	1e	2861	U
37	1e	2862	U
37	1e	2864	A
37	1e	2865	U
37	1e	2866	U
37	1e	2867	C
37	1e	2868	U
37	1e	2869	U
37	1e	2870	C
37	1e	2871	G
37	1e	2874	G
37	1e	2876	C
37	1e	2887	A
37	1e	2898	G
37	1e	2899	C
37	1e	2900	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
37	1e	2914	G
37	1e	2921	U
37	1e	2935	U
37	1e	2936	A
37	1e	2941	A
37	1e	2942	C
37	1e	2943	G
37	1e	2945	G
37	1e	2946	A
37	1e	2947	G
37	1e	2950	G
37	1e	2971	A
37	1e	2978	U
37	1e	2979	U
37	1e	2980	U
37	1e	2981	U
37	1e	2983	C
37	1e	2997	G
37	1e	3011	A
37	1e	3012	A
37	1e	3014	U
37	1e	3027	A
37	1e	3040	A
37	1e	3056	U
37	1e	3058	U
37	1e	3059	G
37	1e	3078	U
37	1e	3079	U
37	1e	3080	G
37	1e	3086	A
37	1e	3092	C
37	1e	3093	C
37	1e	3099	C
37	1e	3104	U
37	1e	3109	G
37	1e	3113	A
37	1e	3119	U
37	1e	3127	A
37	1e	3129	A
37	1e	3130	A
37	1e	3131	U
37	1e	3142	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
37	1e	3143	C
37	1e	3153	U
37	1e	3154	C
37	1e	3155	U
37	1e	3156	U
37	1e	3157	U
37	1e	3158	G
37	1e	3165	A
37	1e	3167	A
37	1e	3168	A
37	1e	3169	U
37	1e	3170	A
37	1e	3171	U
37	1e	3172	A
37	1e	3173	G
37	1e	3174	A
37	1e	3175	U
37	1e	3176	G
37	1e	3179	U
37	1e	3181	C
37	1e	3187	A
37	1e	3195	U
37	1e	3196	U
37	1e	3206	C
37	1e	3207	U
37	1e	3210	A
37	1e	3216	G
37	1e	3217	C
37	1e	3218	A
37	1e	3219	G
37	1e	3228	C
37	1e	3229	G
37	1e	3234	A
37	1e	3243	A
37	1e	3245	A
37	1e	3246	G
37	1e	3247	G
37	1e	3252	G
37	1e	3254	G
37	1e	3259	U
37	1e	3270	U
37	1e	3275	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
37	1e	3276	G
37	1e	3280	U
37	1e	3281	U
37	1e	3286	G
37	1e	3288	G
37	1e	3289	G
37	1e	3295	A
37	1e	3304	U
37	1e	3316	A
37	1e	3317	U
37	1e	3318	G
37	1e	3319	U
37	1e	3320	A
37	1e	3330	A
37	1e	3341	U
37	1e	3342	A
37	1e	3345	G
37	1e	3349	C
37	1e	3350	C
37	1e	3352	U
37	1e	3354	U
37	1e	3355	U
37	1e	3356	G
37	1e	3359	A
37	1e	3369	G
37	1e	3378	C
37	1e	3382	U
37	1e	3386	G
37	1e	3389	U
37	1e	3391	A
38	2f	10	C
38	2f	22	A
38	2f	31	U
38	2f	32	U
38	2f	33	U
38	2f	53	U
38	2f	54	U
38	2f	55	A
38	2f	65	G
38	2f	73	C
38	2f	74	C
38	2f	90	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
38	2f	99	G
38	2f	102	A
38	2f	112	G
46	3n	2	A
46	3n	21	C
46	3n	23	U
46	3n	34	U
46	3n	35	C
46	3n	38	U
46	3n	52	A
46	3n	53	A
46	3n	59	A
46	3n	62	C
46	3n	63	G
46	3n	79	A
46	3n	80	A
46	3n	82	U
46	3n	84	C
46	3n	85	G
46	3n	86	U
46	3n	88	A
46	3n	90	U
46	3n	95	G
46	3n	105	A
46	3n	106	C
46	3n	111	A
46	3n	113	U
46	3n	124	G
46	3n	125	U
46	3n	126	A
46	3n	138	A
46	3n	148	G
46	3n	152	G
46	3n	156	U

There are no RNA pucker outliers to report.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 237 ligands modelled in this entry, 237 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-34725. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 400




Y Index: 400




Z Index: 400


### 6.2.2 Raw map



X Index: 400



Y Index: 400




Z Index: 400

The images above show central slices of the map in three orthogonal directions.




## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 443




Y Index: 424




Z Index: 357


### 6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.12. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1460  $\text{nm}^3$ ; this corresponds to an approximate mass of 1319 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.379 Å<sup>-1</sup>



## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.379  $\text{\AA}^{-1}$

## 8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.64	-	-
Author-provided FSC curve	2.64	3.04	2.70
Unmasked-calculated*	3.81	8.63	4.00


\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.81 differs from the reported value 2.64 by more than 10 %



## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-34725 and PDB model 8HFR. Per-residue inclusion information can be found in section 3 on page 15.

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.12 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.12).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 86% of all backbone atoms, 89% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary ⓘ























































The table lists the average atom inclusion at the recommended contour level (0.12) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8880	 0.5740
1e	 0.9180	 0.5820
2f	 0.9860	 0.6010
3n	 0.9790	 0.6360
AN	 0.5910	 0.4010
As	 0.7450	 0.4110
B4	 0.9850	 0.6430
Bt	 0.6590	 0.4380
CD	 0.9880	 0.6440
CW	 0.2200	 0.2930
DK	 0.1370	 0.2580
DO	 0.9740	 0.6330
EX	 0.0430	 0.2810
Ez	 0.9310	 0.5640
F8	 0.9380	 0.5930
FR	 0.0370	 0.2680
Gu	 0.9680	 0.6270
Hj	 0.9350	 0.5830
Ib	 0.9670	 0.6030
Jy	 0.8760	 0.5030
KM	 0.6760	 0.3940
LL	 0.9280	 0.6060
MQ	 0.9660	 0.6130
No	 0.9960	 0.6550
O6	 0.9780	 0.6400
Pv	 0.9700	 0.6380
Qk	 0.9890	 0.6430
RP	 0.8440	 0.5720
SZ	 0.9780	 0.6270
Tl	 0.9540	 0.6190
UF	 0.8930	 0.5970
V5	 0.9700	 0.6220
Wg	 0.8660	 0.4760
Xc	 0.9660	 0.6280
YU	 0.9510	 0.6300



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
Zq	 0.9440	 0.5930
aw	 0.9680	 0.6420
b3	 0.9730	 0.6000
cC	 0.9530	 0.6030
dG	 0.9400	 0.6240
eH	 0.9740	 0.6370
f7	 0.9900	 0.6580
g2	 0.9520	 0.6190
h1	 0.9670	 0.6180
ia	 0.9540	 0.5780
jh	 0.9770	 0.6530
kr	 0.9090	 0.5670
li	 0.9880	 0.6540
mS	 0.9740	 0.6170
nY	 0.9800	 0.6200
ox	 0.9240	 0.5880
pT	 0.8570	 0.5700
qJ	 0.8340	 0.5620
rA	 0.8800	 0.5630
sm	 0.5560	 0.4350
tB	 0.9250	 0.6080
v9	 0.7890	 0.4760
vV	 0.8850	 0.5370
xI	 0.8450	 0.5530
xd	 0.8810	 0.5530
yE	 0.9450	 0.5980
zp	 0.8660	 0.5440