



Full wwPDB EM Validation Report ⓘ

Mar 15, 2025 – 06:37 am GMT

PDB ID : 9I8H
EMDB ID : EMD-52719
Title : Outwards conformation' of the human gamma-TuRC from purified centrosomes obtained by rigid body docking
Authors : Hofer, F.W.; Pfeffer, S.
Deposited on : 2025-02-04
Resolution : 23.20 Å(reported)
Based on initial model : 6V6S

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev117
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.41

1 Overall quality at a glance

The following experimental techniques were used to determine the structure:
ELECTRON MICROSCOPY

The reported resolution of this entry is 23.20 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	902	
1	C	902	
1	E	902	
1	G	902	
1	M	902	
2	B	907	
2	D	907	
2	F	907	
2	H	907	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	R	907	
2	T	907	
3	I	667	
3	K	667	
4	J	1024	
5	L	1819	
5	P	1819	
6	U	376	
7	Q	82	
7	S	82	
8	a	451	
8	b	451	
8	c	451	
8	d	451	
8	e	451	
8	f	451	
8	g	451	
8	h	451	
8	i	451	
8	j	451	
8	k	451	
8	l	451	
8	m	451	
8	t	451	

2 Entry composition [i](#)

There are 10 unique types of molecules in this entry. The entry contains 104043 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Gamma-tubulin complex component 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	539	Total	C	N	O	S	0	0
			4371	2825	721	795	30		
1	C	539	Total	C	N	O	S	0	0
			4371	2825	721	795	30		
1	E	539	Total	C	N	O	S	0	0
			4371	2825	721	795	30		
1	G	539	Total	C	N	O	S	0	0
			4371	2825	721	795	30		
1	M	539	Total	C	N	O	S	0	0
			4371	2825	721	795	30		

- Molecule 2 is a protein called Gamma-tubulin complex component 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	572	Total	C	N	O	S	0	0
			4744	3034	832	853	25		
2	D	572	Total	C	N	O	S	0	0
			4744	3034	832	853	25		
2	F	572	Total	C	N	O	S	0	0
			4744	3034	832	853	25		
2	H	572	Total	C	N	O	S	0	0
			4744	3034	832	853	25		
2	T	572	Total	C	N	O		0	0
			2840	1696	572	572			
2	R	76	Total	C	N	O		0	0
			379	227	76	76			

- Molecule 3 is a protein called Gamma-tubulin complex component 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	I	543	Total	C	N	O	S	0	0
			4361	2835	732	776	18		
3	K	543	Total	C	N	O	S	0	0
			4361	2835	732	776	18		

- Molecule 4 is a protein called Gamma-tubulin complex component 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	J	484	Total	C	N	O	S	0	0
			3977	2603	656	695	23		

- Molecule 5 is a protein called Gamma-tubulin complex component 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	L	497	Total	C	N	O	S	0	0
			4007	2630	667	690	20		
5	P	77	Total	C	N	O		0	0
			382	228	77	77			

- Molecule 6 is a protein called Actin, cytoplasmic 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
6	U	364	Total	C	N	O	0	0
			1795	1067	364	364		

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
U	1	CYS	-	insertion	UNP P60709
U	3	GLU	ASP	conflict	UNP P60709
U	4	GLU	ASP	conflict	UNP P60709
U	5	VAL	ILE	conflict	UNP P60709
U	153	LEU	MET	conflict	UNP P60709
U	160	SER	THR	conflict	UNP P60709
U	204	GLU	ALA	conflict	UNP P60709
U	243	LYS	PRO	conflict	UNP P60709
U	271	ALA	SER	conflict	UNP P60709
U	279	TYR	PHE	conflict	UNP P60709

- Molecule 7 is a protein called Mitotic-spindle organizing protein 1.

Mol	Chain	Residues	Atoms				AltConf	Trace
7	Q	44	Total	C	N	O	0	0
			220	132	44	44		
7	S	57	Total	C	N	O	0	0
			284	170	57	57		

- Molecule 8 is a protein called Tubulin gamma-1 chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	a	369	Total	C	N	O	S	0	0
			2950	1872	517	547	14		
8	b	369	Total	C	N	O	S	0	0
			2950	1872	517	547	14		
8	c	369	Total	C	N	O	S	0	0
			2950	1872	517	547	14		
8	d	369	Total	C	N	O	S	0	0
			2950	1872	517	547	14		
8	e	369	Total	C	N	O	S	0	0
			2950	1872	517	547	14		
8	f	369	Total	C	N	O	S	0	0
			2950	1872	517	547	14		
8	g	369	Total	C	N	O	S	0	0
			2950	1872	517	547	14		
8	h	369	Total	C	N	O	S	0	0
			2950	1872	517	547	14		
8	i	369	Total	C	N	O	S	0	0
			2950	1872	517	547	14		
8	j	369	Total	C	N	O	S	0	0
			2950	1872	517	547	14		
8	k	370	Total	C	N	O	S	0	0
			2954	1874	518	548	14		
8	l	370	Total	C	N	O	S	0	0
			2954	1874	518	548	14		
8	m	369	Total	C	N	O	S	0	0
			2950	1872	517	547	14		
8	t	370	Total	C	N	O		0	0
			1829	1089	370	370			

There are 14 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
a	202	LEU	VAL	conflict	UNP P23258
b	202	LEU	VAL	conflict	UNP P23258
c	202	LEU	VAL	conflict	UNP P23258
d	202	LEU	VAL	conflict	UNP P23258
e	202	LEU	VAL	conflict	UNP P23258
f	202	LEU	VAL	conflict	UNP P23258
g	202	LEU	VAL	conflict	UNP P23258
h	202	LEU	VAL	conflict	UNP P23258
i	202	LEU	VAL	conflict	UNP P23258
j	202	LEU	VAL	conflict	UNP P23258
k	202	LEU	VAL	conflict	UNP P23258
l	202	LEU	VAL	conflict	UNP P23258

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
m	202	LEU	VAL	conflict	UNP P23258
t	202	LEU	VAL	conflict	UNP P23258

- Molecule 9 is ADENOSINE-5'-DIPHOSPHATE (three-letter code: ADP) (formula: $C_{10}H_{15}N_5O_{10}P_2$).



Mol	Chain	Residues	Atoms					AltConf
9	U	1	Total	C	N	O	P	0
			27	10	5	10	2	

- Molecule 10 is GUANOSINE-5'-DIPHOSPHATE (three-letter code: GDP) (formula: $C_{10}H_{15}N_5O_{11}P_2$).



Mol	Chain	Residues	Atoms					AltConf
10	a	1	Total 28	C 10	N 5	O 11	P 2	0
10	b	1	Total 28	C 10	N 5	O 11	P 2	0
10	c	1	Total 28	C 10	N 5	O 11	P 2	0
10	d	1	Total 28	C 10	N 5	O 11	P 2	0
10	e	1	Total 28	C 10	N 5	O 11	P 2	0
10	f	1	Total 28	C 10	N 5	O 11	P 2	0
10	g	1	Total 28	C 10	N 5	O 11	P 2	0
10	h	1	Total 28	C 10	N 5	O 11	P 2	0
10	i	1	Total 28	C 10	N 5	O 11	P 2	0
10	j	1	Total 28	C 10	N 5	O 11	P 2	0
10	k	1	Total 28	C 10	N 5	O 11	P 2	0
10	l	1	Total 28	C 10	N 5	O 11	P 2	0
10	m	1	Total 28	C 10	N 5	O 11	P 2	0
10	t	1	Total 28	C 10	N 5	O 11	P 2	0




[illegible]


- Molecule 2: Gamma-tubulin complex component 3


Chain R: 8% 92%

[illegible]





- Molecule 3: Gamma-tubulin complex component 4

Chain I:  80% 19%




- Molecule 3: Gamma-tubulin complex component 4

Chain K:  81% 19%




- Molecule 4: Gamma-tubulin complex component 5






[illegible]


- Molecule 6: Actin, cytoplasmic 1




- Molecule 7: Mitotic-spindle organizing protein 1




- Molecule 7: Mitotic-spindle organizing protein 1





- Molecule 8: Tubulin gamma-1 chain

Chain a:  81% 18%





- Molecule 8: Tubulin gamma-1 chain

Chain b:  82% 18%




- Molecule 8: Tubulin gamma-1 chain


Chain c:  82% 18%



- Molecule 8: Tubulin gamma-1 chain


Chain d:  81% 18%






• Molecule 8: Tubulin gamma-1 chain

Chain e: 79% 18%




• Molecule 8: Tubulin gamma-1 chain


Chain f: 82% 18%



• Molecule 8: Tubulin gamma-1 chain



Chain g: 82% 18%







- Molecule 8: Tubulin gamma-1 chain

Chain h: 81% 18%






- Molecule 8: Tubulin gamma-1 chain


Chain i: 82% 18%



- Molecule 8: Tubulin gamma-1 chain

Chain j: 82% 18%





4 Experimental information

Property	Value	Source
EM reconstruction method	SUBTOMOGRAM AVERAGING	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of subtomograms used	739	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	217.3	Depositor
Minimum defocus (nm)	3000	Depositor
Maximum defocus (nm)	6000	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	1.388	Depositor
Minimum map value	-0.458	Depositor
Average map value	0.007	Depositor
Map value standard deviation	0.115	Depositor
Recommended contour level	0.577	Depositor
Map size (Å)	650.24, 650.24, 650.24	wwPDB
Map dimensions	128, 128, 128	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	5.08, 5.08, 5.08	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: GDP, ADP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.33	0/4460	0.43	0/6017
1	C	0.37	0/4460	0.45	0/6017
1	E	0.37	0/4460	0.45	0/6017
1	G	0.37	0/4460	0.45	0/6017
1	M	0.35	0/4460	0.44	0/6017
2	B	0.34	0/4838	0.43	0/6519
2	D	0.36	0/4838	0.44	0/6519
2	F	0.35	0/4838	0.43	0/6519
2	H	0.36	0/4838	0.44	0/6519
2	R	0.86	0/374	0.70	1/515 (0.2%)
2	T	0.27	0/2829	0.41	0/3931
3	I	0.33	0/4460	0.42	0/6046
3	K	0.27	0/4460	0.40	0/6046
4	J	0.31	0/4049	0.41	0/5463
5	L	0.28	0/4101	0.40	0/5542
5	P	0.85	0/377	0.74	1/518 (0.2%)
6	U	0.24	0/1793	0.59	0/2492
7	Q	0.85	0/217	0.72	1/299 (0.3%)
7	S	0.83	0/281	0.70	1/388 (0.3%)
8	a	0.33	0/3000	0.44	0/4050
8	b	0.29	0/3000	0.42	0/4050
8	c	0.28	0/3000	0.41	0/4050
8	d	0.30	0/3000	0.42	0/4050
8	e	0.35	0/3000	0.44	0/4050
8	f	0.29	0/3000	0.42	0/4050
8	g	0.32	0/3000	0.42	0/4050
8	h	0.34	0/3000	0.43	0/4050
8	i	0.30	0/3000	0.42	0/4050
8	j	0.25	0/3000	0.41	0/4050
8	k	0.30	0/3005	0.42	0/4058
8	l	0.28	0/3005	0.42	0/4058
8	m	0.28	0/3000	0.40	0/4050

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
8	t	0.27	0/1818	0.42	0/2515
All	All	0.33	0/105421	0.43	4/142582 (0.0%)

There are no bond length outliers.

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	R	9	PRO	N-CA-CB	5.18	109.52	103.30
5	P	84	PRO	N-CA-CB	5.16	109.50	103.30
7	S	57	PRO	N-CA-CB	5.09	109.41	103.30
7	Q	57	PRO	N-CA-CB	5.09	109.41	103.30

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	519/902 (58%)	479 (92%)	39 (8%)	1 (0%)	44	78
1	C	519/902 (58%)	486 (94%)	32 (6%)	1 (0%)	44	78
1	E	519/902 (58%)	482 (93%)	35 (7%)	2 (0%)	30	68
1	G	519/902 (58%)	485 (93%)	34 (7%)	0	100	100
1	M	519/902 (58%)	483 (93%)	35 (7%)	1 (0%)	44	78
2	B	550/907 (61%)	528 (96%)	22 (4%)	0	100	100
2	D	550/907 (61%)	530 (96%)	20 (4%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	F	550/907 (61%)	529 (96%)	21 (4%)	0	100	100
2	H	550/907 (61%)	530 (96%)	20 (4%)	0	100	100
2	R	66/907 (7%)	66 (100%)	0	0	100	100
2	T	550/907 (61%)	529 (96%)	21 (4%)	0	100	100
3	I	527/667 (79%)	493 (94%)	32 (6%)	2 (0%)	30	68
3	K	527/667 (79%)	504 (96%)	23 (4%)	0	100	100
4	J	454/1024 (44%)	434 (96%)	19 (4%)	1 (0%)	44	78
5	L	469/1819 (26%)	436 (93%)	33 (7%)	0	100	100
5	P	67/1819 (4%)	67 (100%)	0	0	100	100
6	U	360/376 (96%)	352 (98%)	8 (2%)	0	100	100
7	Q	38/82 (46%)	38 (100%)	0	0	100	100
7	S	51/82 (62%)	51 (100%)	0	0	100	100
8	a	345/451 (76%)	329 (95%)	16 (5%)	0	100	100
8	b	345/451 (76%)	327 (95%)	18 (5%)	0	100	100
8	c	345/451 (76%)	332 (96%)	13 (4%)	0	100	100
8	d	345/451 (76%)	326 (94%)	19 (6%)	0	100	100
8	e	345/451 (76%)	326 (94%)	18 (5%)	1 (0%)	37	73
8	f	345/451 (76%)	327 (95%)	18 (5%)	0	100	100
8	g	345/451 (76%)	330 (96%)	15 (4%)	0	100	100
8	h	345/451 (76%)	325 (94%)	19 (6%)	1 (0%)	37	73
8	i	345/451 (76%)	330 (96%)	15 (4%)	0	100	100
8	j	345/451 (76%)	330 (96%)	15 (4%)	0	100	100
8	k	348/451 (77%)	329 (94%)	19 (6%)	0	100	100
8	l	348/451 (77%)	329 (94%)	19 (6%)	0	100	100
8	m	345/451 (76%)	332 (96%)	13 (4%)	0	100	100
8	t	348/451 (77%)	332 (95%)	16 (5%)	0	100	100
All	All	12743/22802 (56%)	12106 (95%)	627 (5%)	10 (0%)	50	83

All (10) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
3	I	127	ASP
4	J	715	ARG

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	312	GLU
1	M	315	GLN
1	C	591	THR
1	E	313	TYR
8	e	160	ARG
1	E	398	SER
3	I	39	THR
8	h	275	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	481/791 (61%)	479 (100%)	2 (0%)	89	91
1	C	481/791 (61%)	479 (100%)	2 (0%)	89	91
1	E	481/791 (61%)	480 (100%)	1 (0%)	92	94
1	G	481/791 (61%)	477 (99%)	4 (1%)	79	85
1	M	481/791 (61%)	480 (100%)	1 (0%)	92	94
2	B	519/798 (65%)	519 (100%)	0	100	100
2	D	519/798 (65%)	514 (99%)	5 (1%)	73	82
2	F	519/798 (65%)	516 (99%)	3 (1%)	84	88
2	H	519/798 (65%)	517 (100%)	2 (0%)	89	91
3	I	472/594 (80%)	464 (98%)	8 (2%)	56	72
3	K	472/594 (80%)	468 (99%)	4 (1%)	79	85
4	J	445/933 (48%)	445 (100%)	0	100	100
5	L	436/1546 (28%)	436 (100%)	0	100	100
8	a	328/400 (82%)	323 (98%)	5 (2%)	60	75
8	b	328/400 (82%)	327 (100%)	1 (0%)	91	92
8	c	328/400 (82%)	327 (100%)	1 (0%)	91	92
8	d	328/400 (82%)	326 (99%)	2 (1%)	84	88

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
8	e	328/400 (82%)	318 (97%)	10 (3%)	36	55
8	f	328/400 (82%)	327 (100%)	1 (0%)	91	92
8	g	328/400 (82%)	327 (100%)	1 (0%)	91	92
8	h	328/400 (82%)	324 (99%)	4 (1%)	67	78
8	i	328/400 (82%)	327 (100%)	1 (0%)	91	92
8	j	328/400 (82%)	328 (100%)	0	100	100
8	k	328/400 (82%)	327 (100%)	1 (0%)	91	92
8	l	328/400 (82%)	328 (100%)	0	100	100
8	m	328/400 (82%)	328 (100%)	0	100	100
All	All	10570/16014 (66%)	10511 (99%)	59 (1%)	82	88

All (59) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	551	ASP
1	A	555	PHE
1	C	502	GLU
1	C	589	MET
2	D	305	ARG
2	D	323	SER
2	D	426	VAL
2	D	427	LEU
2	D	428	SER
1	E	284	ILE
2	F	293	ARG
2	F	294	LEU
2	F	413	SER
1	G	538	VAL
1	G	550	MET
1	G	551	ASP
1	G	731	GLU
2	H	317	PHE
2	H	323	SER
3	I	33	PHE
3	I	97	LEU
3	I	110	GLU
3	I	112	LEU
3	I	131	LEU
3	I	132	LEU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
3	I	135	SER
3	I	136	VAL
3	K	33	PHE
3	K	39	THR
3	K	124	TYR
3	K	472	GLU
1	M	731	GLU
8	a	125	GLU
8	a	161	TYR
8	a	252	ASP
8	a	361	SER
8	a	440	ARG
8	b	440	ARG
8	c	328	VAL
8	d	339	ARG
8	d	440	ARG
8	e	113	LYS
8	e	114	ILE
8	e	116	GLU
8	e	117	ASP
8	e	119	PHE
8	e	157	LEU
8	e	161	TYR
8	e	163	LYS
8	e	361	SER
8	e	440	ARG
8	f	440	ARG
8	g	60	TYR
8	h	273	TYR
8	h	295	ARG
8	h	298	LEU
8	h	440	ARG
8	i	440	ARG
8	k	141	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (217) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	429	HIS
1	A	486	ASN
1	A	552	GLN
1	A	608	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	682	GLN
1	A	722	GLN
1	A	754	HIS
1	A	851	ASN
1	A	890	ASN
2	B	345	GLN
2	B	387	HIS
2	B	401	HIS
2	B	461	HIS
2	B	558	HIS
2	B	595	HIS
2	B	643	HIS
2	B	739	GLN
2	B	846	GLN
1	C	264	GLN
1	C	317	ASN
1	C	486	ASN
1	C	682	GLN
1	C	722	GLN
2	D	345	GLN
2	D	401	HIS
2	D	558	HIS
2	D	595	HIS
2	D	643	HIS
2	D	739	GLN
2	D	846	GLN
1	E	289	HIS
1	E	317	ASN
1	E	429	HIS
1	E	486	ASN
1	E	552	GLN
1	E	608	HIS
1	E	682	GLN
1	E	722	GLN
1	E	754	HIS
1	E	851	ASN
1	E	890	ASN
2	F	345	GLN
2	F	387	HIS
2	F	558	HIS
2	F	643	HIS
2	F	739	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
2	F	846	GLN
1	G	264	GLN
1	G	317	ASN
1	G	486	ASN
1	G	540	HIS
1	G	558	HIS
1	G	682	GLN
1	G	722	GLN
2	H	345	GLN
2	H	347	GLN
2	H	401	HIS
2	H	595	HIS
2	H	643	HIS
2	H	739	GLN
2	H	742	GLN
2	H	846	GLN
3	I	26	GLN
3	I	116	HIS
3	I	123	ASN
3	I	130	GLN
3	I	303	GLN
3	I	378	HIS
3	I	393	ASN
3	I	397	GLN
3	I	401	HIS
3	I	415	HIS
3	I	498	GLN
3	I	518	ASN
3	I	539	GLN
3	I	542	GLN
4	J	362	GLN
4	J	413	HIS
4	J	474	GLN
4	J	558	GLN
4	J	642	HIS
4	J	818	GLN
4	J	822	ASN
4	J	830	GLN
4	J	907	HIS
4	J	914	GLN
4	J	925	GLN
4	J	938	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
4	J	989	ASN
3	K	29	GLN
3	K	82	HIS
3	K	98	GLN
3	K	193	HIS
3	K	393	ASN
3	K	498	GLN
3	K	518	ASN
3	K	528	GLN
3	K	539	GLN
3	K	542	GLN
3	K	560	HIS
3	K	566	ASN
3	K	590	HIS
5	L	441	GLN
5	L	517	HIS
5	L	593	HIS
5	L	1508	HIS
5	L	1559	GLN
5	L	1666	GLN
5	L	1667	HIS
5	L	1673	GLN
5	L	1678	ASN
5	L	1679	GLN
5	L	1702	GLN
5	L	1705	HIS
5	L	1777	HIS
5	L	1805	ASN
1	M	264	GLN
1	M	317	ASN
1	M	486	ASN
1	M	682	GLN
1	M	722	GLN
8	a	24	GLN
8	a	139	HIS
8	a	250	ASN
8	a	251	ASN
8	a	325	GLN
8	a	381	HIS
8	a	430	GLN
8	b	24	GLN
8	b	314	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	b	322	ASN
8	b	381	HIS
8	b	430	GLN
8	b	436	HIS
8	c	12	GLN
8	c	139	HIS
8	c	227	GLN
8	c	250	ASN
8	c	315	HIS
8	c	322	ASN
8	c	325	GLN
8	c	381	HIS
8	c	430	GLN
8	d	24	GLN
8	d	299	GLN
8	d	314	ASN
8	d	322	ASN
8	d	381	HIS
8	d	430	GLN
8	d	436	HIS
8	e	24	GLN
8	e	139	HIS
8	e	250	ASN
8	e	325	GLN
8	e	381	HIS
8	e	430	GLN
8	f	24	GLN
8	f	314	ASN
8	f	322	ASN
8	f	381	HIS
8	f	430	GLN
8	f	436	HIS
8	g	16	GLN
8	g	54	GLN
8	g	139	HIS
8	g	227	GLN
8	g	250	ASN
8	g	315	HIS
8	g	322	ASN
8	g	325	GLN
8	g	381	HIS
8	g	430	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	h	24	GLN
8	h	314	ASN
8	h	338	GLN
8	h	381	HIS
8	h	430	GLN
8	h	436	HIS
8	i	12	GLN
8	i	219	HIS
8	i	250	ASN
8	i	251	ASN
8	i	325	GLN
8	i	338	GLN
8	i	430	GLN
8	j	16	GLN
8	j	299	GLN
8	j	322	ASN
8	j	325	GLN
8	j	357	GLN
8	j	381	HIS
8	k	12	GLN
8	k	54	GLN
8	k	139	HIS
8	k	211	ASN
8	k	219	HIS
8	k	250	ASN
8	k	299	GLN
8	k	322	ASN
8	k	332	GLN
8	k	430	GLN
8	l	12	GLN
8	l	139	HIS
8	l	211	ASN
8	l	322	ASN
8	l	357	GLN
8	l	430	GLN
8	m	16	GLN
8	m	139	HIS
8	m	219	HIS
8	m	227	GLN
8	m	250	ASN
8	m	315	HIS
8	m	322	ASN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
8	m	325	GLN
8	m	381	HIS
8	m	430	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

15 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
10	GDP	b	501	-	24,30,30	0.95	1 (4%)	30,47,47	1.36	4 (13%)
10	GDP	m	501	-	24,30,30	0.95	1 (4%)	30,47,47	1.38	4 (13%)
10	GDP	f	501	-	24,30,30	0.93	1 (4%)	30,47,47	1.36	4 (13%)
10	GDP	l	501	-	24,30,30	0.95	1 (4%)	30,47,47	1.35	4 (13%)
10	GDP	c	501	-	24,30,30	0.96	1 (4%)	30,47,47	1.38	4 (13%)
10	GDP	a	501	-	24,30,30	0.94	1 (4%)	30,47,47	1.38	4 (13%)
10	GDP	e	501	-	24,30,30	0.95	1 (4%)	30,47,47	1.38	4 (13%)
10	GDP	i	501	-	24,30,30	0.95	1 (4%)	30,47,47	1.36	4 (13%)
10	GDP	t	501	-	24,30,30	0.94	1 (4%)	30,47,47	1.36	4 (13%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
10	GDP	j	501	-	24,30,30	0.95	1 (4%)	30,47,47	1.34	4 (13%)
10	GDP	k	501	-	24,30,30	0.95	1 (4%)	30,47,47	1.36	4 (13%)
10	GDP	g	501	-	24,30,30	0.96	1 (4%)	30,47,47	1.37	4 (13%)
9	ADP	U	800	-	24,29,29	0.70	0	29,45,45	0.84	2 (6%)
10	GDP	h	501	-	24,30,30	0.92	1 (4%)	30,47,47	1.35	4 (13%)
10	GDP	d	501	-	24,30,30	0.95	1 (4%)	30,47,47	1.36	4 (13%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	GDP	b	501	-	-	2/12/32/32	0/3/3/3
10	GDP	m	501	-	-	1/12/32/32	0/3/3/3
10	GDP	f	501	-	-	2/12/32/32	0/3/3/3
10	GDP	l	501	-	-	1/12/32/32	0/3/3/3
10	GDP	c	501	-	-	1/12/32/32	0/3/3/3
10	GDP	a	501	-	-	1/12/32/32	0/3/3/3
10	GDP	e	501	-	-	0/12/32/32	0/3/3/3
10	GDP	i	501	-	-	1/12/32/32	0/3/3/3
10	GDP	t	501	-	-	2/12/32/32	0/3/3/3
10	GDP	j	501	-	-	1/12/32/32	0/3/3/3
10	GDP	k	501	-	-	1/12/32/32	0/3/3/3
10	GDP	g	501	-	-	1/12/32/32	0/3/3/3
9	ADP	U	800	-	-	0/12/32/32	0/3/3/3
10	GDP	h	501	-	-	2/12/32/32	0/3/3/3
10	GDP	d	501	-	-	2/12/32/32	0/3/3/3

All (14) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	i	501	GDP	C6-N1	-2.65	1.33	1.37
10	e	501	GDP	C6-N1	-2.62	1.34	1.37
10	c	501	GDP	C6-N1	-2.62	1.34	1.37
10	g	501	GDP	C6-N1	-2.59	1.34	1.37
10	a	501	GDP	C6-N1	-2.59	1.34	1.37
10	m	501	GDP	C6-N1	-2.56	1.34	1.37
10	j	501	GDP	C6-N1	-2.48	1.34	1.37
10	b	501	GDP	C6-N1	-2.46	1.34	1.37

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	t	501	GDP	C6-N1	-2.46	1.34	1.37
10	d	501	GDP	C6-N1	-2.44	1.34	1.37
10	l	501	GDP	C6-N1	-2.34	1.34	1.37
10	f	501	GDP	C6-N1	-2.33	1.34	1.37
10	k	501	GDP	C6-N1	-2.30	1.34	1.37
10	h	501	GDP	C6-N1	-2.26	1.34	1.37

All (58) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	e	501	GDP	PA-O3A-PB	-4.24	118.29	132.83
10	a	501	GDP	PA-O3A-PB	-4.22	118.34	132.83
10	i	501	GDP	PA-O3A-PB	-4.06	118.89	132.83
10	m	501	GDP	PA-O3A-PB	-4.01	119.05	132.83
10	j	501	GDP	PA-O3A-PB	-4.01	119.07	132.83
10	c	501	GDP	PA-O3A-PB	-4.01	119.07	132.83
10	g	501	GDP	PA-O3A-PB	-3.99	119.14	132.83
10	t	501	GDP	PA-O3A-PB	-3.88	119.50	132.83
10	d	501	GDP	PA-O3A-PB	-3.60	120.46	132.83
10	k	501	GDP	PA-O3A-PB	-3.58	120.55	132.83
10	f	501	GDP	PA-O3A-PB	-3.57	120.57	132.83
10	l	501	GDP	PA-O3A-PB	-3.56	120.59	132.83
10	b	501	GDP	PA-O3A-PB	-3.55	120.64	132.83
10	h	501	GDP	PA-O3A-PB	-3.52	120.75	132.83
10	f	501	GDP	C3'-C2'-C1'	3.28	105.92	100.98
10	m	501	GDP	C3'-C2'-C1'	3.25	105.88	100.98
10	t	501	GDP	C3'-C2'-C1'	3.25	105.87	100.98
10	k	501	GDP	C3'-C2'-C1'	3.23	105.84	100.98
10	d	501	GDP	C3'-C2'-C1'	3.22	105.83	100.98
10	h	501	GDP	C3'-C2'-C1'	3.20	105.80	100.98
10	c	501	GDP	C3'-C2'-C1'	3.19	105.78	100.98
10	b	501	GDP	C3'-C2'-C1'	3.19	105.78	100.98
10	g	501	GDP	C3'-C2'-C1'	3.16	105.74	100.98
10	l	501	GDP	C3'-C2'-C1'	3.14	105.71	100.98
10	j	501	GDP	C3'-C2'-C1'	2.98	105.47	100.98
10	e	501	GDP	C3'-C2'-C1'	2.93	105.38	100.98
10	a	501	GDP	C3'-C2'-C1'	2.92	105.37	100.98
10	i	501	GDP	C3'-C2'-C1'	2.86	105.28	100.98
10	m	501	GDP	C5-C6-N1	2.46	118.29	113.95
10	c	501	GDP	C5-C6-N1	2.43	118.25	113.95
10	t	501	GDP	C8-N7-C5	2.42	107.61	102.99
10	l	501	GDP	C8-N7-C5	2.41	107.58	102.99

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	g	501	GDP	C5-C6-N1	2.40	118.19	113.95
10	h	501	GDP	C8-N7-C5	2.38	107.53	102.99
10	b	501	GDP	C8-N7-C5	2.37	107.51	102.99
10	f	501	GDP	C8-N7-C5	2.36	107.49	102.99
10	i	501	GDP	C8-N7-C5	2.34	107.46	102.99
10	m	501	GDP	C8-N7-C5	2.34	107.44	102.99
10	j	501	GDP	C8-N7-C5	2.33	107.42	102.99
10	i	501	GDP	C5-C6-N1	2.32	118.04	113.95
10	k	501	GDP	C8-N7-C5	2.31	107.40	102.99
10	a	501	GDP	C5-C6-N1	2.31	118.03	113.95
10	d	501	GDP	C8-N7-C5	2.31	107.39	102.99
10	e	501	GDP	C8-N7-C5	2.31	107.39	102.99
10	k	501	GDP	C5-C6-N1	2.31	118.03	113.95
10	c	501	GDP	C8-N7-C5	2.30	107.38	102.99
10	a	501	GDP	C8-N7-C5	2.30	107.37	102.99
10	f	501	GDP	C5-C6-N1	2.30	118.01	113.95
10	b	501	GDP	C5-C6-N1	2.29	118.00	113.95
10	g	501	GDP	C8-N7-C5	2.29	107.35	102.99
10	j	501	GDP	C5-C6-N1	2.27	117.95	113.95
10	t	501	GDP	C5-C6-N1	2.26	117.95	113.95
10	e	501	GDP	C5-C6-N1	2.26	117.95	113.95
10	d	501	GDP	C5-C6-N1	2.26	117.94	113.95
10	l	501	GDP	C5-C6-N1	2.25	117.93	113.95
10	h	501	GDP	C5-C6-N1	2.25	117.92	113.95
9	U	800	ADP	C5-C6-N6	2.25	123.77	120.35
9	U	800	ADP	O2B-PB-O1B	2.15	119.10	110.68

There are no chirality outliers.

All (18) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
10	b	501	GDP	C5'-O5'-PA-O1A
10	d	501	GDP	C5'-O5'-PA-O1A
10	f	501	GDP	C5'-O5'-PA-O1A
10	h	501	GDP	C5'-O5'-PA-O1A
10	k	501	GDP	C5'-O5'-PA-O1A
10	l	501	GDP	C5'-O5'-PA-O1A
10	t	501	GDP	C5'-O5'-PA-O1A
10	b	501	GDP	C5'-O5'-PA-O3A
10	d	501	GDP	C5'-O5'-PA-O3A
10	f	501	GDP	C5'-O5'-PA-O3A
10	h	501	GDP	C5'-O5'-PA-O3A

Continued on next page...



Continued from previous page...



Mol	Chain	Res	Type	Atoms
10	t	501	GDP	C5'-O5'-PA-O3A
10	a	501	GDP	C5'-O5'-PA-O1A
10	c	501	GDP	C5'-O5'-PA-O1A
10	g	501	GDP	C5'-O5'-PA-O1A
10	i	501	GDP	C5'-O5'-PA-O1A
10	j	501	GDP	C5'-O5'-PA-O1A
10	m	501	GDP	C5'-O5'-PA-O1A



There are no ring outliers.



No monomer is involved in short contacts.



The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






















5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
5	L	1
2	T	1
3	K	1
2	R	1
2	H	1
1	G	1
3	I	1
1	C	1
1	M	1
4	J	1
1	E	1
2	F	1
1	A	1

Continued on next page...

Continued from previous page...

Mol	Chain	Number of breaks
2	B	1
2	D	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	L	1503:LEU	C	1504:HIS	N	10.49
1	T	553:TYR	C	554:SER	N	10.11
1	K	349:ASP	C	350:LEU	N	7.06
1	R	66:ARG	C	67:ARG	N	6.32
1	H	553:TYR	C	554:SER	N	6.16
1	G	536:GLU	C	537:LEU	N	5.95
1	I	349:ASP	C	350:LEU	N	5.84
1	C	536:GLU	C	537:LEU	N	5.70
1	M	536:GLU	C	537:LEU	N	5.67
1	J	713:ASP	C	714:TYR	N	5.54
1	E	536:GLU	C	537:LEU	N	4.97
1	F	553:TYR	C	554:SER	N	4.90
1	A	536:GLU	C	537:LEU	N	4.81
1	B	553:TYR	C	554:SER	N	4.59
1	D	553:TYR	C	554:SER	N	3.81


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-52719. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 64




Y Index: 64




Z Index: 64


6.2.2 Raw map



X Index: 64



Y Index: 64




Z Index: 64


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 76




Y Index: 66




Z Index: 68


6.3.2 Raw map



X Index: 63



Y Index: 66




Z Index: 68


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.577. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 3289 nm³; this corresponds to an approximate mass of 2971 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.043 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.043 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	23.20	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	30.30	34.84	31.25

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 30.30 differs from the reported value 23.2 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-52719 and PDB model 9I8H. Per-residue inclusion information can be found in section 3 on page 9.


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.577 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.577).





































































9.4 Atom inclusion [i](#)



At the recommended contour level, 96% of all backbone atoms, 94% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.577) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9450	 0.0540
A	 0.9510	 0.0660
B	 0.9280	 0.0640
C	 0.9520	 0.0540
D	 0.9120	 0.0680
E	 0.9530	 0.0600
F	 0.9060	 0.0630
G	 0.9540	 0.0590
H	 0.9260	 0.0590
I	 0.9360	 0.0540
J	 0.9680	 0.0520
K	 0.9480	 0.0500
L	 0.9580	 0.0560
M	 0.9690	 0.0620
P	 0.9920	 0.0840
Q	 0.9500	 0.0550
R	 0.9890	 0.0520
S	 0.9190	 0.0690
T	 0.8960	 0.0670
U	 0.8960	 0.0670
a	 0.9580	 0.0550
b	 0.9530	 0.0420
c	 0.9580	 0.0470
d	 0.9520	 0.0420
e	 0.9630	 0.0450
f	 0.9600	 0.0410
g	 0.9600	 0.0450
h	 0.9540	 0.0500
i	 0.9430	 0.0530
j	 0.9600	 0.0480
k	 0.9400	 0.0440
l	 0.9700	 0.0410
m	 0.9630	 0.0450
t	 0.9130	 0.0420

