



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 8, 2025 – 02:08 PM JST

PDB ID : 9JTZ / pdb_00009jtz
Title : Crystal structure of Nir2 C-terminal domain in complex with phosphatidic acid
Authors : Kim, D.; Lee, C.
Deposited on : 2024-10-07
Resolution : 2.15 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 2.0
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.46


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.15 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1881 (2.16-2.16)
Clashscore	180529	2047 (2.16-2.16)
Ramachandran outliers	177936	2027 (2.16-2.16)
Sidechain outliers	177891	2026 (2.16-2.16)
RSRZ outliers	164620	1882 (2.16-2.16)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	284	<div> <div>4%</div> <div> <div></div> <div>77%</div> <div>13%</div> <div>•</div> <div>10%</div> </div> </div>
1	B	284	<div> <div>4%</div> <div> <div></div> <div>73%</div> <div>15%</div> <div>•</div> <div>11%</div> </div> </div>
1	C	284	<div> <div>6%</div> <div> <div></div> <div>65%</div> <div>19%</div> <div>•</div> <div>14%</div> </div> </div>

2 Entry composition

There are 5 unique types of molecules in this entry. The entry contains 6058 atoms, of which 11 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.


- Molecule 1 is a protein called Membrane-associated phosphatidylinositol transfer protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	257	Total	C	N	O	S	0	0	0
			1971	1246	350	365	10			
1	B	253	Total	C	N	O	S	0	0	0
			1951	1233	350	358	10			
1	C	244	Total	C	N	O	S	0	0	0
			1877	1193	327	347	10			

There are 9 discrepancies between the modelled and reference sequences:


Chain	Residue	Modelled	Actual	Comment	Reference
A	907	SER	-	expression tag	UNP O35954
A	908	GLY	-	expression tag	UNP O35954
A	909	SER	-	expression tag	UNP O35954
B	907	SER	-	expression tag	UNP O35954
B	908	GLY	-	expression tag	UNP O35954
B	909	SER	-	expression tag	UNP O35954
C	907	SER	-	expression tag	UNP O35954
C	908	GLY	-	expression tag	UNP O35954
C	909	SER	-	expression tag	UNP O35954

- Molecule 2 is (2R)-3-(phosphonoxy)propane-1,2-diyl dihexanoate (CCD ID: 44E) (formula: C₁₅H₂₉O₈P) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	A	1	Total	C	H	O	P	0	0
			19	5	7	6	1		

- Molecule 3 is 2-oxidanylethanal (CCD ID: DW3) (formula: $C_2H_4O_2$).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
3	A	1	Total	C	H	O	0	0
			8	2	4	2		

- Molecule 4 is CALCIUM ION (CCD ID: CA) (formula: Ca) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
4	A	1	Total 1	Ca 1	0	0


- Molecule 5 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	103	Total 103	O 103	0	0
5	B	81	Total 81	O 81	0	0
5	C	47	Total 47	O 47	0	0


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Membrane-associated phosphatidylinositol transfer protein 1



- Molecule 1: Membrane-associated phosphatidylinositol transfer protein 1



- Molecule 1: Membrane-associated phosphatidylinositol transfer protein 1



4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	69.94Å 108.76Å 120.53Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	40.38 – 2.15 40.38 – 2.15	Depositor EDS
% Data completeness (in resolution range)	99.5 (40.38-2.15) 99.4 (40.38-2.15)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.41 (at 2.16Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.203 , 0.258 0.222 , 0.227	Depositor DCC
R_{free} test set	2000 reflections (3.96%)	wwPDB-VP
Wilson B-factor (Å ²)	37.1	Xtriage
Anisotropy	0.144	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.33 , 30.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.95	EDS
Total number of atoms	6058	wwPDB-VP
Average B, all atoms (Å ²)	45.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.57% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CA, DW3, 44E

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.76	0/2016	0.95	3/2743 (0.1%)
1	B	0.77	0/1995	1.01	3/2711 (0.1%)
1	C	0.66	0/1920	1.02	10/2613 (0.4%)
All	All	0.73	0/5931	0.99	16/8067 (0.2%)

There are no bond length outliers.

All (16) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	C	1096	THR	N-CA-C	8.98	121.14	111.36
1	C	1102	GLN	N-CA-C	7.52	119.12	111.07
1	C	1092	CYS	CA-C-N	6.57	129.62	120.29
1	C	1092	CYS	C-N-CA	6.57	129.62	120.29
1	A	1026	ILE	N-CA-C	6.02	116.14	110.30
1	B	1030	PHE	N-CA-C	5.60	120.77	113.88
1	C	1093	ASP	N-CA-C	5.59	117.46	111.36
1	B	942	PRO	N-CA-C	-5.44	102.73	111.38
1	C	984	VAL	CA-C-N	5.32	125.33	119.90
1	C	984	VAL	C-N-CA	5.32	125.33	119.90
1	B	1173	SER	N-CA-C	5.29	117.13	111.36
1	C	941	GLY	CA-C-N	-5.09	114.53	119.78
1	C	941	GLY	C-N-CA	-5.09	114.53	119.78
1	C	1028	GLY	N-CA-C	5.08	125.22	113.18
1	A	1067	ARG	CA-C-N	5.02	124.92	119.85
1	A	1067	ARG	C-N-CA	5.02	124.92	119.85

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts ⓘ

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1971	0	1944	38	0
1	B	1951	0	1926	39	0
1	C	1877	0	1848	51	0
2	A	12	7	5	2	0
3	A	4	4	0	0	0
4	A	1	0	0	0	0
5	A	103	0	0	4	0
5	B	81	0	0	4	0
5	C	47	0	0	2	0
All	All	6047	11	5723	127	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 11.

All (127) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:972:GLU:HB2	1:C:980:LEU:CD1	1.71	1.19
1:C:1004:ASP:OD2	1:C:1006:THR:HG23	1.56	1.03
1:C:972:GLU:HB2	1:C:980:LEU:HD11	1.04	1.01
1:B:927:CYS:HB3	1:B:930:ARG:HH11	1.35	0.92
1:C:1015:VAL:HG21	1:C:1116:LEU:HD21	1.54	0.90
1:C:1004:ASP:OD2	1:C:1006:THR:CG2	2.21	0.89
1:A:920:ARG:HD2	1:A:1069:ASP:O	1.74	0.88
1:A:939:MET:HE1	1:A:947:THR:HG23	1.57	0.87
1:A:1098:ASP:OD2	1:A:1101:ARG:HD2	1.77	0.83
1:B:1092:CYS:SG	5:B:1273:HOH:O	2.36	0.83
1:A:972:GLU:HB2	1:A:980:LEU:HD11	1.62	0.81
1:C:972:GLU:CB	1:C:980:LEU:CD1	2.59	0.80
1:B:972:GLU:HB2	1:B:980:LEU:HD11	1.63	0.78
1:A:938:PHE:O	1:A:939:MET:HE2	1.85	0.76
1:C:1051:VAL:HG12	1:C:1085:PRO:HG2	1.67	0.75
1:A:920:ARG:NE	1:A:1069:ASP:OD1	2.20	0.75
1:B:1073:HIS:NE2	1:B:1074:ARG:HG3	2.02	0.75
1:B:927:CYS:HB3	1:B:930:ARG:NH1	2.00	0.75

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:972:GLU:CB	1:C:980:LEU:HD11	2.01	0.74
1:A:1096:THR:O	1:A:1097:HIS:HB2	1.89	0.72
1:B:1156:GLN:NE2	5:B:1201:HOH:O	2.23	0.72
1:B:948:LEU:HD11	1:B:951:GLU:HG3	1.73	0.69
1:A:1097:HIS:HB2	5:A:1321:HOH:O	1.91	0.69
1:C:915:VAL:CG2	1:C:941:GLY:HA2	2.22	0.68
1:B:1098:ASP:OD2	1:B:1101:ARG:NH1	2.25	0.68
1:C:1124:SER:HB2	1:C:1125:PRO:HD2	1.78	0.65
1:A:1096:THR:HG22	1:A:1098:ASP:H	1.61	0.64
1:A:915:VAL:HG13	1:A:916:THR:N	2.13	0.64
1:A:1097:HIS:CB	5:A:1321:HOH:O	2.46	0.63
1:B:927:CYS:CB	1:B:930:ARG:NH1	2.60	0.63
1:C:915:VAL:CG2	1:C:941:GLY:CA	2.76	0.63
1:B:927:CYS:SG	1:B:930:ARG:NH1	2.71	0.63
1:C:1151:LEU:HD12	1:C:1151:LEU:N	2.14	0.62
1:C:1077:ALA:O	1:C:1081:GLN:HG3	2.01	0.61
1:A:920:ARG:NH1	1:A:944:ASP:OD2	2.29	0.61
1:A:1067:ARG:HG2	2:A:1201:44E:C22	2.31	0.61
1:C:1051:VAL:CG1	1:C:1085:PRO:HG2	2.31	0.60
1:A:1035:SER:HB2	1:A:1039:SER:O	2.00	0.60
1:C:915:VAL:HG21	1:C:941:GLY:CA	2.31	0.60
1:C:1124:SER:HB2	1:C:1125:PRO:CD	2.33	0.59
1:B:930:ARG:NH2	1:B:1115:GLU:OE2	2.36	0.59
1:C:1105:MET:HE2	1:C:1105:MET:HA	1.83	0.59
1:B:1073:HIS:CD2	1:B:1074:ARG:HG3	2.38	0.59
1:A:915:VAL:HG13	1:A:916:THR:H	1.66	0.58
1:C:980:LEU:C	1:C:980:LEU:HD23	2.29	0.58
1:B:1098:ASP:OD1	1:B:1101:ARG:HD2	2.04	0.57
1:B:948:LEU:CD1	1:B:951:GLU:HG3	2.36	0.56
1:C:1126:LYS:HE2	5:C:1229:HOH:O	2.05	0.56
1:A:960:GLN:HG2	5:A:1303:HOH:O	2.06	0.56
1:B:1168:GLN:O	1:B:1173:SER:HB3	2.06	0.55
1:A:939:MET:CE	1:A:947:THR:HG23	2.34	0.55
1:C:1114:VAL:HG12	1:C:1116:LEU:HG	1.89	0.54
1:C:1065:THR:OG1	1:C:1067:ARG:HG3	2.08	0.54
1:A:1034:VAL:HG12	1:A:1035:SER:N	2.21	0.54
1:C:979:ARG:CD	1:C:1095:LEU:HD11	2.38	0.54
1:C:915:VAL:HG23	1:C:941:GLY:HA2	1.89	0.54
1:C:972:GLU:HB2	1:C:980:LEU:CG	2.35	0.54
1:B:1028:GLY:HA3	1:B:1124:SER:OG	2.08	0.54
1:A:948:LEU:HD11	1:A:951:GLU:HG3	1.89	0.54

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:1043:VAL:HG22	1:C:1078:TRP:CH2	2.44	0.53
1:B:972:GLU:CB	1:B:980:LEU:HD11	2.37	0.53
1:B:1146:ARG:NH1	5:B:1205:HOH:O	2.42	0.52
1:C:1051:VAL:HG12	1:C:1085:PRO:CG	2.39	0.52
1:B:944:ASP:OD2	1:B:1070:MET:HE2	2.09	0.51
1:B:1017:ARG:NH1	1:B:1115:GLU:OE1	2.43	0.51
1:B:938:PHE:C	1:B:939:MET:HG2	2.34	0.51
1:A:1124:SER:HB2	1:A:1125:PRO:HD2	1.92	0.51
1:C:948:LEU:HD11	1:C:951:GLU:HG3	1.92	0.51
1:C:1043:VAL:HG21	1:C:1082:HIS:CG	2.46	0.51
1:B:942:PRO:O	1:B:943:LEU:HB2	2.11	0.50
1:C:979:ARG:CZ	1:C:1095:LEU:HG	2.40	0.50
1:C:1045:ALA:O	1:C:1162:TYR:HB2	2.11	0.49
1:A:940:TYR:HB2	1:A:946:VAL:HB	1.94	0.49
1:B:1045:ALA:O	1:B:1162:TYR:HB2	2.12	0.49
1:A:1149:ARG:HD3	1:B:1018:GLY:O	2.13	0.49
1:A:927:CYS:SG	1:A:1017:ARG:HG3	2.54	0.48
1:C:979:ARG:NE	1:C:1095:LEU:HG	2.29	0.48
1:B:920:ARG:NH2	1:B:944:ASP:OD2	2.28	0.48
1:A:1034:VAL:HG12	1:A:1035:SER:H	1.78	0.48
1:C:1004:ASP:O	1:C:1005:HIS:HB2	2.13	0.48
1:C:940:TYR:HB2	1:C:946:VAL:HB	1.96	0.47
1:C:1089:VAL:HG12	1:C:1091:PHE:CE1	2.49	0.47
1:C:1019:THR:HB	1:C:1116:LEU:HD22	1.97	0.47
1:C:1043:VAL:HG12	1:C:1044:ARG:O	2.14	0.47
1:A:1096:THR:HG22	1:A:1098:ASP:N	2.30	0.46
1:C:919:HIS:ND1	1:C:938:PHE:HA	2.31	0.46
1:B:990:LEU:HD22	1:B:995:TYR:CG	2.51	0.45
1:B:1093:ASP:O	1:B:1102:GLN:OE1	2.35	0.45
1:C:938:PHE:C	1:C:939:MET:HG2	2.42	0.45
1:B:940:TYR:HB2	1:B:946:VAL:HB	1.98	0.45
1:A:1045:ALA:O	1:A:1162:TYR:HB2	2.17	0.45
1:A:1092:CYS:HB3	1:A:1102:GLN:OE1	2.17	0.45
1:B:943:LEU:HD12	1:B:943:LEU:N	2.30	0.45
1:A:1027:ASP:HB2	2:A:1201:44E:O11	2.17	0.44
1:C:1114:VAL:O	1:C:1115:GLU:HB2	2.18	0.44
1:B:1161:GLY:N	5:B:1209:HOH:O	2.51	0.44
1:C:979:ARG:HD2	5:C:1230:HOH:O	2.16	0.44
1:A:972:GLU:CB	1:A:980:LEU:HD11	2.41	0.44
1:B:1093:ASP:O	1:B:1102:GLN:NE2	2.51	0.44
1:C:979:ARG:HD2	1:C:1095:LEU:HD11	1.99	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:990:LEU:HD13	1:C:1012:LEU:HD23	2.00	0.43
1:B:990:LEU:HD22	1:B:995:TYR:CD1	2.54	0.43
1:C:1152:GLN:HA	1:C:1157:PHE:HE2	1.83	0.43
1:A:915:VAL:CG1	1:A:916:THR:N	2.81	0.43
1:A:1138:PRO:HB3	1:A:1154:GLN:C	2.43	0.43
1:A:1168:GLN:O	1:A:1173:SER:HB3	2.19	0.43
1:A:1098:ASP:OD2	1:A:1101:ARG:CD	2.59	0.43
1:B:921:ALA:O	1:B:1072:LYS:NZ	2.50	0.43
1:C:1142:TYR:HB3	1:C:1158:LEU:HD11	2.01	0.42
1:C:1151:LEU:N	1:C:1151:LEU:CD1	2.79	0.42
1:A:1124:SER:HB2	1:A:1125:PRO:CD	2.48	0.42
1:C:1093:ASP:OD2	1:C:1096:THR:OG1	2.25	0.42
1:A:938:PHE:C	1:A:939:MET:HG2	2.45	0.42
1:C:1164:ALA:O	1:C:1168:GLN:HG3	2.19	0.41
1:A:915:VAL:CG1	1:A:916:THR:H	2.33	0.41
1:B:1098:ASP:O	1:B:1099:PRO:C	2.62	0.41
1:C:1043:VAL:HG23	1:C:1082:HIS:CE1	2.55	0.41
1:B:1073:HIS:CG	1:B:1074:ARG:N	2.88	0.41
1:C:990:LEU:HD22	1:C:995:TYR:CD2	2.56	0.41
1:C:1098:ASP:HA	1:C:1099:PRO:HD3	1.88	0.41
1:A:960:GLN:NE2	5:A:1303:HOH:O	2.38	0.41
1:B:939:MET:CE	1:B:944:ASP:HB3	2.51	0.41
1:B:977:SER:OG	1:B:979:ARG:NH1	2.53	0.41
1:B:1052:ARG:HG2	1:B:1085:PRO:HG3	2.03	0.41
1:C:1109:SER:O	1:C:1113:GLU:HB2	2.20	0.41
1:A:943:LEU:O	1:A:944:ASP:HB2	2.21	0.41
1:B:1064:VAL:HG11	1:B:1107:LEU:HD21	2.03	0.41

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	253/284 (89%)	249 (98%)	4 (2%)	0	100	100
1	B	247/284 (87%)	244 (99%)	3 (1%)	0	100	100
1	C	238/284 (84%)	234 (98%)	4 (2%)	0	100	100
All	All	738/852 (87%)	727 (98%)	11 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	216/236 (92%)	215 (100%)	1 (0%)	86	91
1	B	213/236 (90%)	212 (100%)	1 (0%)	86	91
1	C	206/236 (87%)	205 (100%)	1 (0%)	86	91
All	All	635/708 (90%)	632 (100%)	3 (0%)	86	91

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	920	ARG
1	B	1124	SER
1	C	1005	HIS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	B	1156	GLN
1	C	1071	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 3 ligands modelled in this entry, 1 is monoatomic - leaving 2 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
3	DW3	A	1202	-	3,3,3	0.58	0	2,2,2	1.42	0
2	44E	A	1201	-	11,11,23	1.64	2 (18%)	14,15,28	1.50	1 (7%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	DW3	A	1202	-	-	0/0/1/1	-
2	44E	A	1201	-	-	2/10/10/25	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	1201	44E	O21-C2	-3.85	1.40	1.47
2	A	1201	44E	O21-C21	2.46	1.40	1.35

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1201	44E	O21-C21-C22	4.36	119.11	111.09

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1201	44E	O11-C1-C2-O21
2	A	1201	44E	O11-C1-C2-C3

There are no ring outliers.

1 monomer is involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1201	44E	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	257/284 (90%)	0.02	11 (4%) 40 46	25, 38, 63, 91	0
1	B	253/284 (89%)	0.13	11 (4%) 40 46	27, 41, 60, 85	0
1	C	244/284 (85%)	0.50	17 (6%) 24 28	36, 50, 77, 102	0
All	All	754/852 (88%)	0.21	39 (5%) 34 39	25, 43, 70, 102	0

All (39) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	A	942	PRO	4.8
1	C	1116	LEU	4.7
1	A	944	ASP	4.7
1	C	1169	LEU	4.3
1	A	943	LEU	4.2
1	C	1151	LEU	4.0
1	A	965	LYS	3.9
1	C	980	LEU	3.9
1	C	1004	ASP	3.8
1	B	1093	ASP	3.7
1	C	965	LYS	3.6
1	A	1096	THR	3.6
1	B	913	ARG	3.5
1	A	1173	SER	3.5
1	B	942	PRO	3.3
1	A	1095	LEU	3.2
1	C	1026	ILE	3.2
1	B	1096	THR	3.1
1	A	915	VAL	2.9
1	C	1170	GLU	2.9
1	B	1173	SER	2.9
1	C	914	ASN	2.9
1	B	965	LYS	2.8

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	1098	ASP	2.8
1	C	1152	GLN	2.8
1	A	945	VAL	2.7
1	B	1073	HIS	2.6
1	C	1003	GLY	2.6
1	A	1097	HIS	2.6
1	C	1041	PRO	2.5
1	B	1041	PRO	2.4
1	C	962	LEU	2.3
1	A	1101	ARG	2.3
1	C	915	VAL	2.3
1	C	1157	PHE	2.3
1	C	1153	ALA	2.2
1	B	962	LEU	2.1
1	C	1032	ALA	2.0
1	B	930	ARG	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	44E	A	1201	12/24	0.82	0.26	20,20,20,20	0
4	CA	A	1203	1/1	0.90	0.11	65,65,65,65	0
3	DW3	A	1202	4/4	0.93	0.18	20,20,20,20	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around 44E A 1201:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers [i](#)

There are no such residues in this entry.