



Full wwPDB X-ray Structure Validation Report ⓘ

Oct 8, 2025 – 02:08 PM JST

PDB ID : 9JZP / pdb_00009jzp
Title : Crystal structure of Nir2 C-terminal domain
Authors : Kim, D.; Lee, C.
Deposited on : 2024-10-14
Resolution : 2.32 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4-5-2 with Phenix2.0
Mogul : 1.8.5 (274361), CSD as541be (2020)
Xtriage (Phenix) : 2.0
EDS : 3.0
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4 : 9.0.010 (Gargrove)
Density-Fitness : 1.0.12
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.46


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.32 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	7250 (2.34-2.30)
Clashscore	180529	8063 (2.34-2.30)
Ramachandran outliers	177936	7993 (2.34-2.30)
Sidechain outliers	177891	7993 (2.34-2.30)
RSRZ outliers	164620	7250 (2.34-2.30)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	284	<div> <div>5%</div> <div> <div></div> <div>72%</div> <div>19%</div> <div>•</div> <div>8%</div> </div> </div>
1	B	284	<div> <div>2%</div> <div> <div></div> <div>75%</div> <div>10%</div> <div>•</div> <div>13%</div> </div> </div>
1	C	284	<div> <div>5%</div> <div> <div></div> <div>52%</div> <div>22%</div> <div>•</div> <div>25%</div> </div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 5723 atoms, of which 20 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Membrane-associated phosphatidylinositol transfer protein 1.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	261	Total	C	N	O	S	0	0	0
			1997	1262	354	370	11			
1	B	246	Total	C	N	O	S	0	0	0
			1895	1202	336	347	10			
1	C	214	Total	C	N	O	S	0	0	0
			1654	1049	291	305	9			

There are 9 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	907	SER	-	expression tag	UNP O35954
A	908	GLY	-	expression tag	UNP O35954
A	909	SER	-	expression tag	UNP O35954
B	907	SER	-	expression tag	UNP O35954
B	908	GLY	-	expression tag	UNP O35954
B	909	SER	-	expression tag	UNP O35954
C	907	SER	-	expression tag	UNP O35954
C	908	GLY	-	expression tag	UNP O35954
C	909	SER	-	expression tag	UNP O35954

- Molecule 2 is DI(HYDROXYETHYL)ETHER (CCD ID: PEG) (formula: C₄H₁₀O₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
2	A	1	Total	C	H	O	0	0
			17	4	10	3		
2	B	1	Total	C	H	O	0	0
			17	4	10	3		


- Molecule 3 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	A	69	Total	O	0	0
			69	69		
3	B	57	Total	O	0	0
			57	57		
3	C	17	Total	O	0	0
			17	17		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Membrane-associated phosphatidylinositol transfer protein 1



- Molecule 1: Membrane-associated phosphatidylinositol transfer protein 1



- Molecule 1: Membrane-associated phosphatidylinositol transfer protein 1



K1126	D1127	V1128	L1136	S1137	P1138	Y1142	I1143	V1144	GLY	ARG	ALA	VAL	ARG	LYS	LEU	GLN	ALA	GLN	CYS	GLN	PHE	LEU	SER	ASP	GLY	TYR	VAL	VAL	ALA	HIS	LEU	GLY	GLN	LEU	GLU	ALA	GLY	SER	HIS	SER	HIS	ALA	PRO	SER	GLY	PRO	PRO	ARG	ALA	ALA	LEU	ALA	LYS	SER	SER
-------	-------	-------	-------	-------	-------	-------	-------	-------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 21	Depositor
Cell constants a, b, c, α , β , γ	62.00Å 109.02Å 116.93Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	49.41 – 2.32 49.41 – 2.32	Depositor EDS
% Data completeness (in resolution range)	98.1 (49.41-2.32) 95.5 (49.41-2.32)	Depositor EDS
R_{merge}	0.10	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.86 (at 2.32Å)	Xtriage
Refinement program	PHENIX 1.9_1692	Depositor
R, R_{free}	0.191 , 0.246 0.204 , 0.208	Depositor DCC
R_{free} test set	2013 reflections (5.87%)	wwPDB-VP
Wilson B-factor (Å ²)	37.8	Xtriage
Anisotropy	0.042	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.34 , 41.6	EDS
L-test for twinning ²	$\langle L \rangle = 0.49$, $\langle L^2 \rangle = 0.32$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.94	EDS
Total number of atoms	5723	wwPDB-VP
Average B, all atoms (Å ²)	46.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PEG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.54	0/2043	0.90	4/2780 (0.1%)
1	B	0.49	0/1937	0.87	2/2633 (0.1%)
1	C	0.43	0/1693	0.85	2/2309 (0.1%)
All	All	0.49	0/5673	0.87	8/7722 (0.1%)

There are no bond length outliers.

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	1026	ILE	N-CA-C	8.68	119.48	110.62
1	A	1039	SER	N-CA-C	7.53	119.12	111.07
1	C	915	VAL	N-CA-C	-6.05	99.34	108.17
1	A	960	GLN	CA-C-N	5.87	127.18	119.84
1	A	960	GLN	C-N-CA	5.87	127.18	119.84
1	B	1084	PHE	CA-C-N	5.87	125.82	119.78
1	B	1084	PHE	C-N-CA	5.87	125.82	119.78
1	C	1102	GLN	N-CA-C	5.20	117.03	111.36

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	1997	0	1973	50	0
1	B	1895	0	1880	27	0
1	C	1654	0	1626	59	0
2	A	7	10	10	1	0
2	B	7	10	10	1	0
3	A	69	0	0	1	0
3	B	57	0	0	1	0
3	C	17	0	0	0	0
All	All	5703	20	5499	133	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 12.

All (133) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:939:MET:HE1	1:B:947:THR:HG23	1.27	1.16
1:A:1092:CYS:HB3	1:A:1102:GLN:OE1	1.62	1.00
1:A:939:MET:HE1	1:A:947:THR:HG23	1.50	0.94
1:A:944:ASP:CG	1:A:1070:MET:HE2	1.93	0.93
1:C:1026:ILE:HD11	1:C:1065:THR:HB	1.50	0.92
1:A:1092:CYS:CB	1:A:1102:GLN:OE1	2.21	0.88
1:A:1098:ASP:OD2	1:A:1101:ARG:HD2	1.75	0.87
1:A:940:TYR:HB2	1:A:946:VAL:HB	1.59	0.85
1:A:1039:SER:O	2:A:1201:PEG:H41	1.78	0.82
1:A:944:ASP:OD2	1:A:1070:MET:HE2	1.83	0.78
1:C:939:MET:HE1	1:C:947:THR:HG23	1.65	0.77
1:C:1105:MET:HE2	1:C:1105:MET:HA	1.65	0.77
1:C:1026:ILE:CD1	1:C:1065:THR:HB	2.13	0.77
1:A:1040:ASP:HB2	1:A:1074:ARG:NH2	2.01	0.75
1:C:940:TYR:HB2	1:C:946:VAL:HB	1.69	0.74
1:B:939:MET:CE	1:B:947:THR:HG23	2.15	0.74
1:B:1052:ARG:HG2	1:B:1085:PRO:HG3	1.69	0.73
1:A:1074:ARG:HH12	1:A:1078:TRP:HB2	1.53	0.73
1:C:1051:VAL:HG12	1:C:1085:PRO:HG2	1.69	0.73
1:A:938:PHE:O	1:A:939:MET:HE2	1.90	0.72
1:C:1026:ILE:HD11	1:C:1065:THR:CB	2.21	0.71
1:A:1040:ASP:HB2	1:A:1074:ARG:HH21	1.55	0.69
1:A:1026:ILE:HD11	1:A:1079:LEU:HD21	1.74	0.69
1:A:1074:ARG:NH1	1:A:1078:TRP:HB2	2.08	0.69
1:C:920:ARG:NH1	1:C:1069:ASP:OD1	2.26	0.69
1:C:1017:ARG:NH1	1:C:1115:GLU:OE1	2.27	0.68

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:1026:ILE:HG12	1:A:1030:PHE:CD2	2.29	0.68
1:B:1048:VAL:O	1:B:1052:ARG:HG3	1.94	0.67
1:C:953:VAL:HB	1:C:980:LEU:CD1	2.24	0.67
1:A:1040:ASP:OD1	1:A:1078:TRP:CD1	2.48	0.67
1:B:938:PHE:O	1:B:939:MET:HE2	1.94	0.66
1:B:1074:ARG:HH21	1:C:992:ILE:HD12	1.61	0.66
1:C:1101:ARG:O	1:C:1101:ARG:HG2	1.94	0.66
1:B:939:MET:CE	1:B:978:GLY:HA3	2.27	0.65
1:A:939:MET:CE	1:A:978:GLY:HA3	2.27	0.65
1:A:1110:LEU:O	1:A:1114:VAL:HG13	1.98	0.64
1:C:1128:VAL:HG22	1:C:1143:ILE:HD11	1.79	0.64
1:C:942:PRO:O	1:C:945:VAL:HG23	1.98	0.63
1:B:1098:ASP:O	1:B:1102:GLN:HG3	1.98	0.63
1:C:913:ARG:N	1:C:913:ARG:HE	1.97	0.63
1:C:920:ARG:NH2	1:C:944:ASP:OD2	2.32	0.63
1:B:1098:ASP:N	1:B:1098:ASP:OD1	2.30	0.62
1:C:1065:THR:OG1	1:C:1067:ARG:HG3	1.98	0.62
1:A:1092:CYS:SG	1:A:1102:GLN:OE1	2.58	0.61
1:C:1109:SER:O	1:C:1113:GLU:HB3	2.01	0.61
1:C:1026:ILE:O	1:C:1027:ASP:CG	2.45	0.59
1:C:944:ASP:CG	1:C:1070:MET:HE2	2.28	0.59
1:A:1150:LYS:HD3	1:B:1058:GLY:O	2.02	0.59
1:A:943:LEU:N	1:A:943:LEU:HD12	2.17	0.59
1:C:1124:SER:OG	1:C:1126:LYS:HG2	2.03	0.58
1:C:937:ARG:HG2	1:C:939:MET:HE3	1.86	0.58
1:C:1124:SER:HB2	1:C:1125:PRO:HD2	1.85	0.58
1:C:1128:VAL:CG2	1:C:1143:ILE:HD11	2.34	0.58
1:A:1098:ASP:OD1	1:A:1098:ASP:N	2.37	0.57
1:A:939:MET:CE	1:A:947:THR:HG23	2.30	0.57
1:B:1150:LYS:NZ	3:B:1302:HOH:O	2.38	0.57
1:C:1004:ASP:O	1:C:1004:ASP:OD1	2.23	0.56
1:C:954:ASP:OD1	1:C:1002:ARG:NH2	2.37	0.56
1:C:1026:ILE:O	1:C:1027:ASP:CB	2.53	0.56
1:A:1110:LEU:HA	1:A:1114:VAL:CG1	2.37	0.55
1:A:1017:ARG:HG3	1:A:1115:GLU:OE1	2.07	0.55
1:C:990:LEU:HD22	1:C:995:TYR:CE2	2.41	0.55
1:C:1092:CYS:SG	1:C:1099:PRO:HB3	2.47	0.54
1:B:940:TYR:HB2	1:B:946:VAL:HB	1.89	0.54
1:A:1166:LEU:O	1:A:1170:GLU:HG3	2.07	0.54
1:C:930:ARG:NH2	1:C:1113:GLU:OE2	2.42	0.52
1:A:1104:ALA:O	1:A:1108:GLN:HG3	2.10	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:943:LEU:N	1:A:943:LEU:CD1	2.72	0.52
1:A:915:VAL:HG13	1:A:940:TYR:HB3	1.92	0.51
1:A:1157:PHE:CE2	1:A:1159:SER:HB3	2.46	0.51
1:A:942:PRO:C	1:A:943:LEU:HD12	2.36	0.50
1:B:1067:ARG:HH21	2:B:1201:PEG:H22	1.77	0.50
1:C:1051:VAL:CG1	1:C:1085:PRO:HG2	2.38	0.50
1:A:1040:ASP:OD1	1:A:1078:TRP:NE1	2.45	0.50
1:C:915:VAL:HG13	1:C:915:VAL:O	2.10	0.49
1:C:920:ARG:HD3	1:C:1069:ASP:OD1	2.13	0.49
1:C:1137:SER:HB2	1:C:1138:PRO:HD2	1.94	0.48
1:C:943:LEU:HA	1:C:1070:MET:SD	2.54	0.48
1:A:942:PRO:HG2	1:A:943:LEU:HD13	1.96	0.48
1:C:913:ARG:N	1:C:913:ARG:NE	2.60	0.48
1:B:939:MET:HE1	1:B:978:GLY:HA3	1.95	0.47
1:B:1108:GLN:HG2	1:B:1134:LEU:HD23	1.96	0.47
1:A:1026:ILE:CD1	1:A:1079:LEU:HD21	2.44	0.47
1:A:1110:LEU:HA	1:A:1114:VAL:HG12	1.97	0.47
1:A:1125:PRO:HD3	1:A:1144:VAL:O	2.15	0.47
1:B:1064:VAL:HG11	1:B:1107:LEU:HD21	1.97	0.47
1:C:1093:ASP:OD2	1:C:1096:THR:HG23	2.15	0.47
1:B:1107:LEU:O	1:B:1111:VAL:HG23	2.15	0.47
1:C:953:VAL:HB	1:C:980:LEU:HD11	1.94	0.46
1:C:1046:GLY:O	1:C:1049:ASP:HB2	2.16	0.46
1:C:1026:ILE:CG1	1:C:1065:THR:HB	2.44	0.46
1:C:1052:ARG:NH2	1:C:1083:ASN:O	2.46	0.46
1:C:1089:VAL:HG12	1:C:1091:PHE:CE1	2.51	0.46
1:C:1142:TYR:O	1:C:1143:ILE:HD13	2.16	0.45
1:B:942:PRO:O	1:B:943:LEU:HB2	2.16	0.45
1:A:1028:GLY:HA2	1:A:1031:THR:OG1	2.17	0.45
1:C:990:LEU:HD22	1:C:995:TYR:CD2	2.52	0.45
1:A:1017:ARG:HH11	1:A:1115:GLU:CD	2.24	0.45
1:A:1059:TYR:CE1	1:A:1119:VAL:HG21	2.52	0.45
1:C:987:GLU:HG3	1:C:988:ARG:HG3	1.98	0.44
1:A:923:ASP:OD2	1:A:1089:VAL:HG12	2.17	0.44
1:C:939:MET:CE	1:C:947:THR:HG23	2.41	0.44
1:C:998:ARG:NH2	1:C:1009:GLU:OE2	2.48	0.44
1:C:915:VAL:CG2	1:C:941:GLY:HA2	2.48	0.44
1:C:992:ILE:HD11	1:C:1016:SER:HB3	2.00	0.44
1:A:1051:VAL:HG12	1:A:1085:PRO:HG2	2.00	0.44
1:A:932:GLN:HA	3:A:1310:HOH:O	2.18	0.44
1:C:919:HIS:C	1:C:920:ARG:HG3	2.43	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:1128:VAL:CG2	1:C:1143:ILE:CD1	2.96	0.43
1:C:1105:MET:HE2	1:C:1105:MET:CA	2.43	0.43
1:C:1124:SER:HB2	1:C:1125:PRO:CD	2.46	0.43
1:B:948:LEU:O	1:B:978:GLY:HA2	2.19	0.43
1:C:919:HIS:CB	1:C:1008:ALA:HB2	2.50	0.42
1:B:1052:ARG:NH1	1:B:1083:ASN:O	2.53	0.42
1:C:1051:VAL:HG12	1:C:1085:PRO:CG	2.43	0.42
1:A:1124:SER:HB3	1:A:1125:PRO:HD2	2.02	0.42
1:A:1036:ILE:HD11	1:B:1166:LEU:HD21	2.01	0.41
1:A:943:LEU:O	1:A:944:ASP:HB2	2.20	0.41
1:A:1067:ARG:HA	1:A:1068:PRO:HD3	1.89	0.41
1:A:1107:LEU:HB3	1:A:1134:LEU:HD11	2.02	0.41
1:C:1136:LEU:HD12	1:C:1136:LEU:HA	1.71	0.41
1:A:916:THR:HG22	1:A:917:SER:O	2.19	0.41
1:B:1103:LYS:HE3	1:B:1103:LYS:HB2	1.65	0.41
1:B:972:GLU:CB	1:B:980:LEU:HD11	2.50	0.41
1:B:1084:PHE:HA	1:B:1085:PRO:HD3	1.91	0.41
1:C:915:VAL:O	1:C:915:VAL:CG1	2.69	0.41
1:B:1055:GLN:OE1	1:B:1085:PRO:HB3	2.19	0.41
1:A:1096:THR:OG1	1:A:1098:ASP:OD1	2.27	0.40
1:B:1026:ILE:HD11	1:B:1079:LEU:HD11	2.03	0.40
1:C:1098:ASP:HA	1:C:1099:PRO:HD2	1.80	0.40
1:A:944:ASP:OD2	1:A:1070:MET:CE	2.62	0.40
1:B:962:LEU:HD23	1:B:962:LEU:HA	1.86	0.40
1:C:938:PHE:O	1:C:939:MET:HE2	2.21	0.40

There are no symmetry-related clashes.

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	259/284 (91%)	253 (98%)	6 (2%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	B	240/284 (84%)	237 (99%)	3 (1%)	0	100	100
1	C	210/284 (74%)	206 (98%)	3 (1%)	1 (0%)	25	31
All	All	709/852 (83%)	696 (98%)	12 (2%)	1 (0%)	48	60

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	C	1005	HIS

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	219/236 (93%)	215 (98%)	4 (2%)	54	70
1	B	207/236 (88%)	204 (99%)	3 (1%)	62	77
1	C	183/236 (78%)	181 (99%)	2 (1%)	70	83
All	All	609/708 (86%)	600 (98%)	9 (2%)	60	75

All (9) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	1026	ILE
1	A	1034	VAL
1	A	1037	MET
1	A	1114	VAL
1	B	980	LEU
1	B	1026	ILE
1	B	1098	ASP
1	C	913	ARG
1	C	920	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (5) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	968	HIS
1	A	1082	HIS
1	A	1156	GLN
1	B	968	HIS
1	B	1073	HIS

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

2 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
2	PEG	B	1201	-	6,6,6	0.70	0	5,5,5	0.33	0
2	PEG	A	1201	-	6,6,6	0.62	0	5,5,5	0.48	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	PEG	B	1201	-	-	1/4/4/4	-
2	PEG	A	1201	-	-	1/4/4/4	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) torsion outliers are listed below:


Mol	Chain	Res	Type	Atoms
2	A	1201	PEG	O2-C3-C4-O4
2	B	1201	PEG	O1-C1-C2-O2

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	B	1201	PEG	1	0
2	A	1201	PEG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	261/284 (91%)	0.02	13 (4%) 35 37	22, 37, 67, 110	0
1	B	246/284 (86%)	-0.04	6 (2%) 59 61	26, 39, 62, 81	0
1	C	214/284 (75%)	0.51	15 (7%) 24 26	38, 55, 81, 122	0
All	All	721/852 (84%)	0.14	34 (4%) 37 39	22, 42, 74, 122	0

All (34) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	913	ARG	4.5
1	A	942	PRO	4.4
1	A	1174	HIS	4.4
1	A	943	LEU	4.3
1	A	1039	SER	3.9
1	A	940	TYR	3.9
1	B	1041	PRO	3.8
1	A	915	VAL	3.8
1	A	1040	ASP	3.8
1	C	1027	ASP	3.5
1	A	1175	SER	3.4
1	C	1144	VAL	3.3
1	A	1095	LEU	3.3
1	C	914	ASN	3.3
1	A	1096	THR	3.3
1	A	1036	ILE	3.2
1	C	1004	ASP	3.1
1	B	942	PRO	3.1
1	C	1101	ARG	2.8
1	C	915	VAL	2.8
1	C	1095	LEU	2.8
1	C	1026	ILE	2.6
1	B	1092	CYS	2.5

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	C	960	GLN	2.5
1	A	1097	HIS	2.4
1	C	1003	GLY	2.4
1	B	1098	ASP	2.4
1	A	1074	ARG	2.3
1	C	1046	GLY	2.2
1	C	1143	ILE	2.2
1	B	1171	ALA	2.1
1	C	1096	THR	2.0
1	B	1160	ASP	2.0
1	C	952	LYS	2.0

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.


Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	PEG	B	1201	7/7	0.85	0.12	57,68,74,74	0
2	PEG	A	1201	7/7	0.92	0.12	40,48,58,59	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.

Electron density around PEG B 1201:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.