



# Full wwPDB X-ray Structure Validation Report ⓘ

May 19, 2025 – 01:04 PM EDT

PDB ID : 9MJ6 / pdb\_00009mj6  
Title : Crystal structure of the VRC01-class antibody 7A03 derived from GT1.1 vaccination  
Authors : Agrawal, S.; Wilson, I.A.  
Deposited on : 2024-12-13  
Resolution : 3.06 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0rc1
Xtriage (Phenix)	:	2.0rc1
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.006 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.43.1


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 3.06 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	2258 (3.10-3.02)
Clashscore	180529	2399 (3.10-3.02)
Ramachandran outliers	177936	2269 (3.10-3.02)
Sidechain outliers	177891	2268 (3.10-3.02)
RSRZ outliers	164620	2258 (3.10-3.02)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	E	221	<div> <div>12%</div> <div>78%</div> <div>17%</div> <div>5%</div> </div>
1	H	221	<div> <div>5%</div> <div>75%</div> <div>20%</div> <div>5%</div> </div>
2	F	205	<div> <div>22%</div> <div>84%</div> <div>13%</div> <div>•</div> </div>
2	L	205	<div> <div>10%</div> <div>81%</div> <div>17%</div> <div>•</div> </div>

## 2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 6199 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 7A03 Fab heavy chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	H	210	Total	C	N	O	S	0	0	0
			1613	1024	272	307	10			
1	E	210	Total	C	N	O	S	0	0	0
			1613	1024	272	307	10			


- Molecule 2 is a protein called 7A03 Fab light chain.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	L	201	Total	C	N	O	S	0	0	0
			1489	929	248	307	5			
2	F	200	Total	C	N	O	S	0	0	0
			1484	926	247	306	5			


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: 7A03 Fab heavy chain




- Molecule 1: 7A03 Fab heavy chain




- Molecule 2: 7A03 Fab light chain



- Molecule 2: 7A03 Fab light chain





## 4 Data and refinement statistics

Property	Value	Source
Space group	P 1 21 1	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	50.48Å 137.87Å 62.98Å 90.00° 108.30° 90.00°	Depositor
Resolution (Å)	34.47 – 3.06 34.47 – 3.06	Depositor EDS
% Data completeness (in resolution range)	99.8 (34.47-3.06) 89.5 (34.47-3.06)	Depositor EDS
$R_{merge}$	(Not available)	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	1.07 (at 3.06Å)	Xtriage
Refinement program	PHENIX 1.21.2_5419	Depositor
R, $R_{free}$	0.264 , 0.324 0.264 , 0.320	Depositor DCC
$R_{free}$ test set	742 reflections (4.74%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	34.1	Xtriage
Anisotropy	0.529	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.33 , 37.6	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.46$ , $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
$F_o, F_c$ correlation	0.81	EDS
Total number of atoms	6199	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	43.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 6.01% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	E	0.09	0/1656	0.25	0/2254
1	H	0.10	0/1656	0.27	0/2254
2	F	0.09	0/1520	0.27	0/2075
2	L	0.18	0/1525	0.39	0/2082
All	All	0.12	0/6357	0.30	0/8665

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	1613	0	1559	22	0
1	H	1613	0	1559	32	0
2	F	1484	0	1431	20	0
2	L	1489	0	1436	29	0
All	All	6199	0	5985	94	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

All (94) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:L:78:LEU:CD2	2:L:106:VAL:HG22	1.62	1.26
2:L:78:LEU:HD21	2:L:106:VAL:CG2	1.71	1.19
2:L:78:LEU:HD21	2:L:106:VAL:HG22	1.15	1.11
2:L:78:LEU:CD2	2:L:106:VAL:CG2	2.24	1.10
2:L:78:LEU:HD22	2:L:106:VAL:CG2	2.02	0.87
2:L:78:LEU:CD2	2:L:106:VAL:HG21	2.11	0.80
2:L:78:LEU:HD22	2:L:106:VAL:HG22	1.57	0.75
2:L:83:GLU:HG3	2:L:104:VAL:O	1.87	0.75
2:F:13:GLY:HA3	2:F:19:ILE:HD11	1.70	0.73
1:H:75:ILE:HG13	1:H:77:THR:HG22	1.71	0.73
2:L:30:SER:HA	2:L:66:LYS:HE2	1.74	0.69
2:F:106:VAL:HG12	2:F:107:LEU:H	1.58	0.69
2:F:106:VAL:HG12	2:F:107:LEU:N	2.10	0.65
2:L:61:ARG:HD2	2:L:77:GLY:O	2.02	0.58
1:H:47:TRP:CD1	1:H:100:TYR:HH	2.22	0.58
1:H:87:THR:HB	1:H:111:VAL:H	1.68	0.57
2:F:163:THR:HG22	2:F:176:SER:H	1.68	0.57
1:E:162:VAL:HG22	1:E:181:VAL:HG12	1.87	0.57
2:F:78:LEU:CD2	2:F:106:VAL:HG22	2.34	0.57
1:H:18:VAL:HG11	1:H:109:VAL:HG11	1.86	0.56
1:H:35:HIS:CD2	1:H:95:ASP:HB2	2.41	0.56
1:H:6:GLN:HE21	1:H:107:THR:HG23	1.70	0.55
2:F:78:LEU:HD21	2:F:106:VAL:HG22	1.89	0.55
2:L:49:TYR:HE2	2:L:55:PRO:HB3	1.72	0.54
2:L:80:ALA:HA	2:L:106:VAL:HG11	1.90	0.53
2:F:66:LYS:HG2	2:F:68:GLY:H	1.73	0.53
1:H:36:TRP:HB3	1:H:48:MET:HE3	1.91	0.53
1:H:118:PRO:HB3	1:H:144:TYR:HB3	1.91	0.53
2:L:23:CYS:HB3	2:L:71:ALA:HB3	1.89	0.53
2:L:21:ILE:HG23	2:L:102:THR:HG21	1.91	0.52
2:L:38:HIS:HB2	2:L:44:PRO:HB3	1.90	0.52
1:E:87:THR:HB	1:E:111:VAL:H	1.75	0.51
1:E:84:SER:HB3	1:E:172:SER:HB2	1.94	0.50
1:H:112:PHE:CG	1:E:201:PRO:HG3	2.47	0.49
1:H:100(B):LEU:O	2:L:46:LEU:HD22	2.13	0.49
2:L:13:GLY:O	2:L:107:LEU:HB2	2.12	0.49
1:E:36:TRP:HB3	1:E:48:MET:HE3	1.94	0.49
1:H:93:ALA:HB1	1:H:100(B):LEU:HD12	1.95	0.48
2:L:197:THR:HG22	2:L:202:THR:HB	1.95	0.48
1:E:95:ASP:HB2	1:E:100(B):LEU:HD23	1.95	0.48
1:E:38:ARG:HH11	1:E:63:PHE:HZ	1.60	0.47
2:L:163:THR:HG22	2:L:176:SER:H	1.79	0.47

Continued on next page...



*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:33:TYR:HB2	1:H:95:ASP:HB3	1.97	0.47
1:E:134:THR:N	1:E:185:SER:HG	2.13	0.47
2:L:15:PRO:HA	2:L:78:LEU:O	2.15	0.46
1:H:162:VAL:HG22	1:H:181:VAL:HG12	1.98	0.46
2:L:13:GLY:HA3	2:L:19:ILE:HD11	1.97	0.46
1:H:134:THR:N	1:H:185:SER:HG	2.14	0.46
1:E:75:ILE:HG13	1:E:77:THR:HG22	1.98	0.46
2:F:106:VAL:CG1	2:F:107:LEU:H	2.25	0.46
1:E:6:GLN:HE21	1:E:107:THR:HG23	1.82	0.45
2:F:106:VAL:CG1	2:F:107:LEU:N	2.78	0.45
1:H:198:ASN:HD21	1:H:205:LYS:HD2	1.81	0.45
1:H:100:TYR:CZ	2:L:96:GLU:HA	2.51	0.45
2:L:89:SER:HB3	2:L:98:PHE:CD2	2.53	0.44
2:F:111:LYS:HD2	2:F:199:GLU:HG3	1.99	0.44
1:H:100:TYR:N	1:H:100(A):PRO:HD3	2.32	0.44
1:H:6:GLN:NE2	1:H:107:THR:HG23	2.33	0.44
1:H:85:ASP:OD1	1:H:172:SER:HB3	2.18	0.43
1:H:103:TRP:CD2	2:L:44:PRO:HG2	2.52	0.43
2:F:49:TYR:HE1	2:F:55:PRO:HB3	1.83	0.43
2:F:197:THR:HG22	2:F:202:THR:HB	1.99	0.43
1:E:82:LEU:HD23	1:E:82:LEU:HA	1.89	0.43
1:H:185:SER:HA	1:H:188:LEU:HD13	2.00	0.43
2:F:114:PRO:HD3	2:F:198:HIS:CD2	2.54	0.43
2:F:21:ILE:HG23	2:F:102:THR:HG21	2.01	0.43
1:H:38:ARG:HH11	1:H:63:PHE:HZ	1.64	0.42
1:H:110:THR:HG21	1:E:148:PRO:HG3	2.01	0.42
1:H:148:PRO:HG3	1:E:110:THR:HG21	2.01	0.42
1:E:36:TRP:CE2	1:E:80:MET:HB2	2.54	0.42
1:H:40:ALA:H	1:H:88:ALA:HB1	1.85	0.42
1:E:94:ARG:HE	1:E:102:PHE:HD1	1.67	0.42
1:E:52(A):PRO:O	1:E:73:ARG:HD2	2.20	0.41
2:L:183:PRO:O	2:L:187:LYS:HD3	2.20	0.41
1:E:99:GLY:C	1:E:100(A):PRO:HD3	2.45	0.41
2:F:61:ARG:HD2	2:F:77:GLY:O	2.19	0.41
1:E:47:TRP:CD2	2:F:96:GLU:HB2	2.55	0.41
2:F:4:LEU:HB2	2:F:99:GLY:HA2	2.02	0.41
1:H:100(B):LEU:HB2	2:L:36:TYR:OH	2.21	0.41
1:H:199:HIS:CD2	1:H:201:PRO:HD2	2.56	0.41
2:F:103:LYS:HE3	2:F:103:LYS:HB3	1.88	0.41
2:L:78:LEU:HD22	2:L:106:VAL:HG21	1.90	0.41
1:H:47:TRP:HZ2	1:H:50:TRP:HD1	1.68	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:H:138:GLY:HA3	1:H:180:VAL:HG12	2.02	0.41
2:L:126:LEU:HD23	2:L:126:LEU:HA	1.93	0.41
2:L:181:LEU:HB3	2:L:185:GLN:HG3	2.01	0.41
1:E:60:ALA:O	1:E:64:GLN:HG3	2.20	0.41
1:H:36:TRP:CE2	1:H:80:MET:HB2	2.55	0.41
1:H:75:ILE:HG13	1:H:77:THR:CG2	2.48	0.41
1:E:138:GLY:HA3	1:E:180:VAL:HG12	2.02	0.41
2:F:19:ILE:H	2:F:19:ILE:HD12	1.86	0.41
1:H:166:PRO:HG2	2:F:166:SER:OG	2.21	0.40
1:E:47:TRP:CZ2	1:E:49:GLY:HA2	2.56	0.40
1:E:40:ALA:H	1:E:88:ALA:HB1	1.87	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	206/221 (93%)	194 (94%)	12 (6%)	0	100	100
1	H	206/221 (93%)	198 (96%)	8 (4%)	0	100	100
2	F	198/205 (97%)	187 (94%)	10 (5%)	1 (0%)	25	54
2	L	199/205 (97%)	188 (94%)	11 (6%)	0	100	100
All	All	809/852 (95%)	767 (95%)	41 (5%)	1 (0%)	48	77

All (1) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	F	153	SER

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	176/186 (95%)	176 (100%)	0	100	100
1	H	176/186 (95%)	176 (100%)	0	100	100
2	F	168/173 (97%)	168 (100%)	0	100	100
2	L	168/173 (97%)	167 (99%)	1 (1%)	84	90
All	All	688/718 (96%)	687 (100%)	1 (0%)	92	96

All (1) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	L	107	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (10) such sidechains are listed below:

Mol	Chain	Res	Type
1	H	39	GLN
1	H	82(A)	ASN
1	H	113	ASN
2	L	109	GLN
1	E	6	GLN
1	E	39	GLN
1	E	105	GLN
1	E	196	ASN
2	F	37	GLN
2	F	39	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

There are no ligands in this entry.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data ⓘ

### 6.1 Protein, DNA and RNA chains ⓘ

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	E	210/221 (95%)	0.81	26 (12%) 9 5	13, 47, 81, 92	0
1	H	210/221 (95%)	0.41	12 (5%) 30 18	15, 32, 64, 80	0
2	F	200/205 (97%)	1.26	46 (23%) 2 1	18, 55, 105, 128	0
2	L	201/205 (98%)	0.62	21 (10%) 13 8	12, 33, 63, 101	0
All	All	821/852 (96%)	0.77	105 (12%) 9 5	12, 40, 83, 128	0

All (105) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
2	F	19	ILE	6.7
2	F	78	LEU	5.2
2	L	30	SER	4.8
2	F	80	ALA	4.7
1	H	100	TYR	4.6
2	L	26	THR	4.4
2	F	76	SER	4.0
2	F	26	THR	4.0
2	F	4	LEU	3.9
2	F	17	GLN	3.9
2	L	68	GLY	3.8
2	F	32	ASN	3.7
1	E	212	PRO	3.5
1	E	190	THR	3.4
2	F	48	ILE	3.4
2	F	27	SER	3.4
2	F	68	GLY	3.3
2	F	91	TYR	3.3
2	F	82	ASP	3.1
2	F	18	SER	3.1
2	F	69	ASN	3.1

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	L	31	ASP	3.1
2	L	18	SER	3.1
2	L	49	TYR	3.1
2	F	75	ILE	3.1
2	F	96	GLU	3.0
2	L	17	GLN	3.0
2	L	96	GLU	2.9
2	F	49	TYR	2.9
2	F	62	PHE	2.9
2	F	73	LEU	2.9
1	H	211	GLU	2.8
1	E	45	LEU	2.8
1	H	101	ASP	2.8
1	H	196	ASN	2.8
2	F	16	GLY	2.8
2	L	3	ALA	2.8
1	E	82(A)	ASN	2.7
2	F	51	VAL	2.7
2	L	76	SER	2.6
1	E	24	ALA	2.6
2	F	31	ASP	2.6
2	F	59	SER	2.6
1	E	100	TYR	2.6
2	L	57	GLY	2.6
1	E	65	GLY	2.5
1	E	99	GLY	2.5
1	E	40	ALA	2.5
2	L	12	SER	2.5
2	F	14	SER	2.5
1	H	1	GLN	2.5
1	H	100(A)	PRO	2.5
1	E	61	GLN	2.4
1	E	186	SER	2.4
2	F	153	SER	2.4
2	F	58	VAL	2.4
2	L	169	SER	2.4
2	F	77	GLY	2.4
2	F	81	GLU	2.4
2	F	35	TRP	2.4
2	L	157	LYS	2.3
1	E	101	ASP	2.3
2	L	77	GLY	2.3

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	RSRZ
2	F	208	ALA	2.3
1	H	41	PRO	2.3
2	F	79	GLN	2.3
2	L	97	VAL	2.3
1	H	42	GLY	2.3
2	L	163	THR	2.3
1	H	200	LYS	2.3
1	E	32	TYR	2.2
1	E	96	TYR	2.2
2	F	43	ALA	2.2
1	E	196	ASN	2.2
1	E	41	PRO	2.2
2	F	30	SER	2.2
2	F	34	SER	2.2
2	F	66	LYS	2.2
1	E	27	TYR	2.2
2	F	83	GLU	2.2
1	E	3	GLN	2.2
1	E	73	ARG	2.2
1	E	13	LYS	2.2
2	L	90	SER	2.2
2	F	100	THR	2.2
2	F	25	GLY	2.1
1	E	100(A)	PRO	2.1
2	L	56	SER	2.1
1	E	50	TRP	2.1
1	E	188	LEU	2.1
1	E	187	SER	2.1
1	H	190	THR	2.1
2	F	210	THR	2.1
2	L	13	GLY	2.1
1	H	97	GLY	2.1
1	E	68	THR	2.1
1	E	70	THR	2.1
2	F	74	THR	2.0
2	F	37	GLN	2.0
2	F	52	ASP	2.0
2	F	33	VAL	2.0
2	L	19	ILE	2.0
2	F	8	ALA	2.0
1	H	99	GLY	2.0
2	F	13	GLY	2.0

## 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

## 6.4 Ligands [i](#)

There are no ligands in this entry.

## 6.5 Other polymers [i](#)

There are no such residues in this entry.