



Full wwPDB NMR Structure Validation Report ⓘ

Oct 7, 2024 – 03:54 PM EDT

PDB ID : 2MOP
BMRB ID : 19947
Title : Structure of Bitistatin A
Authors : Carbajo, R.J.; Calvete, J.; Sanz, L.; Perez, A.
Deposited on : 2014-04-29

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
wwPDB-RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
wwPDB-ShiftChecker : v1.2
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment is 79%.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	210492	14027
Ramachandran outliers	207382	12486
Sidechain outliers	206894	12463

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	1	83	<div> <div></div> <div>31%</div> <div>45%</div> <div>20%</div> <div>.</div> </div>

2 Ensemble composition and analysis

This entry contains 29 models. Model 15 is the overall representative, medoid model (most similar to other models). The authors have identified model 1 as representative, based on the following criterion: *lowest energy*.

The following residues are included in the computation of the global validation metrics.

Well-defined (core) protein residues			
Well-defined core	Residue range (total)	Backbone RMSD (Å)	Medoid model
1	1:4-1:83 (80)	0.87	15

Ill-defined regions of proteins are excluded from the global statistics.

Ligands and non-protein polymers are included in the analysis.

NmrClust was unable to cluster the ensemble.

Error message: NMCparsrange - Unexpected character.

3 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 1165 atoms, of which 547 are hydrogens and 0 are deuteriums.

- Molecule 1 is a protein called Disintegrin bitistatin.


Mol	Chain	Residues	Atoms						Trace
1	1	83	Total	C	H	N	O	S	0
			1165	363	547	114	127	14	

4 Residue-property plots

4.1 Average score per residue in the NMR ensemble

These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.

- Molecule 1: Disintegrin bitistatin




4.2 Scores per residue for each member of the ensemble

Colouring as in section 4.1 above.

4.2.1 Score per residue for model 1


- Molecule 1: Disintegrin bitistatin



4.2.2 Score per residue for model 2

- Molecule 1: Disintegrin bitistatin






4.2.3 Score per residue for model 3

- Molecule 1: Disintegrin bitistatin


Chain 1: 36% 35% 20% 5%



4.2.4 Score per residue for model 4

- Molecule 1: Disintegrin bitistatin


Chain 1: 35% 39% 22% 2%



4.2.5 Score per residue for model 5


- Molecule 1: Disintegrin bitistatin

Chain 1: 39% 35% 22% 2%




4.2.6 Score per residue for model 6

- Molecule 1: Disintegrin bitistatin




4.2.7 Score per residue for model 7

- Molecule 1: Disintegrin bitistatin




4.2.8 Score per residue for model 8

- Molecule 1: Disintegrin bitistatin




4.2.9 Score per residue for model 9

- Molecule 1: Disintegrin bitistatin




4.2.10 Score per residue for model 10

- Molecule 1: Disintegrin bitistatin




4.2.11 Score per residue for model 11

- Molecule 1: Disintegrin bitistatin




4.2.12 Score per residue for model 12

- Molecule 1: Disintegrin bitistatin




4.2.13 Score per residue for model 13

- Molecule 1: Disintegrin bitistatin




4.2.14 Score per residue for model 14

- Molecule 1: Disintegrin bitistatin




4.2.15 Score per residue for model 15 (medoid)

- Molecule 1: Disintegrin bitistatin




4.2.16 Score per residue for model 16

- Molecule 1: Disintegrin bitistatin




4.2.17 Score per residue for model 17

- Molecule 1: Disintegrin bitistatin




4.2.18 Score per residue for model 18

- Molecule 1: Disintegrin bitistatin




4.2.19 Score per residue for model 19

- Molecule 1: Disintegrin bitistatin




4.2.20 Score per residue for model 20

- Molecule 1: Disintegrin bitistatin




4.2.21 Score per residue for model 21

- Molecule 1: Disintegrin bitistatin




4.2.22 Score per residue for model 22

- Molecule 1: Disintegrin bitistatin




4.2.23 Score per residue for model 23

- Molecule 1: Disintegrin bitistatin




4.2.24 Score per residue for model 24

- Molecule 1: Disintegrin bitistatin




4.2.25 Score per residue for model 25

- Molecule 1: Disintegrin bitistatin




4.2.26 Score per residue for model 26

- Molecule 1: Disintegrin bitistatin




4.2.27 Score per residue for model 27

- Molecule 1: Disintegrin bitistatin




4.2.28 Score per residue for model 28

- Molecule 1: Disintegrin bitistatin



4.2.29 Score per residue for model 29

- Molecule 1: Disintegrin bitistatin



5 Refinement protocol and experimental data overview

The models were refined using the following method: *simulated annealing*.

Of the 100 calculated structures, 29 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
CNSSOLVE	structure solution	
CNSSOLVE	refinement	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	789
Number of shifts mapped to atoms	789
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	79%

6 Model quality [i](#)

6.1 Standard geometry [i](#)

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	1	598	526	525	47±5
All	All	17342	15254	15225	1364

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 42.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:1:4:VAL:HG23	1:1:19:GLY:HA2	0.95	1.36	10	1
1:1:62:ILE:N	1:1:62:ILE:HD12	0.86	1.83	16	2
1:1:62:ILE:HD13	1:1:63:ALA:N	0.84	1.88	7	3
1:1:9:ILE:HD12	1:1:9:ILE:O	0.84	1.72	27	17
1:1:24:CYS:SG	1:1:31:ALA:HB3	0.83	2.13	1	20
1:1:5:CYS:O	1:1:31:ALA:HB1	0.82	1.74	20	16
1:1:9:ILE:HG23	1:1:17:ASP:O	0.82	1.75	4	18
1:1:25:GLN:CG	1:1:32:ALA:HB3	0.79	2.07	16	1
1:1:63:ALA:HB2	1:1:83:HIS:CE1	0.77	2.14	4	14
1:1:18:CYS:HB3	1:1:31:ALA:HB2	0.77	1.56	3	18
1:1:4:VAL:HG12	1:1:19:GLY:C	0.76	2.01	29	13
1:1:4:VAL:HG21	1:1:8:LYS:N	0.74	1.98	10	12
1:1:63:ALA:HB3	1:1:67:TRP:HE1	0.73	1.43	21	29
1:1:30:ASN:HB2	1:1:35:LYS:O	0.73	1.84	26	25

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:1:34:CYS:SG	1:1:34:CYS:O	0.73	2.47	23	24
1:1:54:LYS:HG2	1:1:58:THR:HG21	0.72	1.61	23	8
1:1:4:VAL:HA	1:1:21:PRO:HD3	0.71	1.63	17	13
1:1:14:GLU:HG3	1:1:36:LEU:HD23	0.70	1.62	29	1
1:1:18:CYS:HB2	1:1:31:ALA:HB2	0.69	1.62	15	8
1:1:9:ILE:HG23	1:1:17:ASP:HB3	0.69	1.65	19	1
1:1:54:LYS:HD2	1:1:58:THR:HG21	0.68	1.65	25	9
1:1:4:VAL:HG13	1:1:21:PRO:HB3	0.68	1.65	19	3
1:1:70:ASP:HA	1:1:81:TRP:HA	0.68	1.63	19	13
1:1:18:CYS:CB	1:1:31:ALA:HB2	0.68	2.19	6	15
1:1:62:ILE:N	1:1:62:ILE:CD1	0.67	2.57	16	2
1:1:9:ILE:HG23	1:1:17:ASP:CB	0.67	2.20	19	1
1:1:24:CYS:HA	1:1:31:ALA:HB3	0.67	1.64	6	7
1:1:63:ALA:HB2	1:1:83:HIS:HE1	0.67	1.50	21	13
1:1:4:VAL:HA	1:1:19:GLY:O	0.66	1.91	14	20
1:1:4:VAL:HG13	1:1:4:VAL:O	0.66	1.91	8	13
1:1:36:LEU:HD12	1:1:40:SER:HB3	0.66	1.65	20	9
1:1:62:ILE:HD13	1:1:69:ASP:HA	0.65	1.67	21	13
1:1:4:VAL:HG11	1:1:8:LYS:N	0.65	2.07	9	13
1:1:9:ILE:HG21	1:1:12:GLN:HG3	0.65	1.69	19	1
1:1:14:GLU:OE1	1:1:36:LEU:HD12	0.64	1.91	21	1
1:1:54:LYS:CD	1:1:58:THR:HG21	0.64	2.22	25	2
1:1:25:GLN:HG2	1:1:32:ALA:HB3	0.64	1.70	16	1
1:1:18:CYS:O	1:1:20:SER:N	0.63	2.31	23	21
1:1:4:VAL:CG2	1:1:19:GLY:HA2	0.62	2.19	10	1
1:1:9:ILE:HG21	1:1:12:GLN:O	0.62	1.95	27	2
1:1:30:ASN:CB	1:1:33:THR:OG1	0.62	2.48	24	4
1:1:29:CYS:HA	1:1:36:LEU:HA	0.62	1.71	19	4
1:1:30:ASN:HB3	1:1:33:THR:CB	0.61	2.25	27	24
1:1:30:ASN:HB3	1:1:33:THR:OG1	0.61	1.96	9	21
1:1:4:VAL:HG23	1:1:19:GLY:C	0.61	2.16	27	8
1:1:5:CYS:HB3	1:1:31:ALA:HB1	0.61	1.72	19	1
1:1:15:ASP:O	1:1:16:CYS:CB	0.61	2.47	27	13
1:1:17:ASP:O	1:1:19:GLY:N	0.60	2.33	25	11
1:1:64:ARG:O	1:1:67:TRP:CZ2	0.60	2.54	6	29
1:1:16:CYS:O	1:1:17:ASP:CB	0.60	2.50	17	5
1:1:14:GLU:HB2	1:1:36:LEU:HD13	0.60	1.72	19	1
1:1:21:PRO:HA	1:1:24:CYS:SG	0.60	2.37	19	2
1:1:24:CYS:O	1:1:31:ALA:HB3	0.60	1.97	10	2
1:1:29:CYS:N	1:1:37:THR:HG23	0.59	2.12	16	9
1:1:4:VAL:HG11	1:1:8:LYS:CA	0.58	2.28	5	3

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:1:14:GLU:OE1	1:1:36:LEU:HD13	0.58	1.99	26	1
1:1:12:GLN:HB2	1:1:15:ASP:CB	0.57	2.28	4	5
1:1:8:LYS:HA	1:1:19:GLY:HA2	0.57	1.75	19	1
1:1:36:LEU:HD12	1:1:36:LEU:N	0.57	2.15	22	1
1:1:9:ILE:HG23	1:1:17:ASP:C	0.57	2.18	18	4
1:1:16:CYS:HB2	1:1:34:CYS:O	0.57	2.00	8	4
1:1:4:VAL:O	1:1:4:VAL:HG23	0.57	2.00	22	1
1:1:24:CYS:CA	1:1:31:ALA:HB3	0.56	2.30	16	3
1:1:21:PRO:HA	1:1:24:CYS:CB	0.56	2.30	25	8
1:1:10:LEU:HD12	1:1:11:GLU:OE2	0.55	2.00	11	1
1:1:4:VAL:HG12	1:1:19:GLY:CA	0.55	2.32	1	13
1:1:36:LEU:HD22	1:1:43:ASN:OD1	0.55	2.01	13	1
1:1:30:ASN:HB3	1:1:33:THR:HG22	0.55	1.79	19	1
1:1:9:ILE:HD13	1:1:18:CYS:HA	0.55	1.78	29	1
1:1:28:CYS:HA	1:1:37:THR:OG1	0.55	2.01	1	5
1:1:4:VAL:CG2	1:1:8:LYS:N	0.55	2.69	25	11
1:1:13:GLY:O	1:1:14:GLU:CB	0.55	2.55	29	15
1:1:4:VAL:HG12	1:1:19:GLY:O	0.54	2.01	22	1
1:1:4:VAL:CG1	1:1:8:LYS:N	0.54	2.71	9	13
1:1:9:ILE:HG21	1:1:12:GLN:HB2	0.54	1.79	11	12
1:1:17:ASP:H	1:1:34:CYS:HA	0.54	1.63	12	9
1:1:70:ASP:CB	1:1:81:TRP:HA	0.54	2.33	21	18
1:1:81:TRP:CD1	1:1:81:TRP:N	0.54	2.75	20	3
1:1:62:ILE:HD13	1:1:62:ILE:C	0.53	2.24	9	2
1:1:61:ARG:NE	1:1:81:TRP:CZ3	0.53	2.77	10	10
1:1:44:TYR:C	1:1:44:TYR:CD1	0.53	2.81	21	14
1:1:15:ASP:O	1:1:16:CYS:HB2	0.53	2.04	25	2
1:1:16:CYS:SG	1:1:34:CYS:O	0.53	2.67	5	4
1:1:16:CYS:C	1:1:34:CYS:SG	0.53	2.87	25	3
1:1:13:GLY:O	1:1:14:GLU:HB3	0.52	2.03	26	4
1:1:16:CYS:CB	1:1:34:CYS:O	0.52	2.57	23	2
1:1:63:ALA:HB3	1:1:67:TRP:NE1	0.52	2.19	21	3
1:1:12:GLN:CB	1:1:15:ASP:HB3	0.52	2.34	10	5
1:1:25:GLN:HG3	1:1:32:ALA:HB3	0.52	1.77	16	1
1:1:4:VAL:HG13	1:1:21:PRO:CB	0.52	2.33	19	2
1:1:14:GLU:HB2	1:1:36:LEU:HB3	0.52	1.81	26	2
1:1:9:ILE:HD13	1:1:12:GLN:C	0.52	2.24	4	2
1:1:24:CYS:CB	1:1:31:ALA:HB3	0.52	2.34	7	11
1:1:19:GLY:O	1:1:21:PRO:HD3	0.52	2.05	17	19
1:1:24:CYS:HA	1:1:31:ALA:CB	0.52	2.34	6	3
1:1:79:CYS:SG	1:1:79:CYS:O	0.51	2.69	16	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:1:4:VAL:O	1:1:4:VAL:CG1	0.51	2.59	25	10
1:1:59:VAL:O	1:1:59:VAL:HG13	0.51	2.04	21	26
1:1:9:ILE:HG23	1:1:18:CYS:CA	0.51	2.36	7	9
1:1:21:PRO:HA	1:1:24:CYS:HB2	0.51	1.82	25	6
1:1:81:TRP:O	1:1:83:HIS:CG	0.51	2.63	20	2
1:1:5:CYS:SG	1:1:5:CYS:O	0.50	2.69	29	1
1:1:70:ASP:CA	1:1:81:TRP:HA	0.50	2.37	18	12
1:1:9:ILE:CD1	1:1:13:GLY:HA2	0.50	2.36	28	3
1:1:10:LEU:N	1:1:10:LEU:HD13	0.50	2.22	19	1
1:1:62:ILE:HD13	1:1:63:ALA:H	0.50	1.63	7	1
1:1:14:GLU:HB3	1:1:36:LEU:HB3	0.50	1.84	21	1
1:1:17:ASP:N	1:1:34:CYS:SG	0.50	2.84	8	2
1:1:54:LYS:O	1:1:55:LYS:C	0.49	2.50	2	22
1:1:12:GLN:CB	1:1:15:ASP:CB	0.49	2.90	21	4
1:1:72:CYS:N	1:1:79:CYS:SG	0.49	2.86	10	26
1:1:14:GLU:O	1:1:36:LEU:N	0.49	2.45	17	2
1:1:9:ILE:HD11	1:1:13:GLY:HA2	0.49	1.84	19	2
1:1:4:VAL:HG22	1:1:19:GLY:CA	0.49	2.37	20	3
1:1:61:ARG:NH2	1:1:70:ASP:OD2	0.49	2.46	20	1
1:1:17:ASP:N	1:1:34:CYS:HA	0.49	2.21	17	3
1:1:54:LYS:CE	1:1:58:THR:HG21	0.49	2.36	25	1
1:1:4:VAL:CG1	1:1:21:PRO:HB3	0.49	2.37	19	3
1:1:81:TRP:CB	1:1:83:HIS:CE1	0.49	2.96	21	2
1:1:7:ASN:O	1:1:8:LYS:C	0.49	2.51	19	1
1:1:36:LEU:H	1:1:36:LEU:HD23	0.49	1.68	13	2
1:1:14:GLU:CB	1:1:43:ASN:HA	0.49	2.38	1	5
1:1:10:LEU:CD2	1:1:10:LEU:C	0.48	2.81	17	22
1:1:43:ASN:ND2	1:1:44:TYR:CE2	0.48	2.81	15	3
1:1:59:VAL:HA	1:1:70:ASP:O	0.48	2.08	5	10
1:1:4:VAL:HG22	1:1:7:ASN:CA	0.48	2.38	23	8
1:1:81:TRP:HB2	1:1:83:HIS:CE1	0.48	2.43	21	1
1:1:9:ILE:CG2	1:1:17:ASP:O	0.48	2.62	24	11
1:1:16:CYS:HA	1:1:35:LYS:N	0.48	2.23	10	3
1:1:36:LEU:HD12	1:1:40:SER:CB	0.48	2.38	13	1
1:1:12:GLN:HB2	1:1:15:ASP:HB3	0.48	1.86	4	2
1:1:81:TRP:O	1:1:82:ASN:HB2	0.48	2.07	16	2
1:1:4:VAL:HG22	1:1:19:GLY:C	0.48	2.28	20	2
1:1:9:ILE:HD12	1:1:9:ILE:C	0.48	2.28	22	2
1:1:36:LEU:HD12	1:1:40:SER:OG	0.48	2.09	25	1
1:1:47:CYS:O	1:1:53:PHE:HA	0.48	2.09	28	6
1:1:10:LEU:H	1:1:10:LEU:HD13	0.48	1.69	27	25

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:1:44:TYR:CD1	1:1:44:TYR:C	0.48	2.88	19	6
1:1:61:ARG:CZ	1:1:70:ASP:OD2	0.48	2.62	7	2
1:1:4:VAL:HG23	1:1:19:GLY:CA	0.48	2.25	10	1
1:1:10:LEU:CD2	1:1:10:LEU:H	0.48	2.20	29	1
1:1:4:VAL:HG13	1:1:7:ASN:HA	0.48	1.84	25	2
1:1:61:ARG:O	1:1:70:ASP:HB3	0.47	2.10	9	3
1:1:4:VAL:HG21	1:1:8:LYS:CA	0.47	2.40	20	2
1:1:9:ILE:HG23	1:1:18:CYS:HA	0.47	1.85	7	4
1:1:10:LEU:O	1:1:11:GLU:HB3	0.47	2.10	25	11
1:1:12:GLN:CG	1:1:15:ASP:HB3	0.47	2.40	13	1
1:1:8:LYS:CG	1:1:8:LYS:O	0.47	2.61	15	2
1:1:61:ARG:NE	1:1:81:TRP:CE3	0.47	2.83	21	1
1:1:30:ASN:N	1:1:35:LYS:O	0.47	2.46	18	5
1:1:54:LYS:CG	1:1:58:THR:HG21	0.47	2.40	22	3
1:1:4:VAL:HG22	1:1:4:VAL:O	0.47	2.09	10	1
1:1:5:CYS:N	1:1:19:GLY:O	0.46	2.48	5	3
1:1:17:ASP:O	1:1:18:CYS:C	0.46	2.54	27	5
1:1:10:LEU:H	1:1:10:LEU:HD23	0.46	1.70	11	1
1:1:47:CYS:HB2	1:1:77:SER:HA	0.46	1.86	23	2
1:1:4:VAL:HG21	1:1:7:ASN:C	0.46	2.29	10	1
1:1:30:ASN:ND2	1:1:33:THR:OG1	0.46	2.49	11	6
1:1:29:CYS:CA	1:1:37:THR:HG23	0.46	2.40	8	4
1:1:81:TRP:O	1:1:82:ASN:CB	0.46	2.64	15	6
1:1:57:GLY:O	1:1:71:TYR:CD1	0.46	2.69	19	29
1:1:30:ASN:OD1	1:1:33:THR:HG23	0.46	2.11	23	1
1:1:18:CYS:HB2	1:1:31:ALA:CB	0.46	2.40	24	1
1:1:59:VAL:HB	1:1:71:TYR:CE1	0.46	2.46	16	25
1:1:61:ARG:O	1:1:70:ASP:HB2	0.46	2.10	21	1
1:1:14:GLU:HA	1:1:29:CYS:SG	0.45	2.51	25	4
1:1:4:VAL:HG11	1:1:8:LYS:H	0.45	1.70	9	10
1:1:9:ILE:CG2	1:1:18:CYS:HA	0.45	2.41	11	9
1:1:9:ILE:HB	1:1:12:GLN:HG2	0.45	1.87	16	2
1:1:69:ASP:HB3	1:1:71:TYR:CE2	0.45	2.47	19	3
1:1:61:ARG:NH2	1:1:81:TRP:CE2	0.45	2.85	23	1
1:1:19:GLY:O	1:1:21:PRO:CD	0.45	2.65	17	6
1:1:28:CYS:C	1:1:37:THR:OG1	0.45	2.55	5	2
1:1:14:GLU:O	1:1:36:LEU:HG	0.45	2.11	22	1
1:1:70:ASP:HB2	1:1:81:TRP:HB3	0.45	1.88	22	1
1:1:23:ASN:HB3	1:1:29:CYS:CB	0.45	2.42	25	2
1:1:9:ILE:HB	1:1:12:GLN:HB2	0.45	1.89	29	1
1:1:9:ILE:HG21	1:1:16:CYS:O	0.45	2.12	10	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:1:7:ASN:O	1:1:19:GLY:HA3	0.45	2.12	15	5
1:1:9:ILE:CG2	1:1:12:GLN:HG3	0.45	2.41	15	1
1:1:12:GLN:O	1:1:12:GLN:CG	0.45	2.65	4	2
1:1:16:CYS:SG	1:1:17:ASP:N	0.45	2.90	12	5
1:1:36:LEU:CD2	1:1:36:LEU:N	0.45	2.79	28	1
1:1:14:GLU:HB3	1:1:43:ASN:CB	0.44	2.42	1	6
1:1:13:GLY:O	1:1:14:GLU:CG	0.44	2.65	9	2
1:1:4:VAL:CG2	1:1:19:GLY:C	0.44	2.86	25	2
1:1:4:VAL:HB	1:1:19:GLY:O	0.44	2.11	10	1
1:1:10:LEU:O	1:1:11:GLU:CB	0.44	2.66	11	2
1:1:14:GLU:CB	1:1:43:ASN:CB	0.44	2.95	17	3
1:1:61:ARG:O	1:1:70:ASP:CB	0.44	2.66	21	1
1:1:9:ILE:CG2	1:1:17:ASP:CB	0.44	2.96	25	1
1:1:4:VAL:HG11	1:1:8:LYS:CB	0.44	2.43	29	1
1:1:36:LEU:N	1:1:36:LEU:HD23	0.44	2.28	28	3
1:1:10:LEU:HD23	1:1:10:LEU:N	0.44	2.28	11	1
1:1:4:VAL:CG1	1:1:21:PRO:CB	0.44	2.96	19	2
1:1:9:ILE:HD13	1:1:13:GLY:N	0.44	2.27	18	2
1:1:18:CYS:HA	1:1:29:CYS:HB2	0.44	1.90	19	1
1:1:23:ASN:O	1:1:25:GLN:N	0.44	2.50	8	2
1:1:9:ILE:HD13	1:1:18:CYS:O	0.44	2.13	23	5
1:1:81:TRP:HB2	1:1:83:HIS:ND1	0.44	2.28	23	4
1:1:70:ASP:OD2	1:1:81:TRP:HB3	0.44	2.13	22	1
1:1:54:LYS:O	1:1:72:CYS:HB3	0.43	2.13	19	1
1:1:30:ASN:CB	1:1:35:LYS:O	0.43	2.63	26	2
1:1:18:CYS:N	1:1:31:ALA:HA	0.43	2.28	29	1
1:1:10:LEU:HD13	1:1:10:LEU:N	0.43	2.28	22	3
1:1:24:CYS:O	1:1:25:GLN:CB	0.43	2.67	6	2
1:1:53:PHE:CE2	1:1:75:LYS:O	0.43	2.72	16	2
1:1:61:ARG:CZ	1:1:81:TRP:CH2	0.43	3.01	23	3
1:1:14:GLU:O	1:1:36:LEU:CD2	0.43	2.66	18	1
1:1:81:TRP:O	1:1:83:HIS:N	0.43	2.52	22	1
1:1:57:GLY:O	1:1:71:TYR:CE1	0.43	2.72	22	13
1:1:9:ILE:HG12	1:1:13:GLY:HA2	0.43	1.91	10	1
1:1:4:VAL:CG2	1:1:7:ASN:HA	0.43	2.44	24	4
1:1:82:ASN:O	1:1:83:HIS:CD2	0.43	2.71	19	1
1:1:14:GLU:HA	1:1:29:CYS:HB2	0.43	1.90	29	3
1:1:12:GLN:HB2	1:1:15:ASP:HB2	0.43	1.91	4	1
1:1:47:CYS:O	1:1:54:LYS:N	0.43	2.52	12	2
1:1:16:CYS:O	1:1:17:ASP:HB2	0.43	2.13	5	3
1:1:43:ASN:ND2	1:1:44:TYR:CD2	0.43	2.87	17	2

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:1:10:LEU:HD23	1:1:11:GLU:CG	0.42	2.44	29	1
1:1:30:ASN:HB3	1:1:33:THR:HB	0.42	1.91	11	2
1:1:9:ILE:CB	1:1:12:GLN:HB2	0.42	2.45	13	1
1:1:9:ILE:CD1	1:1:17:ASP:O	0.42	2.66	16	1
1:1:12:GLN:CB	1:1:15:ASP:HB2	0.42	2.43	21	1
1:1:49:ASP:O	1:1:51:CYS:N	0.42	2.52	20	2
1:1:54:LYS:O	1:1:72:CYS:SG	0.42	2.78	1	6
1:1:70:ASP:HA	1:1:80:PRO:O	0.42	2.14	7	2
1:1:81:TRP:O	1:1:83:HIS:CE1	0.42	2.73	7	3
1:1:53:PHE:CE2	1:1:76:SER:HA	0.42	2.50	14	2
1:1:33:THR:O	1:1:34:CYS:HB3	0.42	2.14	19	1
1:1:60:CYS:SG	1:1:61:ARG:CG	0.42	3.08	21	1
1:1:14:GLU:O	1:1:43:ASN:HB3	0.42	2.13	25	1
1:1:8:LYS:O	1:1:8:LYS:CD	0.42	2.67	15	1
1:1:64:ARG:O	1:1:67:TRP:CH2	0.42	2.73	21	2
1:1:4:VAL:CG1	1:1:7:ASN:HA	0.42	2.44	25	1
1:1:7:ASN:C	1:1:19:GLY:HA3	0.42	2.34	22	3
1:1:10:LEU:HD13	1:1:10:LEU:H	0.42	1.74	19	1
1:1:43:ASN:OD1	1:1:44:TYR:CD2	0.42	2.73	25	4
1:1:28:CYS:CA	1:1:37:THR:OG1	0.42	2.68	10	1
1:1:14:GLU:O	1:1:36:LEU:HB3	0.42	2.15	25	1
1:1:4:VAL:CA	1:1:19:GLY:O	0.42	2.68	22	1
1:1:54:LYS:HE2	1:1:58:THR:HG21	0.42	1.91	16	1
1:1:70:ASP:OD1	1:1:79:CYS:C	0.42	2.58	25	1
1:1:15:ASP:OD2	1:1:44:TYR:CE2	0.41	2.72	11	1
1:1:47:CYS:CB	1:1:76:SER:O	0.41	2.69	13	1
1:1:9:ILE:CG2	1:1:12:GLN:CG	0.41	2.98	9	1
1:1:12:GLN:HA	1:1:15:ASP:HB2	0.41	1.92	29	1
1:1:10:LEU:CD2	1:1:11:GLU:CG	0.41	2.98	15	2
1:1:37:THR:HB	1:1:38:PRO:HD2	0.41	1.91	13	1
1:1:36:LEU:HD12	1:1:36:LEU:H	0.41	1.75	18	1
1:1:9:ILE:HG12	1:1:12:GLN:O	0.41	2.15	18	2
1:1:14:GLU:O	1:1:43:ASN:HA	0.41	2.16	13	1
1:1:72:CYS:CA	1:1:79:CYS:SG	0.41	3.09	20	1
1:1:69:ASP:O	1:1:82:ASN:CB	0.41	2.68	4	1
1:1:28:CYS:N	1:1:37:THR:OG1	0.41	2.54	10	1
1:1:53:PHE:CE1	1:1:77:SER:N	0.41	2.89	14	3
1:1:59:VAL:HG13	1:1:59:VAL:O	0.41	2.16	22	1
1:1:42:CYS:C	1:1:48:CYS:SG	0.41	2.99	26	2
1:1:9:ILE:CG2	1:1:12:GLN:HB2	0.41	2.46	11	1
1:1:8:LYS:HA	1:1:19:GLY:CA	0.41	2.46	16	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:1:8:LYS:HA	1:1:19:GLY:HA3	0.41	1.92	22	1
1:1:61:ARG:C	1:1:70:ASP:HB3	0.41	2.36	9	2
1:1:53:PHE:CE2	1:1:76:SER:CA	0.41	3.03	14	1
1:1:4:VAL:CG2	1:1:7:ASN:CA	0.41	2.99	23	1
1:1:36:LEU:N	1:1:36:LEU:CD2	0.41	2.84	26	1
1:1:11:GLU:O	1:1:44:TYR:CE2	0.40	2.74	16	1
1:1:18:CYS:HB2	1:1:31:ALA:HA	0.40	1.93	8	1
1:1:14:GLU:HB3	1:1:43:ASN:HA	0.40	1.92	12	1
1:1:81:TRP:HB3	1:1:83:HIS:CE1	0.40	2.52	16	1
1:1:4:VAL:CG1	1:1:19:GLY:C	0.40	2.89	18	1
1:1:14:GLU:N	1:1:14:GLU:OE1	0.40	2.55	6	1
1:1:14:GLU:CG	1:1:43:ASN:HB2	0.40	2.47	21	1

6.3 Torsion angles

6.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the backbone conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	1	79/83 (95%)	49±2 (61±3%)	18±3 (23±4%)	13±2 (16±2%)	0	4
All	All	2291/2407 (95%)	1407 (61%)	517 (23%)	367 (16%)	0	4

All 27 unique Ramachandran outliers are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	1	7	ASN	29
1	1	11	GLU	29
1	1	63	ALA	29
1	1	66	ASP	29
1	1	16	CYS	25
1	1	14	GLU	24
1	1	62	ILE	20
1	1	18	CYS	18
1	1	4	VAL	17
1	1	69	ASP	17

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	1	8	LYS	16
1	1	24	CYS	16
1	1	26	ASP	16
1	1	50	GLN	16
1	1	27	ARG	14
1	1	19	GLY	11
1	1	51	CYS	8
1	1	55	LYS	7
1	1	54	LYS	5
1	1	17	ASP	5
1	1	12	GLN	5
1	1	82	ASN	3
1	1	5	CYS	3
1	1	25	GLN	2
1	1	9	ILE	1
1	1	36	LEU	1
1	1	44	TYR	1

6.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all NMR entries. The Analysed column shows the number of residues for which the sidechain conformation was analysed and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	1	67/70 (96%)	46±3 (69±5%)	21±3 (31±5%)	1	14
All	All	1943/2030 (96%)	1343 (69%)	600 (31%)	1	14

All 57 unique residues with a non-rotameric sidechain are listed below. They are sorted by the frequency of occurrence in the ensemble.

Mol	Chain	Res	Type	Models (Total)
1	1	10	LEU	29
1	1	67	TRP	29
1	1	68	ASN	29
1	1	81	TRP	29
1	1	35	LYS	27
1	1	79	CYS	27
1	1	33	THR	25
1	1	5	CYS	22

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	1	8	LYS	21
1	1	16	CYS	20
1	1	36	LEU	19
1	1	18	CYS	18
1	1	27	ARG	17
1	1	4	VAL	14
1	1	48	CYS	14
1	1	17	ASP	13
1	1	15	ASP	13
1	1	66	ASP	12
1	1	69	ASP	12
1	1	61	ARG	11
1	1	9	ILE	11
1	1	41	GLN	10
1	1	46	GLU	10
1	1	14	GLU	9
1	1	77	SER	9
1	1	11	GLU	9
1	1	28	CYS	9
1	1	75	LYS	9
1	1	44	TYR	9
1	1	52	ARG	8
1	1	50	GLN	8
1	1	51	CYS	8
1	1	26	ASP	7
1	1	25	GLN	7
1	1	49	ASP	6
1	1	60	CYS	6
1	1	64	ARG	6
1	1	78	ASP	6
1	1	62	ILE	5
1	1	30	ASN	5
1	1	12	GLN	5
1	1	55	LYS	4
1	1	76	SER	4
1	1	34	CYS	4
1	1	20	SER	4
1	1	82	ASN	3
1	1	29	CYS	3
1	1	72	CYS	3
1	1	40	SER	2
1	1	24	CYS	2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Models (Total)
1	1	23	ASN	2
1	1	47	CYS	1
1	1	54	LYS	1
1	1	42	CYS	1
1	1	7	ASN	1
1	1	43	ASN	1
1	1	70	ASP	1

6.3.3 RNA [i](#)

There are no RNA molecules in this entry.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 79% for the well-defined parts and 80% for the entire structure.

7.1 Chemical shift list 1

File name: working_cs.cif

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	789
Number of shifts mapped to atoms	789
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	1

7.1.2 Chemical shift referencing

The following table shows the suggested chemical shift referencing corrections.

Nucleus	# values	Correction \pm precision, ppm	Suggested action
$^{13}\text{C}_\alpha$	74	0.20 ± 0.17	None needed (< 0.5 ppm)
$^{13}\text{C}_\beta$	67	0.44 ± 0.24	None needed (< 0.5 ppm)
$^{13}\text{C}'$	0	—	None (insufficient data)
^{15}N	66	0.36 ± 0.55	None needed (< 0.5 ppm)

7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is 79%, i.e. 753 atoms were assigned a chemical shift out of a possible 949. 0 out of 4 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	^1H	^{13}C	^{15}N
Backbone	301/402 (75%)	164/165 (99%)	71/160 (44%)	66/77 (86%)
Sidechain	424/487 (87%)	295/307 (96%)	120/153 (78%)	9/27 (33%)

Continued on next page...

Continued from previous page...

	Total	¹ H	¹³ C	¹⁵ N
Aromatic	28/60 (47%)	26/29 (90%)	0/27 (0%)	2/4 (50%)
Overall	753/949 (79%)	485/501 (97%)	191/340 (56%)	77/108 (71%)

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is 80%, i.e. 780 atoms were assigned a chemical shift out of a possible 981. 0 out of 4 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
Backbone	307/413 (74%)	167/169 (99%)	74/166 (45%)	66/78 (85%)
Sidechain	445/508 (88%)	309/321 (96%)	127/160 (79%)	9/27 (33%)
Aromatic	28/60 (47%)	26/29 (90%)	0/27 (0%)	2/4 (50%)
Overall	780/981 (80%)	502/519 (97%)	201/353 (57%)	77/109 (71%)

7.1.4 Statistically unusual chemical shifts [i](#)

The following table lists the statistically unusual chemical shifts. These are statistical measures, and large deviations from the mean do not necessarily imply incorrect assignments. Molecules containing paramagnetic centres or hemes are expected to give rise to anomalous chemical shifts.

List Id	Chain	Res	Type	Atom	Shift, ppm	Expected range, ppm	Z-score
1	1	41	GLN	HB2	0.57	0.80 – 3.29	-5.9

7.1.5 Random Coil Index (RCI) plots [i](#)

The image below reports *random coil index* values for the protein chains in the structure. The height of each bar gives a probability of a given residue to be disordered, as predicted from the available chemical shifts and the amino acid sequence. A value above 0.2 is an indication of significant predicted disorder. The colour of the bar shows whether the residue is in the well-defined core (black) or in the ill-defined residue ranges (cyan), as described in section 2 on ensemble composition. If well-defined core and ill-defined regions are not identified then it is shown as gray bars.

Random coil index (RCI) for chain 1:

