



wwPDB X-ray Structure Validation Summary Report ⓘ

Apr 1, 2025 – 11:19 pm BST

PDB ID : 5MZQ / pdb_00005mzq
Title : X-ray structure of the M205W mutant of GLIC in complex with bromoform
Authors : Fourati, Z.; Delarue, M.
Deposited on : 2017-02-01
Resolution : 2.80 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4.02b-467
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	1.13
EDS	:	3.0
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.003 (Gargrove)
Density-Fitness	:	1.0.11
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.42


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 2.80 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	3657 (2.80-2.80)
Clashscore	180529	4123 (2.80-2.80)
Ramachandran outliers	177936	4071 (2.80-2.80)
Sidechain outliers	177891	4073 (2.80-2.80)
RSRZ outliers	164620	3659 (2.80-2.80)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	327	<div> <div>2%</div> <div> <div></div> <div>85%</div> <div>10%</div> <div>5%</div> </div> </div>
1	B	327	<div> <div>%</div> <div> <div></div> <div>84%</div> <div>11%</div> <div>5%</div> </div> </div>
1	C	327	<div> <div>4%</div> <div> <div></div> <div>83%</div> <div>11%</div> <div>5%</div> </div> </div>
1	D	327	<div> <div>4%</div> <div> <div></div> <div>80%</div> <div>14%</div> <div>5%</div> </div> </div>
1	E	327	<div> <div>2%</div> <div> <div></div> <div>81%</div> <div>13%</div> <div>5%</div> </div> </div>

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
3	PC8	D	403	-	-	X	-
5	D12	B	404	-	-	-	X
5	D12	D	405	-	-	X	-
5	D12	E	404	-	-	-	X
7	NA	D	401	-	-	-	X
8	MBR	D	410	-	-	X	-

2 Entry composition

There are 9 unique types of molecules in this entry. The entry contains 13603 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Proton-gated ion channel.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	311	Total	C	N	O	S	0	0	0
			2531	1670	405	453	3			
1	B	311	Total	C	N	O	S	0	1	0
			2540	1675	406	456	3			
1	C	311	Total	C	N	O	S	0	1	0
			2540	1675	406	456	3			
1	D	311	Total	C	N	O	S	0	2	0
			2548	1679	408	458	3			
1	E	311	Total	C	N	O	S	0	2	0
			2549	1681	408	457	3			

There are 55 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	205	TRP	MET	engineered mutation	UNP Q7NDN8
A	318	GLY	-	expression tag	UNP Q7NDN8
A	319	TYR	-	expression tag	UNP Q7NDN8
A	320	PRO	-	expression tag	UNP Q7NDN8
A	321	TYR	-	expression tag	UNP Q7NDN8
A	322	ASP	-	expression tag	UNP Q7NDN8
A	323	VAL	-	expression tag	UNP Q7NDN8
A	324	PRO	-	expression tag	UNP Q7NDN8
A	325	ASP	-	expression tag	UNP Q7NDN8
A	326	TYR	-	expression tag	UNP Q7NDN8
A	327	ALA	-	expression tag	UNP Q7NDN8
B	205	TRP	MET	engineered mutation	UNP Q7NDN8
B	318	GLY	-	expression tag	UNP Q7NDN8
B	319	TYR	-	expression tag	UNP Q7NDN8
B	320	PRO	-	expression tag	UNP Q7NDN8
B	321	TYR	-	expression tag	UNP Q7NDN8
B	322	ASP	-	expression tag	UNP Q7NDN8
B	323	VAL	-	expression tag	UNP Q7NDN8
B	324	PRO	-	expression tag	UNP Q7NDN8

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
B	325	ASP	-	expression tag	UNP Q7NDN8
B	326	TYR	-	expression tag	UNP Q7NDN8
B	327	ALA	-	expression tag	UNP Q7NDN8
C	205	TRP	MET	engineered mutation	UNP Q7NDN8
C	318	GLY	-	expression tag	UNP Q7NDN8
C	319	TYR	-	expression tag	UNP Q7NDN8
C	320	PRO	-	expression tag	UNP Q7NDN8
C	321	TYR	-	expression tag	UNP Q7NDN8
C	322	ASP	-	expression tag	UNP Q7NDN8
C	323	VAL	-	expression tag	UNP Q7NDN8
C	324	PRO	-	expression tag	UNP Q7NDN8
C	325	ASP	-	expression tag	UNP Q7NDN8
C	326	TYR	-	expression tag	UNP Q7NDN8
C	327	ALA	-	expression tag	UNP Q7NDN8
D	205	TRP	MET	engineered mutation	UNP Q7NDN8
D	318	GLY	-	expression tag	UNP Q7NDN8
D	319	TYR	-	expression tag	UNP Q7NDN8
D	320	PRO	-	expression tag	UNP Q7NDN8
D	321	TYR	-	expression tag	UNP Q7NDN8
D	322	ASP	-	expression tag	UNP Q7NDN8
D	323	VAL	-	expression tag	UNP Q7NDN8
D	324	PRO	-	expression tag	UNP Q7NDN8
D	325	ASP	-	expression tag	UNP Q7NDN8
D	326	TYR	-	expression tag	UNP Q7NDN8
D	327	ALA	-	expression tag	UNP Q7NDN8
E	205	TRP	MET	engineered mutation	UNP Q7NDN8
E	318	GLY	-	expression tag	UNP Q7NDN8
E	319	TYR	-	expression tag	UNP Q7NDN8
E	320	PRO	-	expression tag	UNP Q7NDN8
E	321	TYR	-	expression tag	UNP Q7NDN8
E	322	ASP	-	expression tag	UNP Q7NDN8
E	323	VAL	-	expression tag	UNP Q7NDN8
E	324	PRO	-	expression tag	UNP Q7NDN8
E	325	ASP	-	expression tag	UNP Q7NDN8
E	326	TYR	-	expression tag	UNP Q7NDN8
E	327	ALA	-	expression tag	UNP Q7NDN8

- Molecule 2 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).




Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
2	A	1	Total	C	O	0	0
			4	2	2		
2	A	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	B	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		
2	C	1	Total	C	O	0	0
			4	2	2		
2	D	1	Total	C	O	0	0
			4	2	2		
2	D	1	Total	C	O	0	0
			4	2	2		
2	E	1	Total	C	O	0	0
			4	2	2		
2	E	1	Total	C	O	0	0
			4	2	2		

- Molecule 3 is 1,2-DIOCTANOYL-SN-GLYCERO-3-PHOSPHOCHOLINE (CCD ID: PC8) (formula: C₂₄H₄₉NO₈P).




Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
3	A	1	Total	C	N	O	P	0	0
			34	24	1	8	1		
3	B	1	Total	C	N	O	P	0	0
			34	24	1	8	1		
3	C	1	Total	C	N	O	P	0	0
			34	24	1	8	1		
3	D	1	Total	C	N	O	P	0	0
			34	24	1	8	1		
3	E	1	Total	C	N	O	P	0	0
			34	24	1	8	1		

- Molecule 4 is (3R)-3-(dodecanoyloxy)tetradecanoic acid (CCD ID: 2IL) (formula: C₂₆H₅₀O₄).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
4	A	1	Total C 24 24	0	0
4	B	1	Total C 24 24	0	0
4	C	1	Total C 24 24	0	0
4	D	1	Total C 24 24	0	0
4	E	1	Total C 24 24	0	0

- Molecule 5 is DODECANE (CCD ID: D12) (formula: $C_{12}H_{26}$).



Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	A	1	Total C 12 12	0	0
5	A	1	Total C 12 12	0	0
5	B	1	Total C 12 12	0	0
5	B	1	Total C 12 12	0	0
5	C	1	Total C 12 12	0	0
5	C	1	Total C 12 12	0	0
5	C	1	Total C 12 12	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
5	D	1	Total C 12 12	0	0
5	D	1	Total C 12 12	0	0
5	E	1	Total C 12 12	0	0
5	E	1	Total C 12 12	0	0


- Molecule 6 is CHLORIDE ION (CCD ID: CL) (formula: Cl).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
6	A	3	Total Cl 3 3	0	0
6	B	1	Total Cl 1 1	0	0
6	C	1	Total Cl 1 1	0	0
6	D	1	Total Cl 1 1	0	0
6	E	1	Total Cl 1 1	0	0

- Molecule 7 is SODIUM ION (CCD ID: NA) (formula: Na).

Mol	Chain	Residues	Atoms	ZeroOcc	AltConf
7	A	1	Total Na 1 1	0	0
7	B	1	Total Na 1 1	0	0
7	C	1	Total Na 1 1	0	0
7	D	2	Total Na 2 2	0	0
7	E	1	Total Na 1 1	0	0

- Molecule 8 is TRIBROMOMETHANE (CCD ID: MBR) (formula: CHBr₃).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
8	A	1	Total	Br	C	0	0
			4	3	1		
8	B	1	Total	Br	C	0	0
			4	3	1		
8	C	1	Total	Br	C	0	0
			4	3	1		
8	D	1	Total	Br	C	0	0
			4	3	1		
8	E	1	Total	Br	C	0	0
			4	3	1		


- Molecule 9 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
9	A	81	Total	O	0	0
			81	81		
9	B	90	Total	O	0	0
			90	90		
9	C	80	Total	O	0	0
			80	80		
9	D	81	Total	O	0	0
			81	81		
9	E	68	Total	O	0	0
			68	68		


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Proton-gated ion channel




- Molecule 1: Proton-gated ion channel




- Molecule 1: Proton-gated ion channel





- Molecule 1: Proton-gated ion channel





● Molecule 1: Proton-gated ion channel



4 Data and refinement statistics

Property	Value	Source
Space group	C 1 2 1	Depositor
Cell constants a, b, c, α , β , γ	181.97Å 131.78Å 160.40Å 90.00° 102.93° 90.00°	Depositor
Resolution (Å)	19.84 – 2.80 19.84 – 2.80	Depositor EDS
% Data completeness (in resolution range)	98.3 (19.84-2.80) 98.0 (19.84-2.80)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.01 (at 2.79Å)	Xtriage
Refinement program	BUSTER 2.10.2	Depositor
R, R_{free}	0.202 , 0.219 0.224 , 0.249	Depositor DCC
R_{free} test set	4467 reflections (5.02%)	wwPDB-VP
Wilson B-factor (Å ²)	52.6	Xtriage
Anisotropy	0.286	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.31 , 66.1	EDS
L-test for twinning ²	$\langle L \rangle = 0.47$, $\langle L^2 \rangle = 0.29$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.93	EDS
Total number of atoms	13603	wwPDB-VP
Average B, all atoms (Å ²)	66.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.12% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: MBR, CL, PC8, 2IL, ACT, NA, D12

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.42	0/2601	0.61	0/3558
1	B	0.49	3/2610 (0.1%)	0.64	0/3570
1	C	0.43	0/2610	0.62	1/3570 (0.0%)
1	D	0.45	1/2618 (0.0%)	0.63	2/3581 (0.1%)
1	E	0.42	0/2619	0.63	2/3581 (0.1%)
All	All	0.44	4/13058 (0.0%)	0.63	5/17860 (0.0%)

All (4) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	D	315	PHE	CA-C	6.28	1.69	1.52
1	B	25	ILE	C-N	-5.56	1.21	1.34
1	B	26[A]	GLU	N-CA	5.29	1.56	1.46
1	B	26[B]	GLU	N-CA	5.29	1.56	1.46

All (5) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	12	ALA	N-CA-C	-6.81	92.61	111.00
1	E	12	ALA	N-CA-C	-6.42	93.65	111.00
1	C	12	ALA	N-CA-C	-5.90	95.07	111.00
1	D	315	PHE	CB-CA-C	5.54	121.48	110.40
1	E	12	ALA	C-N-CA	5.12	134.51	121.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2531	0	2546	22	0
1	B	2540	0	2550	26	0
1	C	2540	0	2551	36	10
1	D	2548	0	2556	59	0
1	E	2549	0	2563	37	10
2	A	8	0	6	0	0
2	B	8	0	6	0	0
2	C	8	0	6	0	0
2	D	8	0	6	0	0
2	E	8	0	6	0	0
3	A	34	0	48	1	0
3	B	34	0	48	2	0
3	C	34	0	48	3	0
3	D	34	0	44	46	0
3	E	34	0	48	2	0
4	A	24	0	0	0	0
4	B	24	0	0	0	0
4	C	24	0	0	0	0
4	D	24	0	0	0	0
4	E	24	0	0	0	0
5	A	24	0	52	1	0
5	B	24	0	52	1	0
5	C	36	0	78	3	0
5	D	24	0	52	11	0
5	E	24	0	52	2	0
6	A	3	0	0	0	0
6	B	1	0	0	0	0
6	C	1	0	0	0	0
6	D	1	0	0	0	0
6	E	1	0	0	0	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
7	D	2	0	0	0	0
7	E	1	0	0	0	0
8	A	4	0	0	0	0
8	B	4	0	0	1	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	C	4	0	0	1	0
8	D	4	0	0	2	0
8	E	4	0	0	0	0
9	A	81	0	0	2	0
9	B	90	0	0	2	0
9	C	80	0	0	2	0
9	D	81	0	0	3	0
9	E	68	0	0	2	0
All	All	13603	0	13318	194	10

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 7.

The worst 5 of 194 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:315:PHE:HA	3:D:403:PC8:C5	1.35	1.51
3:D:403:PC8:C5	3:D:403:PC8:N1	1.70	1.51
1:D:315:PHE:C	3:D:403:PC8:C5	1.75	1.49
1:D:315:PHE:CA	3:D:403:PC8:C5	1.90	1.45
8:D:410:MBR:BR2	9:D:580:HOH:O	2.00	1.26

The worst 5 of 10 symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:147:GLU:OE1	1:E:147:GLU:OE1[4_545]	1.32	0.88
1:C:145:ASP:OD2	1:E:147:GLU:OE2[4_545]	1.90	0.30
1:C:145:ASP:OD1	1:E:147:GLU:OE2[4_545]	1.92	0.28
1:C:147:GLU:CD	1:E:147:GLU:OE1[4_545]	1.97	0.23
1:C:147:GLU:OE1	1:E:147:GLU:CB[4_545]	2.02	0.18

5.3 Torsion angles

5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	309/327 (94%)	299 (97%)	10 (3%)	0	100	100
1	B	310/327 (95%)	298 (96%)	10 (3%)	2 (1%)	22	51
1	C	310/327 (95%)	302 (97%)	8 (3%)	0	100	100
1	D	311/327 (95%)	301 (97%)	10 (3%)	0	100	100
1	E	311/327 (95%)	301 (97%)	9 (3%)	1 (0%)	37	67
All	All	1551/1635 (95%)	1501 (97%)	47 (3%)	3 (0%)	48	73

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	E	13	ASP
1	B	26[A]	GLU
1	B	26[B]	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	280/292 (96%)	270 (96%)	10 (4%)	30	64
1	B	281/292 (96%)	272 (97%)	9 (3%)	34	68
1	C	281/292 (96%)	271 (96%)	10 (4%)	30	64
1	D	282/292 (97%)	270 (96%)	12 (4%)	25	57
1	E	282/292 (97%)	272 (96%)	10 (4%)	31	65
All	All	1406/1460 (96%)	1355 (96%)	51 (4%)	30	64

5 of 51 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	C	304	LEU
1	D	147	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	181	GLU
1	D	42	PHE
1	D	86	ASP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	239	ASN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 49 ligands modelled in this entry, 13 are monoatomic - leaving 36 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
5	D12	A	404	-	11,11,11	0.37	0	10,10,10	0.66	0
3	PC8	D	403	1	33,33,33	2.48	8 (24%)	39,41,41	2.22	13 (33%)
5	D12	E	404	-	11,11,11	0.34	0	10,10,10	0.67	0
2	ACT	C	402	-	3,3,3	1.23	0	3,3,3	0.70	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
2	ACT	C	408	-	3,3,3	0.97	0	3,3,3	1.00	0
5	D12	B	404	-	11,11,11	0.35	0	10,10,10	0.67	0
8	MBR	E	409	-	3,3,3	0.12	0	3,3,3	0.08	0
4	2IL	A	403	-	22,22,29	0.36	0	20,20,31	0.67	0
4	2IL	B	403	-	22,22,29	0.38	0	20,20,31	0.65	0
5	D12	B	408	-	11,11,11	0.44	0	10,10,10	0.76	0
5	D12	D	409	-	11,11,11	0.46	0	10,10,10	0.69	0
2	ACT	B	401	-	3,3,3	1.20	0	3,3,3	0.88	0
2	ACT	E	407	-	3,3,3	1.03	0	3,3,3	0.96	0
2	ACT	A	409	-	3,3,3	1.03	0	3,3,3	0.82	0
8	MBR	A	411	-	3,3,3	0.04	0	3,3,3	0.09	0
3	PC8	A	402	-	33,33,33	1.13	4 (12%)	39,41,41	1.05	2 (5%)
2	ACT	D	402	-	3,3,3	1.05	0	3,3,3	0.87	0
5	D12	C	409	-	11,11,11	0.51	0	10,10,10	0.68	0
2	ACT	B	407	-	3,3,3	1.11	0	3,3,3	0.84	0
8	MBR	D	410	-	3,3,3	0.20	0	3,3,3	0.16	0
5	D12	C	405	-	11,11,11	0.42	0	10,10,10	0.60	0
8	MBR	C	410	-	3,3,3	0.05	0	3,3,3	0.06	0
5	D12	E	408	-	11,11,11	0.36	0	10,10,10	0.79	0
3	PC8	E	402	-	33,33,33	1.10	2 (6%)	39,41,41	1.04	2 (5%)
8	MBR	B	409	-	3,3,3	0.06	0	3,3,3	0.08	0
5	D12	C	401	-	11,11,11	0.33	0	10,10,10	0.78	0
4	2IL	D	404	-	22,22,29	0.38	0	20,20,31	0.64	0
3	PC8	B	402	-	33,33,33	1.15	3 (9%)	39,41,41	0.99	2 (5%)
2	ACT	A	401	-	3,3,3	1.05	0	3,3,3	0.86	0
3	PC8	C	403	-	33,33,33	1.11	2 (6%)	39,41,41	1.01	2 (5%)
2	ACT	D	408	-	3,3,3	0.97	0	3,3,3	0.91	0
4	2IL	E	403	-	22,22,29	0.38	0	20,20,31	0.65	0
4	2IL	C	404	-	22,22,29	0.38	0	20,20,31	0.63	0
2	ACT	E	401	-	3,3,3	1.27	0	3,3,3	0.54	0
5	D12	D	405	-	11,11,11	0.37	0	10,10,10	0.68	0
5	D12	A	410	-	11,11,11	0.45	0	10,10,10	0.73	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	D12	A	404	-	-	1/9/9/9	-
3	PC8	D	403	1	-	15/37/37/37	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	D12	E	404	-	-	1/9/9/9	-
5	D12	B	404	-	-	1/9/9/9	-
4	2IL	A	403	-	-	5/18/18/30	-
4	2IL	B	403	-	-	5/18/18/30	-
5	D12	B	408	-	-	0/9/9/9	-
5	D12	D	409	-	-	0/9/9/9	-
3	PC8	A	402	-	-	21/37/37/37	-
5	D12	C	409	-	-	0/9/9/9	-
5	D12	C	405	-	-	1/9/9/9	-
5	D12	E	408	-	-	0/9/9/9	-
3	PC8	E	402	-	-	21/37/37/37	-
5	D12	C	401	-	-	0/9/9/9	-
4	2IL	D	404	-	-	5/18/18/30	-
3	PC8	B	402	-	-	21/37/37/37	-
3	PC8	C	403	-	-	21/37/37/37	-
4	2IL	C	404	-	-	5/18/18/30	-
4	2IL	E	403	-	-	6/18/18/30	-
5	D12	D	405	-	-	0/9/9/9	-
5	D12	A	410	-	-	0/9/9/9	-

The worst 5 of 19 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	403	PC8	C5-N1	7.07	1.70	1.50
3	D	403	PC8	C4-N1	5.79	1.66	1.50
3	D	403	PC8	C3-N1	5.50	1.66	1.50
3	D	403	PC8	O6-C9	-5.21	1.07	1.22
3	D	403	PC8	C2-N1	4.15	1.65	1.51

The worst 5 of 21 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	D	403	PC8	O5-C9-O6	-7.59	104.44	123.59
3	D	403	PC8	O5-C9-C10	4.68	126.60	111.91
3	D	403	PC8	C7-O7-C17	3.86	127.28	117.79
3	A	402	PC8	C8-C7-C6	3.70	120.54	111.79
3	D	403	PC8	C5-N1-C4	3.68	118.44	108.97

There are no chirality outliers.

5 of 129 torsion outliers are listed below:



Mol	Chain	Res	Type	Atoms
3	A	402	PC8	C6-O4-P1-O3
3	A	402	PC8	C18-C17-O7-C7
3	B	402	PC8	C18-C17-O7-C7
3	C	403	PC8	C6-O4-P1-O1
3	C	403	PC8	O3-C1-C2-N1



There are no ring outliers.



15 monomers are involved in 58 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
5	A	404	D12	1	0
3	D	403	PC8	46	0
5	E	404	D12	1	0
5	B	404	D12	1	0
3	A	402	PC8	1	0
8	D	410	MBR	2	0
5	C	405	D12	2	0
8	C	410	MBR	1	0
5	E	408	D12	1	0
3	E	402	PC8	2	0
8	B	409	MBR	1	0
5	C	401	D12	1	0
3	B	402	PC8	2	0
3	C	403	PC8	3	0
5	D	405	D12	11	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









Ligand PC8 B 402



Ligand PC8 C 403





5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ > 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q < 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	311/327 (95%)	0.00	7 (2%) 61 52	38, 61, 99, 144	0
1	B	311/327 (95%)	-0.09	4 (1%) 74 67	33, 60, 91, 117	1 (0%)
1	C	311/327 (95%)	0.06	12 (3%) 44 36	31, 61, 100, 148	1 (0%)
1	D	311/327 (95%)	0.02	12 (3%) 44 36	35, 60, 102, 155	2 (0%)
1	E	311/327 (95%)	0.04	8 (2%) 57 49	31, 62, 102, 131	2 (0%)
All	All	1555/1635 (95%)	0.01	43 (2%) 55 46	31, 61, 99, 155	6 (0%)

The worst 5 of 43 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	C	6	SER	4.5
1	E	280[A]	LYS	4.2
1	A	11	ILE	3.8
1	D	245	ASN	3.7
1	E	244	THR	3.6

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum,

median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q<0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
3	PC8	B	402	34/34	0.60	0.37	96,123,150,151	0
5	D12	A	404	12/12	0.60	0.35	107,108,109,109	0
3	PC8	D	403	34/34	0.62	0.32	92,115,144,145	0
4	2IL	D	404	24/30	0.65	0.36	86,92,120,120	0
3	PC8	E	402	34/34	0.66	0.35	100,122,154,155	0
4	2IL	C	404	24/30	0.66	0.28	70,76,84,86	0
5	D12	B	404	12/12	0.66	0.45	125,126,127,127	0
3	PC8	C	403	34/34	0.69	0.32	92,112,147,148	0
4	2IL	E	403	24/30	0.69	0.32	69,75,120,121	0
5	D12	E	404	12/12	0.69	0.43	109,114,121,121	0
3	PC8	A	402	34/34	0.70	0.34	110,127,149,150	0
5	D12	C	405	12/12	0.71	0.29	91,93,101,102	0
7	NA	D	401	1/1	0.71	0.63	96,96,96,96	0
4	2IL	B	403	24/30	0.72	0.31	80,87,112,113	0
5	D12	D	405	12/12	0.72	0.35	90,91,100,100	0
4	2IL	A	403	24/30	0.76	0.29	76,84,102,103	0
5	D12	B	408	12/12	0.76	0.18	59,64,66,67	0
5	D12	A	410	12/12	0.79	0.20	50,58,72,72	0
5	D12	C	409	12/12	0.82	0.16	36,54,63,65	0
7	NA	D	407	1/1	0.82	0.42	96,96,96,96	0
5	D12	D	409	12/12	0.83	0.15	46,49,60,61	0
8	MBR	A	411	4/4	0.83	0.21	234,235,235,238	0
8	MBR	B	409	4/4	0.84	0.37	190,190,190,192	0
8	MBR	C	410	4/4	0.85	0.30	264,265,265,267	0
5	D12	E	408	12/12	0.86	0.14	57,59,72,74	0
8	MBR	D	410	4/4	0.87	0.32	179,180,180,181	0
5	D12	C	401	12/12	0.88	0.11	44,48,51,52	0
2	ACT	B	407	4/4	0.89	0.14	60,61,61,63	0
2	ACT	C	408	4/4	0.89	0.14	63,65,65,68	0
2	ACT	E	407	4/4	0.89	0.16	75,76,76,78	0
2	ACT	A	409	4/4	0.90	0.18	68,69,69,72	0
7	NA	E	406	1/1	0.90	0.20	68,68,68,68	0
8	MBR	E	409	4/4	0.90	0.16	229,229,229,230	0
7	NA	A	408	1/1	0.91	0.18	79,79,79,79	0
2	ACT	B	401	4/4	0.91	0.14	66,66,67,67	0
2	ACT	D	408	4/4	0.91	0.13	54,55,56,57	0
7	NA	C	407	1/1	0.92	0.22	65,65,65,65	0
6	CL	A	406	1/1	0.94	0.13	83,83,83,83	0
2	ACT	C	402	4/4	0.95	0.12	62,65,65,68	0
2	ACT	D	402	4/4	0.96	0.13	65,65,65,66	0
2	ACT	A	401	4/4	0.96	0.11	67,70,71,71	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
2	ACT	E	401	4/4	0.96	0.11	62,64,64,64	0
7	NA	B	406	1/1	0.97	0.12	54,54,54,54	0
6	CL	C	406	1/1	0.98	0.04	54,54,54,54	0
6	CL	A	407	1/1	0.98	0.25	74,74,74,74	0
6	CL	E	405	1/1	0.99	0.04	62,62,62,62	0
6	CL	B	405	1/1	0.99	0.03	47,47,47,47	0
6	CL	A	405	1/1	0.99	0.04	47,47,47,47	0
6	CL	D	406	1/1	0.99	0.03	55,55,55,55	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around PC8 B 402:

2mF_o-DF_c (at 0.7 rmsd) in gray
mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PC8 D 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 2IL D 404:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PC8 E 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 2IL C 404:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around PC8 C 403:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 2IL E 403:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)







Electron density around PC8 A 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)

**Electron density around 2IL B 403:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)





6.5 Other polymers ⓘ

There are no such residues in this entry.