



Full wwPDB NMR Structure Validation Report ⓘ

Dec 25, 2024 – 01:12 AM EST

PDB ID : 2N4J
BMRB ID : 25669
Title : Solution structure of a self complementary Xylonucleic Acid duplex
Authors : Maiti, M.; Lescrinier, E.; Herdewijn, P.
Deposited on : 2015-06-19

This is a Full wwPDB NMR Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/NMRValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467
Mogul : 2022.3.0, CSD as543be (2022)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
wwPDB-RCI : v_1n_11_5_13_A (Berjanski et al., 2005)
PANAV : Wang et al. (2010)
wwPDB-ShiftChecker : v1.2
BMRB Restraints Analysis : v1.2
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.40


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

SOLUTION NMR

The overall completeness of chemical shifts assignment was not calculated.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	NMR archive (#Entries)
Clashscore	210492	14027
RNA backbone	6643	756

The table below summarises the geometric issues observed across the polymeric chains and their fit to the experimental data. The red, orange, yellow and green segments indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria. A cyan segment indicates the fraction of residues that are not part of the well-defined cores, and a grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	8	
1	B	8	

2 Ensemble composition and analysis ⓘ

This entry contains 20 models. This entry does not contain polypeptide chains, therefore identification of well-defined residues and clustering analysis are not possible. All residues are included in the validation scores.

3 Entry composition [i](#)

There is only 1 type of molecule in this entry. The entry contains 510 atoms, of which 176 are hydrogens and 0 are deuteriums.

- Molecule 1 is a RNA chain called XNA (5'-R*(8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3').

Mol	Chain	Residues	Atoms						Trace
1	A	8	Total	C	H	N	O	P	0
			255	76	88	30	54	7	
1	B	8	Total	C	H	N	O	P	0
			255	76	88	30	54	7	


4 Residue-property plots [i](#)

4.1 Average score per residue in the NMR ensemble


These plots are provided for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic is the same as shown in the summary in section 1 of this report. The second graphic shows the sequence where residues are colour-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. Stretches of 2 or more consecutive residues without any outliers are shown as green connectors. Residues which are classified as ill-defined in the NMR ensemble, are shown in cyan with an underline colour-coded according to the previous scheme. Residues which were present in the experimental sample, but not modelled in the final structure are shown in grey.


- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain A: 



- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain B: 




4.2 Scores per residue for each member of the ensemble

Colouring as in section [4.1](#) above.

4.2.1 Score per residue for model 1

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain A: 



- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain B:  25% 75%

8XG9
8XU10
8XG11
8XU12
8XA13
8XC14
8XA15
8XC16

4.2.2 Score per residue for model 2

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain A:  25% 75%

8XG1
8XU2
8XG3
8XU4
8XA5
8XC6
8XA7
8XC8

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain B:  12% 88%

8XG9
8XU10
8XG11
8XU12
8XA13
8XC14
8XA15
8XC16

4.2.3 Score per residue for model 3

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain A:  12% 88%

8XG1
8XU2
8XG3
8XU4
8XA5
8XC6
8XA7
8XC8

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain B:  12% 88%

8XG9
8XU10
8XG11
8XU12
8XA13
8XC14
8XA15
8XC16

4.2.4 Score per residue for model 4

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain A:  100%

8XG1
8XU2
8XG3
8XU4
8XA5
8XC6
8XA7
8XC8

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain B:  12% 88%

8XG9
8XU10
8XG11
8XU12
8XA13
8XC14
8XA15
8XC16

4.2.5 Score per residue for model 5

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain A:  12% 88%

8XG1
8XU2
8XG3
8XU4
8XA5
8XC6
8XA7
8XC8

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain B:  12% 88%

8XG9
8XU10
8XG11
8XU12
8XA13
8XC14
8XA15
8XC16

4.2.6 Score per residue for model 6

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain A:  12% 88%

8XG1
8XU2
8XG3
8XU4
8XA5
8XC6
8XA7
8XC8

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain B:  12% 88%

8XG9
8XU10
8XG11
8XU12
8XA13
8XC14
8XA15
8XC16

4.2.7 Score per residue for model 7

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain A:  12% 88%

8XG1
8XU2
8XG3
8XU4
8XA5
8XC6
8XA7
8XC8

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain B:  12% 88%

8XG9
8XU10
8XG11
8XU12
8XA13
8XC14
8XA15
8XC16

4.2.8 Score per residue for model 8

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain A:  12% 88%

8XG1
8XU2
8XG3
8XU4
8XA5
8XC6
8XA7
8XC8

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain B:  25% 75%

8XG9
8XU10
8XG11
8XU12
8XA13
8XC14
8XA15
8XC16


4.2.9 Score per residue for model 9

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain A:  12% 88%

8XG1
8XU2
8XG3
8XU4
8XA5
8XC6
8XA7
8XC8

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain B:  25% 75%

8XC9
8XU10
8XG11
8XU12
8XA13
8XC14
8XA15
8XC16

4.2.10 Score per residue for model 10

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain A:  12% 88%

8XG1
8XU2
8XG3
8XU4
8XA5
8XC6
8XA7
8XC8

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain B:  100%

8XC9
8XU10
8XG11
8XU12
8XA13
8XC14
8XA15
8XC16

4.2.11 Score per residue for model 11

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain A:  12% 88%

8XG1
8XU2
8XG3
8XU4
8XA5
8XC6
8XA7
8XC8

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain B:  25% 75%

8XC9
8XU10
8XG11
8XU12
8XA13
8XC14
8XA15
8XC16

4.2.12 Score per residue for model 12


- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain A:  25% 75%




- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')


Chain B:  12% 88%



4.2.13 Score per residue for model 13


- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain A:  12% 88%




- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')


Chain B:  25% 75%



4.2.14 Score per residue for model 14

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain A:  12% 88%



- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain B:  100%

8XG9
8XU10
8XG11
8XU12
8XA13
8XC14
8XA15
8XC16


4.2.15 Score per residue for model 15

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain A:  25% 75%

8XG1
8XU2
8XG3
8XU4
8XA5
8XC6
8XA7
8XC8

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain B:  25% 75%

8XG9
8XU10
8XG11
8XU12
8XA13
8XC14
8XA15
8XC16

4.2.16 Score per residue for model 16

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain A:  12% 88%

8XG1
8XU2
8XG3
8XU4
8XA5
8XC6
8XA7
8XC8

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain B:  25% 75%

8XG9
8XU10
8XG11
8XU12
8XA13
8XC14
8XA15
8XC16

4.2.17 Score per residue for model 17

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain A:  12% 88%

8XG1
8XU2
8XG3
8XU4
8XA5
8XC6
8XA7
8XC8


- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain B:  12% 88%

8XG9
8XU10
8XG11
8XU12
8XA13
8XC14
8XA15
8XC16

4.2.18 Score per residue for model 18

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain A:  12% 88%

8XG1
8XU2
8XG3
8XU4
8XA5
8XC6
8XA7
8XC8

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain B:  25% 75%

8XG9
8XU10
8XG11
8XU12
8XA13
8XC14
8XA15
8XC16

4.2.19 Score per residue for model 19

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain A:  12% 88%

8XG1
8XU2
8XG3
8XU4
8XA5
8XC6
8XA7
8XC8


- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain B:  12% 88%

8XG9	8XU10	8XG11	8XU12	8XA13	8XC14	8XA15	8XG16
------	-------	-------	-------	-------	-------	-------	-------


4.2.20 Score per residue for model 20

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain A:  12% 88%

8XG1	8XU2	8XG3	8XU4	8XA5	8XC6	8XA7	8XC8
------	------	------	------	------	------	------	------

- Molecule 1: XNA (5'-R>(* (8XG)P*(8XU)P*(8XG)P*(8XU)P*(8XA)P*(8XC)P*(8XA)P*(8XC))-3')

Chain B:  12% 88%

8XG9	8XU10	8XG11	8XU12	8XA13	8XC14	8XA15	8XC16
------	-------	-------	-------	-------	-------	-------	-------

5 Refinement protocol and experimental data overview

The models were refined using the following method: *torsion angle dynamics, molecular dynamics*.

Of the 100 calculated structures, 20 were deposited, based on the following criterion: *structures with the lowest energy*.

The following table shows the software used for structure solution, optimisation and refinement.

Software name	Classification	Version
X-PLOR NIH	refinement	

The following table shows chemical shift validation statistics as aggregates over all chemical shift files. Detailed validation can be found in section 7 of this report.

Chemical shift file(s)	working_cs.cif
Number of chemical shift lists	1
Total number of shifts	153
Number of shifts mapped to atoms	153
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Assignment completeness (well-defined parts)	0%

6 Model quality [i](#)

6.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 8XG, 8XU, 8XA, 8XC

There are no covalent bond-length or bond-angle outliers.

There are no bond-length outliers.

There are no bond-angle outliers.

There are no chirality outliers.

There are no planarity outliers.

6.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in each chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes averaged over the ensemble.

Mol	Chain	Non-H	H(model)	H(added)	Clashes
1	A	167	88	94	17±2
1	B	167	88	94	17±2
All	All	6680	3520	3760	553

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 53.

All unique clashes are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:B:13:8XA:H2'	1:B:14:8XC:O4'	0.69	1.88	9	20
1:A:5:8XA:H2'	1:A:6:8XC:C4'	0.68	2.18	5	20
1:A:5:8XA:H2'	1:A:6:8XC:O4'	0.67	1.87	19	20
1:B:13:8XA:H2'	1:B:14:8XC:C4'	0.67	2.19	12	20
1:A:5:8XA:N1	1:B:12:8XU:N3	0.61	2.47	5	20
1:A:6:8XC:N3	1:B:11:8XG:N1	0.59	2.50	18	20
1:A:4:8XU:N3	1:B:13:8XA:N1	0.59	2.51	4	20
1:A:3:8XG:N1	1:B:14:8XC:N3	0.58	2.51	8	20
1:B:9:8XG:H8	1:B:9:8XG:O3'	0.56	1.99	7	2
1:B:13:8XA:C2'	1:B:14:8XC:C4'	0.55	2.84	14	18
1:A:2:8XU:H2'	1:A:3:8XG:O4'	0.55	2.02	10	20

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:5:8XA:C2'	1:A:6:8XC:C4'	0.54	2.85	7	19
1:B:13:8XA:O2'	1:B:14:8XC:H4'	0.53	2.03	14	7
1:A:1:8XG:H2'	1:A:2:8XU:O4'	0.53	2.04	5	3
1:B:10:8XU:H2'	1:B:11:8XG:O4'	0.52	2.05	7	20
1:A:5:8XA:C2'	1:A:6:8XC:H4'	0.52	2.35	5	9
1:A:2:8XU:H2'	1:A:3:8XG:C4'	0.52	2.34	3	4
1:B:9:8XG:H2'	1:B:10:8XU:O4'	0.52	2.04	5	2
1:A:6:8XC:N4	1:A:7:8XA:C8	0.52	2.73	19	19
1:B:14:8XC:N4	1:B:15:8XA:N7	0.52	2.58	9	14
1:B:14:8XC:N4	1:B:15:8XA:C8	0.51	2.74	9	19
1:B:13:8XA:C2'	1:B:14:8XC:H4'	0.51	2.36	14	8
1:A:6:8XC:N4	1:A:7:8XA:N7	0.50	2.59	19	16
1:A:6:8XC:H2'	1:A:6:8XC:O2	0.50	2.06	5	14
1:A:5:8XA:O2'	1:A:6:8XC:H4'	0.50	2.05	7	6
1:B:10:8XU:H2'	1:B:11:8XG:C4'	0.50	2.37	5	2
1:A:5:8XA:H2	1:B:12:8XU:O2	0.49	2.07	4	7
1:A:4:8XU:O2	1:B:13:8XA:H2	0.49	2.08	16	7
1:A:3:8XG:C4	1:B:15:8XA:C2	0.48	2.91	9	4
1:A:7:8XA:C2	1:B:11:8XG:C4	0.48	2.92	5	2
1:A:8:8XC:N3	1:B:9:8XG:N1	0.48	2.58	7	1
1:B:14:8XC:O2	1:B:14:8XC:H2'	0.48	2.09	5	10
1:B:14:8XC:H41	1:B:15:8XA:C5	0.47	2.23	3	13
1:B:9:8XG:H2'	1:B:10:8XU:O5'	0.47	2.09	7	7
1:A:2:8XU:N3	1:B:15:8XA:N1	0.47	2.52	3	4
1:B:14:8XC:H2'	1:B:14:8XC:O2	0.47	2.09	12	10
1:A:1:8XG:N1	1:B:16:8XC:N3	0.47	2.63	10	2
1:A:1:8XG:H2'	1:A:2:8XU:O5'	0.46	2.11	16	10
1:A:7:8XA:N1	1:B:10:8XU:N3	0.46	2.53	12	13
1:A:6:8XC:H41	1:A:7:8XA:C5	0.45	2.23	19	10
1:B:12:8XU:N3	1:B:13:8XA:C8	0.44	2.80	15	6
1:A:6:8XC:O2	1:A:6:8XC:H2'	0.44	2.12	9	6
1:A:4:8XU:N3	1:A:5:8XA:C8	0.44	2.80	16	6
1:A:5:8XA:C2	1:A:6:8XC:C6	0.44	2.96	2	6
1:B:13:8XA:C2	1:B:14:8XC:C6	0.44	2.96	2	4
1:B:15:8XA:H2'	1:B:16:8XC:C4'	0.43	2.43	4	3
1:B:14:8XC:C2	1:B:15:8XA:O4'	0.42	2.67	2	16
1:A:6:8XC:C2	1:A:7:8XA:O4'	0.42	2.67	6	17
1:B:14:8XC:N3	1:B:15:8XA:C1'	0.42	2.83	2	6
1:A:6:8XC:C4	1:A:7:8XA:C8	0.42	2.98	19	2
1:B:14:8XC:C4	1:B:15:8XA:C8	0.41	2.97	9	3
1:A:7:8XA:H1'	1:B:11:8XG:N2	0.41	2.30	6	1

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Clash(Å)	Distance(Å)	Models	
				Worst	Total
1:A:6:8XC:N3	1:A:7:8XA:Cl'	0.41	2.84	20	12
1:B:9:8XG:O3'	1:B:9:8XG:C8	0.41	2.69	7	1
1:A:7:8XA:H2'	1:A:8:8XC:C4'	0.41	2.45	14	2

6.3 Torsion angles [i](#)

6.3.1 Protein backbone [i](#)

There are no protein molecules in this entry.

6.3.2 Protein sidechains [i](#)

There are no protein molecules in this entry.

6.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers	Suiteness
1	A	0/8 (0%)	-	-	0.00±0.00
1	B	0/8 (0%)	-	-	0.00±0.00
All	All	0/320 (0%)	-	-	0.00

The overall RNA backbone suiteness is 0.00.

There are no RNA backbone outliers to report.

There are no RNA pucker outliers to report.

6.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.6 Ligand geometry [i](#)

There are no ligands in this entry.

6.7 Other polymers [i](#)

There are no such molecules in this entry.

6.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

7 Chemical shift validation

The completeness of assignment taking into account all chemical shift lists is 0% for the well-defined parts and 0% for the entire structure.

7.1 Chemical shift list 1

File name: working_cs.cif

Chemical shift list name: *assigned_chem_shift_list_1*

7.1.1 Bookkeeping

The following table shows the results of parsing the chemical shift list and reports the number of nuclei with statistically unusual chemical shifts.

Total number of shifts	153
Number of shifts mapped to atoms	153
Number of unparsed shifts	0
Number of shifts with mapping errors	0
Number of shifts with mapping warnings	0
Number of shift outliers (ShiftChecker)	0

7.1.2 Chemical shift referencing

No chemical shift referencing corrections were calculated (not enough data).

7.1.3 Completeness of resonance assignments

The following table shows the completeness of the chemical shift assignments for the well-defined regions of the structure. The overall completeness is —%, i.e. 0 atoms were assigned a chemical shift out of a possible 0. 0 out of 0 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
--	-------	----------------	-----------------	-----------------

The following table shows the completeness of the chemical shift assignments for the full structure. The overall completeness is —%, i.e. 0 atoms were assigned a chemical shift out of a possible 0. 0 out of 0 assigned methyl groups (LEU and VAL) were assigned stereospecifically.

	Total	¹ H	¹³ C	¹⁵ N
--	-------	----------------	-----------------	-----------------

7.1.4 Statistically unusual chemical shifts ⓘ

There are no statistically unusual chemical shifts.

7.1.5 Random Coil Index (RCI) plots ⓘ

No *random coil index*(RCI) plot could be generated from the current chemical shift list. RCI is only applicable to proteins

8 NMR restraints analysis

8.1 Conformationally restricting restraints

The following table provides the summary of experimentally observed NMR restraints in different categories. Restraints are classified into different categories based on the sequence separation of the atoms involved.

Description	Value
Total distance restraints	214
Intra-residue ($ i-j =0$)	90
Sequential ($ i-j =1$)	62
Medium range ($ i-j >1$ and $ i-j <5$)	0
Long range ($ i-j \geq 5$)	0
Inter-chain	42
Hydrogen bond restraints	20
Disulfide bond restraints	0
Total dihedral-angle restraints	90
Number of unmapped restraints	0
Number of restraints per residue	19.0
Number of long range restraints per residue ¹	0.0

¹Long range hydrogen bonds and disulfide bonds are counted as long range restraints while calculating the number of long range restraints per residue

8.2 Residual restraint violations

This section provides the overview of the restraint violations analysis. The violations are binned as small, medium and large violations based on its absolute value. Average number of violations per model is calculated by dividing the total number of violations in each bin by the size of the ensemble.

8.2.1 Average number of distance violations per model

Distance violations less than 0.1 Å are not included in the calculation.

Bins (Å)	Average number of violations per model	Max (Å)
0.1-0.2 (Small)	15.6	0.2
0.2-0.5 (Medium)	5.9	0.43
>0.5 (Large)	None	None

8.2.2 Average number of dihedral-angle violations per model [i](#)

Dihedral-angle violations less than 1° are not included in the calculation.

Bins (°)	Average number of violations per model	Max (°)
1.0-10.0 (Small)	8.2	3.45
10.0-20.0 (Medium)	None	None
>20.0 (Large)	None	None

9 Distance violation analysis ⓘ


9.1 Summary of distance violations ⓘ

The following table shows the summary of distance violations in different restraint categories based on the sequence separation of the atoms involved. Each category is further sub-divided into three sub-categories based on the atoms involved. Violations less than 0.1 Å are not included in the statistics.

Restrains type	Count	% ¹	Violated ³			Consistently Violated ⁴		
			Count	% ²	% ¹	Count	% ²	% ¹
Intra-residue ($i-j =0$)	90	42.1	7	7.8	3.3	2	2.2	0.9
Backbone-Backbone	0	0.0	0	0.0	0.0	0	0.0	0.0
Backbone-Sidechain	90	42.1	7	7.8	3.3	2	2.2	0.9
Sidechain-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Sequential ($i-j =1$)	62	29.0	17	27.4	7.9	2	3.2	0.9
Backbone-Backbone	14	6.5	7	50.0	3.3	2	14.3	0.9
Backbone-Sidechain	24	11.2	4	16.7	1.9	0	0.0	0.0
Sidechain-Sidechain	24	11.2	6	25.0	2.8	0	0.0	0.0
Medium range ($i-j >1$ & $i-j <5$)	0	0.0	0	0.0	0.0	0	0.0	0.0
Backbone-Backbone	0	0.0	0	0.0	0.0	0	0.0	0.0
Backbone-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Sidechain-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Long range ($i-j \geq 5$)	0	0.0	0	0.0	0.0	0	0.0	0.0
Backbone-Backbone	0	0.0	0	0.0	0.0	0	0.0	0.0
Backbone-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Sidechain-Sidechain	0	0.0	0	0.0	0.0	0	0.0	0.0
Inter-chain	42	19.6	10	23.8	4.7	6	14.3	2.8
Backbone-Backbone	10	4.7	2	20.0	0.9	0	0.0	0.0
Backbone-Sidechain	12	5.6	2	16.7	0.9	2	16.7	0.9
Sidechain-Sidechain	20	9.3	6	30.0	2.8	4	20.0	1.9
Hydrogen bond	20	9.3	4	20.0	1.9	0	0.0	0.0
Disulfide bond	0	0.0	0	0.0	0.0	0	0.0	0.0
Total	214	100.0	38	17.8	17.8	10	4.7	4.7
Backbone-Backbone	24	11.2	9	37.5	4.2	2	8.3	0.9
Backbone-Sidechain	126	58.9	13	10.3	6.1	4	3.2	1.9
Sidechain-Sidechain	64	29.9	16	25.0	7.5	4	6.2	1.9

¹ percentage calculated with respect to the total number of distance restraints, ² percentage calculated with respect to the number of restraints in a particular restraint category, ³ violated in at least one model, ⁴ violated in all the models

9.1.1 Bar chart : Distribution of distance restraints and violations [i](#)



Violated and consistently violated restraints are shown using different hatch patterns in their respective categories. The hydrogen bonds and disulfied bonds are counted in their appropriate category on the x-axis

9.2 Distance violation statistics for each model [i](#)

The following table provides the distance violation statistics for each model in the ensemble. Violations less than 0.1 Å are not included in the statistics.

Model ID	Number of violations						Mean (Å)	Max (Å)	SD ⁶ (Å)	Median (Å)
	IR ¹	SQ ²	MR ³	LR ⁴	IC ⁵	Total				
1	5	8	0	0	10	23	0.17	0.41	0.08	0.13
2	4	7	0	0	11	22	0.17	0.39	0.08	0.15
3	4	10	0	0	9	23	0.17	0.41	0.08	0.14
4	6	12	0	0	9	27	0.17	0.42	0.09	0.12
5	2	15	0	0	9	26	0.17	0.4	0.08	0.14
6	3	7	0	0	12	22	0.18	0.41	0.08	0.15
7	7	12	0	0	10	29	0.16	0.41	0.08	0.12
8	4	7	0	0	11	22	0.18	0.41	0.09	0.15
9	4	9	0	0	10	23	0.17	0.4	0.08	0.15
10	4	8	0	0	11	23	0.17	0.39	0.08	0.13

Continued on next page...


Continued from previous page...

Model ID	Number of violations						Mean (Å)	Max (Å)	SD ⁶ (Å)	Median (Å)
	IR ¹	SQ ²	MR ³	LR ⁴	IC ⁵	Total				
11	6	10	0	0	10	26	0.17	0.41	0.09	0.12
12	5	6	0	0	12	23	0.18	0.41	0.09	0.13
13	4	8	0	0	11	23	0.17	0.4	0.08	0.14
14	5	11	0	0	12	28	0.17	0.42	0.09	0.12
15	6	11	0	0	11	28	0.16	0.43	0.09	0.12
16	6	11	0	0	10	27	0.17	0.43	0.09	0.12
17	4	6	0	0	11	21	0.18	0.4	0.08	0.15
18	4	8	0	0	11	23	0.18	0.41	0.09	0.13
19	3	9	0	0	10	22	0.18	0.41	0.08	0.16
20	5	6	0	0	10	21	0.18	0.41	0.09	0.13

¹Intra-residue restraints, ²Sequential restraints, ³Medium range restraints, ⁴Long range restraints,

⁵Inter-chain restraints, ⁶Standard deviation

9.2.1 Bar graph : Distance Violation statistics for each model ⓘ



The mean(dot),median(x) and the standard deviation are shown in blue with respect to the y axis on the right

9.3 Distance violation statistics for the ensemble


Violation analysis may find that some restraints are violated in few models and some are violated in most of models. The following table provides this information as number of violated restraints for a given fraction of the ensemble. In total, 160(IR:83, SQ:45, MR:0, LR:0, IC:32) restraints are not violated in the ensemble.

Number of violated restraints						Fraction of the ensemble	
IR ¹	SQ ²	MR ³	LR ⁴	IC ⁵	Total	Count ⁶	%
1	1	0	0	0	2	1	5.0
0	1	0	0	0	1	2	10.0
0	1	0	0	0	1	3	15.0
0	2	0	0	0	2	4	20.0
0	0	0	0	0	0	5	25.0
0	2	0	0	0	2	6	30.0
0	2	0	0	0	2	7	35.0
0	0	0	0	0	0	8	40.0
1	0	0	0	0	1	9	45.0
1	0	0	0	0	1	10	50.0
0	0	0	0	0	0	11	55.0
0	0	0	0	0	0	12	60.0
0	0	0	0	0	0	13	65.0
1	1	0	0	2	4	14	70.0
0	1	0	0	2	3	15	75.0
0	1	0	0	0	1	16	80.0
1	0	0	0	0	1	17	85.0
0	1	0	0	0	1	18	90.0
0	2	0	0	0	2	19	95.0
2	2	0	0	6	10	20	100.0

¹Intra-residue restraints, ²Sequential restraints, ³Medium range restraints, ⁴Long range restraints,

⁵Inter-chain restraints, ⁶ Number of models with violations


9.3.1 Bar graph : Distance violation statistics for the ensemble [i](#)



9.4 Most violated distance restraints in the ensemble [i](#)

9.4.1 Histogram : Distribution of mean distance violations [i](#)

The following histogram shows the distribution of the average value of the violation. The average is calculated for each restraint that is violated in more than one model over all the violated models in the ensemble



9.4.2 Table: Most violated distance restraints [i](#)

The following table provides the mean and the standard deviation of the violation for each restraint sorted by number of violated models and the mean value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint. Rows with same key represent combinatorial or ambiguous restraints and are counted as a single restraint.

Key	Atom-1	Atom-2	Models ¹	Mean (Å)	SD ¹ (Å)	Median (Å)
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H41	20	0.4	0.01	0.4
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H42	20	0.4	0.01	0.4
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H41	20	0.4	0.01	0.4
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H42	20	0.4	0.01	0.4
(2,130)	1:3:A:8XG:H1	1:14:B:8XC:H6	20	0.26	0.02	0.26
(2,190)	1:11:B:8XG:H1	1:6:A:8XC:H6	20	0.26	0.03	0.26
(2,161)	1:13:B:8XA:H1'	1:14:B:8XC:H1'	20	0.22	0.01	0.23
(2,101)	1:5:A:8XA:H1'	1:6:A:8XC:H1'	20	0.22	0.02	0.22
(2,133)	1:3:A:8XG:H1	1:15:B:8XA:H8	20	0.19	0.01	0.18
(2,193)	1:11:B:8XG:H1	1:7:A:8XA:H8	20	0.18	0.01	0.19
(2,175)	1:12:B:8XU:H3	1:12:B:8XU:H3'	20	0.17	0.01	0.17
(2,115)	1:4:A:8XU:H3	1:4:A:8XU:H3'	20	0.17	0.01	0.17
(2,137)	1:11:B:8XG:H8	1:12:B:8XU:H1'	19	0.12	0.01	0.12
(2,77)	1:3:A:8XG:H8	1:4:A:8XU:H1'	19	0.12	0.01	0.12
(2,102)	1:6:A:8XC:H1'	1:7:A:8XA:H1'	18	0.12	0.01	0.12
(2,60)	1:10:B:8XU:H5	1:10:B:8XU:H5''	17	0.12	0.01	0.12

Continued on next page...

Continued from previous page...


Key	Atom-1	Atom-2	Models ¹	Mean (Å)	SD ¹ (Å)	Median (Å)
(2,96)	1:6:A:8XC:H5	1:7:A:8XA:H1'	16	0.12	0.02	0.11
(2,162)	1:14:B:8XC:H1'	1:15:B:8XA:H1'	15	0.13	0.01	0.13
(2,154)	1:15:B:8XA:H2	1:2:A:8XU:H6	15	0.11	0.01	0.11
(2,94)	1:7:A:8XA:H2	1:10:B:8XU:H6	15	0.11	0.01	0.11
(2,105)	1:7:A:8XA:H1'	1:11:B:8XG:H1'	14	0.13	0.01	0.13
(2,165)	1:15:B:8XA:H1'	1:3:A:8XG:H1'	14	0.13	0.02	0.12
(2,156)	1:14:B:8XC:H5	1:15:B:8XA:H1'	14	0.12	0.02	0.12
(2,23)	1:2:A:8XU:H5	1:2:A:8XU:H5''	14	0.12	0.01	0.12
(2,13)	1:7:A:8XA:H8	1:7:A:8XA:H2'	10	0.11	0.01	0.11
(1,13)	1:6:A:8XC:N3	1:11:B:8XG:N1	10	0.11	0.01	0.1
(2,50)	1:15:B:8XA:H8	1:15:B:8XA:H2'	9	0.11	0.01	0.11
(1,6)	1:14:B:8XC:N3	1:3:A:8XG:N1	9	0.1	0.0	0.1
(1,8)	1:14:B:8XC:O2	1:3:A:8XG:N2	7	0.12	0.01	0.12
(2,149)	1:13:B:8XA:H8	1:14:B:8XC:H6	7	0.12	0.01	0.11
(2,148)	1:12:B:8XU:H6	1:13:B:8XA:H8	7	0.11	0.01	0.11
(2,89)	1:5:A:8XA:H8	1:6:A:8XC:H6	6	0.11	0.01	0.11
(1,15)	1:6:A:8XC:O2	1:11:B:8XG:N2	6	0.11	0.01	0.11
(2,88)	1:4:A:8XU:H6	1:5:A:8XA:H8	6	0.11	0.01	0.11
(2,86)	1:2:A:8XU:H6	1:3:A:8XG:H8	4	0.13	0.01	0.12
(2,146)	1:10:B:8XU:H6	1:11:B:8XG:H8	4	0.12	0.01	0.12
(2,163)	1:15:B:8XA:H1'	1:16:B:8XC:H1'	3	0.12	0.01	0.12
(2,103)	1:7:A:8XA:H1'	1:8:A:8XC:H1'	2	0.11	0.0	0.11

¹Number of violated models, ²Standard deviation

9.5 All violated distance restraints [i](#)

9.5.1 Histogram : Distribution of distance violations [i](#)

The following histogram shows the distribution of the absolute value of the violation for all violated restraints in the ensemble.



9.5.2 Table : All distance violations [i](#)

The following table lists the absolute value of the violation for each restraint in the ensemble sorted by its value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint. Rows with same key represent combinatorial or ambiguous restraints and are counted as a single restraint.

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H41	15	0.43
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H42	15	0.43
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H41	16	0.43
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H42	16	0.43
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H41	4	0.42
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H42	4	0.42
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H41	16	0.42
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H42	16	0.42
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H41	4	0.42
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H42	4	0.42
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H41	14	0.42
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H42	14	0.42
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H41	7	0.41
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H42	7	0.41
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H41	8	0.41
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H42	8	0.41

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H41	11	0.41
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H42	11	0.41
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H41	14	0.41
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H42	14	0.41
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H41	18	0.41
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H42	18	0.41
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H41	19	0.41
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H42	19	0.41
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H41	20	0.41
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H42	20	0.41
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H41	1	0.41
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H42	1	0.41
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H41	3	0.41
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H42	3	0.41
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H41	6	0.41
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H42	6	0.41
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H41	8	0.41
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H42	8	0.41
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H41	12	0.41
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H42	12	0.41
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H41	20	0.41
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H42	20	0.41
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H41	5	0.4
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H42	5	0.4
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H41	6	0.4
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H42	6	0.4
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H41	13	0.4
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H42	13	0.4
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H41	17	0.4
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H42	17	0.4
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H41	7	0.4
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H42	7	0.4
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H41	9	0.4
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H42	9	0.4
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H41	11	0.4
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H42	11	0.4
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H41	15	0.4
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H42	15	0.4
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H41	18	0.4
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H42	18	0.4
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H41	19	0.4
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H42	19	0.4

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H41	2	0.39
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H42	2	0.39
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H41	3	0.39
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H42	3	0.39
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H41	9	0.39
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H42	9	0.39
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H41	10	0.39
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H42	10	0.39
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H41	12	0.39
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H42	12	0.39
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H41	2	0.39
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H42	2	0.39
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H41	5	0.39
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H42	5	0.39
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H41	10	0.39
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H42	10	0.39
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H41	13	0.39
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H42	13	0.39
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H41	1	0.38
(2,191)	1:11:B:8XG:H1	1:6:A:8XC:H42	1	0.38
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H41	17	0.38
(2,131)	1:3:A:8XG:H1	1:14:B:8XC:H42	17	0.38
(2,190)	1:11:B:8XG:H1	1:6:A:8XC:H6	4	0.3
(2,190)	1:11:B:8XG:H1	1:6:A:8XC:H6	14	0.3
(2,130)	1:3:A:8XG:H1	1:14:B:8XC:H6	4	0.3
(2,190)	1:11:B:8XG:H1	1:6:A:8XC:H6	5	0.29
(2,190)	1:11:B:8XG:H1	1:6:A:8XC:H6	15	0.29
(2,190)	1:11:B:8XG:H1	1:6:A:8XC:H6	16	0.29
(2,130)	1:3:A:8XG:H1	1:14:B:8XC:H6	5	0.29
(2,130)	1:3:A:8XG:H1	1:14:B:8XC:H6	11	0.29
(2,130)	1:3:A:8XG:H1	1:14:B:8XC:H6	15	0.29
(2,130)	1:3:A:8XG:H1	1:14:B:8XC:H6	16	0.29
(2,130)	1:3:A:8XG:H1	1:14:B:8XC:H6	18	0.29
(2,190)	1:11:B:8XG:H1	1:6:A:8XC:H6	7	0.28
(2,190)	1:11:B:8XG:H1	1:6:A:8XC:H6	11	0.28
(2,130)	1:3:A:8XG:H1	1:14:B:8XC:H6	7	0.28
(2,130)	1:3:A:8XG:H1	1:14:B:8XC:H6	14	0.28
(2,190)	1:11:B:8XG:H1	1:6:A:8XC:H6	12	0.27
(2,190)	1:11:B:8XG:H1	1:6:A:8XC:H6	18	0.27
(2,130)	1:3:A:8XG:H1	1:14:B:8XC:H6	9	0.27
(2,130)	1:3:A:8XG:H1	1:14:B:8XC:H6	10	0.27
(2,190)	1:11:B:8XG:H1	1:6:A:8XC:H6	1	0.26

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(2,190)	1:11:B:8XG:H1	1:6:A:8XC:H6	19	0.26
(2,130)	1:3:A:8XG:H1	1:14:B:8XC:H6	1	0.26
(2,130)	1:3:A:8XG:H1	1:14:B:8XC:H6	3	0.26
(2,130)	1:3:A:8XG:H1	1:14:B:8XC:H6	12	0.26
(2,161)	1:13:B:8XA:H1'	1:14:B:8XC:H1'	10	0.25
(2,101)	1:5:A:8XA:H1'	1:6:A:8XC:H1'	5	0.25
(2,101)	1:5:A:8XA:H1'	1:6:A:8XC:H1'	12	0.25
(2,190)	1:11:B:8XG:H1	1:6:A:8XC:H6	2	0.24
(2,190)	1:11:B:8XG:H1	1:6:A:8XC:H6	8	0.24
(2,190)	1:11:B:8XG:H1	1:6:A:8XC:H6	13	0.24
(2,190)	1:11:B:8XG:H1	1:6:A:8XC:H6	20	0.24
(2,161)	1:13:B:8XA:H1'	1:14:B:8XC:H1'	4	0.24
(2,161)	1:13:B:8XA:H1'	1:14:B:8XC:H1'	11	0.24
(2,161)	1:13:B:8XA:H1'	1:14:B:8XC:H1'	14	0.24
(2,161)	1:13:B:8XA:H1'	1:14:B:8XC:H1'	15	0.24
(2,130)	1:3:A:8XG:H1	1:14:B:8XC:H6	2	0.24
(2,130)	1:3:A:8XG:H1	1:14:B:8XC:H6	8	0.24
(2,130)	1:3:A:8XG:H1	1:14:B:8XC:H6	13	0.24
(2,130)	1:3:A:8XG:H1	1:14:B:8XC:H6	17	0.24
(2,130)	1:3:A:8XG:H1	1:14:B:8XC:H6	20	0.24
(2,101)	1:5:A:8XA:H1'	1:6:A:8XC:H1'	7	0.24
(2,101)	1:5:A:8XA:H1'	1:6:A:8XC:H1'	11	0.24
(2,190)	1:11:B:8XG:H1	1:6:A:8XC:H6	3	0.23
(2,190)	1:11:B:8XG:H1	1:6:A:8XC:H6	9	0.23
(2,190)	1:11:B:8XG:H1	1:6:A:8XC:H6	10	0.23
(2,161)	1:13:B:8XA:H1'	1:14:B:8XC:H1'	3	0.23
(2,161)	1:13:B:8XA:H1'	1:14:B:8XC:H1'	12	0.23
(2,161)	1:13:B:8XA:H1'	1:14:B:8XC:H1'	13	0.23
(2,161)	1:13:B:8XA:H1'	1:14:B:8XC:H1'	16	0.23
(2,161)	1:13:B:8XA:H1'	1:14:B:8XC:H1'	17	0.23
(2,161)	1:13:B:8XA:H1'	1:14:B:8XC:H1'	18	0.23
(2,130)	1:3:A:8XG:H1	1:14:B:8XC:H6	6	0.23
(2,130)	1:3:A:8XG:H1	1:14:B:8XC:H6	19	0.23
(2,101)	1:5:A:8XA:H1'	1:6:A:8XC:H1'	4	0.23
(2,101)	1:5:A:8XA:H1'	1:6:A:8XC:H1'	14	0.23
(2,101)	1:5:A:8XA:H1'	1:6:A:8XC:H1'	16	0.23
(2,101)	1:5:A:8XA:H1'	1:6:A:8XC:H1'	18	0.23
(2,190)	1:11:B:8XG:H1	1:6:A:8XC:H6	6	0.22
(2,190)	1:11:B:8XG:H1	1:6:A:8XC:H6	17	0.22
(2,161)	1:13:B:8XA:H1'	1:14:B:8XC:H1'	1	0.22
(2,161)	1:13:B:8XA:H1'	1:14:B:8XC:H1'	5	0.22
(2,161)	1:13:B:8XA:H1'	1:14:B:8XC:H1'	7	0.22

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(2,161)	1:13:B:8XA:H1'	1:14:B:8XC:H1'	9	0.22
(2,101)	1:5:A:8XA:H1'	1:6:A:8XC:H1'	2	0.22
(2,101)	1:5:A:8XA:H1'	1:6:A:8XC:H1'	8	0.22
(2,101)	1:5:A:8XA:H1'	1:6:A:8XC:H1'	15	0.22
(2,101)	1:5:A:8XA:H1'	1:6:A:8XC:H1'	17	0.22
(2,101)	1:5:A:8XA:H1'	1:6:A:8XC:H1'	19	0.22
(2,101)	1:5:A:8XA:H1'	1:6:A:8XC:H1'	20	0.22
(2,161)	1:13:B:8XA:H1'	1:14:B:8XC:H1'	6	0.21
(2,161)	1:13:B:8XA:H1'	1:14:B:8XC:H1'	8	0.21
(2,161)	1:13:B:8XA:H1'	1:14:B:8XC:H1'	20	0.21
(2,133)	1:3:A:8XG:H1	1:15:B:8XA:H8	2	0.21
(2,133)	1:3:A:8XG:H1	1:15:B:8XA:H8	6	0.21
(2,133)	1:3:A:8XG:H1	1:15:B:8XA:H8	17	0.21
(2,101)	1:5:A:8XA:H1'	1:6:A:8XC:H1'	1	0.21
(2,101)	1:5:A:8XA:H1'	1:6:A:8XC:H1'	10	0.21
(2,101)	1:5:A:8XA:H1'	1:6:A:8XC:H1'	13	0.21
(2,193)	1:11:B:8XG:H1	1:7:A:8XA:H8	3	0.2
(2,193)	1:11:B:8XG:H1	1:7:A:8XA:H8	8	0.2
(2,193)	1:11:B:8XG:H1	1:7:A:8XA:H8	10	0.2
(2,193)	1:11:B:8XG:H1	1:7:A:8XA:H8	17	0.2
(2,193)	1:11:B:8XG:H1	1:7:A:8XA:H8	20	0.2
(2,175)	1:12:B:8XU:H3	1:12:B:8XU:H3'	18	0.2
(2,161)	1:13:B:8XA:H1'	1:14:B:8XC:H1'	2	0.2
(2,133)	1:3:A:8XG:H1	1:15:B:8XA:H8	8	0.2
(2,133)	1:3:A:8XG:H1	1:15:B:8XA:H8	13	0.2
(2,133)	1:3:A:8XG:H1	1:15:B:8XA:H8	19	0.2
(2,133)	1:3:A:8XG:H1	1:15:B:8XA:H8	20	0.2
(2,115)	1:4:A:8XU:H3	1:4:A:8XU:H3'	7	0.2
(2,101)	1:5:A:8XA:H1'	1:6:A:8XC:H1'	6	0.2
(2,193)	1:11:B:8XG:H1	1:7:A:8XA:H8	1	0.19
(2,193)	1:11:B:8XG:H1	1:7:A:8XA:H8	2	0.19
(2,193)	1:11:B:8XG:H1	1:7:A:8XA:H8	6	0.19
(2,193)	1:11:B:8XG:H1	1:7:A:8XA:H8	9	0.19
(2,193)	1:11:B:8XG:H1	1:7:A:8XA:H8	13	0.19
(2,193)	1:11:B:8XG:H1	1:7:A:8XA:H8	19	0.19
(2,175)	1:12:B:8XU:H3	1:12:B:8XU:H3'	12	0.19
(2,161)	1:13:B:8XA:H1'	1:14:B:8XC:H1'	19	0.19
(2,133)	1:3:A:8XG:H1	1:15:B:8XA:H8	7	0.19
(2,133)	1:3:A:8XG:H1	1:15:B:8XA:H8	12	0.19
(2,115)	1:4:A:8XU:H3	1:4:A:8XU:H3'	5	0.19
(2,101)	1:5:A:8XA:H1'	1:6:A:8XC:H1'	3	0.19
(2,101)	1:5:A:8XA:H1'	1:6:A:8XC:H1'	9	0.19

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(2,193)	1:11:B:8XG:H1	1:7:A:8XA:H8	11	0.18
(2,193)	1:11:B:8XG:H1	1:7:A:8XA:H8	12	0.18
(2,193)	1:11:B:8XG:H1	1:7:A:8XA:H8	18	0.18
(2,175)	1:12:B:8XU:H3	1:12:B:8XU:H3'	14	0.18
(2,175)	1:12:B:8XU:H3	1:12:B:8XU:H3'	15	0.18
(2,175)	1:12:B:8XU:H3	1:12:B:8XU:H3'	16	0.18
(2,133)	1:3:A:8XG:H1	1:15:B:8XA:H8	1	0.18
(2,133)	1:3:A:8XG:H1	1:15:B:8XA:H8	3	0.18
(2,133)	1:3:A:8XG:H1	1:15:B:8XA:H8	4	0.18
(2,133)	1:3:A:8XG:H1	1:15:B:8XA:H8	10	0.18
(2,133)	1:3:A:8XG:H1	1:15:B:8XA:H8	11	0.18
(2,133)	1:3:A:8XG:H1	1:15:B:8XA:H8	16	0.18
(2,133)	1:3:A:8XG:H1	1:15:B:8XA:H8	18	0.18
(2,115)	1:4:A:8XU:H3	1:4:A:8XU:H3'	6	0.18
(2,115)	1:4:A:8XU:H3	1:4:A:8XU:H3'	8	0.18
(2,115)	1:4:A:8XU:H3	1:4:A:8XU:H3'	11	0.18
(2,115)	1:4:A:8XU:H3	1:4:A:8XU:H3'	12	0.18
(2,115)	1:4:A:8XU:H3	1:4:A:8XU:H3'	14	0.18
(2,115)	1:4:A:8XU:H3	1:4:A:8XU:H3'	15	0.18
(2,115)	1:4:A:8XU:H3	1:4:A:8XU:H3'	18	0.18
(2,96)	1:6:A:8XC:H5	1:7:A:8XA:H1'	5	0.18
(2,193)	1:11:B:8XG:H1	1:7:A:8XA:H8	4	0.17
(2,193)	1:11:B:8XG:H1	1:7:A:8XA:H8	7	0.17
(2,193)	1:11:B:8XG:H1	1:7:A:8XA:H8	14	0.17
(2,193)	1:11:B:8XG:H1	1:7:A:8XA:H8	15	0.17
(2,193)	1:11:B:8XG:H1	1:7:A:8XA:H8	16	0.17
(2,175)	1:12:B:8XU:H3	1:12:B:8XU:H3'	1	0.17
(2,175)	1:12:B:8XU:H3	1:12:B:8XU:H3'	4	0.17
(2,175)	1:12:B:8XU:H3	1:12:B:8XU:H3'	6	0.17
(2,175)	1:12:B:8XU:H3	1:12:B:8XU:H3'	7	0.17
(2,175)	1:12:B:8XU:H3	1:12:B:8XU:H3'	8	0.17
(2,175)	1:12:B:8XU:H3	1:12:B:8XU:H3'	9	0.17
(2,175)	1:12:B:8XU:H3	1:12:B:8XU:H3'	10	0.17
(2,175)	1:12:B:8XU:H3	1:12:B:8XU:H3'	11	0.17
(2,175)	1:12:B:8XU:H3	1:12:B:8XU:H3'	13	0.17
(2,175)	1:12:B:8XU:H3	1:12:B:8XU:H3'	17	0.17
(2,156)	1:14:B:8XC:H5	1:15:B:8XA:H1'	9	0.17
(2,133)	1:3:A:8XG:H1	1:15:B:8XA:H8	5	0.17
(2,133)	1:3:A:8XG:H1	1:15:B:8XA:H8	14	0.17
(2,133)	1:3:A:8XG:H1	1:15:B:8XA:H8	15	0.17
(2,115)	1:4:A:8XU:H3	1:4:A:8XU:H3'	1	0.17
(2,115)	1:4:A:8XU:H3	1:4:A:8XU:H3'	19	0.17

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(2,115)	1:4:A:8XU:H3	1:4:A:8XU:H3'	20	0.17
(2,175)	1:12:B:8XU:H3	1:12:B:8XU:H3'	2	0.16
(2,175)	1:12:B:8XU:H3	1:12:B:8XU:H3'	3	0.16
(2,175)	1:12:B:8XU:H3	1:12:B:8XU:H3'	19	0.16
(2,175)	1:12:B:8XU:H3	1:12:B:8XU:H3'	20	0.16
(2,156)	1:14:B:8XC:H5	1:15:B:8XA:H1'	5	0.16
(2,133)	1:3:A:8XG:H1	1:15:B:8XA:H8	9	0.16
(2,115)	1:4:A:8XU:H3	1:4:A:8XU:H3'	2	0.16
(2,115)	1:4:A:8XU:H3	1:4:A:8XU:H3'	4	0.16
(2,115)	1:4:A:8XU:H3	1:4:A:8XU:H3'	13	0.16
(2,115)	1:4:A:8XU:H3	1:4:A:8XU:H3'	16	0.16
(2,115)	1:4:A:8XU:H3	1:4:A:8XU:H3'	17	0.16
(2,96)	1:6:A:8XC:H5	1:7:A:8XA:H1'	19	0.16
(2,193)	1:11:B:8XG:H1	1:7:A:8XA:H8	5	0.15
(2,175)	1:12:B:8XU:H3	1:12:B:8XU:H3'	5	0.15
(2,165)	1:15:B:8XA:H1'	1:3:A:8XG:H1'	2	0.15
(2,165)	1:15:B:8XA:H1'	1:3:A:8XG:H1'	6	0.15
(2,165)	1:15:B:8XA:H1'	1:3:A:8XG:H1'	8	0.15
(2,162)	1:14:B:8XC:H1'	1:15:B:8XA:H1'	6	0.15
(2,162)	1:14:B:8XC:H1'	1:15:B:8XA:H1'	17	0.15
(2,137)	1:11:B:8XG:H8	1:12:B:8XU:H1'	19	0.15
(2,115)	1:4:A:8XU:H3	1:4:A:8XU:H3'	3	0.15
(2,115)	1:4:A:8XU:H3	1:4:A:8XU:H3'	9	0.15
(2,115)	1:4:A:8XU:H3	1:4:A:8XU:H3'	10	0.15
(2,102)	1:6:A:8XC:H1'	1:7:A:8XA:H1'	18	0.15
(2,77)	1:3:A:8XG:H8	1:4:A:8XU:H1'	3	0.15
(2,77)	1:3:A:8XG:H8	1:4:A:8XU:H1'	9	0.15
(2,165)	1:15:B:8XA:H1'	1:3:A:8XG:H1'	13	0.14
(2,162)	1:14:B:8XC:H1'	1:15:B:8XA:H1'	2	0.14
(2,162)	1:14:B:8XC:H1'	1:15:B:8XA:H1'	8	0.14
(2,156)	1:14:B:8XC:H5	1:15:B:8XA:H1'	3	0.14
(2,156)	1:14:B:8XC:H5	1:15:B:8XA:H1'	10	0.14
(2,105)	1:7:A:8XA:H1'	1:11:B:8XG:H1'	2	0.14
(2,105)	1:7:A:8XA:H1'	1:11:B:8XG:H1'	8	0.14
(2,105)	1:7:A:8XA:H1'	1:11:B:8XG:H1'	13	0.14
(2,105)	1:7:A:8XA:H1'	1:11:B:8XG:H1'	17	0.14
(2,102)	1:6:A:8XC:H1'	1:7:A:8XA:H1'	15	0.14
(2,102)	1:6:A:8XC:H1'	1:7:A:8XA:H1'	16	0.14
(2,86)	1:2:A:8XU:H6	1:3:A:8XG:H8	5	0.14
(2,77)	1:3:A:8XG:H8	1:4:A:8XU:H1'	5	0.14
(2,60)	1:10:B:8XU:H5	1:10:B:8XU:H5''	4	0.14
(2,60)	1:10:B:8XU:H5	1:10:B:8XU:H5''	11	0.14

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(2,23)	1:2:A:8XU:H5	1:2:A:8XU:H5''	4	0.14
(1,8)	1:14:B:8XC:O2	1:3:A:8XG:N2	5	0.14
(2,165)	1:15:B:8XA:H1'	1:3:A:8XG:H1'	1	0.13
(2,165)	1:15:B:8XA:H1'	1:3:A:8XG:H1'	7	0.13
(2,165)	1:15:B:8XA:H1'	1:3:A:8XG:H1'	17	0.13
(2,163)	1:15:B:8XA:H1'	1:16:B:8XC:H1'	3	0.13
(2,162)	1:14:B:8XC:H1'	1:15:B:8XA:H1'	7	0.13
(2,162)	1:14:B:8XC:H1'	1:15:B:8XA:H1'	12	0.13
(2,162)	1:14:B:8XC:H1'	1:15:B:8XA:H1'	13	0.13
(2,162)	1:14:B:8XC:H1'	1:15:B:8XA:H1'	16	0.13
(2,162)	1:14:B:8XC:H1'	1:15:B:8XA:H1'	18	0.13
(2,154)	1:15:B:8XA:H2	1:2:A:8XU:H6	6	0.13
(2,154)	1:15:B:8XA:H2	1:2:A:8XU:H6	19	0.13
(2,149)	1:13:B:8XA:H8	1:14:B:8XC:H6	5	0.13
(2,149)	1:13:B:8XA:H8	1:14:B:8XC:H6	14	0.13
(2,148)	1:12:B:8XU:H6	1:13:B:8XA:H8	14	0.13
(2,146)	1:10:B:8XU:H6	1:11:B:8XG:H8	19	0.13
(2,137)	1:11:B:8XG:H8	1:12:B:8XU:H1'	3	0.13
(2,137)	1:11:B:8XG:H8	1:12:B:8XU:H1'	5	0.13
(2,137)	1:11:B:8XG:H8	1:12:B:8XU:H1'	8	0.13
(2,137)	1:11:B:8XG:H8	1:12:B:8XU:H1'	9	0.13
(2,137)	1:11:B:8XG:H8	1:12:B:8XU:H1'	10	0.13
(2,105)	1:7:A:8XA:H1'	1:11:B:8XG:H1'	1	0.13
(2,105)	1:7:A:8XA:H1'	1:11:B:8XG:H1'	9	0.13
(2,105)	1:7:A:8XA:H1'	1:11:B:8XG:H1'	10	0.13
(2,105)	1:7:A:8XA:H1'	1:11:B:8XG:H1'	12	0.13
(2,105)	1:7:A:8XA:H1'	1:11:B:8XG:H1'	18	0.13
(2,105)	1:7:A:8XA:H1'	1:11:B:8XG:H1'	20	0.13
(2,102)	1:6:A:8XC:H1'	1:7:A:8XA:H1'	6	0.13
(2,102)	1:6:A:8XC:H1'	1:7:A:8XA:H1'	12	0.13
(2,102)	1:6:A:8XC:H1'	1:7:A:8XA:H1'	13	0.13
(2,94)	1:7:A:8XA:H2	1:10:B:8XU:H6	9	0.13
(2,89)	1:5:A:8XA:H8	1:6:A:8XC:H6	5	0.13
(2,86)	1:2:A:8XU:H6	1:3:A:8XG:H8	9	0.13
(2,77)	1:3:A:8XG:H8	1:4:A:8XU:H1'	10	0.13
(2,77)	1:3:A:8XG:H8	1:4:A:8XU:H1'	19	0.13
(2,60)	1:10:B:8XU:H5	1:10:B:8XU:H5''	7	0.13
(2,60)	1:10:B:8XU:H5	1:10:B:8XU:H5''	14	0.13
(2,60)	1:10:B:8XU:H5	1:10:B:8XU:H5''	16	0.13
(2,23)	1:2:A:8XU:H5	1:2:A:8XU:H5''	12	0.13
(2,23)	1:2:A:8XU:H5	1:2:A:8XU:H5''	14	0.13
(2,23)	1:2:A:8XU:H5	1:2:A:8XU:H5''	18	0.13

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(1,15)	1:6:A:8XC:O2	1:11:B:8XG:N2	5	0.13
(1,15)	1:6:A:8XC:O2	1:11:B:8XG:N2	19	0.13
(1,8)	1:14:B:8XC:O2	1:3:A:8XG:N2	9	0.13
(2,165)	1:15:B:8XA:H1'	1:3:A:8XG:H1'	10	0.12
(2,165)	1:15:B:8XA:H1'	1:3:A:8XG:H1'	11	0.12
(2,165)	1:15:B:8XA:H1'	1:3:A:8XG:H1'	19	0.12
(2,165)	1:15:B:8XA:H1'	1:3:A:8XG:H1'	20	0.12
(2,163)	1:15:B:8XA:H1'	1:16:B:8XC:H1'	9	0.12
(2,162)	1:14:B:8XC:H1'	1:15:B:8XA:H1'	1	0.12
(2,162)	1:14:B:8XC:H1'	1:15:B:8XA:H1'	14	0.12
(2,162)	1:14:B:8XC:H1'	1:15:B:8XA:H1'	20	0.12
(2,156)	1:14:B:8XC:H5	1:15:B:8XA:H1'	4	0.12
(2,156)	1:14:B:8XC:H5	1:15:B:8XA:H1'	7	0.12
(2,156)	1:14:B:8XC:H5	1:15:B:8XA:H1'	14	0.12
(2,154)	1:15:B:8XA:H2	1:2:A:8XU:H6	11	0.12
(2,154)	1:15:B:8XA:H2	1:2:A:8XU:H6	12	0.12
(2,154)	1:15:B:8XA:H2	1:2:A:8XU:H6	14	0.12
(2,154)	1:15:B:8XA:H2	1:2:A:8XU:H6	20	0.12
(2,149)	1:13:B:8XA:H8	1:14:B:8XC:H6	4	0.12
(2,148)	1:12:B:8XU:H6	1:13:B:8XA:H8	16	0.12
(2,146)	1:10:B:8XU:H6	1:11:B:8XG:H8	5	0.12
(2,137)	1:11:B:8XG:H8	1:12:B:8XU:H1'	7	0.12
(2,137)	1:11:B:8XG:H8	1:12:B:8XU:H1'	13	0.12
(2,137)	1:11:B:8XG:H8	1:12:B:8XU:H1'	14	0.12
(2,137)	1:11:B:8XG:H8	1:12:B:8XU:H1'	15	0.12
(2,137)	1:11:B:8XG:H8	1:12:B:8XU:H1'	16	0.12
(2,137)	1:11:B:8XG:H8	1:12:B:8XU:H1'	17	0.12
(2,137)	1:11:B:8XG:H8	1:12:B:8XU:H1'	20	0.12
(2,105)	1:7:A:8XA:H1'	1:11:B:8XG:H1'	3	0.12
(2,105)	1:7:A:8XA:H1'	1:11:B:8XG:H1'	6	0.12
(2,105)	1:7:A:8XA:H1'	1:11:B:8XG:H1'	15	0.12
(2,102)	1:6:A:8XC:H1'	1:7:A:8XA:H1'	2	0.12
(2,102)	1:6:A:8XC:H1'	1:7:A:8XA:H1'	11	0.12
(2,102)	1:6:A:8XC:H1'	1:7:A:8XA:H1'	19	0.12
(2,102)	1:6:A:8XC:H1'	1:7:A:8XA:H1'	20	0.12
(2,96)	1:6:A:8XC:H5	1:7:A:8XA:H1'	4	0.12
(2,96)	1:6:A:8XC:H5	1:7:A:8XA:H1'	12	0.12
(2,96)	1:6:A:8XC:H5	1:7:A:8XA:H1'	14	0.12
(2,94)	1:7:A:8XA:H2	1:10:B:8XU:H6	3	0.12
(2,94)	1:7:A:8XA:H2	1:10:B:8XU:H6	10	0.12
(2,94)	1:7:A:8XA:H2	1:10:B:8XU:H6	14	0.12
(2,94)	1:7:A:8XA:H2	1:10:B:8XU:H6	15	0.12

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(2,94)	1:7:A:8XA:H2	1:10:B:8XU:H6	18	0.12
(2,94)	1:7:A:8XA:H2	1:10:B:8XU:H6	20	0.12
(2,89)	1:5:A:8XA:H8	1:6:A:8XC:H6	7	0.12
(2,88)	1:4:A:8XU:H6	1:5:A:8XA:H8	7	0.12
(2,88)	1:4:A:8XU:H6	1:5:A:8XA:H8	14	0.12
(2,86)	1:2:A:8XU:H6	1:3:A:8XG:H8	3	0.12
(2,86)	1:2:A:8XU:H6	1:3:A:8XG:H8	10	0.12
(2,77)	1:3:A:8XG:H8	1:4:A:8XU:H1'	7	0.12
(2,77)	1:3:A:8XG:H8	1:4:A:8XU:H1'	8	0.12
(2,77)	1:3:A:8XG:H8	1:4:A:8XU:H1'	13	0.12
(2,77)	1:3:A:8XG:H8	1:4:A:8XU:H1'	15	0.12
(2,77)	1:3:A:8XG:H8	1:4:A:8XU:H1'	20	0.12
(2,60)	1:10:B:8XU:H5	1:10:B:8XU:H5''	1	0.12
(2,60)	1:10:B:8XU:H5	1:10:B:8XU:H5''	8	0.12
(2,60)	1:10:B:8XU:H5	1:10:B:8XU:H5''	10	0.12
(2,60)	1:10:B:8XU:H5	1:10:B:8XU:H5''	15	0.12
(2,50)	1:15:B:8XA:H8	1:15:B:8XA:H2'	3	0.12
(2,50)	1:15:B:8XA:H8	1:15:B:8XA:H2'	15	0.12
(2,50)	1:15:B:8XA:H8	1:15:B:8XA:H2'	16	0.12
(2,23)	1:2:A:8XU:H5	1:2:A:8XU:H5''	1	0.12
(2,23)	1:2:A:8XU:H5	1:2:A:8XU:H5''	15	0.12
(2,23)	1:2:A:8XU:H5	1:2:A:8XU:H5''	16	0.12
(2,23)	1:2:A:8XU:H5	1:2:A:8XU:H5''	19	0.12
(2,13)	1:7:A:8XA:H8	1:7:A:8XA:H2'	7	0.12
(2,13)	1:7:A:8XA:H8	1:7:A:8XA:H2'	11	0.12
(2,13)	1:7:A:8XA:H8	1:7:A:8XA:H2'	14	0.12
(2,13)	1:7:A:8XA:H8	1:7:A:8XA:H2'	16	0.12
(1,13)	1:6:A:8XC:N3	1:11:B:8XG:N1	18	0.12
(1,8)	1:14:B:8XC:O2	1:3:A:8XG:N2	3	0.12
(1,8)	1:14:B:8XC:O2	1:3:A:8XG:N2	10	0.12
(2,165)	1:15:B:8XA:H1'	1:3:A:8XG:H1'	12	0.11
(2,165)	1:15:B:8XA:H1'	1:3:A:8XG:H1'	16	0.11
(2,163)	1:15:B:8XA:H1'	1:16:B:8XC:H1'	5	0.11
(2,162)	1:14:B:8XC:H1'	1:15:B:8XA:H1'	11	0.11
(2,160)	1:12:B:8XU:H1'	1:13:B:8XA:H1'	3	0.11
(2,156)	1:14:B:8XC:H5	1:15:B:8XA:H1'	1	0.11
(2,156)	1:14:B:8XC:H5	1:15:B:8XA:H1'	11	0.11
(2,156)	1:14:B:8XC:H5	1:15:B:8XA:H1'	13	0.11
(2,156)	1:14:B:8XC:H5	1:15:B:8XA:H1'	15	0.11
(2,156)	1:14:B:8XC:H5	1:15:B:8XA:H1'	17	0.11
(2,156)	1:14:B:8XC:H5	1:15:B:8XA:H1'	18	0.11
(2,156)	1:14:B:8XC:H5	1:15:B:8XA:H1'	19	0.11

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(2,154)	1:15:B:8XA:H2	1:2:A:8XU:H6	1	0.11
(2,154)	1:15:B:8XA:H2	1:2:A:8XU:H6	2	0.11
(2,154)	1:15:B:8XA:H2	1:2:A:8XU:H6	7	0.11
(2,154)	1:15:B:8XA:H2	1:2:A:8XU:H6	13	0.11
(2,154)	1:15:B:8XA:H2	1:2:A:8XU:H6	15	0.11
(2,154)	1:15:B:8XA:H2	1:2:A:8XU:H6	16	0.11
(2,154)	1:15:B:8XA:H2	1:2:A:8XU:H6	17	0.11
(2,154)	1:15:B:8XA:H2	1:2:A:8XU:H6	18	0.11
(2,149)	1:13:B:8XA:H8	1:14:B:8XC:H6	7	0.11
(2,149)	1:13:B:8XA:H8	1:14:B:8XC:H6	15	0.11
(2,149)	1:13:B:8XA:H8	1:14:B:8XC:H6	16	0.11
(2,148)	1:12:B:8XU:H6	1:13:B:8XA:H8	4	0.11
(2,148)	1:12:B:8XU:H6	1:13:B:8XA:H8	7	0.11
(2,148)	1:12:B:8XU:H6	1:13:B:8XA:H8	11	0.11
(2,148)	1:12:B:8XU:H6	1:13:B:8XA:H8	15	0.11
(2,146)	1:10:B:8XU:H6	1:11:B:8XG:H8	8	0.11
(2,137)	1:11:B:8XG:H8	1:12:B:8XU:H1'	1	0.11
(2,137)	1:11:B:8XG:H8	1:12:B:8XU:H1'	2	0.11
(2,137)	1:11:B:8XG:H8	1:12:B:8XU:H1'	4	0.11
(2,137)	1:11:B:8XG:H8	1:12:B:8XU:H1'	6	0.11
(2,137)	1:11:B:8XG:H8	1:12:B:8XU:H1'	11	0.11
(2,137)	1:11:B:8XG:H8	1:12:B:8XU:H1'	18	0.11
(2,103)	1:7:A:8XA:H1'	1:8:A:8XC:H1'	5	0.11
(2,102)	1:6:A:8XC:H1'	1:7:A:8XA:H1'	1	0.11
(2,102)	1:6:A:8XC:H1'	1:7:A:8XA:H1'	4	0.11
(2,102)	1:6:A:8XC:H1'	1:7:A:8XA:H1'	5	0.11
(2,102)	1:6:A:8XC:H1'	1:7:A:8XA:H1'	8	0.11
(2,102)	1:6:A:8XC:H1'	1:7:A:8XA:H1'	17	0.11
(2,96)	1:6:A:8XC:H5	1:7:A:8XA:H1'	1	0.11
(2,96)	1:6:A:8XC:H5	1:7:A:8XA:H1'	2	0.11
(2,96)	1:6:A:8XC:H5	1:7:A:8XA:H1'	3	0.11
(2,96)	1:6:A:8XC:H5	1:7:A:8XA:H1'	7	0.11
(2,96)	1:6:A:8XC:H5	1:7:A:8XA:H1'	9	0.11
(2,96)	1:6:A:8XC:H5	1:7:A:8XA:H1'	10	0.11
(2,96)	1:6:A:8XC:H5	1:7:A:8XA:H1'	15	0.11
(2,96)	1:6:A:8XC:H5	1:7:A:8XA:H1'	16	0.11
(2,94)	1:7:A:8XA:H2	1:10:B:8XU:H6	2	0.11
(2,94)	1:7:A:8XA:H2	1:10:B:8XU:H6	6	0.11
(2,94)	1:7:A:8XA:H2	1:10:B:8XU:H6	11	0.11
(2,94)	1:7:A:8XA:H2	1:10:B:8XU:H6	12	0.11
(2,94)	1:7:A:8XA:H2	1:10:B:8XU:H6	16	0.11
(2,94)	1:7:A:8XA:H2	1:10:B:8XU:H6	17	0.11

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(2,89)	1:5:A:8XA:H8	1:6:A:8XC:H6	4	0.11
(2,89)	1:5:A:8XA:H8	1:6:A:8XC:H6	14	0.11
(2,89)	1:5:A:8XA:H8	1:6:A:8XC:H6	16	0.11
(2,88)	1:4:A:8XU:H6	1:5:A:8XA:H8	4	0.11
(2,77)	1:3:A:8XG:H8	1:4:A:8XU:H1'	2	0.11
(2,77)	1:3:A:8XG:H8	1:4:A:8XU:H1'	4	0.11
(2,77)	1:3:A:8XG:H8	1:4:A:8XU:H1'	6	0.11
(2,77)	1:3:A:8XG:H8	1:4:A:8XU:H1'	11	0.11
(2,77)	1:3:A:8XG:H8	1:4:A:8XU:H1'	12	0.11
(2,77)	1:3:A:8XG:H8	1:4:A:8XU:H1'	14	0.11
(2,77)	1:3:A:8XG:H8	1:4:A:8XU:H1'	16	0.11
(2,77)	1:3:A:8XG:H8	1:4:A:8XU:H1'	18	0.11
(2,68)	1:9:B:8XG:H8	1:9:B:8XG:H5'	7	0.11
(2,60)	1:10:B:8XU:H5	1:10:B:8XU:H5''	3	0.11
(2,60)	1:10:B:8XU:H5	1:10:B:8XU:H5''	6	0.11
(2,60)	1:10:B:8XU:H5	1:10:B:8XU:H5''	9	0.11
(2,60)	1:10:B:8XU:H5	1:10:B:8XU:H5''	12	0.11
(2,60)	1:10:B:8XU:H5	1:10:B:8XU:H5''	13	0.11
(2,60)	1:10:B:8XU:H5	1:10:B:8XU:H5''	18	0.11
(2,50)	1:15:B:8XA:H8	1:15:B:8XA:H2'	9	0.11
(2,50)	1:15:B:8XA:H8	1:15:B:8XA:H2'	11	0.11
(2,23)	1:2:A:8XU:H5	1:2:A:8XU:H5''	11	0.11
(2,23)	1:2:A:8XU:H5	1:2:A:8XU:H5''	17	0.11
(2,23)	1:2:A:8XU:H5	1:2:A:8XU:H5''	20	0.11
(2,13)	1:7:A:8XA:H8	1:7:A:8XA:H2'	4	0.11
(2,13)	1:7:A:8XA:H8	1:7:A:8XA:H2'	15	0.11
(2,13)	1:7:A:8XA:H8	1:7:A:8XA:H2'	17	0.11
(1,15)	1:6:A:8XC:O2	1:11:B:8XG:N2	14	0.11
(1,13)	1:6:A:8XC:N3	1:11:B:8XG:N1	6	0.11
(1,13)	1:6:A:8XC:N3	1:11:B:8XG:N1	8	0.11
(1,13)	1:6:A:8XC:N3	1:11:B:8XG:N1	13	0.11
(1,8)	1:14:B:8XC:O2	1:3:A:8XG:N2	4	0.11
(1,6)	1:14:B:8XC:N3	1:3:A:8XG:N1	8	0.11
(1,6)	1:14:B:8XC:N3	1:3:A:8XG:N1	12	0.11
(2,165)	1:15:B:8XA:H1'	1:3:A:8XG:H1'	5	0.1
(2,162)	1:14:B:8XC:H1'	1:15:B:8XA:H1'	4	0.1
(2,162)	1:14:B:8XC:H1'	1:15:B:8XA:H1'	5	0.1
(2,154)	1:15:B:8XA:H2	1:2:A:8XU:H6	10	0.1
(2,149)	1:13:B:8XA:H8	1:14:B:8XC:H6	18	0.1
(2,148)	1:12:B:8XU:H6	1:13:B:8XA:H8	5	0.1
(2,146)	1:10:B:8XU:H6	1:11:B:8XG:H8	3	0.1
(2,105)	1:7:A:8XA:H1'	1:11:B:8XG:H1'	16	0.1

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(2,103)	1:7:A:8XA:H1'	1:8:A:8XC:H1'	19	0.1
(2,102)	1:6:A:8XC:H1'	1:7:A:8XA:H1'	7	0.1
(2,102)	1:6:A:8XC:H1'	1:7:A:8XA:H1'	9	0.1
(2,102)	1:6:A:8XC:H1'	1:7:A:8XA:H1'	10	0.1
(2,96)	1:6:A:8XC:H5	1:7:A:8XA:H1'	6	0.1
(2,96)	1:6:A:8XC:H5	1:7:A:8XA:H1'	11	0.1
(2,96)	1:6:A:8XC:H5	1:7:A:8XA:H1'	13	0.1
(2,94)	1:7:A:8XA:H2	1:10:B:8XU:H6	1	0.1
(2,94)	1:7:A:8XA:H2	1:10:B:8XU:H6	8	0.1
(2,89)	1:5:A:8XA:H8	1:6:A:8XC:H6	15	0.1
(2,88)	1:4:A:8XU:H6	1:5:A:8XA:H8	11	0.1
(2,88)	1:4:A:8XU:H6	1:5:A:8XA:H8	15	0.1
(2,88)	1:4:A:8XU:H6	1:5:A:8XA:H8	16	0.1
(2,77)	1:3:A:8XG:H8	1:4:A:8XU:H1'	1	0.1
(2,60)	1:10:B:8XU:H5	1:10:B:8XU:H5''	2	0.1
(2,60)	1:10:B:8XU:H5	1:10:B:8XU:H5''	20	0.1
(2,50)	1:15:B:8XA:H8	1:15:B:8XA:H2'	4	0.1
(2,50)	1:15:B:8XA:H8	1:15:B:8XA:H2'	7	0.1
(2,50)	1:15:B:8XA:H8	1:15:B:8XA:H2'	10	0.1
(2,50)	1:15:B:8XA:H8	1:15:B:8XA:H2'	12	0.1
(2,23)	1:2:A:8XU:H5	1:2:A:8XU:H5''	2	0.1
(2,23)	1:2:A:8XU:H5	1:2:A:8XU:H5''	7	0.1
(2,23)	1:2:A:8XU:H5	1:2:A:8XU:H5''	13	0.1
(2,13)	1:7:A:8XA:H8	1:7:A:8XA:H2'	1	0.1
(2,13)	1:7:A:8XA:H8	1:7:A:8XA:H2'	8	0.1
(2,13)	1:7:A:8XA:H8	1:7:A:8XA:H2'	20	0.1
(1,15)	1:6:A:8XC:O2	1:11:B:8XG:N2	4	0.1
(1,15)	1:6:A:8XC:O2	1:11:B:8XG:N2	7	0.1
(1,15)	1:6:A:8XC:O2	1:11:B:8XG:N2	9	0.1
(1,13)	1:6:A:8XC:N3	1:11:B:8XG:N1	2	0.1
(1,13)	1:6:A:8XC:N3	1:11:B:8XG:N1	4	0.1
(1,13)	1:6:A:8XC:N3	1:11:B:8XG:N1	12	0.1
(1,13)	1:6:A:8XC:N3	1:11:B:8XG:N1	14	0.1
(1,13)	1:6:A:8XC:N3	1:11:B:8XG:N1	15	0.1
(1,13)	1:6:A:8XC:N3	1:11:B:8XG:N1	17	0.1
(1,8)	1:14:B:8XC:O2	1:3:A:8XG:N2	14	0.1
(1,8)	1:14:B:8XC:O2	1:3:A:8XG:N2	19	0.1
(1,6)	1:14:B:8XC:N3	1:3:A:8XG:N1	6	0.1
(1,6)	1:14:B:8XC:N3	1:3:A:8XG:N1	7	0.1
(1,6)	1:14:B:8XC:N3	1:3:A:8XG:N1	11	0.1
(1,6)	1:14:B:8XC:N3	1:3:A:8XG:N1	13	0.1
(1,6)	1:14:B:8XC:N3	1:3:A:8XG:N1	14	0.1

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Model ID	Violation (Å)
(1,6)	1:14:B:8XC:N3	1:3:A:8XG:N1	15	0.1
(1,6)	1:14:B:8XC:N3	1:3:A:8XG:N1	18	0.1

10 Dihedral-angle violation analysis ⓘ


10.1 Summary of dihedral-angle violations ⓘ

The following table provides the summary of dihedral-angle violations in different dihedral-angle types. Violations less than 1° are not included in the calculation.

Angle type	Count	% ¹	Violated ³			Consistently Violated ⁴		
			Count	% ²	% ¹	Count	% ²	% ¹
BETA	14	15.6	2	14.3	2.2	0	0.0	0.0
GAMMA	14	15.6	6	42.9	6.7	2	14.3	2.2
UNNAMED	48	53.3	0	0.0	0.0	0	0.0	0.0
EPSILON	14	15.6	4	28.6	4.4	0	0.0	0.0
Total	90	100.0	12	13.3	13.3	2	2.2	2.2

¹ percentage calculated with respect to total number of dihedral-angle restraints, ² percentage calculated with respect to number of restraints in a particular dihedral-angle type, ³ violated in at least one model, ⁴ violated in all the models

10.1.1 Bar chart : Distribution of dihedral-angles and violations ⓘ




Violated and consistently violated restraints are shown using different hatch patterns in their respective categories

10.2 Dihedral-angle violation statistics for each model ⓘ

The following table provides the dihedral-angle violation statistics for each model in the ensemble. Violations less than 1° are not included in the statistics.

Model ID	Number of violations					Mean (°)	Max (°)	SD (°)	Mean (°)
	BETA	GAMMA	UNNAMED	EPSILON	Total				
1	1	4	0	4	9	1.64	2.19	0.35	
2	2	4	0	2	8	1.7	2.23	0.39	
3	0	4	0	4	8	1.41	1.79	0.25	
4	0	3	0	4	7	1.88	2.37	0.29	
5	1	5	0	4	10	1.83	3.45	0.84	
6	1	4	0	0	5	1.55	2.23	0.36	
7	0	4	0	3	7	1.88	2.73	0.63	
8	1	4	0	2	7	1.69	2.22	0.41	
9	0	4	0	4	8	1.55	2.27	0.41	
10	2	4	0	4	10	1.63	2.44	0.49	
11	0	4	0	3	7	1.72	2.44	0.46	
12	1	5	0	4	10	1.7	2.33	0.38	
13	0	4	0	2	6	1.78	2.22	0.23	
14	0	5	0	4	9	1.46	1.94	0.31	
15	1	5	0	3	9	1.71	2.5	0.48	
16	1	5	0	3	9	1.73	2.75	0.64	
17	2	4	0	3	9	1.59	2.55	0.44	
18	0	5	0	3	8	1.62	2.51	0.52	
19	1	4	0	3	8	1.45	1.87	0.28	
20	2	4	0	3	9	1.51	1.85	0.27	

10.2.1 Bar graph : Dihedral violation statistics for each model ⓘ



The mean(dot),median(x) and the standard deviation are shown in blue with respect to the y axis on the right

10.3 Dihedral-angle violation statistics for the ensemble ⓘ

Violation analysis may find that some restraints are violated in very few models and some are violated in most of models. The following table provides this information as number of violated restraints for a given fraction of ensemble.

Number of violated restraints					Fraction of the ensemble	
BETA	GAMMA	UNNAMED	EPSILON	Total	Count ¹	%
0	0	0	0	0	1	5.0
0	1	0	0	1	2	10.0
0	0	0	0	0	3	15.0
0	0	0	0	0	4	20.0
0	0	0	0	0	5	25.0
0	0	0	0	0	6	30.0
1	1	0	0	2	7	35.0
0	0	0	0	0	8	40.0
1	0	0	0	1	9	45.0
0	0	0	0	0	10	50.0
0	0	0	0	0	11	55.0


Continued on next page...

Continued from previous page...

BETA	Number of violated restraints				Fraction of the ensemble	
	GAMMA	UNNAMED	EPSILON	Total	Count ¹	%
0	0	0	0	0	12	60.0
0	0	0	0	0	13	65.0
0	0	0	1	1	14	70.0
0	0	0	1	1	15	75.0
0	0	0	1	1	16	80.0
0	0	0	1	1	17	85.0
0	2	0	0	2	18	90.0
0	0	0	0	0	19	95.0
0	2	0	0	2	20	100.0

¹ Number of models with violations

10.3.1 Bar graph : Dihedral-angle Violation statistics for the ensemble [i](#)




10.4 Most violated dihedral-angle restraints in the ensemble [i](#)

10.4.1 Histogram : Distribution of mean dihedral-angle violations [i](#)

The following histogram shows the distribution of the average value of the violation. The average is calculated for each restraint that is violated in more than one model over all the violated models

in the ensemble



10.4.2 Table: Most violated dihedral-angle restraints [i](#)

The following table provides the mean and the standard deviation of the violation for each restraint sorted by number of violated models and the mean value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint.


Key	Atom-1	Atom-2	Atom-3	Atom-4	Models ¹	Mean	SD ²	Median
(1,27)	1:11:B:8XG:O5'	1:11:B:8XG:C5'	1:11:B:8XG:C4'	1:11:B:8XG:C3'	20	1.87	0.35	1.83
(1,6)	1:3:A:8XG:O5'	1:3:A:8XG:C5'	1:3:A:8XG:C4'	1:3:A:8XG:C3'	20	1.83	0.41	1.72
(1,18)	1:7:A:8XA:O5'	1:7:A:8XA:C5'	1:7:A:8XA:C4'	1:7:A:8XA:C3'	18	1.67	0.36	1.58
(1,39)	1:15:B:8XA:O5'	1:15:B:8XA:C5'	1:15:B:8XA:C4'	1:15:B:8XA:C3'	18	1.55	0.4	1.36
(1,10)	1:4:A:8XU:C4'	1:4:A:8XU:C3'	1:4:A:8XU:O3'	1:5:A:8XA:P	17	1.76	0.48	1.64
(1,31)	1:12:B:8XU:C4'	1:12:B:8XU:C3'	1:12:B:8XU:O3'	1:13:B:8XA:P	16	1.59	0.29	1.57
(1,16)	1:6:A:8XC:C4'	1:6:A:8XC:C3'	1:6:A:8XC:O3'	1:7:A:8XA:P	15	1.89	0.68	1.64
(1,37)	1:14:B:8XC:C4'	1:14:B:8XC:C3'	1:14:B:8XC:O3'	1:15:B:8XA:P	14	1.75	0.53	1.82
(1,14)	1:6:A:8XC:P	1:6:A:8XC:O5'	1:6:A:8XC:C5'	1:6:A:8XC:C4'	9	1.13	0.08	1.12
(1,33)	1:13:B:8XA:O5'	1:13:B:8XA:C5'	1:13:B:8XA:C4'	1:13:B:8XA:C3'	7	1.19	0.17	1.15
(1,35)	1:14:B:8XC:P	1:14:B:8XC:O5'	1:14:B:8XC:C5'	1:14:B:8XC:C4'	7	1.13	0.12	1.1
(1,12)	1:5:A:8XA:O5'	1:5:A:8XA:C5'	1:5:A:8XA:C4'	1:5:A:8XA:C3'	2	1.15	0.13	1.15

¹ Number of violated models, ²Standard deviation, All angle values are in degree (°)

10.5 All violated dihedral-angle restraints [i](#)

10.5.1 Histogram : Distribution of violations [i](#)

The following histogram shows the distribution of the absolute value of the violation for all violated restraints in the ensemble.



10.5.2 Table: All violated dihedral-angle restraints [i](#)

The following table lists the absolute value of the violation for each restraint in the ensemble sorted by its value. The Key (restraint list ID, restraint ID) is the unique identifier for a given restraint.

Key	Atom-1	Atom-2	Atom-3	Atom-4	Model ID	Violation (°)
(1,16)	1:6:A:8XC:C4'	1:6:A:8XC:C3'	1:6:A:8XC:O3'	1:7:A:8XA:P	5	3.45
(1,37)	1:14:B:8XC:C4'	1:14:B:8XC:C3'	1:14:B:8XC:O3'	1:15:B:8XA:P	5	2.92
(1,10)	1:4:A:8XU:C4'	1:4:A:8XU:C3'	1:4:A:8XU:O3'	1:5:A:8XA:P	5	2.85
(1,27)	1:11:B:8XG:O5'	1:11:B:8XG:C5'	1:11:B:8XG:C4'	1:11:B:8XG:C3'	16	2.75
(1,6)	1:3:A:8XG:O5'	1:3:A:8XG:C5'	1:3:A:8XG:C4'	1:3:A:8XG:C3'	7	2.73
(1,16)	1:6:A:8XC:C4'	1:6:A:8XC:C3'	1:6:A:8XC:O3'	1:7:A:8XA:P	16	2.65
(1,16)	1:6:A:8XC:C4'	1:6:A:8XC:C3'	1:6:A:8XC:O3'	1:7:A:8XA:P	7	2.62
(1,10)	1:4:A:8XU:C4'	1:4:A:8XU:C3'	1:4:A:8XU:O3'	1:5:A:8XA:P	17	2.55
(1,6)	1:3:A:8XG:O5'	1:3:A:8XG:C5'	1:3:A:8XG:C4'	1:3:A:8XG:C3'	18	2.51
(1,6)	1:3:A:8XG:O5'	1:3:A:8XG:C5'	1:3:A:8XG:C4'	1:3:A:8XG:C3'	15	2.5
(1,16)	1:6:A:8XC:C4'	1:6:A:8XC:C3'	1:6:A:8XC:O3'	1:7:A:8XA:P	11	2.44
(1,10)	1:4:A:8XU:C4'	1:4:A:8XU:C3'	1:4:A:8XU:O3'	1:5:A:8XA:P	10	2.44
(1,6)	1:3:A:8XG:O5'	1:3:A:8XG:C5'	1:3:A:8XG:C4'	1:3:A:8XG:C3'	16	2.38
(1,16)	1:6:A:8XC:C4'	1:6:A:8XC:C3'	1:6:A:8XC:O3'	1:7:A:8XA:P	4	2.37

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Atom-3	Atom-4	Model ID	Violation (°)
(1,27)	1:11:B:8XG:O5'	1:11:B:8XG:C5'	1:11:B:8XG:C4'	1:11:B:8XG:C3'	12	2.33
(1,37)	1:14:B:8XC:C4'	1:14:B:8XC:C3'	1:14:B:8XC:O3'	1:15:B:8XA:P	9	2.27
(1,27)	1:11:B:8XG:O5'	1:11:B:8XG:C5'	1:11:B:8XG:C4'	1:11:B:8XG:C3'	18	2.27
(1,39)	1:15:B:8XA:O5'	1:15:B:8XA:C5'	1:15:B:8XA:C4'	1:15:B:8XA:C3'	10	2.24
(1,31)	1:12:B:8XU:C4'	1:12:B:8XU:C3'	1:12:B:8XU:O3'	1:13:B:8XA:P	10	2.24
(1,27)	1:11:B:8XG:O5'	1:11:B:8XG:C5'	1:11:B:8XG:C4'	1:11:B:8XG:C3'	15	2.23
(1,18)	1:7:A:8XA:O5'	1:7:A:8XA:C5'	1:7:A:8XA:C4'	1:7:A:8XA:C3'	6	2.23
(1,10)	1:4:A:8XU:C4'	1:4:A:8XU:C3'	1:4:A:8XU:O3'	1:5:A:8XA:P	2	2.23
(1,39)	1:15:B:8XA:O5'	1:15:B:8XA:C5'	1:15:B:8XA:C4'	1:15:B:8XA:C3'	8	2.22
(1,18)	1:7:A:8XA:O5'	1:7:A:8XA:C5'	1:7:A:8XA:C4'	1:7:A:8XA:C3'	13	2.22
(1,39)	1:15:B:8XA:O5'	1:15:B:8XA:C5'	1:15:B:8XA:C4'	1:15:B:8XA:C3'	1	2.19
(1,31)	1:12:B:8XU:C4'	1:12:B:8XU:C3'	1:12:B:8XU:O3'	1:13:B:8XA:P	12	2.17
(1,37)	1:14:B:8XC:C4'	1:14:B:8XC:C3'	1:14:B:8XC:O3'	1:15:B:8XA:P	4	2.16
(1,18)	1:7:A:8XA:O5'	1:7:A:8XA:C5'	1:7:A:8XA:C4'	1:7:A:8XA:C3'	8	2.16
(1,18)	1:7:A:8XA:O5'	1:7:A:8XA:C5'	1:7:A:8XA:C4'	1:7:A:8XA:C3'	17	2.14
(1,27)	1:11:B:8XG:O5'	1:11:B:8XG:C5'	1:11:B:8XG:C4'	1:11:B:8XG:C3'	7	2.12
(1,37)	1:14:B:8XC:C4'	1:14:B:8XC:C3'	1:14:B:8XC:O3'	1:15:B:8XA:P	7	2.1
(1,37)	1:14:B:8XC:C4'	1:14:B:8XC:C3'	1:14:B:8XC:O3'	1:15:B:8XA:P	12	2.1
(1,27)	1:11:B:8XG:O5'	1:11:B:8XG:C5'	1:11:B:8XG:C4'	1:11:B:8XG:C3'	11	2.1
(1,16)	1:6:A:8XC:C4'	1:6:A:8XC:C3'	1:6:A:8XC:O3'	1:7:A:8XA:P	15	2.06
(1,39)	1:15:B:8XA:O5'	1:15:B:8XA:C5'	1:15:B:8XA:C4'	1:15:B:8XA:C3'	2	2.05
(1,6)	1:3:A:8XG:O5'	1:3:A:8XG:C5'	1:3:A:8XG:C4'	1:3:A:8XG:C3'	1	2.04
(1,27)	1:11:B:8XG:O5'	1:11:B:8XG:C5'	1:11:B:8XG:C4'	1:11:B:8XG:C3'	8	2.01
(1,18)	1:7:A:8XA:O5'	1:7:A:8XA:C5'	1:7:A:8XA:C4'	1:7:A:8XA:C3'	2	2.0
(1,37)	1:14:B:8XC:C4'	1:14:B:8XC:C3'	1:14:B:8XC:O3'	1:15:B:8XA:P	15	1.99
(1,6)	1:3:A:8XG:O5'	1:3:A:8XG:C5'	1:3:A:8XG:C4'	1:3:A:8XG:C3'	14	1.94
(1,37)	1:14:B:8XC:C4'	1:14:B:8XC:C3'	1:14:B:8XC:O3'	1:15:B:8XA:P	18	1.93
(1,6)	1:3:A:8XG:O5'	1:3:A:8XG:C5'	1:3:A:8XG:C4'	1:3:A:8XG:C3'	11	1.93
(1,10)	1:4:A:8XU:C4'	1:4:A:8XU:C3'	1:4:A:8XU:O3'	1:5:A:8XA:P	4	1.92
(1,16)	1:6:A:8XC:C4'	1:6:A:8XC:C3'	1:6:A:8XC:O3'	1:7:A:8XA:P	14	1.91
(1,18)	1:7:A:8XA:O5'	1:7:A:8XA:C5'	1:7:A:8XA:C4'	1:7:A:8XA:C3'	9	1.88
(1,39)	1:15:B:8XA:O5'	1:15:B:8XA:C5'	1:15:B:8XA:C4'	1:15:B:8XA:C3'	19	1.87
(1,27)	1:11:B:8XG:O5'	1:11:B:8XG:C5'	1:11:B:8XG:C4'	1:11:B:8XG:C3'	4	1.87
(1,27)	1:11:B:8XG:O5'	1:11:B:8XG:C5'	1:11:B:8XG:C4'	1:11:B:8XG:C3'	9	1.87
(1,27)	1:11:B:8XG:O5'	1:11:B:8XG:C5'	1:11:B:8XG:C4'	1:11:B:8XG:C3'	20	1.85
(1,10)	1:4:A:8XU:C4'	1:4:A:8XU:C3'	1:4:A:8XU:O3'	1:5:A:8XA:P	13	1.81
(1,27)	1:11:B:8XG:O5'	1:11:B:8XG:C5'	1:11:B:8XG:C4'	1:11:B:8XG:C3'	13	1.8
(1,6)	1:3:A:8XG:O5'	1:3:A:8XG:C5'	1:3:A:8XG:C4'	1:3:A:8XG:C3'	12	1.8
(1,6)	1:3:A:8XG:O5'	1:3:A:8XG:C5'	1:3:A:8XG:C4'	1:3:A:8XG:C3'	19	1.8
(1,27)	1:11:B:8XG:O5'	1:11:B:8XG:C5'	1:11:B:8XG:C4'	1:11:B:8XG:C3'	3	1.79
(1,39)	1:15:B:8XA:O5'	1:15:B:8XA:C5'	1:15:B:8XA:C4'	1:15:B:8XA:C3'	13	1.78
(1,39)	1:15:B:8XA:O5'	1:15:B:8XA:C5'	1:15:B:8XA:C4'	1:15:B:8XA:C3'	20	1.77
(1,27)	1:11:B:8XG:O5'	1:11:B:8XG:C5'	1:11:B:8XG:C4'	1:11:B:8XG:C3'	14	1.77
(1,18)	1:7:A:8XA:O5'	1:7:A:8XA:C5'	1:7:A:8XA:C4'	1:7:A:8XA:C3'	12	1.77
(1,31)	1:12:B:8XU:C4'	1:12:B:8XU:C3'	1:12:B:8XU:O3'	1:13:B:8XA:P	20	1.76
(1,10)	1:4:A:8XU:C4'	1:4:A:8XU:C3'	1:4:A:8XU:O3'	1:5:A:8XA:P	1	1.76
(1,6)	1:3:A:8XG:O5'	1:3:A:8XG:C5'	1:3:A:8XG:C4'	1:3:A:8XG:C3'	2	1.75
(1,27)	1:11:B:8XG:O5'	1:11:B:8XG:C5'	1:11:B:8XG:C4'	1:11:B:8XG:C3'	2	1.72
(1,18)	1:7:A:8XA:O5'	1:7:A:8XA:C5'	1:7:A:8XA:C4'	1:7:A:8XA:C3'	1	1.72
(1,31)	1:12:B:8XU:C4'	1:12:B:8XU:C3'	1:12:B:8XU:O3'	1:13:B:8XA:P	4	1.71
(1,37)	1:14:B:8XC:C4'	1:14:B:8XC:C3'	1:14:B:8XC:O3'	1:15:B:8XA:P	11	1.7

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Atom-3	Atom-4	Model ID	Violation (°)
(1,31)	1:12:B:8XU:C4'	1:12:B:8XU:C3'	1:12:B:8XU:O3'	1:13:B:8XA:P	3	1.7
(1,27)	1:11:B:8XG:O5'	1:11:B:8XG:C5'	1:11:B:8XG:C4'	1:11:B:8XG:C3'	1	1.68
(1,10)	1:4:A:8XU:C4'	1:4:A:8XU:C3'	1:4:A:8XU:O3'	1:5:A:8XA:P	9	1.68
(1,6)	1:3:A:8XG:O5'	1:3:A:8XG:C5'	1:3:A:8XG:C4'	1:3:A:8XG:C3'	4	1.68
(1,31)	1:12:B:8XU:C4'	1:12:B:8XU:C3'	1:12:B:8XU:O3'	1:13:B:8XA:P	1	1.67
(1,31)	1:12:B:8XU:C4'	1:12:B:8XU:C3'	1:12:B:8XU:O3'	1:13:B:8XA:P	2	1.67
(1,18)	1:7:A:8XA:O5'	1:7:A:8XA:C5'	1:7:A:8XA:C4'	1:7:A:8XA:C3'	10	1.65
(1,6)	1:3:A:8XG:O5'	1:3:A:8XG:C5'	1:3:A:8XG:C4'	1:3:A:8XG:C3'	20	1.65
(1,31)	1:12:B:8XU:C4'	1:12:B:8XU:C3'	1:12:B:8XU:O3'	1:13:B:8XA:P	15	1.64
(1,16)	1:6:A:8XC:C4'	1:6:A:8XC:C3'	1:6:A:8XC:O3'	1:7:A:8XA:P	12	1.64
(1,16)	1:6:A:8XC:C4'	1:6:A:8XC:C3'	1:6:A:8XC:O3'	1:7:A:8XA:P	20	1.64
(1,10)	1:4:A:8XU:C4'	1:4:A:8XU:C3'	1:4:A:8XU:O3'	1:5:A:8XA:P	11	1.64
(1,6)	1:3:A:8XG:O5'	1:3:A:8XG:C5'	1:3:A:8XG:C4'	1:3:A:8XG:C3'	10	1.64
(1,6)	1:3:A:8XG:O5'	1:3:A:8XG:C5'	1:3:A:8XG:C4'	1:3:A:8XG:C3'	17	1.64
(1,6)	1:3:A:8XG:O5'	1:3:A:8XG:C5'	1:3:A:8XG:C4'	1:3:A:8XG:C3'	8	1.62
(1,10)	1:4:A:8XU:C4'	1:4:A:8XU:C3'	1:4:A:8XU:O3'	1:5:A:8XA:P	16	1.61
(1,16)	1:6:A:8XC:C4'	1:6:A:8XC:C3'	1:6:A:8XC:O3'	1:7:A:8XA:P	19	1.59
(1,6)	1:3:A:8XG:O5'	1:3:A:8XG:C5'	1:3:A:8XG:C4'	1:3:A:8XG:C3'	6	1.59
(1,6)	1:3:A:8XG:O5'	1:3:A:8XG:C5'	1:3:A:8XG:C4'	1:3:A:8XG:C3'	13	1.58
(1,33)	1:13:B:8XA:O5'	1:13:B:8XA:C5'	1:13:B:8XA:C4'	1:13:B:8XA:C3'	5	1.52
(1,18)	1:7:A:8XA:O5'	1:7:A:8XA:C5'	1:7:A:8XA:C4'	1:7:A:8XA:C3'	16	1.52
(1,39)	1:15:B:8XA:O5'	1:15:B:8XA:C5'	1:15:B:8XA:C4'	1:15:B:8XA:C3'	3	1.5
(1,31)	1:12:B:8XU:C4'	1:12:B:8XU:C3'	1:12:B:8XU:O3'	1:13:B:8XA:P	13	1.5
(1,27)	1:11:B:8XG:O5'	1:11:B:8XG:C5'	1:11:B:8XG:C4'	1:11:B:8XG:C3'	17	1.49
(1,18)	1:7:A:8XA:O5'	1:7:A:8XA:C5'	1:7:A:8XA:C4'	1:7:A:8XA:C3'	3	1.49
(1,27)	1:11:B:8XG:O5'	1:11:B:8XG:C5'	1:11:B:8XG:C4'	1:11:B:8XG:C3'	5	1.48
(1,18)	1:7:A:8XA:O5'	1:7:A:8XA:C5'	1:7:A:8XA:C4'	1:7:A:8XA:C3'	15	1.48
(1,18)	1:7:A:8XA:O5'	1:7:A:8XA:C5'	1:7:A:8XA:C4'	1:7:A:8XA:C3'	18	1.48
(1,27)	1:11:B:8XG:O5'	1:11:B:8XG:C5'	1:11:B:8XG:C4'	1:11:B:8XG:C3'	10	1.47
(1,16)	1:6:A:8XC:C4'	1:6:A:8XC:C3'	1:6:A:8XC:O3'	1:7:A:8XA:P	1	1.46
(1,31)	1:12:B:8XU:C4'	1:12:B:8XU:C3'	1:12:B:8XU:O3'	1:13:B:8XA:P	17	1.45
(1,18)	1:7:A:8XA:O5'	1:7:A:8XA:C5'	1:7:A:8XA:C4'	1:7:A:8XA:C3'	4	1.45
(1,10)	1:4:A:8XU:C4'	1:4:A:8XU:C3'	1:4:A:8XU:O3'	1:5:A:8XA:P	19	1.45
(1,31)	1:12:B:8XU:C4'	1:12:B:8XU:C3'	1:12:B:8XU:O3'	1:13:B:8XA:P	19	1.43
(1,6)	1:3:A:8XG:O5'	1:3:A:8XG:C5'	1:3:A:8XG:C4'	1:3:A:8XG:C3'	5	1.43
(1,27)	1:11:B:8XG:O5'	1:11:B:8XG:C5'	1:11:B:8XG:C4'	1:11:B:8XG:C3'	6	1.41
(1,10)	1:4:A:8XU:C4'	1:4:A:8XU:C3'	1:4:A:8XU:O3'	1:5:A:8XA:P	3	1.41
(1,35)	1:14:B:8XC:P	1:14:B:8XC:O5'	1:14:B:8XC:C5'	1:14:B:8XC:C4'	17	1.4
(1,18)	1:7:A:8XA:O5'	1:7:A:8XA:C5'	1:7:A:8XA:C4'	1:7:A:8XA:C3'	20	1.4
(1,10)	1:4:A:8XU:C4'	1:4:A:8XU:C3'	1:4:A:8XU:O3'	1:5:A:8XA:P	8	1.39
(1,16)	1:6:A:8XC:C4'	1:6:A:8XC:C3'	1:6:A:8XC:O3'	1:7:A:8XA:P	18	1.38
(1,39)	1:15:B:8XA:O5'	1:15:B:8XA:C5'	1:15:B:8XA:C4'	1:15:B:8XA:C3'	17	1.37
(1,31)	1:12:B:8XU:C4'	1:12:B:8XU:C3'	1:12:B:8XU:O3'	1:13:B:8XA:P	5	1.37
(1,10)	1:4:A:8XU:C4'	1:4:A:8XU:C3'	1:4:A:8XU:O3'	1:5:A:8XA:P	14	1.37
(1,18)	1:7:A:8XA:O5'	1:7:A:8XA:C5'	1:7:A:8XA:C4'	1:7:A:8XA:C3'	14	1.35
(1,39)	1:15:B:8XA:O5'	1:15:B:8XA:C5'	1:15:B:8XA:C4'	1:15:B:8XA:C3'	6	1.34
(1,37)	1:14:B:8XC:C4'	1:14:B:8XC:C3'	1:14:B:8XC:O3'	1:15:B:8XA:P	10	1.34
(1,33)	1:13:B:8XA:O5'	1:13:B:8XA:C5'	1:13:B:8XA:C4'	1:13:B:8XA:C3'	14	1.34
(1,31)	1:12:B:8XU:C4'	1:12:B:8XU:C3'	1:12:B:8XU:O3'	1:13:B:8XA:P	8	1.33
(1,31)	1:12:B:8XU:C4'	1:12:B:8XU:C3'	1:12:B:8XU:O3'	1:13:B:8XA:P	9	1.33
(1,10)	1:4:A:8XU:C4'	1:4:A:8XU:C3'	1:4:A:8XU:O3'	1:5:A:8XA:P	12	1.33

Continued on next page...

Continued from previous page...

Key	Atom-1	Atom-2	Atom-3	Atom-4	Model ID	Violation (°)
(1,27)	1:11:B:8XG:O5'	1:11:B:8XG:C5'	1:11:B:8XG:C4'	1:11:B:8XG:C3'	19	1.32
(1,39)	1:15:B:8XA:O5'	1:15:B:8XA:C5'	1:15:B:8XA:C4'	1:15:B:8XA:C3'	12	1.3
(1,37)	1:14:B:8XC:C4'	1:14:B:8XC:C3'	1:14:B:8XC:O3'	1:15:B:8XA:P	17	1.29
(1,12)	1:5:A:8XA:O5'	1:5:A:8XA:C5'	1:5:A:8XA:C4'	1:5:A:8XA:C3'	12	1.28
(1,39)	1:15:B:8XA:O5'	1:15:B:8XA:C5'	1:15:B:8XA:C4'	1:15:B:8XA:C3'	16	1.27
(1,31)	1:12:B:8XU:C4'	1:12:B:8XU:C3'	1:12:B:8XU:O3'	1:13:B:8XA:P	18	1.27
(1,37)	1:14:B:8XC:C4'	1:14:B:8XC:C3'	1:14:B:8XC:O3'	1:15:B:8XA:P	16	1.26
(1,14)	1:6:A:8XC:P	1:6:A:8XC:O5'	1:6:A:8XC:C5'	1:6:A:8XC:C4'	12	1.26
(1,39)	1:15:B:8XA:O5'	1:15:B:8XA:C5'	1:15:B:8XA:C4'	1:15:B:8XA:C3'	5	1.22
(1,31)	1:12:B:8XU:C4'	1:12:B:8XU:C3'	1:12:B:8XU:O3'	1:13:B:8XA:P	14	1.22
(1,10)	1:4:A:8XU:C4'	1:4:A:8XU:C3'	1:4:A:8XU:O3'	1:5:A:8XA:P	7	1.22
(1,39)	1:15:B:8XA:O5'	1:15:B:8XA:C5'	1:15:B:8XA:C4'	1:15:B:8XA:C3'	7	1.21
(1,39)	1:15:B:8XA:O5'	1:15:B:8XA:C5'	1:15:B:8XA:C4'	1:15:B:8XA:C3'	15	1.21
(1,37)	1:14:B:8XC:C4'	1:14:B:8XC:C3'	1:14:B:8XC:O3'	1:15:B:8XA:P	14	1.21
(1,6)	1:3:A:8XG:O5'	1:3:A:8XG:C5'	1:3:A:8XG:C4'	1:3:A:8XG:C3'	3	1.21
(1,14)	1:6:A:8XC:P	1:6:A:8XC:O5'	1:6:A:8XC:C5'	1:6:A:8XC:C4'	2	1.2
(1,10)	1:4:A:8XU:C4'	1:4:A:8XU:C3'	1:4:A:8XU:O3'	1:5:A:8XA:P	20	1.2
(1,33)	1:13:B:8XA:O5'	1:13:B:8XA:C5'	1:13:B:8XA:C4'	1:13:B:8XA:C3'	15	1.19
(1,14)	1:6:A:8XC:P	1:6:A:8XC:O5'	1:6:A:8XC:C5'	1:6:A:8XC:C4'	6	1.19
(1,14)	1:6:A:8XC:P	1:6:A:8XC:O5'	1:6:A:8XC:C5'	1:6:A:8XC:C4'	20	1.19
(1,6)	1:3:A:8XG:O5'	1:3:A:8XG:C5'	1:3:A:8XG:C4'	1:3:A:8XG:C3'	9	1.19
(1,37)	1:14:B:8XC:C4'	1:14:B:8XC:C3'	1:14:B:8XC:O3'	1:15:B:8XA:P	3	1.15
(1,35)	1:14:B:8XC:P	1:14:B:8XC:O5'	1:14:B:8XC:C5'	1:14:B:8XC:C4'	1	1.15
(1,33)	1:13:B:8XA:O5'	1:13:B:8XA:C5'	1:13:B:8XA:C4'	1:13:B:8XA:C3'	7	1.15
(1,39)	1:15:B:8XA:O5'	1:15:B:8XA:C5'	1:15:B:8XA:C4'	1:15:B:8XA:C3'	9	1.14
(1,18)	1:7:A:8XA:O5'	1:7:A:8XA:C5'	1:7:A:8XA:C4'	1:7:A:8XA:C3'	19	1.14
(1,39)	1:15:B:8XA:O5'	1:15:B:8XA:C5'	1:15:B:8XA:C4'	1:15:B:8XA:C3'	11	1.13
(1,35)	1:14:B:8XC:P	1:14:B:8XC:O5'	1:14:B:8XC:C5'	1:14:B:8XC:C4'	8	1.12
(1,16)	1:6:A:8XC:C4'	1:6:A:8XC:C3'	1:6:A:8XC:O3'	1:7:A:8XA:P	10	1.12
(1,14)	1:6:A:8XC:P	1:6:A:8XC:O5'	1:6:A:8XC:C5'	1:6:A:8XC:C4'	16	1.12
(1,14)	1:6:A:8XC:P	1:6:A:8XC:O5'	1:6:A:8XC:C5'	1:6:A:8XC:C4'	15	1.11
(1,35)	1:14:B:8XC:P	1:14:B:8XC:O5'	1:14:B:8XC:C5'	1:14:B:8XC:C4'	20	1.1
(1,33)	1:13:B:8XA:O5'	1:13:B:8XA:C5'	1:13:B:8XA:C4'	1:13:B:8XA:C3'	11	1.09
(1,39)	1:15:B:8XA:O5'	1:15:B:8XA:C5'	1:15:B:8XA:C4'	1:15:B:8XA:C3'	18	1.08
(1,35)	1:14:B:8XC:P	1:14:B:8XC:O5'	1:14:B:8XC:C5'	1:14:B:8XC:C4'	10	1.08
(1,37)	1:14:B:8XC:C4'	1:14:B:8XC:C3'	1:14:B:8XC:O3'	1:15:B:8XA:P	1	1.07
(1,14)	1:6:A:8XC:P	1:6:A:8XC:O5'	1:6:A:8XC:C5'	1:6:A:8XC:C4'	10	1.07
(1,35)	1:14:B:8XC:P	1:14:B:8XC:O5'	1:14:B:8XC:C5'	1:14:B:8XC:C4'	5	1.06
(1,16)	1:6:A:8XC:C4'	1:6:A:8XC:C3'	1:6:A:8XC:O3'	1:7:A:8XA:P	3	1.04
(1,14)	1:6:A:8XC:P	1:6:A:8XC:O5'	1:6:A:8XC:C5'	1:6:A:8XC:C4'	19	1.03
(1,33)	1:13:B:8XA:O5'	1:13:B:8XA:C5'	1:13:B:8XA:C4'	1:13:B:8XA:C3'	16	1.02
(1,18)	1:7:A:8XA:O5'	1:7:A:8XA:C5'	1:7:A:8XA:C4'	1:7:A:8XA:C3'	5	1.02
(1,16)	1:6:A:8XC:C4'	1:6:A:8XC:C3'	1:6:A:8XC:O3'	1:7:A:8XA:P	9	1.02
(1,12)	1:5:A:8XA:O5'	1:5:A:8XA:C5'	1:5:A:8XA:C4'	1:5:A:8XA:C3'	14	1.02
(1,35)	1:14:B:8XC:P	1:14:B:8XC:O5'	1:14:B:8XC:C5'	1:14:B:8XC:C4'	2	1.01
(1,33)	1:13:B:8XA:O5'	1:13:B:8XA:C5'	1:13:B:8XA:C4'	1:13:B:8XA:C3'	18	1.01
(1,14)	1:6:A:8XC:P	1:6:A:8XC:O5'	1:6:A:8XC:C5'	1:6:A:8XC:C4'	17	1.01