



wwPDB EM Validation Summary Report ⓘ

Jul 21, 2025 – 04:52 PM EDT

PDB ID : 9OGM / pdb_00009ogm
EMDB ID : EMD-70471
Title : BG505 MD39.3 Env gp151 MPER nanodisc in complex with 10E8, BG18 and VRC01 Fabs (1x 10E8 Fab)
Authors : Rantalainen, K.; Ozorowski, G.; Gharpure, A.; Ward, A.B.
Deposited on : 2025-05-01
Resolution : 3.50 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev118
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4-5-2 with Phenix2.0rc1
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.44


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



























Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	D	233	
1	F	233	
1	I	233	
2	E	214	
2	G	214	
2	J	214	
3	H	236	
4	K	224	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
4	N	224	
4	P	224	
5	L	215	
6	M	210	
6	O	210	
6	Q	210	
7	A	735	
7	B	735	
7	C	735	
8	R	3	
9	S	4	
10	T	10	
10	Z	10	
11	U	7	
12	V	2	
12	W	2	
12	a	2	
12	c	2	
12	g	2	
13	X	5	
13	e	5	
14	Y	7	
15	b	4	
15	d	4	
16	f	10	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
17	h	6	<div><div></div><div>17%</div><div>83%</div></div>

2 Entry composition

There are 18 unique types of molecules in this entry. The entry contains 27053 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called BG18 Fab heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	D	127	Total	C	N	O	S	0	0
			995	626	176	187	6		
1	F	129	Total	C	N	O	S	0	0
			1007	632	178	191	6		
1	I	127	Total	C	N	O	S	0	0
			995	626	176	187	6		

- Molecule 2 is a protein called BG18 Fab light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	E	106	Total	C	N	O	S	0	0
			806	501	140	162	3		
2	G	106	Total	C	N	O	S	0	0
			806	501	140	162	3		
2	J	106	Total	C	N	O	S	0	0
			806	501	140	162	3		

- Molecule 3 is a protein called 10E8 Fab heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	H	130	Total	C	N	O	S	0	0
			1025	657	171	192	5		

- Molecule 4 is a protein called VRC01 Fab heavy chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	K	119	Total	C	N	O	S	0	0
			955	603	173	171	8		
4	N	119	Total	C	N	O	S	0	0
			955	603	173	171	8		
4	P	119	Total	C	N	O	S	0	0
			955	603	173	171	8		

- Molecule 5 is a protein called 10E8 Fab light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	L	106	Total	C	N	O	S	0	0
			799	492	145	160	2		

- Molecule 6 is a protein called VRC01 Fab light chain.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	M	97	Total	C	N	O	S	0	0
			751	474	129	146	2		
6	Q	97	Total	C	N	O	S	0	0
			751	474	129	146	2		
6	O	98	Total	C	N	O	S	0	0
			758	479	130	147	2		

- Molecule 7 is a protein called Envelope glycoprotein gp160.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	A	547	Total	C	N	O	S	0	0
			4318	2720	753	813	32		
7	B	580	Total	C	N	O	S	0	0
			4610	2915	800	862	33		
7	C	545	Total	C	N	O	S	0	0
			4304	2712	749	811	32		

There are 246 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	29	THR	-	expression tag	UNP Q2N0S6
A	30	GLY	-	expression tag	UNP Q2N0S6
A	90	ILE	THR	conflict	UNP Q2N0S6
A	106	GLU	THR	conflict	UNP Q2N0S6
A	271	ILE	MET	conflict	UNP Q2N0S6
A	288	LEU	PHE	conflict	UNP Q2N0S6
A	304	VAL	ARG	conflict	UNP Q2N0S6
A	319	TYR	ALA	conflict	UNP Q2N0S6
A	332	ASN	THR	conflict	UNP Q2N0S6
A	363	GLN	ASN	conflict	UNP Q2N0S6
A	501	CYS	ALA	conflict	UNP Q2N0S6
A	503E	SER	-	linker	UNP Q2N0S6
A	503F	HIS	-	linker	UNP Q2N0S6
A	503G	SER	-	linker	UNP Q2N0S6
A	503H	GLY	-	linker	UNP Q2N0S6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	503I	SER	-	linker	UNP Q2N0S6
A	503J	GLY	-	linker	UNP Q2N0S6
A	503K	GLY	-	linker	UNP Q2N0S6
A	503L	SER	-	linker	UNP Q2N0S6
A	503M	GLY	-	linker	UNP Q2N0S6
A	503N	SER	-	linker	UNP Q2N0S6
A	503O	GLY	-	linker	UNP Q2N0S6
A	503P	GLY	-	linker	UNP Q2N0S6
A	503Q	HIS	-	linker	UNP Q2N0S6
A	503R	ALA	-	linker	UNP Q2N0S6
A	503Z	SER	PHE	conflict	UNP A0A6H1VGN1
A	559	PRO	ILE	conflict	UNP A0A6H1VGN1
A	561	PRO	ALA	conflict	UNP A0A6H1VGN1
A	568	ASP	LEU	conflict	UNP A0A6H1VGN1
A	570	HIS	VAL	conflict	UNP A0A6H1VGN1
A	585	HIS	ARG	conflict	UNP A0A6H1VGN1
A	605	CYS	THR	conflict	UNP A0A6H1VGN1
A	618	ASP	ASN	conflict	UNP A0A6H1VGN1
A	625	LYS	ASN	conflict	UNP A0A6H1VGN1
A	676	THR	SER	conflict	UNP A0A6H1VGN1
A	696	SER	ARG	conflict	UNP A0A6H1VGN1
A	710	GLY	-	expression tag	UNP A0A6H1VGN1
A	711	SER	-	expression tag	UNP A0A6H1VGN1
A	712	GLY	-	expression tag	UNP A0A6H1VGN1
A	713	GLY	-	expression tag	UNP A0A6H1VGN1
A	714	SER	-	expression tag	UNP A0A6H1VGN1
A	715	GLY	-	expression tag	UNP A0A6H1VGN1
A	716	LEU	-	expression tag	UNP A0A6H1VGN1
A	717	GLU	-	expression tag	UNP A0A6H1VGN1
A	718	VAL	-	expression tag	UNP A0A6H1VGN1
A	719	LEU	-	expression tag	UNP A0A6H1VGN1
A	720	PHE	-	expression tag	UNP A0A6H1VGN1
A	721	GLN	-	expression tag	UNP A0A6H1VGN1
A	722	GLY	-	expression tag	UNP A0A6H1VGN1
A	723	PRO	-	expression tag	UNP A0A6H1VGN1
A	724	GLY	-	expression tag	UNP A0A6H1VGN1
A	725	SER	-	expression tag	UNP A0A6H1VGN1
A	726	LEU	-	expression tag	UNP A0A6H1VGN1
A	727	GLU	-	expression tag	UNP A0A6H1VGN1
A	728	TRP	-	expression tag	UNP A0A6H1VGN1
A	729	SER	-	expression tag	UNP A0A6H1VGN1
A	730	HIS	-	expression tag	UNP A0A6H1VGN1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
A	731	PRO	-	expression tag	UNP A0A6H1VGN1
A	732	GLN	-	expression tag	UNP A0A6H1VGN1
A	733	PHE	-	expression tag	UNP A0A6H1VGN1
A	734	GLU	-	expression tag	UNP A0A6H1VGN1
A	735	LYS	-	expression tag	UNP A0A6H1VGN1
A	736	GLY	-	expression tag	UNP A0A6H1VGN1
A	737	GLY	-	expression tag	UNP A0A6H1VGN1
A	738	GLY	-	expression tag	UNP A0A6H1VGN1
A	739	SER	-	expression tag	UNP A0A6H1VGN1
A	740	GLY	-	expression tag	UNP A0A6H1VGN1
A	741	GLY	-	expression tag	UNP A0A6H1VGN1
A	742	GLY	-	expression tag	UNP A0A6H1VGN1
A	743	SER	-	expression tag	UNP A0A6H1VGN1
A	744	GLY	-	expression tag	UNP A0A6H1VGN1
A	745	GLY	-	expression tag	UNP A0A6H1VGN1
A	746	GLY	-	expression tag	UNP A0A6H1VGN1
A	747	SER	-	expression tag	UNP A0A6H1VGN1
A	748	TRP	-	expression tag	UNP A0A6H1VGN1
A	749	SER	-	expression tag	UNP A0A6H1VGN1
A	750	HIS	-	expression tag	UNP A0A6H1VGN1
A	751	PRO	-	expression tag	UNP A0A6H1VGN1
A	752	GLN	-	expression tag	UNP A0A6H1VGN1
A	753	PHE	-	expression tag	UNP A0A6H1VGN1
A	754	GLU	-	expression tag	UNP A0A6H1VGN1
A	755	LYS	-	expression tag	UNP A0A6H1VGN1
B	29	THR	-	expression tag	UNP Q2N0S6
B	30	GLY	-	expression tag	UNP Q2N0S6
B	90	ILE	THR	conflict	UNP Q2N0S6
B	106	GLU	THR	conflict	UNP Q2N0S6
B	271	ILE	MET	conflict	UNP Q2N0S6
B	288	LEU	PHE	conflict	UNP Q2N0S6
B	304	VAL	ARG	conflict	UNP Q2N0S6
B	319	TYR	ALA	conflict	UNP Q2N0S6
B	332	ASN	THR	conflict	UNP Q2N0S6
B	363	GLN	ASN	conflict	UNP Q2N0S6
B	501	CYS	ALA	conflict	UNP Q2N0S6
B	503E	SER	-	linker	UNP Q2N0S6
B	503F	HIS	-	linker	UNP Q2N0S6
B	503G	SER	-	linker	UNP Q2N0S6
B	503H	GLY	-	linker	UNP Q2N0S6
B	503I	SER	-	linker	UNP Q2N0S6
B	503J	GLY	-	linker	UNP Q2N0S6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	503K	GLY	-	linker	UNP Q2N0S6
B	503L	SER	-	linker	UNP Q2N0S6
B	503M	GLY	-	linker	UNP Q2N0S6
B	503N	SER	-	linker	UNP Q2N0S6
B	503O	GLY	-	linker	UNP Q2N0S6
B	503P	GLY	-	linker	UNP Q2N0S6
B	503Q	HIS	-	linker	UNP Q2N0S6
B	503R	ALA	-	linker	UNP Q2N0S6
B	503Z	SER	PHE	conflict	UNP A0A6H1VGN1
B	559	PRO	ILE	conflict	UNP A0A6H1VGN1
B	561	PRO	ALA	conflict	UNP A0A6H1VGN1
B	568	ASP	LEU	conflict	UNP A0A6H1VGN1
B	570	HIS	VAL	conflict	UNP A0A6H1VGN1
B	585	HIS	ARG	conflict	UNP A0A6H1VGN1
B	605	CYS	THR	conflict	UNP A0A6H1VGN1
B	618	ASP	ASN	conflict	UNP A0A6H1VGN1
B	625	LYS	ASN	conflict	UNP A0A6H1VGN1
B	676	THR	SER	conflict	UNP A0A6H1VGN1
B	696	SER	ARG	conflict	UNP A0A6H1VGN1
B	710	GLY	-	expression tag	UNP A0A6H1VGN1
B	711	SER	-	expression tag	UNP A0A6H1VGN1
B	712	GLY	-	expression tag	UNP A0A6H1VGN1
B	713	GLY	-	expression tag	UNP A0A6H1VGN1
B	714	SER	-	expression tag	UNP A0A6H1VGN1
B	715	GLY	-	expression tag	UNP A0A6H1VGN1
B	716	LEU	-	expression tag	UNP A0A6H1VGN1
B	717	GLU	-	expression tag	UNP A0A6H1VGN1
B	718	VAL	-	expression tag	UNP A0A6H1VGN1
B	719	LEU	-	expression tag	UNP A0A6H1VGN1
B	720	PHE	-	expression tag	UNP A0A6H1VGN1
B	721	GLN	-	expression tag	UNP A0A6H1VGN1
B	722	GLY	-	expression tag	UNP A0A6H1VGN1
B	723	PRO	-	expression tag	UNP A0A6H1VGN1
B	724	GLY	-	expression tag	UNP A0A6H1VGN1
B	725	SER	-	expression tag	UNP A0A6H1VGN1
B	726	LEU	-	expression tag	UNP A0A6H1VGN1
B	727	GLU	-	expression tag	UNP A0A6H1VGN1
B	728	TRP	-	expression tag	UNP A0A6H1VGN1
B	729	SER	-	expression tag	UNP A0A6H1VGN1
B	730	HIS	-	expression tag	UNP A0A6H1VGN1
B	731	PRO	-	expression tag	UNP A0A6H1VGN1
B	732	GLN	-	expression tag	UNP A0A6H1VGN1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	733	PHE	-	expression tag	UNP A0A6H1VGN1
B	734	GLU	-	expression tag	UNP A0A6H1VGN1
B	735	LYS	-	expression tag	UNP A0A6H1VGN1
B	736	GLY	-	expression tag	UNP A0A6H1VGN1
B	737	GLY	-	expression tag	UNP A0A6H1VGN1
B	738	GLY	-	expression tag	UNP A0A6H1VGN1
B	739	SER	-	expression tag	UNP A0A6H1VGN1
B	740	GLY	-	expression tag	UNP A0A6H1VGN1
B	741	GLY	-	expression tag	UNP A0A6H1VGN1
B	742	GLY	-	expression tag	UNP A0A6H1VGN1
B	743	SER	-	expression tag	UNP A0A6H1VGN1
B	744	GLY	-	expression tag	UNP A0A6H1VGN1
B	745	GLY	-	expression tag	UNP A0A6H1VGN1
B	746	GLY	-	expression tag	UNP A0A6H1VGN1
B	747	SER	-	expression tag	UNP A0A6H1VGN1
B	748	TRP	-	expression tag	UNP A0A6H1VGN1
B	749	SER	-	expression tag	UNP A0A6H1VGN1
B	750	HIS	-	expression tag	UNP A0A6H1VGN1
B	751	PRO	-	expression tag	UNP A0A6H1VGN1
B	752	GLN	-	expression tag	UNP A0A6H1VGN1
B	753	PHE	-	expression tag	UNP A0A6H1VGN1
B	754	GLU	-	expression tag	UNP A0A6H1VGN1
B	755	LYS	-	expression tag	UNP A0A6H1VGN1
C	29	THR	-	expression tag	UNP Q2N0S6
C	30	GLY	-	expression tag	UNP Q2N0S6
C	90	ILE	THR	conflict	UNP Q2N0S6
C	106	GLU	THR	conflict	UNP Q2N0S6
C	271	ILE	MET	conflict	UNP Q2N0S6
C	288	LEU	PHE	conflict	UNP Q2N0S6
C	304	VAL	ARG	conflict	UNP Q2N0S6
C	319	TYR	ALA	conflict	UNP Q2N0S6
C	332	ASN	THR	conflict	UNP Q2N0S6
C	363	GLN	ASN	conflict	UNP Q2N0S6
C	501	CYS	ALA	conflict	UNP Q2N0S6
C	502F	SER	-	linker	UNP Q2N0S6
C	502G	HIS	-	linker	UNP Q2N0S6
C	502H	SER	-	linker	UNP Q2N0S6
C	502I	GLY	-	linker	UNP Q2N0S6
C	502J	SER	-	linker	UNP Q2N0S6
C	502K	GLY	-	linker	UNP Q2N0S6
C	502L	GLY	-	linker	UNP Q2N0S6
C	502M	SER	-	linker	UNP Q2N0S6

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	502N	GLY	-	linker	UNP Q2N0S6
C	502O	SER	-	linker	UNP Q2N0S6
C	502P	GLY	-	linker	UNP Q2N0S6
C	502Q	GLY	-	linker	UNP Q2N0S6
C	502R	HIS	-	linker	UNP Q2N0S6
C	502S	ALA	-	linker	UNP Q2N0S6
C	503A	SER	PHE	conflict	UNP A0A6H1VGN1
C	559	PRO	ILE	conflict	UNP A0A6H1VGN1
C	561	PRO	ALA	conflict	UNP A0A6H1VGN1
C	568	ASP	LEU	conflict	UNP A0A6H1VGN1
C	570	HIS	VAL	conflict	UNP A0A6H1VGN1
C	585	HIS	ARG	conflict	UNP A0A6H1VGN1
C	605	CYS	THR	conflict	UNP A0A6H1VGN1
C	618	ASP	ASN	conflict	UNP A0A6H1VGN1
C	625	LYS	ASN	conflict	UNP A0A6H1VGN1
C	676	THR	SER	conflict	UNP A0A6H1VGN1
C	696	SER	ARG	conflict	UNP A0A6H1VGN1
C	710	GLY	-	expression tag	UNP A0A6H1VGN1
C	711	SER	-	expression tag	UNP A0A6H1VGN1
C	712	GLY	-	expression tag	UNP A0A6H1VGN1
C	713	GLY	-	expression tag	UNP A0A6H1VGN1
C	714	SER	-	expression tag	UNP A0A6H1VGN1
C	715	GLY	-	expression tag	UNP A0A6H1VGN1
C	716	LEU	-	expression tag	UNP A0A6H1VGN1
C	717	GLU	-	expression tag	UNP A0A6H1VGN1
C	718	VAL	-	expression tag	UNP A0A6H1VGN1
C	719	LEU	-	expression tag	UNP A0A6H1VGN1
C	720	PHE	-	expression tag	UNP A0A6H1VGN1
C	721	GLN	-	expression tag	UNP A0A6H1VGN1
C	722	GLY	-	expression tag	UNP A0A6H1VGN1
C	723	PRO	-	expression tag	UNP A0A6H1VGN1
C	724	GLY	-	expression tag	UNP A0A6H1VGN1
C	725	SER	-	expression tag	UNP A0A6H1VGN1
C	726	LEU	-	expression tag	UNP A0A6H1VGN1
C	727	GLU	-	expression tag	UNP A0A6H1VGN1
C	728	TRP	-	expression tag	UNP A0A6H1VGN1
C	729	SER	-	expression tag	UNP A0A6H1VGN1
C	730	HIS	-	expression tag	UNP A0A6H1VGN1
C	731	PRO	-	expression tag	UNP A0A6H1VGN1
C	732	GLN	-	expression tag	UNP A0A6H1VGN1
C	733	PHE	-	expression tag	UNP A0A6H1VGN1
C	734	GLU	-	expression tag	UNP A0A6H1VGN1

Continued on next page...

Continued from previous page...


Chain	Residue	Modelled	Actual	Comment	Reference
C	735	LYS	-	expression tag	UNP A0A6H1VGN1
C	736	GLY	-	expression tag	UNP A0A6H1VGN1
C	737	GLY	-	expression tag	UNP A0A6H1VGN1
C	738	GLY	-	expression tag	UNP A0A6H1VGN1
C	739	SER	-	expression tag	UNP A0A6H1VGN1
C	740	GLY	-	expression tag	UNP A0A6H1VGN1
C	741	GLY	-	expression tag	UNP A0A6H1VGN1
C	742	GLY	-	expression tag	UNP A0A6H1VGN1
C	743	SER	-	expression tag	UNP A0A6H1VGN1
C	744	GLY	-	expression tag	UNP A0A6H1VGN1
C	745	GLY	-	expression tag	UNP A0A6H1VGN1
C	746	GLY	-	expression tag	UNP A0A6H1VGN1
C	747	SER	-	expression tag	UNP A0A6H1VGN1
C	748	TRP	-	expression tag	UNP A0A6H1VGN1
C	749	SER	-	expression tag	UNP A0A6H1VGN1
C	750	HIS	-	expression tag	UNP A0A6H1VGN1
C	751	PRO	-	expression tag	UNP A0A6H1VGN1
C	752	GLN	-	expression tag	UNP A0A6H1VGN1
C	753	PHE	-	expression tag	UNP A0A6H1VGN1
C	754	GLU	-	expression tag	UNP A0A6H1VGN1
C	755	LYS	-	expression tag	UNP A0A6H1VGN1

- Molecule 8 is an oligosaccharide called beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
8	R	3	Total	C	N	O	0	0
			39	22	2	15		

- Molecule 9 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
9	S	4	Total	C	N	O	0	0
			50	28	2	20		

- Molecule 10 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
10	T	10	Total	C	N	O	0	0
			116	64	2	50		
10	Z	10	Total	C	N	O	0	0
			116	64	2	50		

- Molecule 11 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
11	U	7	Total	C	N	O	0	0
			83	46	2	35		

- Molecule 12 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
12	V	2	Total	C	N	O	0	0
			28	16	2	10		

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms				AltConf	Trace
12	W	2	Total	C	N	O	0	0
			28	16	2	10		
12	a	2	Total	C	N	O	0	0
			28	16	2	10		
12	c	2	Total	C	N	O	0	0
			28	16	2	10		
12	g	2	Total	C	N	O	0	0
			28	16	2	10		

- Molecule 13 is an oligosaccharide called alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
13	X	5	Total	C	N	O	0	0
			61	34	2	25		
13	e	5	Total	C	N	O	0	0
			61	34	2	25		

- Molecule 14 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
14	Y	7	Total	C	N	O	0	0
			83	46	2	35		

- Molecule 15 is an oligosaccharide called alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
15	b	4	Total	C	N	O	0	0
			50	28	2	20		
15	d	4	Total	C	N	O	0	0
			50	28	2	20		

- Molecule 16 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				AltConf	Trace
16	f	10	Total	C	N	O	0	0
			116	64	2	50		

- Molecule 17 is an oligosaccharide called alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose.



Mol	Chain	Residues	Atoms				AltConf	Trace
17	h	6	Total	C	N	O	0	0
			72	40	2	30		

- Molecule 18 is 2-acetamido-2-deoxy-beta-D-glucopyranose (CCD ID: NAG) (formula: C₈H₁₅NO₆).



Mol	Chain	Residues	Atoms				AltConf
			Total	C	N	O	
18	D	1	14	8	1	5	0
18	F	1	14	8	1	5	0
18	I	1	14	8	1	5	0
18	A	1	14	8	1	5	0
18	A	1	14	8	1	5	0
18	A	1	14	8	1	5	0
18	A	1	14	8	1	5	0
18	A	1	14	8	1	5	0
18	A	1	14	8	1	5	0
18	A	1	14	8	1	5	0
18	A	1	14	8	1	5	0
18	A	1	14	8	1	5	0
18	A	1	14	8	1	5	0
18	A	1	14	8	1	5	0

Continued on next page...


Continued from previous page...

Mol	Chain	Residues	Atoms				AltConf
18	B	1	Total	C	N	O	0
			14	8	1	5	
18	B	1	Total	C	N	O	0
			14	8	1	5	
18	B	1	Total	C	N	O	0
			14	8	1	5	
18	B	1	Total	C	N	O	0
			14	8	1	5	
18	B	1	Total	C	N	O	0
			14	8	1	5	
18	B	1	Total	C	N	O	0
			14	8	1	5	
18	B	1	Total	C	N	O	0
			14	8	1	5	
18	C	1	Total	C	N	O	0
			14	8	1	5	
18	C	1	Total	C	N	O	0
			14	8	1	5	
18	C	1	Total	C	N	O	0
			14	8	1	5	
18	C	1	Total	C	N	O	0
			14	8	1	5	
18	C	1	Total	C	N	O	0
			14	8	1	5	
18	C	1	Total	C	N	O	0
			14	8	1	5	
18	C	1	Total	C	N	O	0
			14	8	1	5	

Chain K: 


[illegible]

Chain P:  50% 47%



PRO LYS SER CYS

Chain L:



- Molecule 8: beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain R: 100%

MAG1
MAG2
BMA3

- Molecule 9: alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain S: 100%

MAG1
MAG2
BMA3
MAN4

- Molecule 10: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain T: 100%



MAG1
MAG2
BMA3
MAN4
MAN5
MAN6
MAN7
MAN8
MAN9
MAN10

- Molecule 10: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Z: 80% 20%

MAG1
MAG2
BMA3
MAN4
MAN5
MAN6
MAN7
MAN8
MAN9
MAN10

- Molecule 11: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 12: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 12: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 12: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 12: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 12: 2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



- Molecule 13: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose





- Molecule 13: alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain e: 100%



- Molecule 14: alpha-D-mannopyranose-(1-2)-[alpha-D-mannopyranose-(1-6)]alpha-D-mannopyranose-(1-6)-[alpha-D-mannopyranose-(1-3)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain Y: 14% 86%



- Molecule 15: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain b: 100%



- Molecule 15: alpha-D-mannopyranose-(1-6)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain d: 25% 75%




- Molecule 16: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-[alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)]alpha-D-mannopyranose-(1-6)]beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose

Chain f: 10% 80% 10%



- Molecule 17: alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-2)-alpha-D-mannopyranose-(1-3)-beta-D-mannopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose-(1-4)-2-acetamido-2-deoxy-beta-D-glucopyranose



HA01
HA02
HA03
HA04
HA05
HA06

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	63366	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS GLACIOS	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	45	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	190000	Depositor
Image detector	TFS FALCON 4i (4k x 4k)	Depositor
Maximum map value	0.515	Depositor
Minimum map value	-0.322	Depositor
Average map value	-0.000	Depositor
Map value standard deviation	0.011	Depositor
Recommended contour level	0.06	Depositor
Map size (Å)	387.72, 387.72, 387.72	wwPDB
Map dimensions	540, 540, 540	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	0.718, 0.718, 0.718	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: NAG, MAN, BMA

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	D	0.25	0/1021	0.54	0/1390
1	F	0.23	0/1033	0.49	0/1406
1	I	0.26	0/1021	0.55	0/1390
2	E	0.22	0/825	0.46	0/1122
2	G	0.23	0/825	0.48	0/1122
2	J	0.21	0/825	0.48	0/1122
3	H	0.29	0/1057	0.63	0/1435
4	K	0.30	0/980	0.50	0/1327
4	N	0.28	0/980	0.50	0/1327
4	P	0.31	0/980	0.51	0/1327
5	L	0.35	0/814	0.72	0/1098
6	M	0.23	0/771	0.48	0/1048
6	O	0.29	0/778	0.52	0/1058
6	Q	0.25	0/771	0.47	0/1048
7	A	0.32	0/4405	0.53	0/5976
7	B	0.31	0/4710	0.55	0/6398
7	C	0.30	0/4391	0.51	0/5961
All	All	0.29	0/26187	0.53	0/35555

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
7	B	0	2

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

All (2) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
7	B	444	ARG	Sidechain
7	B	617	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	D	995	0	961	6	0
1	F	1007	0	971	4	0
1	I	995	0	961	8	0
2	E	806	0	776	7	0
2	G	806	0	776	3	0
2	J	806	0	776	8	0
3	H	1025	0	961	42	0
4	K	955	0	929	14	0
4	N	955	0	931	14	0
4	P	955	0	929	4	0
5	L	799	0	772	52	0
6	M	751	0	711	5	0
6	O	758	0	720	5	0
6	Q	751	0	711	2	0
7	A	4318	0	4236	52	0
7	B	4610	0	4515	73	0
7	C	4304	0	4222	29	0
8	R	39	0	34	0	0
9	S	50	0	43	0	0
10	T	116	0	97	0	0
10	Z	116	0	97	2	0
11	U	83	0	70	1	0
12	V	28	0	25	0	0
12	W	28	0	25	0	0
12	a	28	0	25	0	0
12	c	28	0	25	0	0
12	g	28	0	25	0	0
13	X	61	0	52	1	0
13	e	61	0	52	0	0
14	Y	83	0	70	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
15	b	50	0	43	0	0
15	d	50	0	43	0	0
16	f	116	0	97	1	0
17	h	72	0	61	0	0
18	A	154	0	143	1	0
18	B	112	0	104	1	0
18	C	112	0	104	0	0
18	D	14	0	13	0	0
18	F	14	0	13	0	0
18	I	14	0	13	0	0
All	All	27053	0	26132	300	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 300 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:N:32:CYS:SG	4:N:98:CYS:SG	1.47	1.46
5:L:47:LEU:HD11	5:L:86:TYR:CD2	1.78	1.17
5:L:20:THR:CG2	5:L:72:SER:OG	1.95	1.15
7:C:522:PHE:O	7:C:540:GLN:NE2	1.86	1.07
5:L:20:THR:HG21	5:L:72:SER:OG	1.57	1.04

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	125/233 (54%)	121 (97%)	4 (3%)	0	100	100
1	F	127/233 (54%)	121 (95%)	6 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	I	125/233 (54%)	122 (98%)	3 (2%)	0	100	100
2	E	104/214 (49%)	103 (99%)	1 (1%)	0	100	100
2	G	104/214 (49%)	104 (100%)	0	0	100	100
2	J	104/214 (49%)	102 (98%)	2 (2%)	0	100	100
3	H	128/236 (54%)	121 (94%)	7 (6%)	0	100	100
4	K	117/224 (52%)	113 (97%)	4 (3%)	0	100	100
4	N	117/224 (52%)	111 (95%)	6 (5%)	0	100	100
4	P	117/224 (52%)	116 (99%)	1 (1%)	0	100	100
5	L	104/215 (48%)	92 (88%)	12 (12%)	0	100	100
6	M	95/210 (45%)	87 (92%)	8 (8%)	0	100	100
6	O	96/210 (46%)	90 (94%)	6 (6%)	0	100	100
6	Q	95/210 (45%)	89 (94%)	6 (6%)	0	100	100
7	A	533/735 (72%)	500 (94%)	33 (6%)	0	100	100
7	B	568/735 (77%)	536 (94%)	32 (6%)	0	100	100
7	C	531/735 (72%)	504 (95%)	27 (5%)	0	100	100
All	All	3190/5299 (60%)	3032 (95%)	158 (5%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	D	108/200 (54%)	106 (98%)	2 (2%)	52	73
1	F	110/200 (55%)	110 (100%)	0	100	100
1	I	108/200 (54%)	107 (99%)	1 (1%)	75	86
2	E	90/183 (49%)	90 (100%)	0	100	100
2	G	90/183 (49%)	89 (99%)	1 (1%)	70	83
2	J	90/183 (49%)	90 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
3	H	106/198 (54%)	105 (99%)	1 (1%)	75	86
4	K	101/192 (53%)	101 (100%)	0	100	100
4	N	101/192 (53%)	101 (100%)	0	100	100
4	P	101/192 (53%)	101 (100%)	0	100	100
5	L	85/180 (47%)	82 (96%)	3 (4%)	31	59
6	M	80/182 (44%)	80 (100%)	0	100	100
6	O	81/182 (44%)	81 (100%)	0	100	100
6	Q	80/182 (44%)	80 (100%)	0	100	100
7	A	487/632 (77%)	484 (99%)	3 (1%)	84	91
7	B	517/632 (82%)	511 (99%)	6 (1%)	67	82
7	C	487/632 (77%)	483 (99%)	4 (1%)	79	88
All	All	2822/4545 (62%)	2801 (99%)	21 (1%)	80	89

5 of 21 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
7	B	419	ARG
7	C	107	ASP
7	C	618	ASP
7	C	276	ASN
7	B	680	TRP

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 19 such sidechains are listed below:

Mol	Chain	Res	Type
7	C	540	GLN
6	O	72	ASN
6	O	90	GLN
7	C	590	GLN
7	B	355	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

85 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
8	NAG	R	1	8,7	14,14,15	0.70	0	17,19,21	1.82	4 (23%)
8	NAG	R	2	8	14,14,15	0.76	0	17,19,21	1.40	3 (17%)
8	BMA	R	3	8	11,11,12	0.87	0	15,15,17	2.60	5 (33%)
9	NAG	S	1	9,7	14,14,15	0.82	0	17,19,21	1.04	2 (11%)
9	NAG	S	2	9	14,14,15	0.74	0	17,19,21	0.99	1 (5%)
9	BMA	S	3	9	11,11,12	0.78	0	15,15,17	2.81	5 (33%)
9	MAN	S	4	9	11,11,12	0.71	0	15,15,17	1.09	1 (6%)
10	NAG	T	1	10,7	14,14,15	0.87	1 (7%)	17,19,21	0.92	1 (5%)
10	MAN	T	10	10	11,11,12	0.66	0	15,15,17	1.41	1 (6%)
10	NAG	T	2	10	14,14,15	0.75	1 (7%)	17,19,21	1.86	2 (11%)
10	BMA	T	3	10	11,11,12	1.01	1 (9%)	15,15,17	2.98	4 (26%)
10	MAN	T	4	10	11,11,12	0.79	0	15,15,17	1.16	1 (6%)
10	MAN	T	5	10	11,11,12	0.84	1 (9%)	15,15,17	1.02	1 (6%)
10	MAN	T	6	10	11,11,12	0.83	1 (9%)	15,15,17	1.02	1 (6%)
10	MAN	T	7	10	11,11,12	0.95	1 (9%)	15,15,17	1.39	1 (6%)
10	MAN	T	8	10	11,11,12	0.78	0	15,15,17	1.11	1 (6%)
10	MAN	T	9	10	11,11,12	0.80	0	15,15,17	1.42	2 (13%)
11	NAG	U	1	11,7	14,14,15	0.78	1 (7%)	17,19,21	1.18	2 (11%)
11	NAG	U	2	11	14,14,15	0.72	0	17,19,21	0.72	0
11	BMA	U	3	11	11,11,12	0.77	0	15,15,17	2.06	5 (33%)
11	MAN	U	4	11	11,11,12	0.68	0	15,15,17	1.37	1 (6%)
11	MAN	U	5	11	11,11,12	0.75	0	15,15,17	1.06	1 (6%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
11	MAN	U	6	11	11,11,12	0.83	0	15,15,17	1.01	1 (6%)
11	MAN	U	7	11	11,11,12	0.73	0	15,15,17	1.13	1 (6%)
12	NAG	V	1	12,7	14,14,15	0.84	0	17,19,21	1.87	4 (23%)
12	NAG	V	2	12	14,14,15	0.72	0	17,19,21	0.91	0
12	NAG	W	1	12,7	14,14,15	0.66	0	17,19,21	1.24	1 (5%)
12	NAG	W	2	12	14,14,15	0.84	1 (7%)	17,19,21	1.09	1 (5%)
13	NAG	X	1	13,7	14,14,15	0.82	0	17,19,21	0.94	0
13	NAG	X	2	13	14,14,15	0.77	1 (7%)	17,19,21	1.76	4 (23%)
13	BMA	X	3	13	11,11,12	0.82	0	15,15,17	2.46	6 (40%)
13	MAN	X	4	13	11,11,12	0.75	0	15,15,17	0.97	1 (6%)
13	MAN	X	5	13	11,11,12	0.73	0	15,15,17	1.05	1 (6%)
14	NAG	Y	1	14,7	14,14,15	0.81	0	17,19,21	1.13	1 (5%)
14	NAG	Y	2	14	14,14,15	0.75	0	17,19,21	0.90	0
14	BMA	Y	3	14	11,11,12	0.84	0	15,15,17	2.72	5 (33%)
14	MAN	Y	4	14	11,11,12	0.80	0	15,15,17	1.13	1 (6%)
14	MAN	Y	5	14	11,11,12	0.83	1 (9%)	15,15,17	1.12	1 (6%)
14	MAN	Y	6	14	11,11,12	0.76	0	15,15,17	0.99	1 (6%)
14	MAN	Y	7	14	11,11,12	0.77	0	15,15,17	0.96	1 (6%)
10	NAG	Z	1	10,7	14,14,15	0.78	1 (7%)	17,19,21	2.52	8 (47%)
10	MAN	Z	10	10	11,11,12	0.77	0	15,15,17	1.03	1 (6%)
10	NAG	Z	2	10	14,14,15	0.74	0	17,19,21	1.58	1 (5%)
10	BMA	Z	3	10	11,11,12	0.83	0	15,15,17	2.32	2 (13%)
10	MAN	Z	4	10	11,11,12	0.80	0	15,15,17	1.16	1 (6%)
10	MAN	Z	5	10	11,11,12	0.82	0	15,15,17	1.19	1 (6%)
10	MAN	Z	6	10	11,11,12	0.84	1 (9%)	15,15,17	0.92	0
10	MAN	Z	7	10	11,11,12	0.79	0	15,15,17	1.12	1 (6%)
10	MAN	Z	8	10	11,11,12	0.80	0	15,15,17	0.97	1 (6%)
10	MAN	Z	9	10	11,11,12	0.83	0	15,15,17	1.07	1 (6%)
12	NAG	a	1	12,7	14,14,15	0.82	1 (7%)	17,19,21	1.08	1 (5%)
12	NAG	a	2	12	14,14,15	0.71	0	17,19,21	1.13	1 (5%)
15	NAG	b	1	15,7	14,14,15	0.85	1 (7%)	17,19,21	1.59	4 (23%)
15	NAG	b	2	15	14,14,15	0.68	0	17,19,21	1.17	1 (5%)
15	BMA	b	3	15	11,11,12	0.85	0	15,15,17	3.01	6 (40%)
15	MAN	b	4	15	11,11,12	0.75	0	15,15,17	1.06	1 (6%)
12	NAG	c	1	12,7	14,14,15	0.74	0	17,19,21	1.07	2 (11%)

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
12	NAG	c	2	12	14,14,15	0.67	0	17,19,21	0.97	0
15	NAG	d	1	15,7	14,14,15	0.76	0	17,19,21	1.07	0
15	NAG	d	2	15	14,14,15	0.71	0	17,19,21	1.20	2 (11%)
15	BMA	d	3	15	11,11,12	0.88	0	15,15,17	2.00	6 (40%)
15	MAN	d	4	15	11,11,12	0.79	1 (9%)	15,15,17	1.10	1 (6%)
13	NAG	e	1	13,7	14,14,15	0.76	0	17,19,21	1.05	1 (5%)
13	NAG	e	2	13	14,14,15	0.70	0	17,19,21	1.53	1 (5%)
13	BMA	e	3	13	11,11,12	0.80	0	15,15,17	2.46	5 (33%)
13	MAN	e	4	13	11,11,12	0.72	0	15,15,17	0.97	1 (6%)
13	MAN	e	5	13	11,11,12	0.68	0	15,15,17	1.17	1 (6%)
16	NAG	f	1	16,7	14,14,15	0.80	0	17,19,21	0.93	1 (5%)
16	MAN	f	10	16	11,11,12	0.74	0	15,15,17	1.08	1 (6%)
16	NAG	f	2	16	14,14,15	0.77	0	17,19,21	0.93	0
16	BMA	f	3	16	11,11,12	0.87	0	15,15,17	1.99	5 (33%)
16	MAN	f	4	16	11,11,12	0.77	0	15,15,17	1.09	1 (6%)
16	MAN	f	5	16	11,11,12	0.83	0	15,15,17	1.14	1 (6%)
16	MAN	f	6	16	11,11,12	0.82	1 (9%)	15,15,17	0.92	1 (6%)
16	MAN	f	7	16	11,11,12	0.85	1 (9%)	15,15,17	1.13	0
16	MAN	f	8	16	11,11,12	0.84	1 (9%)	15,15,17	1.12	1 (6%)
16	MAN	f	9	16	11,11,12	0.83	1 (9%)	15,15,17	1.01	1 (6%)
12	NAG	g	1	12,7	14,14,15	0.87	1 (7%)	17,19,21	1.05	1 (5%)
12	NAG	g	2	12	14,14,15	0.78	0	17,19,21	0.94	0
17	NAG	h	1	17,7	14,14,15	0.70	0	17,19,21	1.14	1 (5%)
17	NAG	h	2	17	14,14,15	0.75	0	17,19,21	0.89	0
17	BMA	h	3	17	11,11,12	0.77	0	15,15,17	2.71	5 (33%)
17	MAN	h	4	17	11,11,12	0.75	0	15,15,17	1.12	1 (6%)
17	MAN	h	5	17	11,11,12	0.82	1 (9%)	15,15,17	0.98	1 (6%)
17	MAN	h	6	17	11,11,12	0.85	1 (9%)	15,15,17	1.10	1 (6%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	NAG	R	1	8,7	-	4/6/23/26	0/1/1/1
8	NAG	R	2	8	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
8	BMA	R	3	8	-	1/2/19/22	0/1/1/1
9	NAG	S	1	9,7	-	0/6/23/26	0/1/1/1
9	NAG	S	2	9	-	0/6/23/26	0/1/1/1
9	BMA	S	3	9	-	1/2/19/22	0/1/1/1
9	MAN	S	4	9	-	0/2/19/22	0/1/1/1
10	NAG	T	1	10,7	-	1/6/23/26	0/1/1/1
10	MAN	T	10	10	-	1/2/19/22	0/1/1/1
10	NAG	T	2	10	-	2/6/23/26	0/1/1/1
10	BMA	T	3	10	-	2/2/19/22	0/1/1/1
10	MAN	T	4	10	-	1/2/19/22	0/1/1/1
10	MAN	T	5	10	-	2/2/19/22	0/1/1/1
10	MAN	T	6	10	-	1/2/19/22	0/1/1/1
10	MAN	T	7	10	-	0/2/19/22	0/1/1/1
10	MAN	T	8	10	-	1/2/19/22	0/1/1/1
10	MAN	T	9	10	-	0/2/19/22	0/1/1/1
11	NAG	U	1	11,7	-	0/6/23/26	0/1/1/1
11	NAG	U	2	11	-	0/6/23/26	0/1/1/1
11	BMA	U	3	11	-	2/2/19/22	0/1/1/1
11	MAN	U	4	11	-	2/2/19/22	0/1/1/1
11	MAN	U	5	11	-	2/2/19/22	0/1/1/1
11	MAN	U	6	11	-	1/2/19/22	0/1/1/1
11	MAN	U	7	11	-	0/2/19/22	0/1/1/1
12	NAG	V	1	12,7	-	2/6/23/26	0/1/1/1
12	NAG	V	2	12	-	0/6/23/26	0/1/1/1
12	NAG	W	1	12,7	-	0/6/23/26	0/1/1/1
12	NAG	W	2	12	-	1/6/23/26	0/1/1/1
13	NAG	X	1	13,7	-	0/6/23/26	0/1/1/1
13	NAG	X	2	13	-	4/6/23/26	0/1/1/1
13	BMA	X	3	13	-	0/2/19/22	0/1/1/1
13	MAN	X	4	13	-	2/2/19/22	0/1/1/1
13	MAN	X	5	13	-	1/2/19/22	0/1/1/1
14	NAG	Y	1	14,7	-	0/6/23/26	0/1/1/1
14	NAG	Y	2	14	-	0/6/23/26	0/1/1/1
14	BMA	Y	3	14	-	2/2/19/22	0/1/1/1
14	MAN	Y	4	14	-	0/2/19/22	0/1/1/1
14	MAN	Y	5	14	-	1/2/19/22	0/1/1/1
14	MAN	Y	6	14	-	0/2/19/22	0/1/1/1
14	MAN	Y	7	14	-	2/2/19/22	0/1/1/1
10	NAG	Z	1	10,7	-	1/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
10	MAN	Z	10	10	-	2/2/19/22	0/1/1/1
10	NAG	Z	2	10	-	3/6/23/26	0/1/1/1
10	BMA	Z	3	10	-	0/2/19/22	0/1/1/1
10	MAN	Z	4	10	-	1/2/19/22	0/1/1/1
10	MAN	Z	5	10	-	2/2/19/22	0/1/1/1
10	MAN	Z	6	10	-	2/2/19/22	0/1/1/1
10	MAN	Z	7	10	-	0/2/19/22	0/1/1/1
10	MAN	Z	8	10	-	0/2/19/22	0/1/1/1
10	MAN	Z	9	10	-	2/2/19/22	0/1/1/1
12	NAG	a	1	12,7	-	1/6/23/26	0/1/1/1
12	NAG	a	2	12	-	2/6/23/26	0/1/1/1
15	NAG	b	1	15,7	-	0/6/23/26	0/1/1/1
15	NAG	b	2	15	-	0/6/23/26	0/1/1/1
15	BMA	b	3	15	-	0/2/19/22	0/1/1/1
15	MAN	b	4	15	-	2/2/19/22	0/1/1/1
12	NAG	c	1	12,7	-	0/6/23/26	0/1/1/1
12	NAG	c	2	12	-	0/6/23/26	0/1/1/1
15	NAG	d	1	15,7	-	0/6/23/26	0/1/1/1
15	NAG	d	2	15	-	0/6/23/26	0/1/1/1
15	BMA	d	3	15	-	1/2/19/22	0/1/1/1
15	MAN	d	4	15	-	1/2/19/22	0/1/1/1
13	NAG	e	1	13,7	-	0/6/23/26	0/1/1/1
13	NAG	e	2	13	-	2/6/23/26	0/1/1/1
13	BMA	e	3	13	-	1/2/19/22	0/1/1/1
13	MAN	e	4	13	-	1/2/19/22	0/1/1/1
13	MAN	e	5	13	-	2/2/19/22	0/1/1/1
16	NAG	f	1	16,7	-	0/6/23/26	0/1/1/1
16	MAN	f	10	16	-	1/2/19/22	0/1/1/1
16	NAG	f	2	16	-	1/6/23/26	0/1/1/1
16	BMA	f	3	16	-	2/2/19/22	0/1/1/1
16	MAN	f	4	16	-	2/2/19/22	0/1/1/1
16	MAN	f	5	16	-	2/2/19/22	0/1/1/1
16	MAN	f	6	16	-	0/2/19/22	0/1/1/1
16	MAN	f	7	16	-	2/2/19/22	0/1/1/1
16	MAN	f	8	16	-	2/2/19/22	0/1/1/1
16	MAN	f	9	16	-	1/2/19/22	0/1/1/1
12	NAG	g	1	12,7	-	0/6/23/26	0/1/1/1
12	NAG	g	2	12	-	0/6/23/26	0/1/1/1
17	NAG	h	1	17,7	-	0/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
17	NAG	h	2	17	-	0/6/23/26	0/1/1/1
17	BMA	h	3	17	-	1/2/19/22	0/1/1/1
17	MAN	h	4	17	-	2/2/19/22	0/1/1/1
17	MAN	h	5	17	-	2/2/19/22	0/1/1/1
17	MAN	h	6	17	-	2/2/19/22	0/1/1/1

The worst 5 of 22 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
10	T	7	MAN	O5-C1	-2.54	1.39	1.43
12	W	2	NAG	C1-C2	2.28	1.55	1.52
14	Y	5	MAN	O5-C1	-2.17	1.40	1.43
15	b	1	NAG	O5-C1	-2.16	1.40	1.43
16	f	8	MAN	O5-C1	-2.15	1.40	1.43

The worst 5 of 148 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
10	T	3	BMA	C1-O5-C5	9.82	125.35	112.19
15	b	3	BMA	C1-O5-C5	9.46	124.87	112.19
9	S	3	BMA	C1-O5-C5	8.99	124.23	112.19
17	h	3	BMA	C1-O5-C5	8.42	123.46	112.19
14	Y	3	BMA	C1-O5-C5	8.36	123.39	112.19

There are no chirality outliers.

5 of 85 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
10	Z	1	NAG	C1-C2-N2-C7
11	U	5	MAN	C4-C5-C6-O6
10	T	3	BMA	C4-C5-C6-O6
10	Z	9	MAN	O5-C5-C6-O6
13	X	4	MAN	O5-C5-C6-O6

There are no ring outliers.

5 monomers are involved in 5 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	U	5	MAN	1	0
10	Z	9	MAN	1	0


Continued on next page...


Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
10	Z	1	NAG	1	0
16	f	9	MAN	1	0
13	X	4	MAN	1	0


The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.













































5.6 Ligand geometry [i](#)

30 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
18	NAG	C	806	7	14,14,15	0.77	0	17,19,21	0.97	1 (5%)
18	NAG	B	802	7	14,14,15	0.70	0	17,19,21	2.55	4 (23%)
18	NAG	B	804	7	14,14,15	0.80	0	17,19,21	1.77	2 (11%)
18	NAG	B	808	7	14,14,15	0.75	0	17,19,21	1.12	1 (5%)
18	NAG	B	803	7	14,14,15	0.74	0	17,19,21	1.09	0
18	NAG	A	806	7	14,14,15	0.70	0	17,19,21	0.97	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
18	NAG	C	802	7	14,14,15	0.74	0	17,19,21	0.99	1 (5%)
18	NAG	B	807	7	14,14,15	0.72	0	17,19,21	1.79	2 (11%)
18	NAG	C	801	7	14,14,15	0.72	0	17,19,21	0.91	0
18	NAG	B	806	7	14,14,15	0.72	0	17,19,21	0.93	0
18	NAG	A	804	7	14,14,15	0.76	0	17,19,21	1.10	0
18	NAG	A	808	7	14,14,15	0.77	0	17,19,21	0.92	0
18	NAG	C	805	7	14,14,15	0.76	0	17,19,21	1.63	2 (11%)
18	NAG	A	805	7	14,14,15	0.73	0	17,19,21	0.99	0
18	NAG	A	802	7	14,14,15	0.77	0	17,19,21	1.11	1 (5%)
18	NAG	A	807	7	14,14,15	0.80	0	17,19,21	1.04	1 (5%)
18	NAG	B	801	7	14,14,15	0.73	0	17,19,21	0.88	0
18	NAG	C	804	7	14,14,15	0.74	0	17,19,21	1.09	1 (5%)
18	NAG	C	808	7	14,14,15	0.69	0	17,19,21	1.08	0
18	NAG	A	803	7	14,14,15	0.83	0	17,19,21	1.00	1 (5%)
18	NAG	D	301	1	14,14,15	0.69	0	17,19,21	0.92	0
18	NAG	A	809	7	14,14,15	0.71	0	17,19,21	0.91	0
18	NAG	A	810	7	14,14,15	0.74	0	17,19,21	1.23	2 (11%)
18	NAG	A	811	7	14,14,15	0.78	0	17,19,21	0.87	0
18	NAG	B	805	7	14,14,15	0.75	0	17,19,21	0.83	0
18	NAG	C	803	7	14,14,15	0.72	0	17,19,21	1.13	1 (5%)
18	NAG	A	801	7	14,14,15	0.75	0	17,19,21	0.90	0
18	NAG	I	301	1	14,14,15	0.73	0	17,19,21	0.88	0
18	NAG	F	301	1	14,14,15	0.72	0	17,19,21	0.91	0
18	NAG	C	807	7	14,14,15	0.73	0	17,19,21	1.03	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	NAG	C	806	7	-	1/6/23/26	0/1/1/1
18	NAG	B	802	7	-	4/6/23/26	0/1/1/1
18	NAG	B	804	7	-	2/6/23/26	0/1/1/1
18	NAG	B	808	7	-	0/6/23/26	0/1/1/1
18	NAG	B	803	7	-	1/6/23/26	0/1/1/1
18	NAG	A	806	7	-	1/6/23/26	0/1/1/1
18	NAG	C	802	7	-	0/6/23/26	0/1/1/1
18	NAG	B	807	7	-	2/6/23/26	0/1/1/1
18	NAG	C	801	7	-	1/6/23/26	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
18	NAG	B	806	7	-	1/6/23/26	0/1/1/1
18	NAG	A	804	7	-	1/6/23/26	0/1/1/1
18	NAG	A	808	7	-	0/6/23/26	0/1/1/1
18	NAG	C	805	7	-	2/6/23/26	0/1/1/1
18	NAG	A	805	7	-	0/6/23/26	0/1/1/1
18	NAG	A	802	7	-	1/6/23/26	0/1/1/1
18	NAG	A	807	7	-	0/6/23/26	0/1/1/1
18	NAG	B	801	7	-	0/6/23/26	0/1/1/1
18	NAG	C	804	7	-	1/6/23/26	0/1/1/1
18	NAG	C	808	7	-	1/6/23/26	0/1/1/1
18	NAG	A	803	7	-	0/6/23/26	0/1/1/1
18	NAG	D	301	1	-	1/6/23/26	0/1/1/1
18	NAG	A	809	7	-	1/6/23/26	0/1/1/1
18	NAG	A	810	7	-	0/6/23/26	0/1/1/1
18	NAG	A	811	7	-	0/6/23/26	0/1/1/1
18	NAG	B	805	7	-	0/6/23/26	0/1/1/1
18	NAG	C	803	7	-	1/6/23/26	0/1/1/1
18	NAG	A	801	7	-	1/6/23/26	0/1/1/1
18	NAG	I	301	1	-	0/6/23/26	0/1/1/1
18	NAG	F	301	1	-	1/6/23/26	0/1/1/1
18	NAG	C	807	7	-	1/6/23/26	0/1/1/1

There are no bond length outliers.

The worst 5 of 20 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
18	B	802	NAG	C1-O5-C5	7.21	121.84	112.19
18	B	807	NAG	C2-N2-C7	5.93	130.84	122.90
18	B	804	NAG	C2-N2-C7	5.87	130.76	122.90
18	C	805	NAG	C2-N2-C7	5.40	130.13	122.90
18	B	802	NAG	C2-N2-C7	5.32	130.02	122.90

There are no chirality outliers.

5 of 25 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
18	B	802	NAG	O5-C5-C6-O6
18	B	802	NAG	C4-C5-C6-O6
18	B	802	NAG	C8-C7-N2-C2
18	B	802	NAG	O7-C7-N2-C2
18	B	804	NAG	C8-C7-N2-C2

There are no ring outliers.

2 monomers are involved in 2 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
18	A	803	NAG	1	0
18	B	805	NAG	1	0

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-70471. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 270



Y Index: 270




Z Index: 270


6.2.2 Raw map



X Index: 270



Y Index: 270




Z Index: 270


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 254




Y Index: 281




Z Index: 286


6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y



Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



X



Y




Z

The images above show the 3D surface view of the map at the recommended contour level 0.06. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.5.2 Raw map



X



Y



Z

These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_70471_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 220 nm³; this corresponds to an approximate mass of 198 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.286 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.286 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.50	-	-
Author-provided FSC curve	3.46	3.95	3.50
Unmasked-calculated*	4.14	8.26	4.18

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.14 differs from the reported value 3.5 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-70471 and PDB model 9OGM. Per-residue inclusion information can be found in [section 3](#) on [page 18](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.06 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.06).







































































9.4 Atom inclusion [i](#)



At the recommended contour level, 85% of all backbone atoms, 77% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.06) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7730	 0.4510
A	 0.8090	 0.4810
B	 0.7920	 0.4830
C	 0.7940	 0.4640
D	 0.7520	 0.4160
E	 0.7210	 0.3910
F	 0.7450	 0.4020
G	 0.7360	 0.4190
H	 0.6980	 0.3980
I	 0.7440	 0.4010
J	 0.7370	 0.4040
K	 0.8090	 0.4940
L	 0.5170	 0.2930
M	 0.7630	 0.4410
N	 0.8090	 0.4880
O	 0.7580	 0.4250
P	 0.8270	 0.4950
Q	 0.7900	 0.4470
R	 0.7180	 0.4100
S	 0.8200	 0.4960
T	 0.8880	 0.4690
U	 0.6020	 0.3050
V	 0.7140	 0.4370
W	 0.6070	 0.4260
X	 0.7380	 0.4660
Y	 0.8190	 0.4470
Z	 0.9140	 0.5190
a	 0.8570	 0.5210
b	 0.6400	 0.4210
c	 0.6070	 0.4380
d	 0.7400	 0.4180
e	 0.7870	 0.4330
f	 0.8360	 0.4760
g	 0.7500	 0.4180
h	 0.7220	 0.4090

