



wwPDB EM Validation Summary Report ⓘ

Mar 6, 2025 – 02:20 pm GMT

PDB ID : 8P18
EMDB ID : EMD-17348
Title : E167K RF2 on E. coli 70S release complex with UGG (Structure III)
Authors : Pundir, S.; Larsson, D.S.D.; Selmer, M.; Sanyal, S.
Deposited on : 2023-05-11
Resolution : 2.77 Å(reported)
Based on initial models : 7K00, 5MDV, 1GQE, 8B0X

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : **FAILED**
Mogul : 1.8.4, CSD as541be (2020)
MolProbity : 4.02b-467
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : **FAILED**
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.41


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.77 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.




























Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$.

Mol	Chain	Length	Quality of chain
1	2	1542	
2	g	241	
3	h	233	
4	i	206	
5	j	167	
6	k	135	
7	l	179	
8	m	130	
9	n	130	























Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
10	o	103	 94% 5%
11	p	129	 89% 9%
12	q	124	 98% ..
13	r	118	 97% .
14	s	101	 99% .
15	t	89	 97% ..
16	u	82	 99% .
17	v	84	 90% 6%
18	w	75	 88% 12%
19	x	92	 91% 9%
20	y	87	 98% ..
21	z	71	 94% ..
22	4	49	 37% 16% 47%
23	5	76	 63% 37%
24	1	2904	 83% 17%
25	3	120	 88% 12% .
26	B	273	 98% ..
27	C	209	 98% .
28	D	201	 100%
29	E	179	 97% ..
30	F	177	 96% ..
31	J	142	 99% .
32	K	123	 98% .
33	L	144	 99% .
34	M	136	 98% .

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
35	N	127	 91% . 7%
36	O	117	 98% ..
37	P	115	 98% ..
38	Q	118	 99% .
39	R	103	 95% 5%
40	S	110	 99% .
41	T	100	 92% . 7%
42	U	104	 92% 6% .
43	V	94	 98% .
44	W	85	 88% . 11%
45	X	78	 97% ..
46	Y	63	 97% ..
47	Z	59	 98% .
48	b	57	 98% .
49	c	55	 89% . 7%
50	d	46	 98% .
51	e	65	 97% ..
52	f	38	 100%
53	a	70	 84% . 14%
54	I	142	 47% . 52%
55	6	365	 96% ..
56	G	149	 97% .

2 Entry composition

There are 63 unique types of molecules in this entry. The entry contains 148603 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	2	1536	Total	C	N	O	P	0	0
			32966	14711	6044	10675	1536		

- Molecule 2 is a protein called Small ribosomal subunit protein uS2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	g	224	Total	C	N	O	S	0	0
			1753	1109	315	321	8		

- Molecule 3 is a protein called Small ribosomal subunit protein uS3.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	h	210	Total	C	N	O	S	0	0
			1648	1043	309	292	4		

- Molecule 4 is a protein called Small ribosomal subunit protein uS4.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	i	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 5 is a protein called Small ribosomal subunit protein uS5.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	j	156	Total	C	N	O	S	0	0
			1152	717	217	212	6		

- Molecule 6 is a protein called 30S ribosomal protein S6.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	k	103	Total	C	N	O	S	0	0
			839	530	151	151	7		

- Molecule 7 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	l	154	Total	C	N	O	S	0	0
			1214	756	235	219	4		

- Molecule 8 is a protein called Small ribosomal subunit protein uS8.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	m	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 9 is a protein called Small ribosomal subunit protein uS9.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	n	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 10 is a protein called Small ribosomal subunit protein uS10.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	o	98	Total	C	N	O	S	0	0
			786	493	150	142	1		

- Molecule 11 is a protein called Small ribosomal subunit protein uS11.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	p	117	Total	C	N	O	S	0	0
			877	540	173	161	3		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
p	119	IAS	ASN	variant	UNP P0A7R9

- Molecule 12 is a protein called Small ribosomal subunit protein uS12.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	q	123	Total	C	N	O	S	0	0
			957	591	196	165	5		

- Molecule 13 is a protein called Small ribosomal subunit protein uS13.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	r	115	Total	C	N	O	S	0	0
			891	552	179	157	3		

- Molecule 14 is a protein called Small ribosomal subunit protein uS14.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	s	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 15 is a protein called Small ribosomal subunit protein uS15.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	t	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 16 is a protein called Small ribosomal subunit protein bS16.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	u	81	Total	C	N	O	S	0	0
			643	403	127	112	1		

- Molecule 17 is a protein called Small ribosomal subunit protein uS17.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	v	79	Total	C	N	O	S	0	0
			641	406	120	112	3		

- Molecule 18 is a protein called Small ribosomal subunit protein bS18.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	w	66	Total	C	N	O	S	0	0
			544	345	102	96	1		

- Molecule 19 is a protein called Small ribosomal subunit protein uS19.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	x	84	Total	C	N	O	S	0	0
			668	427	127	112	2		

- Molecule 20 is a protein called Small ribosomal subunit protein bS20.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	y	86	Total	C	N	O	S	0	0
			670	414	138	115	3		

- Molecule 21 is a protein called Small ribosomal subunit protein bS21.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	z	70	Total	C	N	O	S	0	0
			589	366	125	97	1		

- Molecule 22 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	4	26	Total	C	N	O	P	0	0
			562	251	104	181	26		

- Molecule 23 is a RNA chain called tRNA(fMet).

Mol	Chain	Residues	Atoms					AltConf	Trace
23	5	76	Total	C	N	O	P	2	0
			1665	742	302	543	78		

- Molecule 24 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	1	2899	Total	C	N	O	P	0	0
			62252	27778	11456	20119	2899		

- Molecule 25 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	3	119	Total	C	N	O	P	0	0
			2549	1135	466	829	119		

- Molecule 26 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	B	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 27 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	C	209	Total	C	N	O	S	0	0
			1566	980	288	294	4		

- Molecule 28 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	D	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 29 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	E	177	Total	C	N	O	S	0	0
			1410	899	249	256	6		

- Molecule 30 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	F	175	Total	C	N	O	S	0	0
			1313	826	241	244	2		

- Molecule 31 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	J	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 32 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	K	123	Total	C	N	O	S	0	0
			946	593	181	166	6		

- Molecule 33 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	L	144	Total	C	N	O	S	0	0
			1053	654	207	190	2		

- Molecule 34 is a protein called Large ribosomal subunit protein uL16.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	M	136	Total	C	N	O	S	0	0
			1075	686	205	177	7		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
M	82	MS6	MET	variant	UNP P0ADY7

- Molecule 35 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	N	118	Total	C	N	O	S	0	0
			945	585	194	161	5		

- Molecule 36 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
36	O	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 37 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	P	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 38 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
38	Q	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 39 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	R	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 40 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	S	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 41 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	T	93	Total	C	N	O	S	0	0
			738	466	139	131	2		

- Molecule 42 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	U	102	Total	C	N	O	S	0	0
			779	492	146	141			

- Molecule 43 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	V	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 44 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	W	76	Total	C	N	O	S	0	0
			582	360	117	104	1		

- Molecule 45 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	X	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 46 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	Y	62	Total	C	N	O	S	0	0
			501	308	98	94	1		

- Molecule 47 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	Z	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 48 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	b	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 49 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	c	51	Total	C	N	O	S	0	0
			417	269	76	72			

- Molecule 50 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	d	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 51 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	e	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 52 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	f	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 53 is a protein called Large ribosomal subunit protein bL31.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	a	60	Total	C	N	O	S	0	0
			480	299	90	85	6		

- Molecule 54 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	I	68	Total	C	N	O	S	0	0
			484	298	89	94	3		

- Molecule 55 is a protein called Peptide chain release factor RF2.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	6	361	Total	C	N	O	S	0	0
			2855	1757	501	587	10		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
6	167	LYS	GLU	engineered mutation	UNP P07012


- Molecule 56 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	G	149	Total	C	N	O	S	0	0
			1111	699	197	214	1		

- Molecule 57 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
57	2	91	Total	Mg	0
			91	91	
57	s	1	Total	Mg	0
			1	1	
57	5	2	Total	Mg	0
			2	2	
57	1	219	Total	Mg	0
			219	219	
57	3	5	Total	Mg	0
			5	5	
57	B	1	Total	Mg	0
			1	1	
57	C	1	Total	Mg	0
			1	1	
57	b	1	Total	Mg	0
			1	1	

- Molecule 58 is SPERMIDINE (three-letter code: SPD) (formula: C₇H₁₉N₃).




Mol	Chain	Residues	Atoms			AltConf
58	2	1	Total	C	N	0
			10	7	3	
58	2	1	Total	C	N	0
			10	7	3	
58	1	1	Total	C	N	0
			10	7	3	
58	1	1	Total	C	N	0
			10	7	3	
58	1	1	Total	C	N	0
			10	7	3	
58	1	1	Total	C	N	0
			10	7	3	
58	1	1	Total	C	N	0
			10	7	3	
58	1	1	Total	C	N	0
			10	7	3	
58	1	1	Total	C	N	0
			10	7	3	
58	1	1	Total	C	N	0
			10	7	3	

- Molecule 59 is POTASSIUM ION (three-letter code: K) (formula: K).

Mol	Chain	Residues	Atoms		AltConf
59	2	35	Total	K	0
			35	35	
59	1	92	Total	K	0
			92	92	

- Molecule 60 is 1,4-DIAMINOBUTANE (three-letter code: PUT) (formula: $C_4H_{12}N_2$).




Mol	Chain	Residues	Atoms			AltConf
60	2	1	Total	C	N	0
			6	4	2	
60	2	1	Total	C	N	0
			6	4	2	
60	1	1	Total	C	N	0
			6	4	2	
60	1	1	Total	C	N	0
			6	4	2	
60	1	1	Total	C	N	0
			6	4	2	
60	1	1	Total	C	N	0
			6	4	2	
60	1	1	Total	C	N	0
			6	4	2	
60	1	1	Total	C	N	0
			6	4	2	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
60	1	1	Total	C	N	0
			6	4	2	
60	C	1	Total	C	N	0
			6	4	2	
60	Z	1	Total	C	N	0
			6	4	2	

- Molecule 61 is SPERMINE (three-letter code: SPM) (formula: $C_{10}H_{26}N_4$).



Mol	Chain	Residues	Atoms			AltConf
61	1	1	Total	C	N	0
			14	10	4	

- Molecule 62 is ZINC ION (three-letter code: ZN) (formula: Zn).


Mol	Chain	Residues	Atoms		AltConf
62	f	1	Total	Zn	0
			1	1	
62	a	1	Total	Zn	0
			1	1	

- Molecule 63 is water.

Mol	Chain	Residues	Atoms		AltConf
63	1	1	Total	O	0
			1	1	


- Molecule 4: Small ribosomal subunit protein uS4

Chain i:  99%




- Molecule 5: Small ribosomal subunit protein uS5

Chain j:  93%





- Molecule 6: 30S ribosomal protein S6

Chain k:  75%



- Molecule 7: 30S ribosomal protein S7

Chain l:  84%




- Molecule 8: Small ribosomal subunit protein uS8

Chain m:  98%




- Molecule 9: Small ribosomal subunit protein uS9

Chain n:  96%





- Molecule 10: Small ribosomal subunit protein uS10

Chain o:  94%



- Molecule 11: Small ribosomal subunit protein uS11

Chain p:  89% 9%




- Molecule 12: Small ribosomal subunit protein uS12

Chain q:  98% ..



- Molecule 13: Small ribosomal subunit protein uS13

Chain r:  97% .



- Molecule 14: Small ribosomal subunit protein uS14

Chain s:  99% .



- Molecule 15: Small ribosomal subunit protein uS15

Chain t:  97% ..





- Molecule 16: Small ribosomal subunit protein bS16

Chain u:  99% .




- Molecule 17: Small ribosomal subunit protein uS17

Chain v:  90% 6%




- Molecule 18: Small ribosomal subunit protein bS18

Chain w:  88% 12%

MET
ALA
ARG
TYR
PHE
ARG
ARG
ARG
K9
H74
GLN

- Molecule 19: Small ribosomal subunit protein uS19

Chain x:  91% 9%

MET
P2
ASP
LYS
LYS
LYS
LYS
LYS
LYS

- Molecule 20: Small ribosomal subunit protein bS20

Chain y:  98% ..


MET
A2
K3
ASP
ASP

- Molecule 21: Small ribosomal subunit protein bS21

Chain z:  94% ..

MET
P2
V3
K49
E63
Y71

- Molecule 22: mRNA

Chain 4:  37% 16% 47%


G
A
A
U
U
C
G
G
G
C
C
C
U
U
U
G
U
U
U
A
A
C
A
A
U
U24
U32
A33
U34
U35
A38
U41
G44
U47
U48
C49

- Molecule 23: tRNA(fMet)

Chain 5:  63% 37%


G2
G5
G6
G7
U8
G9
C13
A14
G15
C16
C17
U17A
G18
G19
U20
A21
C25
G31
G42
A43
U47
C48
C51
G52
G53
U54
A58
C65
C69
G70
C71
A76

- Molecule 24: 23S rRNA

Chain 1:  83% 17%

G1
A10
G15
G23
G24
G25
U34
A42
G45
G51
G58
G61
A71
U72
A73
A74
G75
G80
A101
U102
A118
A119
U120
A125
G134
U135
G136
U139
C140
G141
A142
G163
A181
A196
A199
G215
A216
A221

A222
A231
G248
C264
A265
G266
C267
G271
A272
G273
C274
C275
U276
G277
A278
C281
A282
G283
U284
G285
U286
G287
U288
G289
U290
G291
U292
U293
A294
G303
U304
A311
G312
G329
A330
C331
A345
C353
G356
G359
U360
G361
A362
G363
C366
G370



• Molecule 25: 5S rRNA

Chain 3: 88% 12%



• Molecule 26: 50S ribosomal protein L2

Chain B: 98% 2%




- Molecule 27: 50S ribosomal protein L3

Chain C: 98% .



- Molecule 28: 50S ribosomal protein L4

Chain D: 100%



- Molecule 29: 50S ribosomal protein L5

Chain E: 97% ..



- Molecule 30: 50S ribosomal protein L6

Chain F: 96% ..



- Molecule 31: 50S ribosomal protein L13

Chain J: 99% .



- Molecule 32: 50S ribosomal protein L14

Chain K: 98% .




- Molecule 33: 50S ribosomal protein L15

Chain L: 99% .




- Molecule 34: Large ribosomal subunit protein uL16

Chain M: 98%



- Molecule 35: 50S ribosomal protein L17

Chain N: 91% 7%



- Molecule 36: 50S ribosomal protein L18

Chain O: 98%



- Molecule 37: 50S ribosomal protein L19

Chain P: 98%



- Molecule 38: 50S ribosomal protein L20

Chain Q: 99%




- Molecule 39: 50S ribosomal protein L21

Chain R: 95% 5%




- Molecule 40: 50S ribosomal protein L22

Chain S: 99%



- Molecule 41: 50S ribosomal protein L23





- Molecule 42: 50S ribosomal protein L24




- Molecule 43: 50S ribosomal protein L25




- Molecule 44: 50S ribosomal protein L27



- Molecule 45: 50S ribosomal protein L28



- Molecule 46: 50S ribosomal protein L29



- Molecule 47: 50S ribosomal protein L30





- Molecule 48: 50S ribosomal protein L32

Chain b: 98%




- Molecule 49: 50S ribosomal protein L33

Chain c: 89%



- Molecule 50: 50S ribosomal protein L34

Chain d: 98%



- Molecule 51: 50S ribosomal protein L35

Chain e: 97%




- Molecule 52: 50S ribosomal protein L36

Chain f: 100%

There are no outlier residues recorded for this chain.


- Molecule 53: Large ribosomal subunit protein bL31


Chain a: 84%



- Molecule 54: 50S ribosomal protein L11

Chain I: 47%





- Molecule 55: Peptide chain release factor RF2



- Molecule 56: 50S ribosomal protein L9



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	21004	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	38.14	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1300	Depositor
Magnification	105000	Depositor
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: PSU, IAS, MS6, OMU, 2MG, 2MA, H2U, ZN, PUT, SPD, 1MG, SPM, D2T, 6MZ, MEQ, 4OC, G7M, 4D4, OMG, MG, 5MC, OMC, 5MU, UR3, MA6, 3TD, K

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	2	0.66	0/36631	0.82	5/57136 (0.0%)
2	g	0.31	0/1784	0.49	0/2403
3	h	0.33	0/1675	0.52	0/2256
4	i	0.34	0/1665	0.52	0/2227
5	j	0.36	0/1165	0.53	0/1568
6	k	0.34	0/858	0.52	0/1160
7	l	0.30	0/1230	0.53	0/1649
8	m	0.35	0/989	0.51	0/1326
9	n	0.33	0/1034	0.57	0/1375
10	o	0.31	0/796	0.57	0/1077
11	p	0.33	0/884	0.55	0/1191
12	q	0.38	0/960	0.59	0/1286
13	r	0.30	0/900	0.57	0/1204
14	s	0.32	0/817	0.54	0/1088
15	t	0.32	0/722	0.53	0/964
16	u	0.34	0/653	0.57	0/877
17	v	0.33	0/650	0.52	0/871
18	w	0.36	0/553	0.53	0/742
19	x	0.31	0/685	0.51	0/922
20	y	0.30	0/676	0.49	0/895
21	z	0.35	0/597	0.57	0/792
22	4	0.48	0/630	0.86	0/981
23	5	0.61	0/1859	0.85	0/2894
24	1	0.75	0/69147	0.82	14/107869 (0.0%)
25	3	0.60	0/2850	0.79	0/4444
26	B	0.40	0/2121	0.57	0/2852
27	C	0.38	0/1576	0.53	0/2119
28	D	0.35	0/1571	0.51	0/2113
29	E	0.32	0/1434	0.52	0/1926
30	F	0.32	0/1333	0.52	0/1805
31	J	0.38	0/1152	0.50	0/1551

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
32	K	0.38	0/955	0.58	0/1279
33	L	0.36	0/1062	0.57	0/1413
34	M	0.39	0/1073	0.56	0/1433
35	N	0.37	0/958	0.58	0/1281
36	O	0.33	0/902	0.55	0/1209
37	P	0.37	0/929	0.56	0/1242
38	Q	0.42	0/960	0.54	0/1278
39	R	0.39	0/829	0.58	0/1107
40	S	0.35	0/864	0.54	0/1156
41	T	0.34	0/744	0.52	0/994
42	U	0.34	0/787	0.51	0/1051
43	V	0.34	0/766	0.50	0/1025
44	W	0.38	0/589	0.55	0/779
45	X	0.37	0/635	0.58	0/848
46	Y	0.29	0/502	0.48	0/667
47	Z	0.33	0/453	0.57	0/605
48	b	0.36	0/450	0.58	0/599
49	c	0.36	0/424	0.52	0/565
50	d	0.36	0/380	0.63	0/498
51	e	0.34	0/513	0.55	0/676
52	f	0.39	0/303	0.58	0/397
53	a	0.29	0/488	0.51	0/649
54	I	0.25	0/486	0.49	0/650
55	6	0.32	0/2884	0.48	0/3885
56	G	0.29	0/1122	0.51	0/1515
All	All	0.62	0/159655	0.75	19/238364 (0.0%)

There are no bond length outliers.

The worst 5 of 19 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	1	2096	C	N1-C2-O2	-9.83	113.00	118.90
24	1	2096	C	C2-N3-C4	-8.15	115.82	119.90
1	2	1535	C	N1-C2-O2	-6.69	114.89	118.90
24	1	1857	G	O4'-C1'-N9	5.94	112.96	108.20
24	1	1313	U	C2-N1-C1'	5.94	124.82	117.70

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
2	g	222/241 (92%)	217 (98%)	5 (2%)	0	100	100
3	h	208/233 (89%)	205 (99%)	3 (1%)	0	100	100
4	i	203/206 (98%)	201 (99%)	2 (1%)	0	100	100
5	j	154/167 (92%)	150 (97%)	4 (3%)	0	100	100
6	k	101/135 (75%)	100 (99%)	1 (1%)	0	100	100
7	l	152/179 (85%)	146 (96%)	6 (4%)	0	100	100
8	m	127/130 (98%)	123 (97%)	4 (3%)	0	100	100
9	n	125/130 (96%)	123 (98%)	2 (2%)	0	100	100
10	o	96/103 (93%)	93 (97%)	2 (2%)	1 (1%)	13	36
11	p	113/129 (88%)	111 (98%)	2 (2%)	0	100	100
12	q	120/124 (97%)	116 (97%)	4 (3%)	0	100	100
13	r	113/118 (96%)	108 (96%)	5 (4%)	0	100	100
14	s	98/101 (97%)	97 (99%)	1 (1%)	0	100	100
15	t	86/89 (97%)	84 (98%)	2 (2%)	0	100	100
16	u	79/82 (96%)	76 (96%)	3 (4%)	0	100	100
17	v	77/84 (92%)	76 (99%)	1 (1%)	0	100	100
18	w	64/75 (85%)	64 (100%)	0	0	100	100
19	x	82/92 (89%)	82 (100%)	0	0	100	100
20	y	84/87 (97%)	84 (100%)	0	0	100	100
21	z	68/71 (96%)	67 (98%)	1 (2%)	0	100	100
26	B	269/273 (98%)	266 (99%)	3 (1%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
27	C	206/209 (99%)	200 (97%)	5 (2%)	1 (0%)	25	52
28	D	199/201 (99%)	194 (98%)	5 (2%)	0	100	100
29	E	175/179 (98%)	166 (95%)	9 (5%)	0	100	100
30	F	173/177 (98%)	166 (96%)	7 (4%)	0	100	100
31	J	140/142 (99%)	139 (99%)	1 (1%)	0	100	100
32	K	121/123 (98%)	119 (98%)	2 (2%)	0	100	100
33	L	142/144 (99%)	140 (99%)	2 (1%)	0	100	100
34	M	132/136 (97%)	129 (98%)	3 (2%)	0	100	100
35	N	116/127 (91%)	111 (96%)	5 (4%)	0	100	100
36	O	114/117 (97%)	112 (98%)	2 (2%)	0	100	100
37	P	112/115 (97%)	109 (97%)	3 (3%)	0	100	100
38	Q	115/118 (98%)	115 (100%)	0	0	100	100
39	R	101/103 (98%)	98 (97%)	3 (3%)	0	100	100
40	S	108/110 (98%)	106 (98%)	2 (2%)	0	100	100
41	T	91/100 (91%)	86 (94%)	5 (6%)	0	100	100
42	U	100/104 (96%)	98 (98%)	2 (2%)	0	100	100
43	V	92/94 (98%)	90 (98%)	2 (2%)	0	100	100
44	W	74/85 (87%)	72 (97%)	2 (3%)	0	100	100
45	X	75/78 (96%)	75 (100%)	0	0	100	100
46	Y	60/63 (95%)	59 (98%)	1 (2%)	0	100	100
47	Z	56/59 (95%)	53 (95%)	3 (5%)	0	100	100
48	b	54/57 (95%)	53 (98%)	1 (2%)	0	100	100
49	c	49/55 (89%)	49 (100%)	0	0	100	100
50	d	44/46 (96%)	44 (100%)	0	0	100	100
51	e	62/65 (95%)	61 (98%)	1 (2%)	0	100	100
52	f	36/38 (95%)	36 (100%)	0	0	100	100
53	a	56/70 (80%)	54 (96%)	2 (4%)	0	100	100
54	I	66/142 (46%)	65 (98%)	1 (2%)	0	100	100
55	6	358/365 (98%)	352 (98%)	6 (2%)	0	100	100
56	G	147/149 (99%)	136 (92%)	10 (7%)	1 (1%)	19	45
All	All	6015/6420 (94%)	5876 (98%)	136 (2%)	3 (0%)	100	100

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
10	o	57	VAL
27	C	149	ASN
56	G	76	GLU

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
2	g	186/199 (94%)	181 (97%)	5 (3%)	40	71
3	h	172/190 (90%)	168 (98%)	4 (2%)	45	75
4	i	172/173 (99%)	170 (99%)	2 (1%)	67	87
5	j	119/126 (94%)	118 (99%)	1 (1%)	79	92
6	k	90/116 (78%)	88 (98%)	2 (2%)	47	76
7	l	127/147 (86%)	123 (97%)	4 (3%)	35	66
8	m	104/105 (99%)	103 (99%)	1 (1%)	73	89
9	n	105/107 (98%)	103 (98%)	2 (2%)	52	79
10	o	86/90 (96%)	86 (100%)	0	100	100
11	p	89/98 (91%)	88 (99%)	1 (1%)	70	88
12	q	102/103 (99%)	102 (100%)	0	100	100
13	r	93/96 (97%)	93 (100%)	0	100	100
14	s	83/84 (99%)	83 (100%)	0	100	100
15	t	76/77 (99%)	74 (97%)	2 (3%)	41	72
16	u	65/65 (100%)	65 (100%)	0	100	100
17	v	73/78 (94%)	70 (96%)	3 (4%)	26	56
18	w	57/65 (88%)	57 (100%)	0	100	100
19	x	72/79 (91%)	72 (100%)	0	100	100
20	y	65/66 (98%)	64 (98%)	1 (2%)	60	84
21	z	60/61 (98%)	57 (95%)	3 (5%)	20	48

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
26	B	216/218 (99%)	213 (99%)	3 (1%)	62	85
27	C	163/163 (100%)	160 (98%)	3 (2%)	54	80
28	D	165/165 (100%)	164 (99%)	1 (1%)	84	94
29	E	148/150 (99%)	144 (97%)	4 (3%)	40	71
30	F	136/138 (99%)	131 (96%)	5 (4%)	29	60
31	J	116/116 (100%)	115 (99%)	1 (1%)	75	91
32	K	104/104 (100%)	102 (98%)	2 (2%)	52	79
33	L	103/103 (100%)	102 (99%)	1 (1%)	73	89
34	M	107/107 (100%)	105 (98%)	2 (2%)	52	79
35	N	98/103 (95%)	96 (98%)	2 (2%)	50	78
36	O	86/87 (99%)	85 (99%)	1 (1%)	67	87
37	P	99/100 (99%)	98 (99%)	1 (1%)	73	89
38	Q	89/90 (99%)	89 (100%)	0	100	100
39	R	84/84 (100%)	79 (94%)	5 (6%)	16	40
40	S	93/93 (100%)	92 (99%)	1 (1%)	70	88
41	T	80/84 (95%)	79 (99%)	1 (1%)	65	86
42	U	83/85 (98%)	77 (93%)	6 (7%)	12	31
43	V	78/78 (100%)	76 (97%)	2 (3%)	41	72
44	W	58/63 (92%)	57 (98%)	1 (2%)	56	81
45	X	67/68 (98%)	66 (98%)	1 (2%)	60	84
46	Y	54/55 (98%)	53 (98%)	1 (2%)	52	79
47	Z	48/49 (98%)	48 (100%)	0	100	100
48	b	47/48 (98%)	47 (100%)	0	100	100
49	c	46/49 (94%)	44 (96%)	2 (4%)	25	54
50	d	38/38 (100%)	37 (97%)	1 (3%)	41	72
51	e	51/52 (98%)	50 (98%)	1 (2%)	50	78
52	f	34/34 (100%)	34 (100%)	0	100	100
53	a	55/62 (89%)	54 (98%)	1 (2%)	54	80
54	I	50/110 (46%)	49 (98%)	1 (2%)	50	78
55	6	305/310 (98%)	296 (97%)	9 (3%)	36	67
56	G	114/114 (100%)	111 (97%)	3 (3%)	41	72

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	5011/5245 (96%)	4918 (98%)	93 (2%)	52 79

5 of 93 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
39	R	6	GLN
43	V	65	VAL
39	R	47	VAL
42	U	37	GLU
49	c	28	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 37 such sidechains are listed below:

Mol	Chain	Res	Type
44	W	12	ASN
55	6	322	GLN
46	Y	39	GLN
55	6	275	GLN
19	x	56	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	2	1531/1542 (99%)	223 (14%)	5 (0%)
22	4	25/49 (51%)	7 (28%)	1 (4%)
23	5	73/76 (96%)	28 (38%)	0
24	1	2893/2904 (99%)	467 (16%)	7 (0%)
25	3	118/120 (98%)	14 (11%)	0
All	All	4640/4691 (98%)	739 (15%)	13 (0%)

5 of 739 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	2	2	A
1	2	7	A
1	2	9	G
1	2	22	G
1	2	32	A

5 of 13 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
24	1	404	A
24	1	504	A
24	1	2162	G
24	1	827	U
24	1	2146	C

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

40 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
34	4D4	M	81	34	9,11,12	0.57	0	8,13,15	1.95	3 (37%)
1	MA6	2	1518	1	18,26,27	0.79	0	19,38,41	0.77	0
1	2MG	2	1207	59,1	18,26,27	1.04	3 (16%)	16,38,41	0.66	0
1	5MC	2	1407	1	18,22,23	0.38	0	26,32,35	0.48	0
24	5MU	1	747	24	19,22,23	0.38	0	28,32,35	0.32	0
1	2MG	2	966	1	18,26,27	0.99	3 (16%)	16,38,41	0.71	0
24	2MA	1	2503	57,24,59	19,25,26	1.11	2 (10%)	21,37,40	3.00	5 (23%)
12	D2T	q	89	12	7,9,10	0.89	0	6,11,13	1.66	2 (33%)
24	G7M	1	2069	24,59	20,26,27	0.65	0	17,39,42	0.53	0
24	PSU	1	955	24	18,21,22	0.60	0	22,30,33	0.58	0
24	PSU	1	1911	24	18,21,22	0.56	0	22,30,33	0.56	0
1	4OC	2	1402	57,1	20,23,24	0.38	0	26,32,35	0.62	0
24	PSU	1	2580	24	18,21,22	0.69	1 (5%)	22,30,33	0.71	1 (4%)
24	H2U	1	2449	24	18,21,22	0.34	0	21,30,33	0.48	0
1	UR3	2	1498	1	19,22,23	0.37	0	26,32,35	0.35	0
24	OMU	1	2552	57,24	19,22,23	0.36	0	26,31,34	0.42	0
24	PSU	1	2457	24	18,21,22	0.62	0	22,30,33	0.58	0
1	MA6	2	1519	1	18,26,27	0.78	0	19,38,41	0.79	1 (5%)
1	PSU	2	516	57,1	18,21,22	0.57	1 (5%)	22,30,33	0.64	1 (4%)
1	G7M	2	527	1	20,26,27	0.63	0	17,39,42	0.51	0
24	PSU	1	2604	24	18,21,22	0.57	0	22,30,33	0.65	0
24	3TD	1	1915	57,24	19,22,23	0.56	0	21,32,35	0.83	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
1	5MC	2	967	1	18,22,23	0.34	0	26,32,35	0.42	0
11	IAS	p	119	11	6,7,8	0.93	0	6,8,10	1.25	1 (16%)
24	6MZ	1	2030	24	18,25,26	0.80	0	16,36,39	0.75	1 (6%)
24	PSU	1	1917	24	18,21,22	0.57	0	22,30,33	0.57	0
24	OMG	1	2251	23,24,59	18,26,27	1.15	3 (16%)	19,38,41	0.60	0
24	PSU	1	746	57,24	18,21,22	0.62	0	22,30,33	0.37	0
24	PSU	1	2605	24	18,21,22	0.59	0	22,30,33	0.67	0
24	6MZ	1	1618	24	18,25,26	0.78	0	16,36,39	0.81	1 (6%)
27	MEQ	C	150	27	8,9,10	0.89	0	5,10,12	0.56	0
55	MEQ	6	252	55	8,9,10	0.93	0	5,10,12	0.91	1 (20%)
24	1MG	1	745	24	18,26,27	1.04	2 (11%)	19,39,42	0.50	0
24	5MU	1	1939	24,59	19,22,23	0.59	0	28,32,35	0.89	3 (10%)
24	PSU	1	2504	24,59	18,21,22	0.60	0	22,30,33	0.62	0
24	2MG	1	1835	24	18,26,27	1.09	3 (16%)	16,38,41	0.64	0
24	5MC	1	1962	24,59	18,22,23	0.35	0	26,32,35	0.43	0
24	OMC	1	2498	57,24	19,22,23	0.37	0	26,31,34	0.43	0
24	2MG	1	2445	24	18,26,27	1.18	3 (16%)	16,38,41	0.61	0
1	2MG	2	1516	1	18,26,27	1.07	3 (16%)	16,38,41	0.71	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
34	4D4	M	81	34	-	3/11/12/14	-
1	MA6	2	1518	1	-	0/7/29/30	0/3/3/3
1	2MG	2	1207	59,1	-	0/5/27/28	0/3/3/3
1	5MC	2	1407	1	-	0/7/25/26	0/2/2/2
24	5MU	1	747	24	-	0/7/25/26	0/2/2/2
1	2MG	2	966	1	-	1/5/27/28	0/3/3/3
24	2MA	1	2503	57,24,59	-	1/3/25/26	0/3/3/3
12	D2T	q	89	12	-	1/7/12/14	-
24	G7M	1	2069	24,59	-	1/3/25/26	0/3/3/3
24	PSU	1	955	24	-	0/7/25/26	0/2/2/2
24	PSU	1	1911	24	-	0/7/25/26	0/2/2/2
1	4OC	2	1402	57,1	-	0/9/29/30	0/2/2/2
24	PSU	1	2580	24	-	0/7/25/26	0/2/2/2
24	H2U	1	2449	24	-	0/7/38/39	0/2/2/2
1	UR3	2	1498	1	-	0/7/25/26	0/2/2/2

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
24	OMU	1	2552	57,24	-	0/9/27/28	0/2/2/2
24	PSU	1	2457	24	-	0/7/25/26	0/2/2/2
1	MA6	2	1519	1	-	2/7/29/30	0/3/3/3
1	PSU	2	516	57,1	-	0/7/25/26	0/2/2/2
1	G7M	2	527	1	-	3/3/25/26	0/3/3/3
24	PSU	1	2604	24	-	0/7/25/26	0/2/2/2
24	3TD	1	1915	57,24	-	2/7/25/26	0/2/2/2
1	5MC	2	967	1	-	0/7/25/26	0/2/2/2
11	IAS	p	119	11	-	1/7/7/8	-
24	6MZ	1	2030	24	-	2/5/27/28	0/3/3/3
24	PSU	1	1917	24	-	0/7/25/26	0/2/2/2
24	OMG	1	2251	23,24,59	-	1/5/27/28	0/3/3/3
24	PSU	1	746	57,24	-	1/7/25/26	0/2/2/2
24	PSU	1	2605	24	-	0/7/25/26	0/2/2/2
24	6MZ	1	1618	24	-	0/5/27/28	0/3/3/3
27	MEQ	C	150	27	-	3/8/9/11	-
55	MEQ	6	252	55	-	2/8/9/11	-
24	1MG	1	745	24	-	0/3/25/26	0/3/3/3
24	5MU	1	1939	24,59	-	2/7/25/26	0/2/2/2
24	PSU	1	2504	24,59	-	1/7/25/26	0/2/2/2
24	2MG	1	1835	24	-	0/5/27/28	0/3/3/3
24	5MC	1	1962	24,59	-	2/7/25/26	0/2/2/2
24	OMC	1	2498	57,24	-	0/9/27/28	0/2/2/2
24	2MG	1	2445	24	-	1/5/27/28	0/3/3/3
1	2MG	2	1516	1	-	0/5/27/28	0/3/3/3

The worst 5 of 24 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
24	1	2251	OMG	C5-C6	-3.22	1.40	1.47
24	1	2445	2MG	C5-C6	-3.21	1.40	1.47
24	1	1835	2MG	C5-C6	-2.95	1.41	1.47
24	1	745	1MG	C5-C4	-2.84	1.35	1.43
1	2	1516	2MG	C5-C6	-2.70	1.41	1.47

The worst 5 of 20 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	1	2503	2MA	C5-C6-N1	-11.99	113.14	121.01
24	1	2503	2MA	C2-N1-C6	3.87	124.11	118.08

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
24	1	2503	2MA	C2-N3-C4	-3.68	112.53	115.52
34	M	81	4D4	NE-CZ-NH2	3.66	127.12	120.70
34	M	81	4D4	O-C-CA	-2.96	117.01	124.78

There are no chirality outliers.

5 of 30 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
27	C	150	MEQ	O-C-CA-CB
24	1	1915	3TD	O4'-C4'-C5'-O5'
24	1	1939	5MU	O4'-C4'-C5'-O5'
24	1	2251	OMG	C1'-C2'-O2'-CM2
24	1	1915	3TD	C3'-C4'-C5'-O5'

There are no ring outliers.

No monomer is involved in short contacts.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 477 ligands modelled in this entry, 450 are monoatomic - leaving 27 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
61	SPM	1	3213	-	13,13,13	0.36	0	12,12,12	0.98	0
58	SPD	1	3212	-	9,9,9	0.09	0	8,8,8	0.12	0
60	PUT	C	301	-	5,5,5	0.09	0	4,4,4	0.17	0
60	PUT	1	3324	-	5,5,5	0.10	0	4,4,4	0.15	0
60	PUT	Z	101	-	5,5,5	0.10	0	4,4,4	0.19	0
58	SPD	1	3209	-	9,9,9	0.08	0	8,8,8	0.29	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
58	SPD	2	1686	-	9,9,9	0.12	0	8,8,8	0.10	0
58	SPD	1	3210	-	9,9,9	0.07	0	8,8,8	0.16	0
58	SPD	1	3203	-	9,9,9	0.08	0	8,8,8	0.18	0
58	SPD	1	3205	-	9,9,9	0.12	0	8,8,8	0.11	0
60	PUT	1	3327	-	5,5,5	0.09	0	4,4,4	0.18	0
60	PUT	1	3328	-	5,5,5	0.08	0	4,4,4	0.21	0
60	PUT	2	1728	-	5,5,5	0.14	0	4,4,4	0.16	0
60	PUT	1	3329	-	5,5,5	0.11	0	4,4,4	0.17	0
58	SPD	1	3204	-	9,9,9	0.10	0	8,8,8	0.13	0
58	SPD	1	3207	-	9,9,9	0.09	0	8,8,8	0.15	0
60	PUT	1	3326	-	5,5,5	0.06	0	4,4,4	0.20	0
60	PUT	1	3331	-	5,5,5	0.11	0	4,4,4	0.16	0
58	SPD	2	1687	-	9,9,9	0.10	0	8,8,8	0.16	0
58	SPD	1	3208	-	9,9,9	0.08	0	8,8,8	0.18	0
60	PUT	1	3325	-	5,5,5	0.10	0	4,4,4	0.19	0
60	PUT	1	3330	-	5,5,5	0.11	0	4,4,4	0.14	0
60	PUT	2	1727	-	5,5,5	0.09	0	4,4,4	0.18	0
58	SPD	1	3206	-	9,9,9	0.10	0	8,8,8	0.16	0
58	SPD	1	3211	-	9,9,9	0.06	0	8,8,8	0.18	0
60	PUT	1	3323	-	5,5,5	0.07	0	4,4,4	0.17	0
58	SPD	1	3332	-	9,9,9	0.10	0	8,8,8	0.13	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
61	SPM	1	3213	-	-	7/11/11/11	-
58	SPD	1	3212	-	-	3/7/7/7	-
60	PUT	C	301	-	-	1/3/3/3	-
60	PUT	1	3324	-	-	3/3/3/3	-
60	PUT	Z	101	-	-	3/3/3/3	-
58	SPD	1	3209	-	-	4/7/7/7	-
58	SPD	2	1686	-	-	2/7/7/7	-
58	SPD	1	3210	-	-	5/7/7/7	-
58	SPD	1	3203	-	-	3/7/7/7	-
58	SPD	1	3205	-	-	2/7/7/7	-
60	PUT	1	3327	-	-	0/3/3/3	-
60	PUT	1	3328	-	-	1/3/3/3	-
60	PUT	2	1728	-	-	0/3/3/3	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
60	PUT	1	3329	-	-	1/3/3/3	-
58	SPD	1	3204	-	-	4/7/7/7	-
58	SPD	1	3207	-	-	4/7/7/7	-
60	PUT	1	3326	-	-	1/3/3/3	-
60	PUT	1	3331	-	-	2/3/3/3	-
58	SPD	2	1687	-	-	5/7/7/7	-
58	SPD	1	3208	-	-	2/7/7/7	-
60	PUT	1	3325	-	-	1/3/3/3	-
60	PUT	1	3330	-	-	2/3/3/3	-
60	PUT	2	1727	-	-	0/3/3/3	-
58	SPD	1	3206	-	-	0/7/7/7	-
58	SPD	1	3211	-	-	0/7/7/7	-
60	PUT	1	3323	-	-	2/3/3/3	-
58	SPD	1	3332	-	-	3/7/7/7	-

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

5 of 61 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
60	C	301	PUT	C1-C2-C3-C4
58	2	1686	SPD	C4-C5-N6-C7
58	1	3207	SPD	C3-C4-C5-N6
58	1	3208	SPD	N6-C7-C8-C9
58	1	3204	SPD	C3-C4-C5-N6

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.