



Full wwPDB X-ray Structure Validation Report ⓘ

Jul 28, 2025 – 02:02 pm BST

PDB ID : 8QZB / pdb_00008qzb
Title : D-2-hydroxyacid dehydrogenase (D2HDH) from *Haloferax mediterranei* in complex with 2-ketohexanoic acid, NAD⁺ and chloride (1.16 Å resolution)
Authors : Baker, P.J.; Barrett, J.R.; Dakhil, A.A.A.B.; Domenech, J.; Bisson, C.; Pramanpol, N.; Ferrer, J.; Rice, D.W.
Deposited on : 2023-10-26
Resolution : 1.16 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity	:	4-5-2 with Phenix2.0rc1
Mogul	:	1.8.4, CSD as541be (2020)
Xtriage (Phenix)	:	2.0rc1
EDS	:	3.0
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.006 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.45.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

X-RAY DIFFRACTION

The reported resolution of this entry is 1.16 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1049 (1.18-1.14)
Clashscore	180529	1146 (1.18-1.14)
Ramachandran outliers	177936	1120 (1.18-1.14)
Sidechain outliers	177891	1120 (1.18-1.14)
RSRZ outliers	164620	1049 (1.18-1.14)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	308	<div> <div>6%</div> <div> <div></div> <div>96%</div> <div>.</div> </div> </div>
1	B	308	<div> <div>2%</div> <div> <div></div> <div>96%</div> <div>.</div> </div> </div>
1	C	308	<div> <div>4%</div> <div> <div></div> <div>95%</div> <div>5%</div> <div>.</div> </div> </div>
1	D	308	<div> <div>12%</div> <div> <div></div> <div>94%</div> <div>6%</div> </div> </div>

2 Entry composition ⓘ


There are 8 unique types of molecules in this entry. The entry contains 11479 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called D-2-hydroxyacid dehydrogenase.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	308	Total	C	N	O	S	0	7	0
			2386	1495	405	478	8			
1	B	308	Total	C	N	O	S	0	8	0
			2389	1498	407	476	8			
1	C	308	Total	C	N	O	S	0	12	0
			2422	1516	410	488	8			
1	D	308	Total	C	N	O	S	0	7	0
			2393	1500	411	474	8			


- Molecule 2 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (CCD ID: NAD) (formula: C₂₁H₂₇N₇O₁₄P₂) (labeled as "Ligand of Interest" by depositor).



Continued from previous page...


Mol	Chain	Residues	Atoms					ZeroOcc	AltConf
2	C	1	Total	C	N	O	P	0	0
			44	21	7	14	2		
2	D	1	Total	C	N	O	P	0	0
			44	21	7	14	2		

- Molecule 3 is 2-Ketohexanoic acid (CCD ID: 7N5) (formula: C₆H₁₀O₃) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
3	A	1	Total	C	O	0	0
			9	6	3		
3	B	1	Total	C	O	0	0
			9	6	3		
3	C	1	Total	C	O	0	0
			9	6	3		
3	D	1	Total	C	O	0	0
			9	6	3		

- Molecule 4 is ACETATE ION (CCD ID: ACT) (formula: C₂H₃O₂).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
4	A	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	B	1	Total	C	O	0	0
			4	2	2		
4	C	1	Total	C	O	0	0
			4	2	2		
4	D	1	Total	C	O	0	0
			4	2	2		

- Molecule 5 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
5	A	5	Total	Mg	0	0
			5	5		
5	B	5	Total	Mg	0	0
			5	5		
5	C	6	Total	Mg	0	1
			7	7		
5	D	2	Total	Mg	0	0
			2	2		

- Molecule 6 is SODIUM ION (CCD ID: NA) (formula: Na) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	A	3	Total 3	Na 3	0	0
6	B	3	Total 3	Na 3	0	0
6	C	3	Total 3	Na 3	0	0
6	D	3	Total 3	Na 3	0	0

- Molecule 7 is CHLORIDE ION (CCD ID: CL) (formula: Cl) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
7	A	1	Total 1	Cl 1	0	0
7	B	1	Total 1	Cl 1	0	0
7	C	1	Total 1	Cl 1	0	0
7	D	1	Total 1	Cl 1	0	0

- Molecule 8 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
8	A	403	Total 403	O 403	0	0
8	B	449	Total 450	O 450	0	1
8	C	424	Total 425	O 425	0	1
8	D	343	Total 344	O 344	0	1

3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: D-2-hydroxyacid dehydrogenase




- Molecule 1: D-2-hydroxyacid dehydrogenase



- Molecule 1: D-2-hydroxyacid dehydrogenase



- Molecule 1: D-2-hydroxyacid dehydrogenase



4 Data and refinement statistics

Property	Value	Source
Space group	P 1	Depositor
Cell constants a, b, c, α , β , γ	66.18Å 74.78Å 78.17Å 109.07° 107.88° 95.56°	Depositor
Resolution (Å)	46.63 – 1.16 46.63 – 1.16	Depositor EDS
% Data completeness (in resolution range)	93.9 (46.63-1.16) 93.1 (46.63-1.16)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	1.59 (at 1.16Å)	Xtriage
Refinement program	REFMAC 5.8.0419	Depositor
R, R_{free}	0.135 , 0.165 0.133 , 0.164	Depositor DCC
R_{free} test set	21343 reflections (3.78%)	wwPDB-VP
Wilson B-factor (Å ²)	10.4	Xtriage
Anisotropy	0.208	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 39.9	EDS
L-test for twinning ²	$\langle L \rangle = 0.50$, $\langle L^2 \rangle = 0.33$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.98	EDS
Total number of atoms	11479	wwPDB-VP
Average B, all atoms (Å ²)	18.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The analyses of the Patterson function reveals a significant off-origin peak that is 64.85 % of the origin peak, indicating pseudo-translational symmetry. The chance of finding a peak of this or larger height randomly in a structure without pseudo-translational symmetry is equal to 7.7664e-06. The detected translational NCS is most likely also responsible for the elevated intensity ratio.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: CL, MG, ACT, NAD, NA, 7N5

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.71	0/2458	0.96	0/3353
1	B	0.73	0/2465	0.98	1/3362 (0.0%)
1	C	0.72	1/2503 (0.0%)	0.95	0/3413
1	D	0.70	0/2463	1.00	2/3358 (0.1%)
All	All	0.72	1/9889 (0.0%)	0.97	3/13486 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	A	0	1
1	B	0	3
1	C	0	3
1	D	0	2
All	All	0	9

All (1) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	C	202	GLU	CD-OE2	-5.47	1.15	1.25

All (3) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	D	201	ASP	CA-CB-CG	8.00	120.60	112.60
1	B	202	GLU	CB-CG-CD	5.74	122.36	112.60
1	D	128	GLU	CB-CG-CD	5.16	121.37	112.60

There are no chirality outliers.

All (9) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	A	165	ARG	Sidechain
1	B	137	ARG	Sidechain
1	B	165	ARG	Sidechain
1	B	166	ARG	Sidechain
1	C	137	ARG	Sidechain
1	C	165	ARG	Sidechain
1	C	191	ARG	Sidechain
1	D	137	ARG	Sidechain
1	D	165	ARG	Sidechain

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2386	0	2283	10	0
1	B	2389	0	2294	3	1
1	C	2422	0	2314	7	0
1	D	2393	0	2298	6	1
2	A	44	0	26	0	0
2	B	44	0	26	0	0
2	C	44	0	26	0	0
2	D	44	0	26	0	0
3	A	9	0	0	0	0
3	B	9	0	0	0	0
3	C	9	0	0	0	0
3	D	9	0	0	0	0
4	A	4	0	3	1	0
4	B	8	0	6	0	0
4	C	4	0	3	0	0
4	D	4	0	3	0	0
5	A	5	0	0	0	0
5	B	5	0	0	0	0
5	C	7	0	0	0	0
5	D	2	0	0	0	0
6	A	3	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
6	B	3	0	0	0	0
6	C	3	0	0	0	0
6	D	3	0	0	0	0
7	A	1	0	0	0	0
7	B	1	0	0	0	0
7	C	1	0	0	0	0
7	D	1	0	0	0	0
8	A	403	0	0	1	2
8	B	450	0	0	1	0
8	C	425	0	0	0	2
8	D	344	0	0	1	0
All	All	11479	0	9308	26	3

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 1.

All (26) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:86[B]:ASN:ND2	1:A:88[B]:THR:HG23	1.75	1.00
1:A:86[B]:ASN:HD21	1:A:88[B]:THR:HG23	1.44	0.79
1:A:86[B]:ASN:HD21	1:A:88[B]:THR:CG2	2.07	0.67
1:A:86[A]:ASN:OD1	1:A:88[A]:THR:HG22	1.99	0.62
1:D:86:ASN:OD1	1:D:88[B]:THR:HG22	2.06	0.54
1:A:86[B]:ASN:ND2	1:A:88[B]:THR:CG2	2.59	0.52
1:C:86[A]:ASN:OD1	1:C:305:ASN:HB3	2.10	0.52
1:B:255:GLU:HA	1:B:256:PRO:C	2.35	0.52
1:D:255:GLU:HA	1:D:256:PRO:C	2.38	0.48
1:D:191[B]:ARG:NH1	8:D:501:HOH:O	2.21	0.48
1:C:255:GLU:HA	1:C:256:PRO:C	2.41	0.46
1:D:221:LEU:O	1:D:247:ALA:HA	2.18	0.44
1:C:39[A]:GLU:HG2	1:C:41:PHE:CZ	2.54	0.43
1:A:255:GLU:HA	1:A:256:PRO:C	2.43	0.43
1:A:126:ARG:HB2	1:A:129:GLU:HG3	2.00	0.43
1:C:247:ALA:O	1:C:269:VAL:HA	2.19	0.42
4:A:403:ACT:H1	8:A:848:HOH:O	2.19	0.42
1:A:86[B]:ASN:OD1	1:A:305:ASN:HB3	2.20	0.42
1:C:275:VAL:HG21	1:D:113:TYR:CZ	2.55	0.41
1:A:227:GLY:HA3	1:A:252:PHE:C	2.46	0.41
1:B:227:GLY:HA3	1:B:252:PHE:C	2.46	0.41
1:C:137:ARG:CZ	1:C:160[B]:GLU:OE1	2.69	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:124:LEU:HD13	8:B:520:HOH:O	2.21	0.41
1:C:67:ALA:HB1	1:C:88[B]:THR:HG22	2.02	0.41
1:B:247:ALA:O	1:B:269:VAL:HA	2.21	0.40
1:D:247:ALA:O	1:D:269:VAL:HA	2.21	0.40

All (3) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:181[A]:ASP:OD2	8:A:545:HOH:O[1_554]	1.92	0.28
1:B:201[A]:ASP:OD2	8:C:624:HOH:O[1_565]	1.99	0.21
8:A:667:HOH:O	8:C:541:HOH:O[1_566]	2.15	0.05

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	313/308 (102%)	307 (98%)	6 (2%)	0	100	100
1	B	314/308 (102%)	310 (99%)	4 (1%)	0	100	100
1	C	318/308 (103%)	313 (98%)	5 (2%)	0	100	100
1	D	313/308 (102%)	307 (98%)	6 (2%)	0	100	100
All	All	1258/1232 (102%)	1237 (98%)	21 (2%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	252/245 (103%)	251 (100%)	1 (0%)	89	73
1	B	253/245 (103%)	252 (100%)	1 (0%)	89	73
1	C	257/245 (105%)	255 (99%)	2 (1%)	79	51
1	D	252/245 (103%)	248 (98%)	4 (2%)	58	21
All	All	1014/980 (104%)	1006 (99%)	8 (1%)	84	51

All (8) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	302	GLU
1	B	279	THR
1	C	39[A]	GLU
1	C	39[B]	GLU
1	D	39	GLU
1	D	120[A]	HIS
1	D	120[B]	HIS
1	D	279	THR

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (4) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	305	ASN
1	C	19	GLN
1	C	173	ASN
1	C	305	ASN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 48 ligands modelled in this entry, 35 are monoatomic - leaving 13 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	7N5	A	402	-	8,8,8	1.56	2 (25%)	9,9,9	1.59	3 (33%)
2	NAD	A	401	6	42,48,48	0.82	1 (2%)	50,73,73	1.14	4 (8%)
3	7N5	B	402	-	8,8,8	1.24	1 (12%)	9,9,9	0.81	0
3	7N5	D	402	-	8,8,8	2.48	3 (37%)	9,9,9	0.88	0
4	ACT	B	403	-	3,3,3	1.18	0	3,3,3	1.11	0
2	NAD	C	401	6	42,48,48	0.82	3 (7%)	50,73,73	1.09	5 (10%)
3	7N5	C	402	-	8,8,8	1.66	2 (25%)	9,9,9	1.21	2 (22%)
2	NAD	D	401	6	42,48,48	0.76	1 (2%)	50,73,73	0.96	3 (6%)
4	ACT	B	404	-	3,3,3	0.52	0	3,3,3	0.58	0
4	ACT	A	403	-	3,3,3	1.34	1 (33%)	3,3,3	0.81	0
4	ACT	D	403	-	3,3,3	0.62	0	3,3,3	0.46	0
4	ACT	C	403	-	3,3,3	0.93	0	3,3,3	1.27	0
2	NAD	B	401	6	42,48,48	0.79	1 (2%)	50,73,73	0.94	4 (8%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	7N5	A	402	-	-	0/8/8/8	-
2	NAD	A	401	6	-	2/26/62/62	0/5/5/5
3	7N5	B	402	-	-	0/8/8/8	-
3	7N5	D	402	-	-	0/8/8/8	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAD	C	401	6	-	2/26/62/62	0/5/5/5
3	7N5	C	402	-	-	0/8/8/8	-
2	NAD	D	401	6	-	2/26/62/62	0/5/5/5
2	NAD	B	401	6	-	2/26/62/62	0/5/5/5

All (15) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	D	402	7N5	C2-C1	-5.19	1.46	1.53
3	A	402	7N5	C2-C1	-3.39	1.49	1.53
2	D	401	NAD	C2N-N1N	3.25	1.38	1.35
3	C	402	7N5	C3-C2	3.22	1.54	1.51
3	D	402	7N5	C3-C2	3.14	1.54	1.51
3	B	402	7N5	C2-C1	-3.07	1.49	1.53
3	D	402	7N5	O1A-C1	2.83	1.30	1.22
2	C	401	NAD	O4D-C1D	2.28	1.44	1.41
4	A	403	ACT	OXT-C	-2.18	1.20	1.30
3	C	402	7N5	C2-C1	-2.16	1.50	1.53
2	B	401	NAD	C2N-N1N	2.09	1.37	1.35
2	C	401	NAD	C2N-N1N	2.08	1.37	1.35
3	A	402	7N5	O1A-C1	2.08	1.28	1.22
2	C	401	NAD	C2B-C1B	-2.07	1.50	1.53
2	A	401	NAD	C2N-N1N	2.05	1.37	1.35

All (21) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	401	NAD	O7N-C7N-C3N	-3.08	115.94	119.63
2	A	401	NAD	O4B-C1B-C2B	-2.81	102.82	106.93
2	B	401	NAD	C3D-C2D-C1D	2.78	105.17	100.98
2	D	401	NAD	C5A-C6A-N6A	2.78	124.57	120.35
3	A	402	7N5	O2-C2-C3	2.72	127.23	121.20
3	A	402	7N5	O2-C2-C1	-2.69	115.53	119.43
2	C	401	NAD	C6N-N1N-C2N	-2.48	119.71	121.97
2	A	401	NAD	C5B-C4B-C3B	2.43	124.30	115.18
3	A	402	7N5	O1A-C1-C2	-2.43	118.48	121.72
2	C	401	NAD	O7N-C7N-C3N	-2.42	116.73	119.63
2	C	401	NAD	C3D-C2D-C1D	2.40	104.59	100.98
2	B	401	NAD	C6N-N1N-C2N	-2.40	119.79	121.97
2	B	401	NAD	C4A-C5A-N7A	2.39	111.89	109.40
2	C	401	NAD	C3N-C2N-N1N	2.37	122.75	120.43

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	C	401	NAD	O4B-C1B-C2B	-2.28	103.59	106.93
2	A	401	NAD	C1B-N9A-C4A	-2.17	122.83	126.64
3	C	402	7N5	O1B-C1-O1A	2.10	128.41	123.61
2	B	401	NAD	C1B-N9A-C4A	-2.08	122.98	126.64
2	D	401	NAD	O4B-C1B-C2B	-2.06	103.92	106.93
3	C	402	7N5	O1A-C1-C2	-2.05	118.98	121.72
2	D	401	NAD	C6N-N1N-C2N	-2.05	120.11	121.97

There are no chirality outliers.

All (8) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	401	NAD	O4D-C1D-N1N-C6N
2	B	401	NAD	O4D-C1D-N1N-C6N
2	C	401	NAD	O4D-C1D-N1N-C6N
2	D	401	NAD	O4D-C1D-N1N-C6N
2	A	401	NAD	O4B-C4B-C5B-O5B
2	C	401	NAD	O4B-C4B-C5B-O5B
2	B	401	NAD	O4B-C4B-C5B-O5B
2	D	401	NAD	O4B-C4B-C5B-O5B


There are no ring outliers.

1 monomer is involved in 1 short contact:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	A	403	ACT	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand 7N5 A 402




Ligand NAD A 401







Ligand 7N5 B 402



Ligand 7N5 D 402







5.7 Other polymers ⓘ

There are no such residues in this entry.

5.8 Polymer linkage issues ⓘ

There are no chain breaks in this entry.

6 Fit of model and data

6.1 Protein, DNA and RNA chains

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2			OWAB(Å ²)	Q<0.9
1	A	308/308 (100%)	0.12	17 (5%)	32	40	6, 12, 37, 70	7 (2%)
1	B	308/308 (100%)	-0.09	6 (1%)	66	75	6, 11, 25, 59	8 (2%)
1	C	308/308 (100%)	0.03	11 (3%)	46	53	6, 11, 33, 69	12 (3%)
1	D	308/308 (100%)	0.40	37 (12%)	10	14	6, 13, 47, 70	7 (2%)
All	All	1232/1232 (100%)	0.11	71 (5%)	30	38	6, 12, 39, 70	34 (2%)

All (71) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	D	76	VAL	6.1
1	D	3	ILE	5.7
1	D	80	ALA	5.4
1	C	298	ALA	5.3
1	C	1	MET	5.2
1	D	2	HIS	5.1
1	C	299	THR	5.1
1	D	36	GLY	5.0
1	D	28	LEU	5.0
1	A	81	GLY	4.8
1	D	41	PHE	4.6
1	A	76	VAL	4.2
1	C	80	ALA	4.0
1	D	57	LEU	3.9
1	D	43	PRO	3.9
1	A	1	MET	3.8
1	A	2	HIS	3.8
1	A	298	ALA	3.8
1	C	81	GLY	3.5
1	B	79	GLU	3.5
1	D	56	PHE	3.3

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	B	81	GLY	3.3
1	A	297	ILE	3.3
1	C	297	ILE	3.3
1	B	1	MET	3.3
1	A	75	GLY	3.2
1	D	7	ALA	3.0
1	D	82	THR	3.0
1	A	80	ALA	2.9
1	D	61	TRP	2.9
1	B	38	ASP	2.9
1	D	55	ALA	2.8
1	C	76	VAL	2.8
1	D	40	GLN	2.8
1	D	29	GLY	2.7
1	D	1	MET	2.7
1	D	54	ASP	2.7
1	D	77	TYR	2.7
1	D	30	VAL	2.6
1	D	45	ASP	2.6
1	C	300	GLY	2.6
1	A	302	GLU	2.5
1	D	294	ILE	2.5
1	B	25	LEU	2.5
1	A	14	ARG	2.5
1	A	38	ASP	2.5
1	D	6	LEU	2.4
1	D	74	VAL	2.4
1	D	58	ASP	2.4
1	D	75	GLY	2.4
1	A	79	GLU	2.3
1	C	2	HIS	2.3
1	A	83	TYR	2.3
1	A	300	GLY	2.2
1	D	42	GLY	2.2
1	D	32	VAL	2.2
1	D	308	VAL	2.2
1	A	299	THR	2.2
1	A	308	VAL	2.2
1	D	47	VAL	2.2
1	D	81	GLY	2.2
1	D	35	ALA	2.2
1	D	37	GLU	2.2

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	RSRZ
1	D	290	ILE	2.1
1	A	74	VAL	2.1
1	C	74	VAL	2.1
1	D	46	ALA	2.1
1	C	302	GLU	2.1
1	D	78	GLU	2.1
1	D	79	GLU	2.1
1	B	2	HIS	2.1

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

6.4 Ligands [i](#)

In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95th percentile and maximum values of B factors of atoms in the group. The column labelled 'Q< 0.9' lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(Å ²)	Q<0.9
5	MG	C	407	1/1	0.75	0.22	58,58,58,58	0
4	ACT	B	404	4/4	0.90	0.12	21,22,22,26	0
4	ACT	C	403	4/4	0.91	0.12	24,28,30,32	0
4	ACT	A	403	4/4	0.93	0.10	20,26,28,32	0
5	MG	A	406	1/1	0.95	0.30	27,27,27,27	0
5	MG	A	407	1/1	0.95	0.26	34,34,34,34	0
4	ACT	D	403	4/4	0.95	0.10	21,21,28,29	0
6	NA	D	407	1/1	0.95	0.29	25,25,25,25	0
6	NA	A	411	1/1	0.96	0.23	31,31,31,31	0
6	NA	B	411	1/1	0.96	0.40	29,29,29,29	0
4	ACT	B	403	4/4	0.96	0.07	15,16,19,21	0
5	MG	C	409	1/1	0.97	0.21	31,31,31,31	0
3	7N5	A	402	9/9	0.97	0.06	13,15,19,20	0
3	7N5	D	402	9/9	0.97	0.07	11,13,17,19	0
5	MG	C	408	1/1	0.97	0.25	24,24,24,24	0

Continued on next page...




Continued from previous page...

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors(\AA^2)	Q<0.9
6	NA	D	408	1/1	0.97	0.16	25,25,25,25	0
3	7N5	B	402	9/9	0.98	0.06	10,11,16,18	0
6	NA	A	410	1/1	0.98	0.31	22,22,22,22	0
3	7N5	C	402	9/9	0.98	0.07	11,12,19,22	0
5	MG	B	409	1/1	0.98	0.13	34,34,34,34	0
6	NA	C	411	1/1	0.98	0.32	20,20,20,20	0
6	NA	C	412	1/1	0.98	0.13	23,23,23,23	0
2	NAD	C	401	44/44	0.98	0.05	7,11,15,17	0
2	NAD	A	401	44/44	0.98	0.05	9,14,24,31	0
2	NAD	B	401	44/44	0.99	0.04	7,9,15,18	0
5	MG	A	408	1/1	0.99	0.19	24,24,24,24	0
5	MG	B	406	1/1	0.99	0.13	17,17,17,17	0
5	MG	B	407	1/1	0.99	0.13	20,20,20,20	0
5	MG	B	408	1/1	0.99	0.17	23,23,23,23	0
6	NA	B	412	1/1	0.99	0.09	21,21,21,21	0
5	MG	A	405	1/1	0.99	0.06	15,15,15,15	0
5	MG	C	405[A]	1/1	0.99	0.06	12,12,12,12	1
5	MG	C	405[B]	1/1	0.99	0.06	22,22,22,22	1
2	NAD	D	401	44/44	0.99	0.04	8,10,13,15	0
7	CL	A	412	1/1	0.99	0.07	34,34,34,34	0
7	CL	C	413	1/1	0.99	0.05	19,19,19,19	0
5	MG	A	404	1/1	1.00	0.03	10,10,10,10	0
5	MG	B	405	1/1	1.00	0.02	8,8,8,8	0
6	NA	C	410	1/1	1.00	0.03	11,11,11,11	0
5	MG	D	404	1/1	1.00	0.01	11,11,11,11	0
5	MG	D	405	1/1	1.00	0.07	15,15,15,15	0
6	NA	D	406	1/1	1.00	0.01	13,13,13,13	0
6	NA	A	409	1/1	1.00	0.03	11,11,11,11	0
5	MG	C	406	1/1	1.00	0.03	14,14,14,14	0
5	MG	C	404	1/1	1.00	0.02	9,9,9,9	0
7	CL	B	413	1/1	1.00	0.05	14,14,14,14	0
6	NA	B	410	1/1	1.00	0.01	11,11,11,11	0
7	CL	D	409	1/1	1.00	0.10	17,17,17,17	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




Electron density around MG C 407:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG A 406:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG A 407:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NA D 407:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NA A 411:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NA B 411:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG C 409:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 7N5 A 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around 7N5 D 402:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG C 408:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NA D 408:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 7N5 B 402:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NA A 410:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around 7N5 C 402:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG B 409:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NA C 411:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NA C 412:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD C 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)




**Electron density around NAD A 401:**

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD B 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG A 408:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG B 406:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG B 407:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG B 408:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NA B 412:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG A 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG C 405 (A):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG C 405 (B):

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NAD D 401:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL A 412:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL C 413:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG A 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG B 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NA C 410:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG D 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG D 405:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NA D 406:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NA A 409:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG C 406:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around MG C 404:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around CL B 413:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)






Electron density around NA B 410:

$2mF_o-DF_c$ (at 0.7 rmsd) in gray
 mF_o-DF_c (at 3 rmsd) in purple (negative)
and green (positive)



Electron density around CL D 409:

$2mF_o - DF_c$ (at 0.7 rmsd) in gray
 $mF_o - DF_c$ (at 3 rmsd) in purple (negative)
and green (positive)



6.5 Other polymers ⓘ

There are no such residues in this entry.