



Full wwPDB EM Validation Report ⓘ

Nov 11, 2024 – 08:16 PM EST

PDB ID : 7S6D
EMDB ID : EMD-24875
Title : CryoEM structure of modular PKS holo-Lsd14 bound to antibody fragment 1B2, composite structure
Authors : Bagde, S.R.; Kim, C.-Y.; Fromme, J.C.
Deposited on : 2021-09-13
Resolution : 3.10 Å (reported)
Based on initial models : 6C9U, 7S6B

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev113
Mogul : 2022.3.0, CSD as543be (2022)
MolProbity : 4.02b-467
buster-report : 1.1.7 (2018)
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1649	
1	B	1649	
1	C	1649	
2	D	249	
2	E	249	
3	F	236	
3	G	236	

2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 46203 atoms, of which 22856 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 6-deoxyerythronolide-B synthase EryA2, modules 3 and 4, Lsd14 Polyketide synthase fusion.

Mol	Chain	Residues	Atoms						AltConf	Trace
1	C	478	Total	C	H	N	O	S	0	0
			7005	2209	3489	638	666	3		
1	A	895	Total	C	H	N	O	S	0	0
			13231	4173	6536	1220	1282	20		
1	B	893	Total	C	H	N	O	S	0	0
			13217	4167	6528	1220	1282	20		

There are 30 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	7	MET	-	initiating methionine	UNP Q03132
C	8	VAL	-	expression tag	UNP Q03132
C	1648	LEU	-	expression tag	UNP B6ZK67
C	1649	GLU	-	expression tag	UNP B6ZK67
C	1650	HIS	-	expression tag	UNP B6ZK67
C	1651	HIS	-	expression tag	UNP B6ZK67
C	1652	HIS	-	expression tag	UNP B6ZK67
C	1653	HIS	-	expression tag	UNP B6ZK67
C	1654	HIS	-	expression tag	UNP B6ZK67
C	1655	HIS	-	expression tag	UNP B6ZK67
A	7	MET	-	initiating methionine	UNP Q03132
A	8	VAL	-	expression tag	UNP Q03132
A	1648	LEU	-	expression tag	UNP B6ZK67
A	1649	GLU	-	expression tag	UNP B6ZK67
A	1650	HIS	-	expression tag	UNP B6ZK67
A	1651	HIS	-	expression tag	UNP B6ZK67
A	1652	HIS	-	expression tag	UNP B6ZK67
A	1653	HIS	-	expression tag	UNP B6ZK67
A	1654	HIS	-	expression tag	UNP B6ZK67
A	1655	HIS	-	expression tag	UNP B6ZK67
B	7	MET	-	initiating methionine	UNP Q03132
B	8	VAL	-	expression tag	UNP Q03132
B	1648	LEU	-	expression tag	UNP B6ZK67

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	1649	GLU	-	expression tag	UNP B6ZK67
B	1650	HIS	-	expression tag	UNP B6ZK67
B	1651	HIS	-	expression tag	UNP B6ZK67
B	1652	HIS	-	expression tag	UNP B6ZK67
B	1653	HIS	-	expression tag	UNP B6ZK67
B	1654	HIS	-	expression tag	UNP B6ZK67
B	1655	HIS	-	expression tag	UNP B6ZK67


- Molecule 2 is a protein called Fab 1B2 heavy chain.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	E	207	Total	C	H	N	O	S	0	0
			3081	987	1526	260	302	6		
2	D	208	Total	C	H	N	O	S	0	0
			3092	990	1531	261	304	6		


- Molecule 3 is a protein called Fab 1B2 light chain.

Mol	Chain	Residues	Atoms						AltConf	Trace
3	G	214	Total	C	H	N	O	S	0	0
			3249	1029	1611	278	325	6		
3	F	217	Total	C	H	N	O	S	0	0
			3287	1041	1625	282	333	6		


- Molecule 4 is 2'-MONOPHOSPHOADENOSINE-5'-DIPHOSPHATE (three-letter code: ATR) (formula: C₁₀H₁₆N₅O₁₃P₃).



Mol	Chain	Residues	Atoms						AltConf
4	C	1	Total	C	H	N	O	P	0
			41	10	10	5	13	3	




- Molecule 1: 6-deoxyerythronolide-B synthase EryA2, modules 3 and 4, Lsd14 Polyketide synthase fusion




[illegible]

- Molecule 1: 6-deoxyerythronolide-B synthase EryA2, modules 3 and 4, Lsd14 Polyketide synthase fusion


Chain B:




LEU	TRP	SER	LYS	VAL	ES98
ALA	CYS	LEU	VAL	GLY	T599
GLY	VAL	LEU	THR	GLY	R253
GLY	THR	GLY	TRP	THR	D258
GLY	SER	LEU	LYS	SER	G259
GLU	GLY	ARG	PRO	ALA	R260
ASP	ILE	THR	THR	GLU	C261
GLN	VAL	ALA	ALA	ALA	K262
SER	VAL	GLN	VAL	ARG	P87
VAL	VAL	ALA	ALA	PHE	R294
SER	VAL	LEU	ASP	TRP	V295
LEU	GLY	GLY	GLY	ASP	L296
ARG	ALA	GLU	ALA	ALA	E99
SER	ASP	GLY	SER	VAL	N311
SER	PRO	PRO	ALA	GLU	M124
GLY	PRO	VAL	THR	ASP	D318
VAL	ALA	PRO	GLY	GLU	L319
PHE	ALA	ASP	THR	ASP	A750
VAL	PRO	ALA	TRP	LEU	R751
ARG	GLU	VAL	LEU	GLU	E343
ARG	GLN	VAL	VAL	ALA	A344
LEU	ALA	SER	VAL	LEU	H345
VAL	VAL	LEU	VAL	ALA	F139
ARG	VAL	LEU	PRO	ALA	D145
ALA	TRP	ALA	GLU	ALA	E356
PRO	GLY	LEU	SER	ILE	D769
ALA	PHE	ASP	LEU	GLY	T770
SER	GLY	PRO	ALA	ALA	L379
GLU	ARG	SER	GLY	ASP	H385
VAL	VAL	ALA	GLY	GLY	V392
ALA	VAL	ALA	GLY	ASP	V395
ALA	ALA	LEU	GLY	ASP	D414
VAL	GLY	PRO	TRP	ALA	E415
ARG	LEU	GLY	VAL	SER	R444
THR	HIS	PRO	VAL	ALA	V447
SER	PRO	ASP	ALA	GLY	G175
GLY	TRP	GLN	ALA	VAL	A176
GLY	ALA	ALA	VAL	PRO	E177
THR	GLY	LEU	ASP	ALA	E462
VAL	GLY	LEU	ALA	ALA	Q467
LEU	VAL	SER	ALA	ALA	ASP
VAL	VAL	THR	GLY	TRP	R192
VAL	LEU	ALA	GLY	GLN	I193
GLY	PRO	ALA	ARG	ARG	T205
GLY	PRO	LEU	PRO	ARG	I206
THR	GLU	VAL	VAL	GLN	D207
GLY	ASP	ALA	VAL	ALA	T208
LEU	GLU	LEU	SER	GLU	A209
GLY	THR	LEU	VAL	GLN	C210
ARG	THR	ASP	ASP	SER	S211
GLN	ALA	LEU	ALA	ALA	S212
VAL	ALA	GLY	ALA	LEU	R225
ARG	ARG	LEU	GLY	ASP	A552
LEU	VAL	ALA	ALA	LEU	D551
TRP	GLY	ARG	ASP	VAL	E552
ALA	VAL	LEU	ARG	TYR	L233
					E596
					F598




- Molecule 2: Fab 1B2 heavy chain




- Molecule 2: Fab 1B2 heavy chain



- Molecule 3: Fab 1B2 light chain



● Molecule 3: Fab 1B2 light chain



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	295592	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	54	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2700	Depositor
Magnification	63000	Depositor
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	49.798	Depositor
Minimum map value	-16.956	Depositor
Average map value	0.002	Depositor
Map value standard deviation	1.170	Depositor
Recommended contour level	9	Depositor
Map size (Å)	390.208, 390.208, 390.208	wwPDB
Map dimensions	364, 364, 364	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.072, 1.072, 1.072	Depositor

5 Model quality

5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ATR

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.25	0/6847	0.56	0/9355
1	B	0.25	0/6840	0.57	0/9344
1	C	0.25	0/3590	0.57	0/4910
2	D	0.27	0/1597	0.55	0/2171
2	E	0.27	0/1591	0.56	0/2163
3	F	0.27	0/1698	0.55	0/2306
3	G	0.27	0/1674	0.57	0/2273
All	All	0.26	0/23837	0.56	0/32522

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	6695	6536	6539	38	0
1	B	6689	6528	6531	44	0
1	C	3516	3489	3488	29	0
2	D	1561	1531	1531	9	0
2	E	1555	1526	1526	6	0
3	F	1662	1625	1625	16	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	G	1638	1611	1611	14	0
4	C	31	10	11	5	0
All	All	23347	22856	22862	150	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (150) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:186:THR:OG1	1:B:207:ASP:OD2	2.08	0.70
1:B:210:CYS:HG	1:B:385:HIS:HE2	1.39	0.70
1:B:817:GLU:OE2	1:B:821:ARG:NE	2.26	0.69
1:A:797:ASP:OD2	1:A:799:THR:OG1	2.11	0.69
1:A:791:VAL:O	1:A:815:ARG:NH1	2.27	0.67
1:A:300:ARG:NH1	1:A:462:GLU:OE1	2.28	0.66
1:B:38:GLU:O	1:B:225:ARG:NH1	2.28	0.66
1:C:977:ASP:OD2	1:C:1189:SER:OG	2.09	0.66
3:G:41:SER:OG	3:G:43:GLN:O	2.12	0.65
1:B:209:ALA:O	1:B:212:SER:OG	2.11	0.65
1:B:133:GLU:OE1	1:B:907:ARG:NH1	2.30	0.65
1:C:1037:ASP:OD2	1:C:1047:ARG:NH1	2.30	0.64
1:A:395:VAL:HG12	1:A:447:VAL:HG21	1.78	0.64
1:C:1080:GLN:NE2	1:C:1084:SER:OG	2.30	0.64
1:B:467:GLN:OE1	1:B:467:GLN:N	2.31	0.64
1:C:1311:VAL:HG12	4:C:1701:ATR:HN61	1.62	0.64
1:C:1297:ILE:HD12	1:C:1300:LEU:HD12	1.80	0.63
1:A:131:MET:HB3	1:A:193:ILE:HD11	1.81	0.63
1:B:791:VAL:O	1:B:815:ARG:NH1	2.32	0.62
1:B:124:MET:SD	1:B:192:ARG:NH1	2.71	0.62
3:F:47:HIS:ND1	3:F:49:ASN:OD1	2.31	0.62
1:A:209:ALA:O	1:A:212:SER:OG	2.14	0.62
1:A:767:ILE:O	1:A:770:THR:OG1	2.15	0.61
1:B:696:THR:OG1	1:B:751:ARG:O	2.12	0.61
1:A:145:ASP:OD1	1:A:522:THR:OG1	2.10	0.60
1:C:978:ASP:O	1:C:1185:ARG:NH2	2.34	0.59
3:G:143:SER:OG	3:G:145:GLU:OE1	2.20	0.59
2:D:67:SER:O	2:D:71:ARG:NH1	2.35	0.59
1:A:345:HIS:N	1:A:356:GLU:OE2	2.36	0.59
3:G:156:CYS:SG	3:G:157:LEU:N	2.76	0.58
1:A:792:THR:O	1:A:815:ARG:NH2	2.36	0.58

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:395:VAL:HG12	1:B:447:VAL:HG21	1.86	0.58
3:G:159:ASN:OD1	3:G:196:SER:OG	2.23	0.57
1:B:149:GLN:O	1:B:152:THR:OG1	2.18	0.57
1:B:598:GLU:OE1	1:B:610:THR:OG1	2.19	0.56
1:C:1151:ASP:OD2	1:C:1152:GLU:N	2.39	0.56
1:A:624:ARG:NH2	1:A:626:ASP:OD2	2.38	0.56
1:B:131:MET:HB3	1:B:193:ILE:HD11	1.87	0.56
1:B:830:HIS:HB3	1:B:883:ILE:HD11	1.86	0.56
3:F:156:CYS:SG	3:F:157:LEU:N	2.79	0.56
1:A:703:ASP:OD1	1:A:704:GLN:N	2.40	0.55
1:B:765:GLU:N	1:B:765:GLU:OE1	2.39	0.55
2:D:199:GLN:NE2	2:D:200:THR:O	2.40	0.55
1:A:765:GLU:OE2	1:A:811:ARG:NE	2.40	0.54
3:F:190:SER:OG	3:F:191:LYS:NZ	2.41	0.54
1:C:1252:GLY:O	1:C:1254:ARG:NH1	2.41	0.54
2:E:212:THR:CG2	2:E:214:VAL:HG23	2.38	0.54
3:F:127:ASP:OD2	3:F:195:TYR:OH	2.23	0.54
1:B:343:GLU:OE2	1:B:379:LEU:N	2.40	0.54
2:E:188:VAL:HG21	3:G:157:LEU:HD11	1.89	0.54
1:B:318:ASP:OD1	1:B:319:LEU:N	2.42	0.53
2:D:86:GLN:NE2	2:D:88:ASN:OD1	2.41	0.53
1:A:520:THR:O	1:A:521:ARG:NH1	2.40	0.53
1:C:1202:THR:HG22	1:C:1227:HIS:HB3	1.90	0.53
1:A:608:SER:OG	1:A:611:ASP:OD2	2.25	0.53
1:A:657:SER:OG	1:A:658:GLN:N	2.40	0.53
1:C:1130:ARG:NE	1:C:1170:GLN:OE1	2.42	0.53
2:D:32:GLY:O	2:D:55:SER:OG	2.17	0.53
1:A:392:VAL:O	1:A:395:VAL:HG22	2.09	0.53
1:B:811:ARG:O	1:B:811:ARG:NH1	2.41	0.52
3:F:29:VAL:HG21	3:F:99:VAL:HG11	1.91	0.52
1:B:99:GLU:OE1	1:B:260:ARG:NH1	2.42	0.52
1:C:1245:VAL:HG23	1:C:1255:VAL:HB	1.92	0.51
1:A:343:GLU:OE2	1:A:379:LEU:N	2.42	0.51
1:B:186:THR:HG22	1:B:205:THR:HG21	1.91	0.51
1:A:22:THR:OG1	3:F:74:ASN:OD1	2.28	0.51
1:B:258:ASP:OD2	1:B:262:LYS:NZ	2.43	0.51
1:C:1268:VAL:HG23	1:C:1322:LEU:HD11	1.92	0.51
4:C:1701:ATR:O2A	4:C:1701:ATR:O3'	2.18	0.51
2:E:212:THR:HG22	2:E:214:VAL:HG23	1.92	0.51
1:B:648:ILE:HD11	1:B:885:VAL:HG22	1.93	0.51
1:A:476:VAL:HG12	1:A:511:THR:HG23	1.93	0.50

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:B:765:GLU:OE2	1:B:811:ARG:NE	2.44	0.50
3:F:29:VAL:O	3:F:129:LYS:N	2.42	0.50
1:B:520:THR:O	1:B:521:ARG:NH1	2.44	0.50
2:D:212:THR:HG22	2:D:214:VAL:HG23	1.93	0.50
1:A:761:SER:O	1:A:764:VAL:HG22	2.12	0.50
1:C:1256:THR:HG22	1:C:1275:GLN:HE21	1.77	0.50
3:G:58:LEU:HD23	3:G:59:GLN:N	2.27	0.50
1:A:248:GLU:O	1:A:251:ARG:NE	2.43	0.49
1:B:444:ARG:NE	1:B:462:GLU:OE2	2.44	0.49
1:B:345:HIS:N	1:B:356:GLU:OE2	2.41	0.48
3:F:29:VAL:CG2	3:F:99:VAL:HG11	2.43	0.48
1:B:392:VAL:O	1:B:395:VAL:HG22	2.14	0.48
1:C:1234:ARG:NH2	4:C:1701:ATR:O1P	2.45	0.48
1:A:163:THR:HG21	1:A:239:VAL:O	2.14	0.48
1:C:1065:LEU:HD23	1:C:1084:SER:HB3	1.96	0.48
3:G:189:ASP:OD1	3:G:190:SER:N	2.46	0.48
2:D:212:THR:CG2	2:D:214:VAL:HG23	2.43	0.48
1:C:1017:VAL:HG21	1:C:1064:LEU:HD11	1.96	0.47
1:A:623:ASP:OD1	1:A:624:ARG:N	2.47	0.47
3:G:159:ASN:ND2	3:G:160:ASN:OD1	2.47	0.47
2:E:177:LEU:O	3:G:182:GLN:NE2	2.45	0.47
2:E:215:ASP:OD1	2:E:216:LYS:N	2.47	0.47
1:B:86:ASP:O	1:B:88:ASP:N	2.47	0.46
1:B:210:CYS:HG	1:B:385:HIS:CE1	2.34	0.46
1:B:551:ASP:OD1	1:B:552:ALA:N	2.48	0.46
1:B:145:ASP:OD1	1:B:522:THR:OG1	2.13	0.46
3:G:188:GLN:NE2	3:G:193:SER:OG	2.49	0.45
1:A:670:LEU:HD11	1:A:806:TRP:HZ2	1.81	0.45
3:F:212:LYS:O	3:F:233:ARG:N	2.50	0.45
3:G:168:VAL:HG22	3:G:218:VAL:HG12	1.99	0.45
3:F:97:SER:O	3:F:98:ARG:NH2	2.50	0.45
1:B:139:PHE:CE2	1:B:233:LEU:HD11	2.52	0.45
1:A:830:HIS:HB3	1:A:883:ILE:HD11	1.98	0.44
1:B:715:ASP:OD1	1:B:716:LEU:N	2.50	0.44
3:F:130:ARG:NH1	3:F:192:ASP:OD1	2.51	0.44
1:C:1262:VAL:HG23	4:C:1701:ATR:N1	2.32	0.44
2:D:115:LEU:CD2	2:D:117:THR:HG23	2.47	0.44
1:B:139:PHE:HE2	1:B:233:LEU:HD11	1.82	0.44
3:F:143:SER:O	3:F:147:LEU:HD23	2.17	0.44
1:C:1311:VAL:CG1	4:C:1701:ATR:HN61	2.31	0.43
3:F:127:ASP:N	3:F:127:ASP:OD1	2.49	0.43

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:1297:ILE:HD12	1:C:1300:LEU:CD1	2.46	0.43
1:C:1299:SER:O	1:C:1304:ARG:NH1	2.50	0.43
1:C:1448:GLU:OE1	1:C:1448:GLU:N	2.50	0.43
1:B:596:GLU:O	1:B:599:THR:OG1	2.37	0.43
2:D:35:ALA:O	2:D:103:GLY:N	2.48	0.43
1:C:1145:ASP:OD2	1:C:1174:ARG:NH1	2.52	0.43
1:A:181:ILE:HD12	1:B:248:GLU:OE1	2.18	0.43
1:A:345:HIS:NE2	1:A:450:PHE:O	2.52	0.42
1:A:414:ASP:OD1	1:A:415:GLU:N	2.52	0.42
2:D:122:SER:OG	2:D:123:THR:N	2.51	0.42
1:A:670:LEU:HD11	1:A:806:TRP:CZ2	2.54	0.42
1:B:294:ARG:CZ	1:B:296:LEU:HD21	2.48	0.42
1:C:1131:VAL:HG23	1:C:1343:LEU:O	2.20	0.42
1:C:1006:GLU:N	1:C:1033:VAL:O	2.46	0.42
3:G:101:ALA:O	3:G:104:VAL:HG22	2.19	0.42
1:C:999:THR:HG23	1:C:1058:PRO:HA	2.02	0.42
1:C:985:TRP:CZ2	1:C:1109:VAL:HG21	2.55	0.42
3:F:208:TYR:O	3:F:214:TYR:OH	2.28	0.42
1:B:769:ASP:OD1	1:B:770:THR:N	2.52	0.41
1:B:792:THR:HG23	1:B:794:GLN:H	1.86	0.41
1:A:19:ARG:NH2	3:F:49:ASN:O	2.49	0.41
1:C:1202:THR:HG21	1:C:1277:PRO:HD2	2.03	0.41
1:B:76:ASP:O	1:B:909:ARG:NH2	2.53	0.41
1:B:768:ARG:O	1:B:772:LEU:HD23	2.21	0.41
1:C:1227:HIS:CE1	1:C:1256:THR:HG1	2.39	0.41
1:A:334:LEU:HD12	1:A:460:ILE:HG21	2.03	0.41
1:A:401:ALA:O	1:A:405:GLY:N	2.54	0.41
1:A:670:LEU:HD13	1:A:678:ILE:HD12	2.02	0.41
1:A:697:SER:O	1:A:751:ARG:N	2.54	0.41
1:B:625:VAL:HA	1:B:628:VAL:HG12	2.03	0.41
3:G:180:ASN:N	3:G:180:ASN:OD1	2.54	0.41
3:F:27:LEU:HD23	3:F:27:LEU:O	2.20	0.41
1:A:677:ARG:NH1	1:A:774:ALA:O	2.54	0.40
1:B:414:ASP:OD1	1:B:415:GLU:N	2.53	0.40
1:C:1409:LEU:O	1:C:1413:LEU:HD23	2.20	0.40
2:E:19:SER:OG	2:E:86:GLN:OE1	2.39	0.40
1:A:20:ARG:HH21	3:G:77:SER:HG	1.69	0.40

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	889/1649 (54%)	867 (98%)	22 (2%)	0	100	100
1	B	887/1649 (54%)	862 (97%)	25 (3%)	0	100	100
1	C	474/1649 (29%)	458 (97%)	16 (3%)	0	100	100
2	D	202/249 (81%)	194 (96%)	8 (4%)	0	100	100
2	E	201/249 (81%)	194 (96%)	7 (4%)	0	100	100
3	F	213/236 (90%)	203 (95%)	10 (5%)	0	100	100
3	G	210/236 (89%)	194 (92%)	16 (8%)	0	100	100
All	All	3076/5917 (52%)	2972 (97%)	104 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	685/1242 (55%)	684 (100%)	1 (0%)	92	97
1	B	685/1242 (55%)	684 (100%)	1 (0%)	92	97
1	C	350/1242 (28%)	350 (100%)	0	100	100
2	D	173/203 (85%)	173 (100%)	0	100	100
2	E	172/203 (85%)	172 (100%)	0	100	100
3	F	192/208 (92%)	191 (100%)	1 (0%)	86	92
3	G	189/208 (91%)	189 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	2446/4548 (54%)	2443 (100%)	3 (0%)	92 97

All (3) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	31	ARG
1	B	749	ARG
3	F	117	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (1) such sidechains are listed below:

Mol	Chain	Res	Type
1	C	1080	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

1 ligand is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
4	ATR	C	1701	-	28,33,33	3.22	6 (21%)	40,52,52	1.81	10 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	ATR	C	1701	-	-	5/17/37/37	0/3/3/3

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	C	1701	ATR	P2'-O2'	13.89	1.83	1.59
4	C	1701	ATR	PB-O3B	5.72	1.76	1.54
4	C	1701	ATR	PA-O3A	4.94	1.64	1.59
4	C	1701	ATR	O2'-C2'	-3.10	1.33	1.44
4	C	1701	ATR	C2-N1	2.17	1.37	1.33
4	C	1701	ATR	O4'-C1'	2.10	1.43	1.40

All (10) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	C	1701	ATR	C4'-O4'-C1'	-4.19	106.09	109.92
4	C	1701	ATR	P2'-O2'-C2'	-3.98	112.80	123.43
4	C	1701	ATR	O3A-PA-O1A	-3.53	100.10	110.70
4	C	1701	ATR	O2'-P2'-O1P	-3.38	97.29	109.33
4	C	1701	ATR	O2B-PB-O3A	3.16	115.24	104.64
4	C	1701	ATR	O2B-PB-O1B	3.16	123.15	110.83
4	C	1701	ATR	PA-O5'-C5'	-2.70	105.87	121.35
4	C	1701	ATR	O3B-PB-O1B	-2.70	100.33	110.83
4	C	1701	ATR	O3P-P2'-O2P	2.53	117.27	107.80
4	C	1701	ATR	O3P-P2'-O2'	-2.01	98.00	105.85

There are no chirality outliers.

All (5) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	C	1701	ATR	C3'-C4'-C5'-O5'
4	C	1701	ATR	O4'-C4'-C5'-O5'
4	C	1701	ATR	PB-O3A-PA-O5'

Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Atoms
4	C	1701	ATR	C4'-C5'-O5'-PA
4	C	1701	ATR	PA-O3A-PB-O2B

There are no ring outliers.

1 monomer is involved in 5 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	C	1701	ATR	5	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.



5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-24875. These allow visual inspection of the internal detail of the map and identification of artifacts.


No raw map or half-maps were deposited for this entry and therefore no images, graphs, etc. pertaining to the raw map can be shown.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 182



Y Index: 182




Z Index: 182


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 172



Y Index: 181



Z Index: 190


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.

6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 9.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 188 nm³; this corresponds to an approximate mass of 170 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ



*Reported resolution corresponds to spatial frequency of 0.323 Å⁻¹


8 Fourier-Shell correlation

This section was not generated. No FSC curve or half-maps provided.

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-24875 and PDB model 7S6D. Per-residue inclusion information can be found in section [3](#) on page [6](#).

9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 9.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (9).

9.4 Atom inclusion [i](#)



At the recommended contour level, 87% of all backbone atoms, 86% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (9) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div><div></div></div> 0.8600	<div><div></div></div> 0.4900
A	<div><div></div></div> 0.8840	<div><div></div></div> 0.5190
B	<div><div></div></div> 0.8920	<div><div></div></div> 0.5200
C	<div><div></div></div> 0.7840	<div><div></div></div> 0.4140
D	<div><div></div></div> 0.8860	<div><div></div></div> 0.4780
E	<div><div></div></div> 0.8740	<div><div></div></div> 0.4730
F	<div><div></div></div> 0.8590	<div><div></div></div> 0.4690
G	<div><div></div></div> 0.8430	<div><div></div></div> 0.4620

1.0

0.0

<0.0