



## wwPDB EM Validation Summary Report ⓘ

Nov 4, 2024 – 10:36 PM EST

PDB ID : 8SET  
EMDB ID : EMD-40428  
Title : Cryo-EM Structure of RyR1 + cAMP  
Authors : Cholak, S.; Saville, J.W.; Zhu, X.; Berezuk, A.M.; Tuttle, K.S.; Haji-Ghassemi, O.; Van Petegem, F.; Subramaniam, S.  
Deposited on : 2023-04-10  
Resolution : 3.42 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev113
Mogul	:	2022.3.0, CSD as543be (2022)
MolProbity	:	4.02b-467
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.42 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	5037	
1	B	5037	
1	C	5037	
1	D	5037	
2	E	350	
2	F	350	
2	G	350	
2	H	350	

## 2 Entry composition

There are 4 unique types of molecules in this entry. The entry contains 143048 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Ryanodine receptor 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	4378	Total	C	N	O	S	9	0
			34921	22219	6024	6442	236		
1	B	4378	Total	C	N	O	S	9	0
			34921	22219	6024	6442	236		
1	C	4378	Total	C	N	O	S	9	0
			34921	22219	6024	6442	236		
1	D	4378	Total	C	N	O	S	9	0
			34921	22219	6024	6442	236		

- Molecule 2 is a protein called Glutathione S-transferase class-mu 26 kDa isozyme,Peptidyl-prolyl cis-trans isomerase FKBP1B.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	E	107	Total	C	N	O	S	0	0
			818	516	144	154	4		
2	F	107	Total	C	N	O	S	0	0
			818	516	144	154	4		
2	G	107	Total	C	N	O	S	0	0
			818	516	144	154	4		
2	H	107	Total	C	N	O	S	0	0
			818	516	144	154	4		

There are 100 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
E	-242	MET	-	expression tag	UNP P08515
E	-241	LYS	-	expression tag	UNP P08515
E	-240	SER	-	expression tag	UNP P08515
E	-239	SER	-	expression tag	UNP P08515
E	-238	HIS	-	expression tag	UNP P08515
E	-237	HIS	-	expression tag	UNP P08515
E	-236	HIS	-	expression tag	UNP P08515
E	-235	HIS	-	expression tag	UNP P08515

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
E	-234	HIS	-	expression tag	UNP P08515
E	-233	HIS	-	expression tag	UNP P08515
E	-232	GLY	-	expression tag	UNP P08515
E	-231	SER	-	expression tag	UNP P08515
E	-230	SER	-	expression tag	UNP P08515
E	-11	GLY	-	linker	UNP P08515
E	-10	ILE	-	linker	UNP P08515
E	-9	GLU	-	linker	UNP P08515
E	-8	GLU	-	linker	UNP P08515
E	-7	ASN	-	linker	UNP P08515
E	-6	LEU	-	linker	UNP P08515
E	-5	TYR	-	linker	UNP P08515
E	-4	PHE	-	linker	UNP P08515
E	-3	GLN	-	linker	UNP P08515
E	-2	SER	-	linker	UNP P08515
E	-1	ASN	-	linker	UNP P08515
E	0	ALA	-	linker	UNP P08515
F	-242	MET	-	expression tag	UNP P08515
F	-241	LYS	-	expression tag	UNP P08515
F	-240	SER	-	expression tag	UNP P08515
F	-239	SER	-	expression tag	UNP P08515
F	-238	HIS	-	expression tag	UNP P08515
F	-237	HIS	-	expression tag	UNP P08515
F	-236	HIS	-	expression tag	UNP P08515
F	-235	HIS	-	expression tag	UNP P08515
F	-234	HIS	-	expression tag	UNP P08515
F	-233	HIS	-	expression tag	UNP P08515
F	-232	GLY	-	expression tag	UNP P08515
F	-231	SER	-	expression tag	UNP P08515
F	-230	SER	-	expression tag	UNP P08515
F	-11	GLY	-	linker	UNP P08515
F	-10	ILE	-	linker	UNP P08515
F	-9	GLU	-	linker	UNP P08515
F	-8	GLU	-	linker	UNP P08515
F	-7	ASN	-	linker	UNP P08515
F	-6	LEU	-	linker	UNP P08515
F	-5	TYR	-	linker	UNP P08515
F	-4	PHE	-	linker	UNP P08515
F	-3	GLN	-	linker	UNP P08515
F	-2	SER	-	linker	UNP P08515
F	-1	ASN	-	linker	UNP P08515
F	0	ALA	-	linker	UNP P08515

*Continued on next page...*

*Continued from previous page...*


Chain	Residue	Modelled	Actual	Comment	Reference
G	-242	MET	-	expression tag	UNP P08515
G	-241	LYS	-	expression tag	UNP P08515
G	-240	SER	-	expression tag	UNP P08515
G	-239	SER	-	expression tag	UNP P08515
G	-238	HIS	-	expression tag	UNP P08515
G	-237	HIS	-	expression tag	UNP P08515
G	-236	HIS	-	expression tag	UNP P08515
G	-235	HIS	-	expression tag	UNP P08515
G	-234	HIS	-	expression tag	UNP P08515
G	-233	HIS	-	expression tag	UNP P08515
G	-232	GLY	-	expression tag	UNP P08515
G	-231	SER	-	expression tag	UNP P08515
G	-230	SER	-	expression tag	UNP P08515
G	-11	GLY	-	linker	UNP P08515
G	-10	ILE	-	linker	UNP P08515
G	-9	GLU	-	linker	UNP P08515
G	-8	GLU	-	linker	UNP P08515
G	-7	ASN	-	linker	UNP P08515
G	-6	LEU	-	linker	UNP P08515
G	-5	TYR	-	linker	UNP P08515
G	-4	PHE	-	linker	UNP P08515
G	-3	GLN	-	linker	UNP P08515
G	-2	SER	-	linker	UNP P08515
G	-1	ASN	-	linker	UNP P08515
G	0	ALA	-	linker	UNP P08515
H	-242	MET	-	expression tag	UNP P08515
H	-241	LYS	-	expression tag	UNP P08515
H	-240	SER	-	expression tag	UNP P08515
H	-239	SER	-	expression tag	UNP P08515
H	-238	HIS	-	expression tag	UNP P08515
H	-237	HIS	-	expression tag	UNP P08515
H	-236	HIS	-	expression tag	UNP P08515
H	-235	HIS	-	expression tag	UNP P08515
H	-234	HIS	-	expression tag	UNP P08515
H	-233	HIS	-	expression tag	UNP P08515
H	-232	GLY	-	expression tag	UNP P08515
H	-231	SER	-	expression tag	UNP P08515
H	-230	SER	-	expression tag	UNP P08515
H	-11	GLY	-	linker	UNP P08515
H	-10	ILE	-	linker	UNP P08515
H	-9	GLU	-	linker	UNP P08515
H	-8	GLU	-	linker	UNP P08515

*Continued on next page...*

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
H	-7	ASN	-	linker	UNP P08515
H	-6	LEU	-	linker	UNP P08515
H	-5	TYR	-	linker	UNP P08515
H	-4	PHE	-	linker	UNP P08515
H	-3	GLN	-	linker	UNP P08515
H	-2	SER	-	linker	UNP P08515
H	-1	ASN	-	linker	UNP P08515
H	0	ALA	-	linker	UNP P08515

- Molecule 3 is ADENOSINE-3',5'-CYCLIC-MONOPHOSPHATE (three-letter code: CMP) (formula:  $C_{10}H_{12}N_5O_6P$ ) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms					AltConf
3	A	1	Total	C	N	O	P	0
			22	10	5	6	1	
3	B	1	Total	C	N	O	P	0
			22	10	5	6	1	
3	C	1	Total	C	N	O	P	0
			22	10	5	6	1	
3	D	1	Total	C	N	O	P	0
			22	10	5	6	1	


- Molecule 4 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
4	A	1	Total 1	Zn 1	0
4	B	1	Total 1	Zn 1	0
4	C	1	Total 1	Zn 1	0
4	D	1	Total 1	Zn 1	0

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: Ryanodine receptor 1












- Molecule 1: Ryanodine receptor 1
























• Molecule 1: Ryanodine receptor 1













- Molecule 2: Glutathione S-transferase class-mu 26 kDa isozyme,Peptidyl-prolyl cis-trans isomerase FKBP1B



- Molecule 2: Glutathione S-transferase class-mu 26 kDa isozyme,Peptidyl-prolyl cis-trans isomerase FKBP1B



- Molecule 2: Glutathione S-transferase class-mu 26 kDa isozyme,Peptidyl-prolyl cis-trans isomerase FKBP1B



SER	ASN	ALA	G1	I4	I7	S8	P9	K18	G19	Q20	T21	G22	V23	V24	H25	Y26	T27	K35	R40	D41	R42	K47	F48	R49	E54	Q70	K73	L74	T77	P78	D79	V80	A81	Y82	L104	N105	L106	E107											
MET	CYS	LEU	ASP	ALA	PHE	PRO	LYS	LEU	VAL	CYS	PHE	LYS	LYS	ARG	PHE	ILE	GLU	ALA	ILE	PRO	GLN	ILE	ASP	LYS	LYS	TYR	MET	PHE	GLY	TRP	GLN	ASP	THR	ALA	PHE	PRO	LYS	GLY	ILE	GLU	ASN	LEU	TYR	PHE	ASP	GLN			
ARG	ILE	ALA	TYR	SER	LYS	ASP	PHE	GLU	THR	LYS	VAL	ASP	PHE	LEU	SER	LYS	LEU	PRO	GLU	MET	LEU	LYS	MET	PHE	ARG	GLY	GLU	ASP	THR	ALA	ARG	GLY	ALA	ALA	LEU	ASP	VAL	VAL	VAL	GLU	VAL	LEU	ARG	ASN	LYS	LYS	GLY	VAL	SER
LEU	LYS	GLU	GLU	PHE	PRO	ASN	HIS	HIS	PRO	TYR	TYR	ILE	ASP	GLY	ASP	VAL	LYS	THR	GLN	SER	TRP	LYS	ILE	ALA	ILE	GLY	LEU	VAL	GLN	GLU	TYR	GLY	ALA	ALA	GLY	HIS	GLU	GLU	GLU	ARG	ASP	GLY	GLY	ASP	GLY	LEU	GLU	MET	



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	206618	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	40	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	96000	Depositor
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	0.725	Depositor
Minimum map value	-0.299	Depositor
Average map value	-0.001	Depositor
Map value standard deviation	0.026	Depositor
Recommended contour level	0.126	Depositor
Map size (Å)	515.2, 515.2, 515.2	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.288, 1.288, 1.288	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: CMP, ZN

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.33	0/35738	0.64	8/48398 (0.0%)
1	B	0.33	0/35738	0.64	8/48398 (0.0%)
1	C	0.33	0/35738	0.64	8/48398 (0.0%)
1	D	0.33	0/35738	0.64	8/48398 (0.0%)
2	E	0.33	0/834	0.65	0/1123
2	F	0.33	0/834	0.65	0/1123
2	G	0.33	0/834	0.65	0/1123
2	H	0.33	0/834	0.64	0/1123
All	All	0.33	0/146288	0.64	32/198084 (0.0%)

There are no bond length outliers.

The worst 5 of 32 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	5028	PHE	CB-CG-CD1	7.53	126.07	120.80
1	C	5028	PHE	CB-CG-CD1	7.43	126.00	120.80
1	B	5028	PHE	CB-CG-CD1	7.42	126.00	120.80
1	D	5028	PHE	CB-CG-CD1	7.42	126.00	120.80
1	A	903	LEU	CA-CB-CG	6.29	129.76	115.30

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	34921	0	34546	387	0
1	B	34921	0	34546	399	0
1	C	34921	0	34546	392	0
1	D	34921	0	34546	391	0
2	E	818	0	824	12	0
2	F	818	0	824	12	0
2	G	818	0	824	13	0
2	H	818	0	824	13	0
3	A	22	0	11	2	0
3	B	22	0	11	2	0
3	C	22	0	11	2	0
3	D	22	0	11	2	0
4	A	1	0	0	0	0
4	B	1	0	0	0	0
4	C	1	0	0	0	0
4	D	1	0	0	0	0
All	All	143048	0	141524	1601	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 6.

The worst 5 of 1601 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:B:5101:CMP:H2	3:B:5101:CMP:C2	0.97	1.49
3:A:5101:CMP:C2	3:A:5101:CMP:H2	0.97	1.49
3:C:5101:CMP:H2	3:C:5101:CMP:C2	0.97	1.48
3:D:5101:CMP:H2	3:D:5101:CMP:C2	0.97	1.47
1:A:3335:MET:SD	1:A:3403:ARG:NH1	2.61	0.74

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	4355/5037 (86%)	4218 (97%)	133 (3%)	4 (0%)	48	78
1	B	4355/5037 (86%)	4219 (97%)	132 (3%)	4 (0%)	48	78
1	C	4355/5037 (86%)	4219 (97%)	132 (3%)	4 (0%)	48	78
1	D	4355/5037 (86%)	4219 (97%)	132 (3%)	4 (0%)	48	78
2	E	105/350 (30%)	103 (98%)	2 (2%)	0	100	100
2	F	105/350 (30%)	103 (98%)	2 (2%)	0	100	100
2	G	105/350 (30%)	103 (98%)	2 (2%)	0	100	100
2	H	105/350 (30%)	103 (98%)	2 (2%)	0	100	100
All	All	17840/21548 (83%)	17287 (97%)	537 (3%)	16 (0%)	50	78

5 of 16 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	A	3615	SER
1	B	3615	SER
1	C	3615	SER
1	D	3615	SER
1	A	4691	GLN

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	3807/4276 (89%)	3687 (97%)	120 (3%)	34	59
1	B	3807/4276 (89%)	3687 (97%)	120 (3%)	34	59
1	C	3807/4276 (89%)	3687 (97%)	120 (3%)	34	59
1	D	3807/4276 (89%)	3687 (97%)	120 (3%)	34	59
2	E	88/304 (29%)	87 (99%)	1 (1%)	70	81
2	F	88/304 (29%)	87 (99%)	1 (1%)	70	81
2	G	88/304 (29%)	87 (99%)	1 (1%)	70	81
2	H	88/304 (29%)	87 (99%)	1 (1%)	70	81

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	15580/18320 (85%)	15096 (97%)	484 (3%)	37 60

5 of 484 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	B	5010	VAL
1	D	4821	LYS
1	C	4550	LYS
1	D	4750	ILE
1	D	5012	LYS

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 66 such sidechains are listed below:

Mol	Chain	Res	Type
1	D	4707	ASN
1	D	4984	ASN
2	H	87	HIS
1	B	4043	GLN
1	B	3605	HIS

### 5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

### 5.6 Ligand geometry [i](#)

Of 8 ligands modelled in this entry, 4 are monoatomic - leaving 4 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The

Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
3	CMP	D	5101	-	21,25,25	1.31	3 (14%)	24,39,39	1.67	6 (25%)
3	CMP	A	5101	-	21,25,25	1.31	3 (14%)	24,39,39	1.67	6 (25%)
3	CMP	C	5101	-	21,25,25	1.31	3 (14%)	24,39,39	1.67	6 (25%)
3	CMP	B	5101	-	21,25,25	1.31	3 (14%)	24,39,39	1.67	6 (25%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	CMP	D	5101	-	-	0/0/31/31	0/4/4/4
3	CMP	A	5101	-	-	0/0/31/31	0/4/4/4
3	CMP	C	5101	-	-	0/0/31/31	0/4/4/4
3	CMP	B	5101	-	-	0/0/31/31	0/4/4/4

The worst 5 of 12 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
3	B	5101	CMP	P-O3'	3.21	1.63	1.57
3	D	5101	CMP	P-O3'	3.21	1.63	1.57
3	C	5101	CMP	P-O3'	3.21	1.63	1.57
3	A	5101	CMP	P-O3'	3.21	1.63	1.57
3	D	5101	CMP	O5'-C5'	-2.57	1.42	1.46

The worst 5 of 24 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	C	5101	CMP	N3-C2-N1	-3.86	123.44	128.67
3	A	5101	CMP	N3-C2-N1	-3.85	123.44	128.67
3	D	5101	CMP	N3-C2-N1	-3.85	123.44	128.67
3	B	5101	CMP	N3-C2-N1	-3.85	123.45	128.67
3	B	5101	CMP	C4'-O4'-C1'	-3.38	106.83	109.92

There are no chirality outliers.


There are no torsion outliers.


There are no ring outliers.

4 monomers are involved in 8 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
3	D	5101	CMP	2	0
3	A	5101	CMP	2	0
3	C	5101	CMP	2	0
3	B	5101	CMP	2	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-40428. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


### 6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 182




Y Index: 218




Z Index: 224


### 6.3.2 Raw map



X Index: 186



Y Index: 214




Z Index: 223


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.



## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.126. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.

## 7.2 Volume estimate [i](#)




The volume at the recommended contour level is 1379  $\text{nm}^3$ ; this corresponds to an approximate mass of 1246 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.



### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of 0.292 Å<sup>-1</sup>

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.292  $\text{\AA}^{-1}$

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.42	-	-
Author-provided FSC curve	3.45	4.07	3.54
Unmasked-calculated*	4.32	7.36	4.37

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.32 differs from the reported value 3.42 by more than 10 %

## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-40428 and PDB model 8SET. Per-residue inclusion information can be found in section [3](#) on page [8](#).

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.126 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.126).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 82% of all backbone atoms, 70% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.126) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div></div> 0.6990	<div></div> 0.3090
A	<div></div> 0.6960	<div></div> 0.3070
B	<div></div> 0.6960	<div></div> 0.3070
C	<div></div> 0.6960	<div></div> 0.3070
D	<div></div> 0.6960	<div></div> 0.3070
E	<div></div> 0.8410	<div></div> 0.3850
F	<div></div> 0.8410	<div></div> 0.3870
G	<div></div> 0.8410	<div></div> 0.3850
H	<div></div> 0.8410	<div></div> 0.3860

1.0

0.0

<0.0