



wwPDB EM Validation Summary Report ⓘ

Oct 14, 2024 – 10:55 PM EDT

PDB ID : 8SNH
EMDB ID : EMD-40625
Title : cytochrome bc1-cbb3 supercomplex from *Pseudomonas aeruginosa*
Authors : Di Trani, J.M.; Rubinstein, J.L.
Deposited on : 2023-04-27
Resolution : 2.70 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev113
Mogul	:	2022.3.0, CSD as543be (2022)
MolProbity	:	4.02b-467
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.39


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 2.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.








Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	E	468	
2	C	194	
2	Z	194	
3	D	403	
3	I	403	
4	J	233	
4	M	233	
5	K	181	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	N	181	
6	L	136	
6	O	136	
7	F	200	
8	G	304	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
12	FES	Z	201	-	-	X	-

2 Entry composition

There are 15 unique types of molecules in this entry. The entry contains 44205 atoms, of which 20040 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called cytochrome-c oxidase.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	E	468	Total	C	N	O	S	0	0
			3719	2478	607	609	25		

- Molecule 2 is a protein called Ubiquinol-cytochrome c reductase iron-sulfur subunit.

Mol	Chain	Residues	Atoms						AltConf	Trace
2	C	190	Total	C	H	N	O	S	0	0
			2827	910	1407	245	260	5		
2	Z	194	Total	C	H	N	O	S	0	0
			2883	926	1434	251	267	5		

- Molecule 3 is a protein called Cytochrome b.

Mol	Chain	Residues	Atoms						AltConf	Trace
3	I	403	Total	C	H	N	O	S	0	0
			6556	2207	3289	508	533	19		
3	D	403	Total	C	H	N	O	S	0	0
			6556	2207	3289	508	533	19		

- Molecule 4 is a protein called Cytochrome c1.

Mol	Chain	Residues	Atoms						AltConf	Trace
4	J	232	Total	C	H	N	O	S	0	0
			3663	1188	1821	309	334	11		
4	M	204	Total	C	H	N	O	S	0	0
			3250	1059	1619	273	290	9		

- Molecule 5 is a protein called Cytochrome c4.

Mol	Chain	Residues	Atoms						AltConf	Trace
5	K	181	Total	C	H	N	O	S	0	0
			2585	805	1279	235	256	10		

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms						AltConf	Trace
5	N	181	Total	C	H	N	O	S	0	0
			2585	805	1279	235	256	10		

- Molecule 6 is a protein called Cytochrome C5.

Mol	Chain	Residues	Atoms						AltConf	Trace
6	L	16	Total	C	H	N	O	S	0	0
			244	73	129	22	19	1		
6	O	16	Total	C	H	N	O	S	0	0
			244	73	129	22	19	1		

- Molecule 7 is a protein called Cbb3-type Cytochrome C oxidase subunit II.

Mol	Chain	Residues	Atoms						AltConf	Trace
7	F	200	Total	C	H	N	O	S	0	0
			2917	944	1418	268	280	7		

- Molecule 8 is a protein called Cbb3-type cytochrome c oxidase subunit.

Mol	Chain	Residues	Atoms						AltConf	Trace
8	G	304	Total	C	H	N	O	S	0	0
			4655	1516	2299	394	432	14		


- Molecule 9 is COPPER (II) ION (three-letter code: CU) (formula: Cu).

Mol	Chain	Residues	Atoms		AltConf
9	E	1	Total	Cu	0
			1	1	

- Molecule 10 is CALCIUM ION (three-letter code: CA) (formula: Ca).


Mol	Chain	Residues	Atoms		AltConf
10	E	2	Total	Ca	0
			2	2	

- Molecule 11 is PROTOPORPHYRIN IX CONTAINING FE (three-letter code: HEM) (formula: C₃₄H₃₂FeN₄O₄).




Mol	Chain	Residues	Atoms						AltConf
11	E	1	Total	C	Fe	H	N	O	0
			73	34	1	30	4	4	
11	E	1	Total	C	Fe	H	N	O	0
			73	34	1	30	4	4	
11	I	1	Total	C	Fe	H	N	O	0
			73	34	1	30	4	4	
11	I	1	Total	C	Fe	H	N	O	0
			73	34	1	30	4	4	
11	D	1	Total	C	Fe	H	N	O	0
			73	34	1	30	4	4	
11	D	1	Total	C	Fe	H	N	O	0
			73	34	1	30	4	4	

- Molecule 12 is FE2/S2 (INORGANIC) CLUSTER (three-letter code: FES) (formula: Fe₂S₂).



Mol	Chain	Residues	Atoms			AltConf
12	C	1	Total	Fe	S	0
			4	2	2	
12	Z	1	Total	Fe	S	0
			4	2	2	

- Molecule 13 is (2R)-2-(methoxymethyl)-4-{[(25R)-spirost-5-en-3beta-yl]oxy}butyl 4-O-alpha-D-glucopyranosyl-beta-D-glucopyranoside (three-letter code: I7Y) (formula: C₄₅H₇₄O₁₅).




Mol	Chain	Residues	Atoms			AltConf
13	I	1	Total	C	O	0
			31	28	3	

Continued on next page...

Continued from previous page...


Mol	Chain	Residues	Atoms			AltConf
13	Z	1	Total	C	O	0
			60	45	15	

- Molecule 14 is UBIQUINONE-10 (three-letter code: U10) (formula: $C_{59}H_{90}O_4$).



Mol	Chain	Residues	Atoms				AltConf
14	I	1	Total	C	H	O	0
			153	59	90	4	
14	D	1	Total	C	H	O	0
			153	59	90	4	

- Molecule 15 is HEME C (three-letter code: HEC) (formula: $C_{34}H_{34}FeN_4O_4$).




Mol	Chain	Residues	Atoms						AltConf
15	J	1	Total 75	C 34	Fe 1	H 32	N 4	O 4	0
15	K	1	Total 75	C 34	Fe 1	H 32	N 4	O 4	0
15	K	1	Total 75	C 34	Fe 1	H 32	N 4	O 4	0
15	M	1	Total 75	C 34	Fe 1	H 32	N 4	O 4	0
15	N	1	Total 75	C 34	Fe 1	H 32	N 4	O 4	0
15	N	1	Total 75	C 34	Fe 1	H 32	N 4	O 4	0
15	F	1	Total 75	C 34	Fe 1	H 32	N 4	O 4	0
15	G	1	Total 75	C 34	Fe 1	H 32	N 4	O 4	0
15	G	1	Total 75	C 34	Fe 1	H 32	N 4	O 4	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: cytochrome-c oxidase




- Molecule 2: Ubiquinol-cytochrome c reductase iron-sulfur subunit





- Molecule 2: Ubiquinol-cytochrome c reductase iron-sulfur subunit









• Molecule 3: Cytochrome b




• Molecule 3: Cytochrome b




• Molecule 4: Cytochrome c1




• Molecule 4: Cytochrome c1









• Molecule 5: Cytochrome c4






• Molecule 5: Cytochrome c4




• Molecule 6: Cytochrome C5




• Molecule 6: Cytochrome C5





• Molecule 7: Cbb3-type Cytochrome C oxidase subunit II





• Molecule 8: Cbb3-type cytochrome c oxidase subunit



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	48594	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	51	Depositor
Minimum defocus (nm)	900	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	15.242	Depositor
Minimum map value	-7.411	Depositor
Average map value	0.002	Depositor
Map value standard deviation	0.182	Depositor
Recommended contour level	1.24	Depositor
Map size (Å)	341.96, 341.96, 341.96	wwPDB
Map dimensions	332, 332, 332	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.03, 1.03, 1.03	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: HEM, CA, HEC, CU, FES, U10, I7Y

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	E	0.28	0/3847	0.49	0/5252
2	C	0.27	0/1461	0.50	0/1997
2	Z	0.27	0/1490	0.48	0/2035
3	D	0.27	0/3381	0.45	0/4606
3	I	0.27	0/3381	0.46	0/4606
4	J	0.27	0/1889	0.48	0/2564
4	M	0.25	0/1674	0.47	0/2271
5	K	0.25	0/1327	0.46	0/1788
5	N	0.25	0/1327	0.45	0/1788
6	L	0.27	0/115	0.51	0/153
6	O	0.22	0/115	0.46	0/153
7	F	0.24	0/1533	0.50	0/2083
8	G	0.29	0/2422	0.50	0/3288
All	All	0.27	0/23962	0.48	0/32584

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	E	3719	0	3712	116	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
2	C	1420	1407	1407	24	0
2	Z	1449	1434	1434	22	0
3	D	3267	3289	3289	56	0
3	I	3267	3289	3289	46	0
4	J	1842	1821	1821	39	0
4	M	1631	1619	1619	13	0
5	K	1306	1279	1279	22	0
5	N	1306	1279	1279	11	0
6	L	115	129	129	4	0
6	O	115	129	129	1	0
7	F	1499	1418	1418	30	0
8	G	2356	2299	2296	98	0
9	E	1	0	0	0	0
10	E	2	0	0	0	0
11	D	86	60	60	9	0
11	E	86	60	60	12	0
11	I	86	60	60	11	0
12	C	4	0	0	1	0
12	Z	4	0	0	2	0
13	I	31	0	0	3	0
13	Z	60	0	0	6	0
14	D	63	90	90	10	0
14	I	63	90	90	13	0
15	F	43	32	30	9	0
15	G	86	64	60	19	0
15	J	43	32	30	9	0
15	K	86	64	60	11	0
15	M	43	32	30	8	0
15	N	86	64	60	7	0
All	All	24165	20040	23731	479	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 479 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
13:I:501:I7Y:C15	13:I:501:I7Y:C07	1.78	1.59
13:Z:202:I7Y:C15	13:Z:202:I7Y:C07	1.77	1.58
1:E:417:ASP:OD1	8:G:137:ARG:NH2	1.91	1.03
2:Z:169:GLN:HE22	13:Z:202:I7Y:C61	1.74	1.01

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:Z:3:ASN:HD22	2:Z:3:ASN:N	1.54	1.00

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	E	466/468 (100%)	446 (96%)	19 (4%)	1 (0%)	44	68
2	C	188/194 (97%)	185 (98%)	3 (2%)	0	100	100
2	Z	192/194 (99%)	185 (96%)	7 (4%)	0	100	100
3	D	401/403 (100%)	394 (98%)	7 (2%)	0	100	100
3	I	401/403 (100%)	394 (98%)	7 (2%)	0	100	100
4	J	230/233 (99%)	224 (97%)	6 (3%)	0	100	100
4	M	200/233 (86%)	197 (98%)	3 (2%)	0	100	100
5	K	179/181 (99%)	176 (98%)	3 (2%)	0	100	100
5	N	179/181 (99%)	174 (97%)	5 (3%)	0	100	100
6	L	14/136 (10%)	14 (100%)	0	0	100	100
6	O	14/136 (10%)	14 (100%)	0	0	100	100
7	F	198/200 (99%)	192 (97%)	6 (3%)	0	100	100
8	G	302/304 (99%)	280 (93%)	20 (7%)	2 (1%)	19	42
All	All	2964/3266 (91%)	2875 (97%)	86 (3%)	3 (0%)	50	73

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
8	G	33	LYS
8	G	208	GLU

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	E	473	ARG

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	E	383/383 (100%)	368 (96%)	15 (4%)	27	56
2	C	148/151 (98%)	141 (95%)	7 (5%)	22	49
2	Z	151/151 (100%)	145 (96%)	6 (4%)	27	55
3	D	342/342 (100%)	337 (98%)	5 (2%)	60	83
3	I	342/342 (100%)	335 (98%)	7 (2%)	50	78
4	J	195/196 (100%)	190 (97%)	5 (3%)	41	70
4	M	171/196 (87%)	169 (99%)	2 (1%)	67	86
5	K	130/130 (100%)	129 (99%)	1 (1%)	79	91
5	N	130/130 (100%)	125 (96%)	5 (4%)	28	56
6	L	12/90 (13%)	11 (92%)	1 (8%)	9	22
6	O	12/90 (13%)	12 (100%)	0	100	100
7	F	147/167 (88%)	140 (95%)	7 (5%)	21	48
8	G	237/237 (100%)	219 (92%)	18 (8%)	11	27
All	All	2400/2605 (92%)	2321 (97%)	79 (3%)	35	62

5 of 79 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
7	F	87	SER
8	G	166	ARG
7	F	149	ASP
8	G	60	MET
8	G	262	SER

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (2) such sidechains are listed below:

Mol	Chain	Res	Type
1	E	244	HIS
2	Z	169	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry ⓘ

Of 24 ligands modelled in this entry, 3 are monoatomic - leaving 21 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
15	HEC	J	500	4	32,50,50	2.15	3 (9%)	30,82,82	2.25	6 (20%)
15	HEC	K	502	5	32,50,50	2.12	3 (9%)	30,82,82	2.32	4 (13%)
15	HEC	N	501	5	32,50,50	2.17	3 (9%)	30,82,82	2.23	4 (13%)
15	HEC	G	401	8	32,50,50	2.20	3 (9%)	30,82,82	2.07	6 (20%)
13	I7Y	I	501	-	36,36,67	6.20	22 (61%)	59,59,103	3.45	18 (30%)
11	HEM	E	505	10,1	42,50,50	1.51	5 (11%)	46,82,82	1.22	4 (8%)
14	U10	I	504	-	63,63,63	2.80	17 (26%)	78,79,79	1.69	22 (28%)
15	HEC	F	301	7	32,50,50	2.11	3 (9%)	30,82,82	2.14	3 (10%)
11	HEM	I	503	3	42,50,50	1.50	5 (11%)	46,82,82	1.41	6 (13%)
12	FES	C	201	2	0,4,4	-	-	-	-	-

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
15	HEC	M	500	4	32,50,50	2.11	3 (9%)	30,82,82	2.27	7 (23%)
15	HEC	N	502	5	32,50,50	2.11	3 (9%)	30,82,82	2.30	6 (20%)
15	HEC	G	402	8	32,50,50	2.13	3 (9%)	30,82,82	2.17	7 (23%)
11	HEM	D	502	3	42,50,50	1.49	6 (14%)	46,82,82	1.37	6 (13%)
11	HEM	I	502	3	42,50,50	1.45	5 (11%)	46,82,82	1.54	8 (17%)
11	HEM	E	504	10,1	42,50,50	1.48	4 (9%)	46,82,82	1.36	6 (13%)
11	HEM	D	501	3	42,50,50	1.44	5 (11%)	46,82,82	1.56	10 (21%)
13	I7Y	Z	202	-	67,67,67	4.67	29 (43%)	99,103,103	2.81	24 (24%)
12	FES	Z	201	2	0,4,4	-	-	-	-	-
14	U10	D	503	-	63,63,63	2.81	17 (26%)	78,79,79	1.64	22 (28%)
15	HEC	K	501	5	32,50,50	2.09	3 (9%)	30,82,82	2.12	6 (20%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
15	HEC	J	500	4	-	0/10/54/54	-
15	HEC	K	502	5	-	2/10/54/54	-
15	HEC	N	501	5	-	1/10/54/54	-
15	HEC	G	401	8	-	8/10/54/54	-
13	I7Y	I	501	-	-	1/2/90/150	0/6/6/8
11	HEM	E	505	10,1	-	4/12/54/54	-
14	U10	I	504	-	-	20/63/87/87	0/1/1/1
15	HEC	F	301	7	-	2/10/54/54	-
11	HEM	I	503	3	-	4/12/54/54	-
12	FES	C	201	2	-	-	0/1/1/1
15	HEC	M	500	4	-	2/10/54/54	-
15	HEC	N	502	5	-	1/10/54/54	-
15	HEC	G	402	8	-	1/10/54/54	-
11	HEM	D	502	3	-	2/12/54/54	-
11	HEM	I	502	3	-	7/12/54/54	-
11	HEM	E	504	10,1	-	2/12/54/54	-
11	HEM	D	501	3	-	2/12/54/54	-
13	I7Y	Z	202	-	-	10/22/150/150	0/8/8/8
12	FES	Z	201	2	-	-	0/1/1/1

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
14	U10	D	503	-	-	25/63/87/87	0/1/1/1
15	HEC	K	501	5	-	2/10/54/54	-

The worst 5 of 142 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
13	I	501	I7Y	C15-C07	15.39	1.78	1.53
13	Z	202	I7Y	C15-C07	15.36	1.77	1.53
13	Z	202	I7Y	C07-C08	-14.85	1.25	1.53
13	I	501	I7Y	C07-C08	-14.84	1.25	1.53
13	I	501	I7Y	C10-C02	-13.87	1.30	1.54

The worst 5 of 175 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
13	I	501	I7Y	C76-C73-C74	17.95	148.17	115.66
13	Z	202	I7Y	C76-C73-C74	17.94	148.16	115.66
13	I	501	I7Y	O80-C73-C74	-9.18	79.89	107.26
13	Z	202	I7Y	O80-C73-C74	-9.18	79.90	107.26
15	F	301	HEC	CBB-CAB-C3B	-7.52	109.90	127.49

There are no chirality outliers.

5 of 96 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
11	E	505	HEM	C1A-C2A-CAA-CBA
11	E	505	HEM	C3A-C2A-CAA-CBA
13	Z	202	I7Y	C16-C17-O20-CG1
13	Z	202	I7Y	C2C-C1C-O1C-C48
13	Z	202	I7Y	O5C-C1C-O1C-C48

There are no ring outliers.

21 monomers are involved in 130 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
15	J	500	HEC	9	0
15	K	502	HEC	5	0
15	N	501	HEC	4	0
15	G	401	HEC	7	0
13	I	501	I7Y	3	0


Continued on next page...

Continued from previous page...


Mol	Chain	Res	Type	Clashes	Symm-Clashes
11	E	505	HEM	5	0
14	I	504	U10	13	0
15	F	301	HEC	9	0
11	I	503	HEM	6	0
12	C	201	FES	1	0
15	M	500	HEC	8	0
15	N	502	HEC	3	0
15	G	402	HEC	12	0
11	D	502	HEM	5	0
11	I	502	HEM	5	0
11	E	504	HEM	7	0
11	D	501	HEM	4	0
13	Z	202	I7Y	6	0
12	Z	201	FES	2	0
14	D	503	U10	10	0
15	K	501	HEC	6	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.


Ligand HEC J 500



Bond lengths




Bond angles





Torsions





Rings












Ligand HEC F 301




Bond lengths




Bond angles





Torsions





Rings


























5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-40625. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 166




Y Index: 166




Z Index: 166


6.2.2 Raw map



X Index: 166



Y Index: 166




Z Index: 166


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 171



Y Index: 145




Z Index: 164


6.3.2 Raw map



X Index: 171



Y Index: 156




Z Index: 131


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 1.24. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 106 nm^3 ; this corresponds to an approximate mass of 96 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.370 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.370 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	2.70	-	-
Author-provided FSC curve	-	-	-
Unmasked-calculated*	3.70	7.43	3.78

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.70 differs from the reported value 2.7 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-40625 and PDB model 8SNH. Per-residue inclusion information can be found in [section 3](#) on [page 10](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 1.24 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (1.24).





























9.4 Atom inclusion ⓘ



At the recommended contour level, 80% of all backbone atoms, 77% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (1.24) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7730	 0.6130
C	 0.7460	 0.4780
D	 0.9120	 0.6830
E	 0.6740	 0.5390
F	 0.6240	 0.5550
G	 0.4870	 0.4880
I	 0.9070	 0.6830
J	 0.9110	 0.6560
K	 0.9170	 0.6790
L	 0.7790	 0.6590
M	 0.9070	 0.6820
N	 0.8930	 0.6740
O	 0.7260	 0.6500
Z	 0.6850	 0.6250

