



wwPDB X-ray Structure Validation Summary Report ⓘ

Apr 7, 2025 – 04:09 PM JST

PDB ID : 8XLA / pdb_00008xla
Title : Mismatch Repair Complex
Authors : Nirwal, S.; Nair, D.T.
Deposited on : 2023-12-25
Resolution : 3.50 Å(reported)

This is a wwPDB X-ray Structure Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


MolProbity	:	4.02b-467
Xtriage (Phenix)	:	2.0rc1
EDS	:	3.0
Percentile statistics	:	20231227.v01 (using entries in the PDB archive December 27th 2023)
CCP4	:	9.0.006 (Gargrove)
Density-Fitness	:	1.0.12
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.42

1 Overall quality at a glance i

The following experimental techniques were used to determine the structure:
X-RAY DIFFRACTION

The reported resolution of this entry is 3.50 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
R_{free}	164625	1094 (3.56-3.44)
Clashscore	180529	1045 (3.54-3.46)
Ramachandran outliers	177936	1032 (3.54-3.46)
Sidechain outliers	177891	1033 (3.54-3.46)
RSRZ outliers	164620	1093 (3.56-3.44)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	387	<div><div>2%</div><div></div><div>76%</div><div>20%</div><div>••</div></div>
1	B	387	<div><div></div><div>75%</div><div>20%</div><div>5%</div></div>
1	E	387	<div><div>%</div><div></div><div>81%</div><div>14%</div><div>5%</div></div>
1	F	387	<div><div>%</div><div></div><div>79%</div><div>16%</div><div>5%</div></div>
2	D	220	<div><div>10%</div><div></div><div>50%</div><div>28%</div><div>•</div><div>20%</div></div>
2	Y	220	<div><div>10%</div><div></div><div>44%</div><div>40%</div><div>•</div><div>15%</div></div>

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
2	Z	220	<div><div></div><div>5%</div><div>63%</div><div>21%</div><div>•</div><div>15%</div></div>

2 Entry composition

There are 2 unique types of molecules in this entry. The entry contains 15581 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Beta sliding clamp.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	A	374	Total	C	N	O	S	0	0	0
			2912	1847	505	547	13			
1	B	366	Total	C	N	O	S	0	0	0
			2865	1819	495	539	12			
1	E	367	Total	C	N	O	S	0	0	0
			2874	1824	498	539	13			
1	F	367	Total	C	N	O	S	0	0	0
			2869	1821	496	539	13			

There are 80 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A	-20	MET	-	initiating methionine	UNP Q5FAJ1
A	-19	GLY	-	expression tag	UNP Q5FAJ1
A	-18	SER	-	expression tag	UNP Q5FAJ1
A	-17	SER	-	expression tag	UNP Q5FAJ1
A	-16	HIS	-	expression tag	UNP Q5FAJ1
A	-15	HIS	-	expression tag	UNP Q5FAJ1
A	-14	HIS	-	expression tag	UNP Q5FAJ1
A	-13	HIS	-	expression tag	UNP Q5FAJ1
A	-12	HIS	-	expression tag	UNP Q5FAJ1
A	-11	HIS	-	expression tag	UNP Q5FAJ1
A	-10	SER	-	expression tag	UNP Q5FAJ1
A	-9	SER	-	expression tag	UNP Q5FAJ1
A	-8	GLY	-	expression tag	UNP Q5FAJ1
A	-7	LEU	-	expression tag	UNP Q5FAJ1
A	-6	VAL	-	expression tag	UNP Q5FAJ1
A	-5	PRO	-	expression tag	UNP Q5FAJ1
A	-4	ARG	-	expression tag	UNP Q5FAJ1
A	-3	GLY	-	expression tag	UNP Q5FAJ1
A	-2	SER	-	expression tag	UNP Q5FAJ1
A	-1	HIS	-	expression tag	UNP Q5FAJ1
B	-19	MET	-	initiating methionine	UNP Q5FAJ1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
B	-18	GLY	-	expression tag	UNP Q5FAJ1
B	-17	SER	-	expression tag	UNP Q5FAJ1
B	-16	SER	-	expression tag	UNP Q5FAJ1
B	-15	HIS	-	expression tag	UNP Q5FAJ1
B	-14	HIS	-	expression tag	UNP Q5FAJ1
B	-13	HIS	-	expression tag	UNP Q5FAJ1
B	-12	HIS	-	expression tag	UNP Q5FAJ1
B	-11	HIS	-	expression tag	UNP Q5FAJ1
B	-10	HIS	-	expression tag	UNP Q5FAJ1
B	-9	SER	-	expression tag	UNP Q5FAJ1
B	-8	SER	-	expression tag	UNP Q5FAJ1
B	-7	GLY	-	expression tag	UNP Q5FAJ1
B	-6	LEU	-	expression tag	UNP Q5FAJ1
B	-5	VAL	-	expression tag	UNP Q5FAJ1
B	-4	PRO	-	expression tag	UNP Q5FAJ1
B	-3	ARG	-	expression tag	UNP Q5FAJ1
B	-2	GLY	-	expression tag	UNP Q5FAJ1
B	-1	SER	-	expression tag	UNP Q5FAJ1
B	0	HIS	-	expression tag	UNP Q5FAJ1
E	-20	MET	-	initiating methionine	UNP Q5FAJ1
E	-19	GLY	-	expression tag	UNP Q5FAJ1
E	-18	SER	-	expression tag	UNP Q5FAJ1
E	-17	SER	-	expression tag	UNP Q5FAJ1
E	-16	HIS	-	expression tag	UNP Q5FAJ1
E	-15	HIS	-	expression tag	UNP Q5FAJ1
E	-14	HIS	-	expression tag	UNP Q5FAJ1
E	-13	HIS	-	expression tag	UNP Q5FAJ1
E	-12	HIS	-	expression tag	UNP Q5FAJ1
E	-11	HIS	-	expression tag	UNP Q5FAJ1
E	-10	SER	-	expression tag	UNP Q5FAJ1
E	-9	SER	-	expression tag	UNP Q5FAJ1
E	-8	GLY	-	expression tag	UNP Q5FAJ1
E	-7	LEU	-	expression tag	UNP Q5FAJ1
E	-6	VAL	-	expression tag	UNP Q5FAJ1
E	-5	PRO	-	expression tag	UNP Q5FAJ1
E	-4	ARG	-	expression tag	UNP Q5FAJ1
E	-3	GLY	-	expression tag	UNP Q5FAJ1
E	-2	SER	-	expression tag	UNP Q5FAJ1
E	-1	HIS	-	expression tag	UNP Q5FAJ1
F	-20	MET	-	initiating methionine	UNP Q5FAJ1
F	-19	GLY	-	expression tag	UNP Q5FAJ1
F	-18	SER	-	expression tag	UNP Q5FAJ1

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
F	-17	SER	-	expression tag	UNP Q5FAJ1
F	-16	HIS	-	expression tag	UNP Q5FAJ1
F	-15	HIS	-	expression tag	UNP Q5FAJ1
F	-14	HIS	-	expression tag	UNP Q5FAJ1
F	-13	HIS	-	expression tag	UNP Q5FAJ1
F	-12	HIS	-	expression tag	UNP Q5FAJ1
F	-11	HIS	-	expression tag	UNP Q5FAJ1
F	-10	SER	-	expression tag	UNP Q5FAJ1
F	-9	SER	-	expression tag	UNP Q5FAJ1
F	-8	GLY	-	expression tag	UNP Q5FAJ1
F	-7	LEU	-	expression tag	UNP Q5FAJ1
F	-6	VAL	-	expression tag	UNP Q5FAJ1
F	-5	PRO	-	expression tag	UNP Q5FAJ1
F	-4	ARG	-	expression tag	UNP Q5FAJ1
F	-3	GLY	-	expression tag	UNP Q5FAJ1
F	-2	SER	-	expression tag	UNP Q5FAJ1
F	-1	HIS	-	expression tag	UNP Q5FAJ1

- Molecule 2 is a protein called DNA mismatch repair protein MutL.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
2	Y	186	Total	C	N	O	S	0	0	0
			1409	877	256	266	10			
2	Z	187	Total	C	N	O	S	0	0	0
			1352	839	253	252	8			
2	D	176	Total	C	N	O	S	0	0	0
			1300	812	233	246	9			

There are 63 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Y	439	THR	-	expression tag	UNP Q5F8M6
Y	440	MET	-	expression tag	UNP Q5F8M6
Y	441	GLY	-	expression tag	UNP Q5F8M6
Y	442	SER	-	expression tag	UNP Q5F8M6
Y	443	SER	-	expression tag	UNP Q5F8M6
Y	444	HIS	-	expression tag	UNP Q5F8M6
Y	445	HIS	-	expression tag	UNP Q5F8M6
Y	446	HIS	-	expression tag	UNP Q5F8M6
Y	447	HIS	-	expression tag	UNP Q5F8M6
Y	448	HIS	-	expression tag	UNP Q5F8M6
Y	449	HIS	-	expression tag	UNP Q5F8M6

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
Y	450	SER	-	expression tag	UNP Q5F8M6
Y	451	SER	-	expression tag	UNP Q5F8M6
Y	452	GLY	-	expression tag	UNP Q5F8M6
Y	453	LEU	-	expression tag	UNP Q5F8M6
Y	454	VAL	-	expression tag	UNP Q5F8M6
Y	455	PRO	-	expression tag	UNP Q5F8M6
Y	456	ARG	-	expression tag	UNP Q5F8M6
Y	457	GLY	-	expression tag	UNP Q5F8M6
Y	458	SER	-	expression tag	UNP Q5F8M6
Y	459	HIS	-	expression tag	UNP Q5F8M6
Z	439	THR	-	expression tag	UNP Q5F8M6
Z	440	MET	-	expression tag	UNP Q5F8M6
Z	441	GLY	-	expression tag	UNP Q5F8M6
Z	442	SER	-	expression tag	UNP Q5F8M6
Z	443	SER	-	expression tag	UNP Q5F8M6
Z	444	HIS	-	expression tag	UNP Q5F8M6
Z	445	HIS	-	expression tag	UNP Q5F8M6
Z	446	HIS	-	expression tag	UNP Q5F8M6
Z	447	HIS	-	expression tag	UNP Q5F8M6
Z	448	HIS	-	expression tag	UNP Q5F8M6
Z	449	HIS	-	expression tag	UNP Q5F8M6
Z	450	SER	-	expression tag	UNP Q5F8M6
Z	451	SER	-	expression tag	UNP Q5F8M6
Z	452	GLY	-	expression tag	UNP Q5F8M6
Z	453	LEU	-	expression tag	UNP Q5F8M6
Z	454	VAL	-	expression tag	UNP Q5F8M6
Z	455	PRO	-	expression tag	UNP Q5F8M6
Z	456	ARG	-	expression tag	UNP Q5F8M6
Z	457	GLY	-	expression tag	UNP Q5F8M6
Z	458	SER	-	expression tag	UNP Q5F8M6
Z	459	HIS	-	expression tag	UNP Q5F8M6
D	439	THR	-	expression tag	UNP Q5F8M6
D	440	MET	-	expression tag	UNP Q5F8M6
D	441	GLY	-	expression tag	UNP Q5F8M6
D	442	SER	-	expression tag	UNP Q5F8M6
D	443	SER	-	expression tag	UNP Q5F8M6
D	444	HIS	-	expression tag	UNP Q5F8M6
D	445	HIS	-	expression tag	UNP Q5F8M6
D	446	HIS	-	expression tag	UNP Q5F8M6
D	447	HIS	-	expression tag	UNP Q5F8M6
D	448	HIS	-	expression tag	UNP Q5F8M6
D	449	HIS	-	expression tag	UNP Q5F8M6

Continued on next page...


Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
D	450	SER	-	expression tag	UNP Q5F8M6
D	451	SER	-	expression tag	UNP Q5F8M6
D	452	GLY	-	expression tag	UNP Q5F8M6
D	453	LEU	-	expression tag	UNP Q5F8M6
D	454	VAL	-	expression tag	UNP Q5F8M6
D	455	PRO	-	expression tag	UNP Q5F8M6
D	456	ARG	-	expression tag	UNP Q5F8M6
D	457	GLY	-	expression tag	UNP Q5F8M6
D	458	SER	-	expression tag	UNP Q5F8M6
D	459	HIS	-	expression tag	UNP Q5F8M6


3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ($RSRZ > 2$). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


• Molecule 1: Beta sliding clamp



• Molecule 1: Beta sliding clamp




• Molecule 1: Beta sliding clamp






• Molecule 1: Beta sliding clamp

Chain F: %




• Molecule 2: DNA mismatch repair protein MutL

Chain Y: %




• Molecule 2: DNA mismatch repair protein MutL

Chain Z: %



• Molecule 2: DNA mismatch repair protein MutL

Chain D: %



4 Data and refinement statistics

Property	Value	Source
Space group	I 2 2 2	Depositor
Cell constants a, b, c, α , β , γ	160.75Å 212.04Å 255.72Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	64.70 – 3.50 64.70 – 3.50	Depositor EDS
% Data completeness (in resolution range)	95.6 (64.70-3.50) 97.7 (64.70-3.50)	Depositor EDS
R_{merge}	(Not available)	Depositor
R_{sym}	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ ¹	2.08 (at 3.49Å)	Xtriage
Refinement program	PHENIX 1.20.1_4487	Depositor
R, R_{free}	0.267 , 0.280 0.266 , 0.278	Depositor DCC
R_{free} test set	2786 reflections (5.05%)	wwPDB-VP
Wilson B-factor (Å ²)	114.7	Xtriage
Anisotropy	0.330	Xtriage
Bulk solvent k_{sol} (e/Å ³), B_{sol} (Å ²)	0.35 , 93.0	EDS
L-test for twinning ²	$\langle L \rangle = 0.44$, $\langle L^2 \rangle = 0.27$	Xtriage
Estimated twinning fraction	No twinning to report.	Xtriage
F_o, F_c correlation	0.90	EDS
Total number of atoms	15581	wwPDB-VP
Average B, all atoms (Å ²)	122.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 2.24% of the height of the origin peak. No significant pseudotranslation is detected.*

¹Intensities estimated from amplitudes.

²Theoretical values of $\langle |L| \rangle$, $\langle L^2 \rangle$ for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

5 Model quality ⓘ

5.1 Standard geometry ⓘ

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
1	A	0.43	3/2958 (0.1%)	0.59	2/4002 (0.0%)
1	B	0.26	0/2910	0.52	0/3937
1	E	0.25	0/2920	0.51	0/3951
1	F	0.26	0/2914	0.53	0/3943
2	D	0.27	0/1317	0.58	0/1783
2	Y	0.37	1/1429 (0.1%)	0.67	1/1933 (0.1%)
2	Z	0.47	3/1368 (0.2%)	0.70	4/1854 (0.2%)
All	All	0.33	7/15816 (0.0%)	0.57	7/21403 (0.0%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	F	0	1
2	D	0	2
2	Y	0	3
All	All	0	6

The worst 5 of 7 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	A	366	ARG	C-O	13.34	1.48	1.23
2	Z	519	LEU	CA-C	-7.32	1.33	1.52
1	A	176	HIS	N-CA	-7.30	1.31	1.46
2	Z	519	LEU	CA-CB	-7.24	1.37	1.53
2	Y	518	HIS	CA-C	-6.61	1.35	1.52

The worst 5 of 7 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	Z	519	LEU	C-N-CA	-7.67	102.54	121.70

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	Z	519	LEU	CB-CA-C	-7.56	95.84	110.20
1	A	367	ILE	CB-CA-C	-7.26	97.08	111.60
2	Z	630	PRO	N-CA-CB	5.98	110.48	103.30
1	A	-5	PRO	N-CA-CB	5.91	110.39	103.30

There are no chirality outliers.

5 of 6 planarity outliers are listed below:

Mol	Chain	Res	Type	Group
2	D	612	ARG	Peptide
1	F	280	ARG	Peptide
2	Y	517	GLN	Mainchain
2	Y	522	PRO	Peptide
2	Y	526	ALA	Peptide

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	2912	0	2944	65	0
1	B	2865	0	2913	48	0
1	E	2874	0	2921	33	0
1	F	2869	0	2916	41	0
2	D	1300	0	1283	52	0
2	Y	1409	0	1411	69	0
2	Z	1352	0	1318	37	0
All	All	15581	0	15706	307	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 10.

The worst 5 of 307 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:Y:609:ARG:HD3	2:D:524:THR:HB	1.54	0.90

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:367:ILE:OXT	1:A:367:ILE:HG22	1.73	0.88
1:B:343:ASP:OD1	1:B:346:ARG:HD2	1.79	0.83
1:B:241:LYS:NZ	2:D:612:ARG:HG3	1.97	0.80
1:B:363:MET:HG3	2:Y:520:LEU:CD1	2.13	0.78

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	372/387 (96%)	357 (96%)	15 (4%)	0	100	100
1	B	364/387 (94%)	352 (97%)	12 (3%)	0	100	100
1	E	365/387 (94%)	354 (97%)	11 (3%)	0	100	100
1	F	365/387 (94%)	352 (96%)	13 (4%)	0	100	100
2	D	170/220 (77%)	137 (81%)	32 (19%)	1 (1%)	22	56
2	Y	182/220 (83%)	132 (72%)	48 (26%)	2 (1%)	12	45
2	Z	183/220 (83%)	145 (79%)	37 (20%)	1 (0%)	25	59
All	All	2001/2208 (91%)	1829 (91%)	168 (8%)	4 (0%)	44	75

All (4) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
2	Y	616	LEU
2	D	526	ALA
2	Y	612	ARG
2	Z	629	THR

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	313/329 (95%)	311 (99%)	2 (1%)	84	91
1	B	311/329 (94%)	310 (100%)	1 (0%)	91	96
1	E	312/329 (95%)	312 (100%)	0	100	100
1	F	311/329 (94%)	310 (100%)	1 (0%)	91	96
2	D	131/180 (73%)	126 (96%)	5 (4%)	28	57
2	Y	148/180 (82%)	148 (100%)	0	100	100
2	Z	131/180 (73%)	128 (98%)	3 (2%)	45	69
All	All	1657/1856 (89%)	1645 (99%)	12 (1%)	81	89

5 of 12 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
2	D	469	PHE
2	D	520	LEU
2	D	639	ARG
2	D	549	LEU
1	F	205	PHE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 7 such sidechains are listed below:

Mol	Chain	Res	Type
1	E	287	GLN
2	Y	515	GLN
2	D	605	HIS
2	Y	636	ASN
1	E	5	GLN

5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

There are no ligands in this entry.

5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

6 Fit of model and data [i](#)

6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95th percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å ²)	Q<0.9
1	A	374/387 (96%)	-0.03	9 (2%) 59 41	67, 103, 130, 146	0
1	B	366/387 (94%)	-0.10	1 (0%) 90 82	74, 117, 152, 166	0
1	E	367/387 (94%)	-0.03	3 (0%) 82 67	82, 123, 159, 169	0
1	F	367/387 (94%)	-0.07	4 (1%) 77 59	71, 97, 125, 142	0
2	D	176/220 (80%)	0.84	22 (12%) 9 7	132, 161, 189, 202	0
2	Y	186/220 (84%)	0.68	21 (11%) 11 9	109, 147, 180, 192	0
2	Z	187/220 (85%)	0.58	10 (5%) 33 24	118, 166, 184, 203	0
All	All	2023/2208 (91%)	0.15	70 (3%) 47 32	67, 121, 173, 203	0

The worst 5 of 70 RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	F	63	ALA	4.8
1	A	20	GLY	3.6
2	Y	607	SER	3.6
2	D	525	PHE	3.5
2	D	652	THR	3.4

6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

6.3 Carbohydrates [i](#)

There are no monosaccharides in this entry.

6.4 Ligands [i](#)

There are no ligands in this entry.

6.5 Other polymers [i](#)

There are no such residues in this entry.