



## Full wwPDB EM Validation Report ⓘ

Jun 18, 2025 – 06:29 PM JST

PDB ID : 8XTR / pdb\_00008xtr  
EMDB ID : EMD-38648  
Title : Comamonas testosteroni KF-1 circularly permuted group II intron 2S state  
Authors : Wang, L.; Xie, J.H.; Zhang, C.; Zou, J.; Huang, Z.; Shang, S.; Chen, X.; Yang, Y.; Liu, J.; Dong, H.; Huang, D.; Su, Z.  
Deposited on : 2024-01-11  
Resolution : 2.67 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>  
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : **FAILED**  
MolProbity : 4-5-2 with Phenix2.0rc1  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : **FAILED**  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.44


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*



The reported resolution of this entry is 2.67 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$

Mol	Chain	Length	Quality of chain
1	A	219	 29%                      29%                      7%                      34%
2	B	595	 72%                      23%                      5%

## 2 Entry composition [i](#)

There are 4 unique types of molecules in this entry. The entry contains 15952 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a RNA chain called RNA (219-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	145	Total	C	N	O	P	0	0
			3088	1379	557	1008	144		

- Molecule 2 is a RNA chain called RNA (595-MER).

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	595	Total	C	N	O	P	0	0
			12828	5711	2402	4120	595		

- Molecule 3 is POTASSIUM ION (CCD ID: K) (formula: K).

Mol	Chain	Residues	Atoms		AltConf
3	A	4	Total	K	0
			4	4	
3	B	2	Total	K	0
			2	2	

- Molecule 4 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).

Mol	Chain	Residues	Atoms		AltConf
4	A	4	Total	Mg	0
			4	4	
4	B	26	Total	Mg	0
			26	26	



## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	65386	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	59	Depositor
Minimum defocus (nm)	800	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	Not provided	
Image detector	GATAN K2 QUANTUM (4k x 4k)	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: K, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A	0.40	0/3450	0.58	1/5374 (0.0%)
2	B	0.22	0/14373	0.36	0/22438
All	All	0.26	0/17823	0.42	1/27812 (0.0%)

There are no bond length outliers.

All (1) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	A	135	C	C2'-C3'-O3'	5.94	118.41	109.50

There are no chirality outliers.

There are no planarity outliers.

### 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	3088	0	1572	23	0
2	B	12828	0	6451	34	0
3	A	4	0	0	0	0
3	B	2	0	0	0	0
4	A	4	0	0	0	0
4	B	26	0	0	0	0
All	All	15952	0	8023	55	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (55) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:387:A:O2'	2:B:388:A:O5'	2.04	0.76
1:A:107:G:O2'	1:A:108:A:O5'	2.04	0.75
1:A:19:A:N6	1:A:22:G:OP2	2.23	0.72
1:A:134:C:H3'	1:A:135:C:H3'	1.74	0.68
2:B:582:C:O2'	2:B:583:G:OP1	2.13	0.67
1:A:31:C:O2'	1:A:32:G:N7	2.28	0.65
2:B:653:G:H3'	2:B:654:A:H8	1.61	0.64
2:B:571:G:N2	2:B:574:A:OP2	2.33	0.61
2:B:662:G:H3'	2:B:663:G:H8	1.65	0.61
2:B:662:G:H3'	2:B:663:G:C8	2.36	0.61
2:B:674:G:O2'	2:B:675:C:O4'	2.20	0.59
1:A:2:C:H2'	1:A:3:G:H8	1.69	0.58
2:B:584:C:O2'	2:B:585:U:O4'	2.22	0.55
2:B:667:C:H2'	2:B:668:G:H8	1.74	0.52
2:B:285:G:H22	2:B:288:A:H5'	1.73	0.52
2:B:650:A:N1	2:B:676:U:C4	2.77	0.52
2:B:449:G:O2'	2:B:450:G:OP1	2.27	0.52
1:A:2:C:H1'	1:A:51:A:C2	2.45	0.51
1:A:131:A:H3'	1:A:132:A:H8	1.75	0.51
2:B:346:G:OP2	2:B:384:U:O2'	2.26	0.51
2:B:660:G:H3'	2:B:661:U:H6	1.76	0.50
1:A:131:A:H2'	1:A:131:A:N3	2.27	0.50
1:A:16:G:H2'	1:A:17:G:C8	2.46	0.50
1:A:116:U:P	1:A:117:C:H41	2.35	0.49
2:B:285:G:N1	2:B:288:A:OP2	2.44	0.48
1:A:116:U:C4	2:B:656:U:H1'	2.49	0.47
1:A:131:A:H3'	1:A:132:A:C8	2.49	0.47
2:B:660:G:H5''	2:B:661:U:H5	1.80	0.47
2:B:341:C:O2	2:B:427:U:O2'	2.33	0.46
2:B:653:G:H3'	2:B:654:A:C8	2.46	0.46
2:B:670:U:H2'	2:B:671:C:C6	2.51	0.46
2:B:750:G:O4'	2:B:793:U:O2'	2.31	0.46
2:B:668:G:H3'	2:B:669:G:H8	1.81	0.45
1:A:130:C:H2'	1:A:131:A:H4'	1.99	0.45
2:B:720:G:O2'	2:B:722:G:OP2	2.31	0.45
2:B:563:G:O2'	2:B:564:G:O4'	2.34	0.45
2:B:808:C:N4	2:B:809:G:O6	2.49	0.45

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:116:U:H5''	1:A:117:C:H5	1.81	0.44
1:A:135:C:H4'	1:A:136:A:O5'	2.17	0.44
1:A:116:U:OP2	1:A:117:C:N4	2.48	0.44
1:A:74:A:OP1	2:B:530:A:O2'	2.25	0.43
2:B:322:C:O2'	2:B:555:A:N3	2.49	0.43
1:A:5:G:H2'	1:A:6:G:C8	2.53	0.43
1:A:109:G:N2	1:A:118:U:O2	2.51	0.43
1:A:3:G:N2	1:A:16:G:H1'	2.34	0.43
2:B:660:G:H3'	2:B:661:U:C6	2.53	0.43
2:B:652:C:H2'	2:B:653:G:H8	1.84	0.43
1:A:22:G:O2'	1:A:23:A:O5'	2.23	0.42
2:B:650:A:C2	2:B:676:U:C4	3.07	0.42
2:B:664:C:H3'	2:B:665:A:N3	2.35	0.42
2:B:506:G:O2'	2:B:592:A:N1	2.35	0.42
2:B:654:A:H3'	2:B:655:C:H6	1.85	0.41
2:B:447:G:O2'	2:B:451:A:N7	2.53	0.41
1:A:9:C:H2'	1:A:10:C:C6	2.56	0.40
1:A:2:C:H1'	1:A:51:A:H2	1.85	0.40

There are no symmetry-related clashes.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

There are no protein molecules in this entry.

### 5.3.2 Protein sidechains [i](#)

There are no protein molecules in this entry.

### 5.3.3 RNA [i](#)

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
1	A	143/219 (65%)	70 (48%)	5 (3%)
2	B	594/595 (99%)	142 (23%)	7 (1%)
All	All	737/814 (90%)	212 (28%)	12 (1%)

All (212) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
1	A	2	C
1	A	4	G
1	A	5	G
1	A	6	G
1	A	8	G
1	A	9	C
1	A	11	A
1	A	12	C
1	A	13	C
1	A	14	C
1	A	15	C
1	A	19	A
1	A	20	G
1	A	21	U
1	A	22	G
1	A	23	A
1	A	24	U
1	A	25	G
1	A	26	C
1	A	27	G
1	A	29	G
1	A	30	U
1	A	34	C
1	A	35	A
1	A	38	U
1	A	39	C
1	A	40	G
1	A	42	A
1	A	44	C
1	A	46	C
1	A	47	A
1	A	48	A
1	A	49	G
1	A	51	A
1	A	52	A
1	A	54	C
1	A	55	G
1	A	61	G
1	A	68	G
1	A	74	A
1	A	75	A
1	A	83	G
1	A	84	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	A	91	U
1	A	93	C
1	A	94	G
1	A	96	A
1	A	97	G
1	A	104	G
1	A	108	A
1	A	111	G
1	A	114	A
1	A	115	C
1	A	116	U
1	A	117	C
1	A	120	A
1	A	121	C
1	A	122	C
1	A	123	U
1	A	124	U
1	A	127	A
1	A	128	C
1	A	131	A
1	A	132	A
1	A	134	C
1	A	135	C
1	A	136	A
1	A	212	U
1	A	214	G
1	A	217	G
2	B	222	G
2	B	224	G
2	B	225	A
2	B	229	U
2	B	231	A
2	B	233	A
2	B	242	G
2	B	262	C
2	B	265	G
2	B	271	U
2	B	276	A
2	B	278	A
2	B	279	G
2	B	285	G
2	B	288	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	308	U
2	B	313	A
2	B	326	U
2	B	327	G
2	B	340	G
2	B	341	C
2	B	346	G
2	B	355	G
2	B	357	G
2	B	358	A
2	B	359	C
2	B	367	A
2	B	373	G
2	B	374	A
2	B	380	A
2	B	386	G
2	B	388	A
2	B	397	A
2	B	398	C
2	B	408	C
2	B	417	G
2	B	421	C
2	B	422	A
2	B	423	U
2	B	424	A
2	B	425	G
2	B	426	C
2	B	429	A
2	B	440	G
2	B	449	G
2	B	450	G
2	B	451	A
2	B	452	G
2	B	460	U
2	B	465	A
2	B	473	G
2	B	487	G
2	B	488	A
2	B	489	A
2	B	494	U
2	B	495	G
2	B	498	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	499	C
2	B	508	U
2	B	509	G
2	B	510	A
2	B	518	G
2	B	519	G
2	B	522	A
2	B	523	G
2	B	524	U
2	B	525	A
2	B	531	A
2	B	539	G
2	B	542	C
2	B	543	A
2	B	555	A
2	B	559	C
2	B	562	A
2	B	563	G
2	B	564	G
2	B	567	A
2	B	576	G
2	B	580	G
2	B	581	C
2	B	583	G
2	B	602	G
2	B	615	U
2	B	629	A
2	B	646	C
2	B	650	A
2	B	651	C
2	B	653	G
2	B	654	A
2	B	655	C
2	B	656	U
2	B	658	G
2	B	659	G
2	B	660	G
2	B	661	U
2	B	662	G
2	B	663	G
2	B	665	A
2	B	669	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	670	U
2	B	671	C
2	B	672	G
2	B	674	G
2	B	675	C
2	B	676	U
2	B	677	C
2	B	678	G
2	B	679	A
2	B	680	U
2	B	681	G
2	B	684	U
2	B	685	C
2	B	686	A
2	B	694	G
2	B	695	A
2	B	696	G
2	B	706	U
2	B	713	U
2	B	714	U
2	B	715	G
2	B	718	C
2	B	721	U
2	B	746	G
2	B	750	G
2	B	753	G
2	B	754	U
2	B	755	C
2	B	756	U
2	B	761	A
2	B	762	A
2	B	769	G
2	B	771	A
2	B	773	C
2	B	776	U
2	B	777	G
2	B	781	U
2	B	782	U
2	B	783	G
2	B	785	C
2	B	795	C
2	B	797	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
2	B	814	C

All (12) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
1	A	5	G
1	A	22	G
1	A	114	A
1	A	135	C
1	A	216	A
2	B	241	G
2	B	397	A
2	B	423	U
2	B	449	G
2	B	582	C
2	B	655	C
2	B	761	A

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 36 ligands modelled in this entry, 36 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.