



Full wwPDB EM Validation Report ⓘ

Jun 1, 2025 – 10:24 PM JST

PDB ID : 8XVS / pdb_00008xvs
EMDB ID : EMD-38717
Title : RNA polymerase II elongation complex with downstream nucleosome extracted from human nuclei
Authors : Kujirai, T.; Kato, J.; Yamamoto, K.; Hirai, S.; Negishi, L.; Ogasawara, M.; Takizawa, Y.; Kurumizaka, H.
Deposited on : 2024-01-15
Resolution : 4.10 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev118
MolProbity : 4-5-2 with Phenix2.0rc1
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.43.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 4.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1970	
2	B	1174	
3	C	292	
4	D	142	
5	E	210	
6	F	127	
7	G	172	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	H	150	
9	I	125	
10	J	67	
11	K	117	
12	L	58	
13	N	163	
14	T	163	
15	P	11	
16	a	135	
16	e	135	
17	b	102	
17	f	102	
18	c	129	
18	g	129	
19	d	125	
19	h	125	

2 Entry composition

There are 21 unique types of molecules in this entry. The entry contains 43464 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called DNA-directed RNA polymerase II subunit RPB1.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	1418	Total	C	N	O	S	0	0
			11237	7069	2010	2086	72		

- Molecule 2 is a protein called DNA-directed RNA polymerase II subunit RPB2.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	1134	Total	C	N	O	S	0	0
			9062	5732	1595	1671	64		

- Molecule 3 is a protein called DNA-directed RNA polymerase II subunit RPB3.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	C	256	Total	C	N	O	S	0	0
			2054	1293	350	405	6		

There are 17 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
C	-16	MET	-	initiating methionine	UNP P19387
C	-15	HIS	-	expression tag	UNP P19387
C	-14	HIS	-	expression tag	UNP P19387
C	-13	HIS	-	expression tag	UNP P19387
C	-12	HIS	-	expression tag	UNP P19387
C	-11	HIS	-	expression tag	UNP P19387
C	-10	HIS	-	expression tag	UNP P19387
C	-9	ASP	-	expression tag	UNP P19387
C	-8	TYR	-	expression tag	UNP P19387
C	-7	LYS	-	expression tag	UNP P19387
C	-6	ASP	-	expression tag	UNP P19387
C	-5	ASP	-	expression tag	UNP P19387
C	-4	ASP	-	expression tag	UNP P19387
C	-3	ASP	-	expression tag	UNP P19387
C	-2	LYS	-	expression tag	UNP P19387

Continued on next page...

Continued from previous page...

Chain	Residue	Modelled	Actual	Comment	Reference
C	-1	GLY	-	expression tag	UNP P19387
C	0	HIS	-	expression tag	UNP P19387

- Molecule 4 is a protein called DNA-directed RNA polymerase II subunit RPB4.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	126	Total	C	N	O	S	0	0
			991	624	170	193	4		

- Molecule 5 is a protein called DNA-directed RNA polymerases I, II, and III subunit RPABC1.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	209	Total	C	N	O	S	0	0
			1715	1083	300	324	8		

- Molecule 6 is a protein called DNA-directed RNA polymerases I, II, and III subunit RPABC2.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	81	Total	C	N	O	S	0	0
			649	414	111	119	5		

- Molecule 7 is a protein called DNA-directed RNA polymerase II subunit RPB7.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	171	Total	C	N	O	S	0	0
			1337	868	217	244	8		

- Molecule 8 is a protein called DNA-directed RNA polymerases I, II, and III subunit RPABC3.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	148	Total	C	N	O	S	0	0
			1186	750	194	237	5		

- Molecule 9 is a protein called DNA-directed RNA polymerase II subunit RPB9.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	I	114	Total	C	N	O	S	0	0
			927	571	166	179	11		

- Molecule 10 is a protein called DNA-directed RNA polymerases I, II, and III subunit RPABC5.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	J	67	Total	C	N	O	S	0	0
			533	345	90	92	6		

- Molecule 11 is a protein called DNA-directed RNA polymerase II subunit RPB11-a.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	K	115	Total	C	N	O	S	0	0
			920	593	152	173	2		

- Molecule 12 is a protein called DNA-directed RNA polymerases I, II, and III subunit RPABC4.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	L	44	Total	C	N	O	S	0	0
			372	231	72	63	6		

- Molecule 13 is a DNA chain called DNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	N	151	Total	C	N	O	P	0	0
			3107	1475	559	922	151		

- Molecule 14 is a DNA chain called DNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	T	163	Total	C	N	O	P	0	0
			3325	1579	620	964	162		

- Molecule 15 is a RNA chain called RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	P	11	Total	C	N	O	P	0	0
			237	106	46	74	11		

- Molecule 16 is a protein called Histone H3.1.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	a	94	Total	C	N	O	S	0	0
			773	488	147	134	4		
16	e	94	Total	C	N	O	S	0	0
			773	488	147	134	4		

- Molecule 17 is a protein called Histone H4.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	b	78	Total	C	N	O	S	0	0
			619	391	120	107	1		
17	f	78	Total	C	N	O	S	0	0
			619	391	120	107	1		

- Molecule 18 is a protein called Histone H2A type 1-B/E.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	c	104	Total	C	N	O		0	0
			801	505	156	140			
18	g	104	Total	C	N	O		0	0
			801	505	156	140			

- Molecule 19 is a protein called Histone H2B type 1-J.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	d	90	Total	C	N	O	S	0	0
			703	444	124	133	2		
19	h	91	Total	C	N	O	S	0	0
			714	450	128	134	2		

- Molecule 20 is ZINC ION (CCD ID: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
20	A	2	Total	Zn	0
			2	2	
20	B	1	Total	Zn	0
			1	1	
20	C	1	Total	Zn	0
			1	1	
20	I	2	Total	Zn	0
			2	2	
20	J	1	Total	Zn	0
			1	1	
20	L	1	Total	Zn	0
			1	1	


- Molecule 21 is MAGNESIUM ION (CCD ID: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		AltConf
21	A	1	Total	Mg	0
			1	1	

3 Residue-property plots


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: DNA-directed RNA polymerase II subunit RPB1







• Molecule 2: DNA-directed RNA polymerase II subunit RPB2



• Molecule 3: DNA-directed RNA polymerase II subunit RPB3



• Molecule 4: DNA-directed RNA polymerase II subunit RPB4




• Molecule 5: DNA-directed RNA polymerases I, II, and III subunit RPABC1

Chain E:  96%





- Molecule 6: DNA-directed RNA polymerases I, II, and III subunit RPABC2

Chain F:  61% 36%




- Molecule 7: DNA-directed RNA polymerase II subunit RPB7

Chain G:  78% 98%




- Molecule 8: DNA-directed RNA polymerases I, II, and III subunit RPABC3

Chain H:  94% 5%



- Molecule 9: DNA-directed RNA polymerase II subunit RPB9

Chain I:  20% 89% 9%




- Molecule 10: DNA-directed RNA polymerases I, II, and III subunit RPABC5


Chain J:  97%




- Chain a: 





- Molecule 16: Histone H3.1





- Molecule 17: Histone H4





- Molecule 17: Histone H4




- Molecule 18: Histone H2A type 1-B/E




- Molecule 18: Histone H2A type 1-B/E



- Molecule 19: Histone H2B type 1-J



• Molecule 19: Histone H2B type 1-J



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	21652	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	TFS KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	60	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2500	Depositor
Magnification	Not provided	
Image detector	GATAN K3 BIOQUANTUM (6k x 4k)	Depositor
Maximum map value	0.028	Depositor
Minimum map value	-0.007	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.001	Depositor
Recommended contour level	0.00699	Depositor
Map size (Å)	381.59998, 381.59998, 381.59998	wwPDB
Map dimensions	360, 360, 360	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.06, 1.06, 1.06	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.52	0/11442	0.92	7/15445 (0.0%)
2	B	0.52	0/9243	0.91	6/12475 (0.0%)
3	C	0.56	0/2097	0.95	0/2850
4	D	0.80	0/1005	1.30	0/1355
5	E	0.46	0/1745	0.86	1/2358 (0.0%)
6	F	0.51	0/659	0.82	0/891
7	G	0.79	0/1368	1.24	0/1857
8	H	0.52	0/1207	0.90	0/1628
9	I	0.76	0/948	1.31	3/1284 (0.2%)
10	J	0.55	0/542	0.93	0/730
11	K	0.45	0/939	0.81	0/1271
12	L	0.86	0/377	1.29	0/500
13	N	0.41	0/3481	0.84	0/5374
14	T	0.36	0/3731	0.71	1/5751 (0.0%)
15	P	0.58	0/265	0.77	0/411
16	a	0.94	0/783	1.19	1/1050 (0.1%)
16	e	0.93	0/783	1.17	1/1050 (0.1%)
17	b	0.90	0/626	1.17	0/837
17	f	0.94	0/626	1.20	0/837
18	c	0.94	0/811	1.19	0/1096
18	g	0.92	0/811	1.23	0/1096
19	d	0.91	0/714	1.23	0/961
19	h	0.92	0/725	1.24	2/975 (0.2%)
All	All	0.60	0/44928	0.96	22/62082 (0.0%)

There are no bond length outliers.

All (22) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
16	e	117	VAL	N-CA-C	-6.53	106.63	112.90

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
16	a	117	VAL	N-CA-C	-6.48	106.68	112.90
1	A	520	MET	CA-C-N	6.46	125.50	120.33
1	A	520	MET	C-N-CA	6.46	125.50	120.33
2	B	1065	GLY	CA-C-N	6.28	126.25	119.78
2	B	1065	GLY	C-N-CA	6.28	126.25	119.78
9	I	82	GLU	CA-C-N	6.20	128.84	120.65
9	I	82	GLU	C-N-CA	6.20	128.84	120.65
1	A	461	GLN	N-CA-C	6.01	121.70	113.16
1	A	75	ALA	CA-C-N	5.98	126.96	120.44
1	A	75	ALA	C-N-CA	5.98	126.96	120.44
5	E	53	PRO	N-CA-CB	5.91	106.67	102.65
19	h	49	HIS	CA-C-N	5.67	126.05	119.47
19	h	49	HIS	C-N-CA	5.67	126.05	119.47
1	A	1248	ASN	N-CA-C	5.54	117.85	110.53
1	A	910	LYS	N-CA-C	5.46	121.88	109.81
14	T	97	DA	C2'-C3'-O3'	-5.39	103.42	111.50
2	B	243	GLY	CA-C-N	5.28	125.12	120.10
2	B	243	GLY	C-N-CA	5.28	125.12	120.10
9	I	98	GLN	N-CA-C	5.20	117.24	110.53
2	B	355	ASP	CA-C-N	5.01	127.00	120.28
2	B	355	ASP	C-N-CA	5.01	127.00	120.28

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	11237	0	11364	40	0
2	B	9062	0	9107	30	0
3	C	2054	0	2007	11	0
4	D	991	0	956	0	0
5	E	1715	0	1733	4	0
6	F	649	0	678	4	0
7	G	1337	0	1337	1	0
8	H	1186	0	1147	8	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
9	I	927	0	859	1	0
10	J	533	0	553	1	0
11	K	920	0	942	3	0
12	L	372	0	378	1	0
13	N	3107	0	1705	68	0
14	T	3325	0	1826	64	0
15	P	237	0	121	3	0
16	a	773	0	811	15	0
16	e	773	0	811	9	0
17	b	619	0	659	19	0
17	f	619	0	659	0	0
18	c	801	0	853	9	0
18	g	801	0	853	5	0
19	d	703	0	722	14	0
19	h	714	0	735	5	0
20	A	2	0	0	0	0
20	B	1	0	0	0	0
20	C	1	0	0	0	0
20	I	2	0	0	0	0
20	J	1	0	0	0	0
20	L	1	0	0	0	0
21	A	1	0	0	0	0
All	All	43464	0	40816	263	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 3.

All (263) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
13:N:92:DC:H2''	13:N:93:DG:C8	1.61	1.34
16:e:57:SER:HB2	16:e:59:GLU:OE1	1.57	1.01
16:e:116:ARG:NH1	16:e:122:LYS:HE3	1.78	0.98
13:N:92:DC:C2'	13:N:93:DG:C8	2.46	0.98
16:a:116:ARG:NH1	16:a:122:LYS:HE3	1.78	0.96
14:T:136:DC:H1'	14:T:137:DT:H5'	1.56	0.87
14:T:133:DA:H2''	14:T:134:DA:O5'	1.73	0.85
18:c:22:GLY:HA3	19:d:120:LYS:HZ2	1.37	0.85
13:N:64:DC:H2''	13:N:65:DC:C5	2.14	0.82
13:N:32:DT:H71	13:N:32:DT:OP2	1.79	0.82
18:g:22:GLY:HA3	19:h:120:LYS:HZ2	1.45	0.80

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
18:c:55:LEU:HD21	19:d:66:VAL:HG13	1.64	0.79
13:N:31:DT:H2''	13:N:32:DT:C5	2.16	0.79
18:c:55:LEU:HD21	19:d:66:VAL:CG1	2.13	0.79
16:a:85:GLN:NE2	17:b:83:ALA:H	1.81	0.77
13:N:92:DC:H2''	13:N:93:DG:H8	1.43	0.76
18:c:22:GLY:HA3	19:d:120:LYS:NZ	2.01	0.75
18:g:22:GLY:HA3	19:h:120:LYS:NZ	2.01	0.75
14:T:128:DA:H2''	14:T:129:DC:H5'	1.69	0.74
14:T:136:DC:C1'	14:T:137:DT:H5'	2.17	0.74
16:a:91:ALA:HA	17:b:100:PHE:CE2	2.24	0.73
14:T:135:DG:H1'	14:T:136:DC:H5'	1.71	0.72
13:N:125:DC:H1'	13:N:126:DT:O4'	1.89	0.72
14:T:135:DG:H2''	14:T:136:DC:OP2	1.90	0.71
18:g:42:ARG:HB2	19:h:88:THR:HG22	1.76	0.68
1:A:1246:ILE:HG21	1:A:1258:ARG:NH1	2.09	0.68
14:T:128:DA:C2'	14:T:129:DC:H5'	2.24	0.68
13:N:31:DT:O2	14:T:133:DA:N1	2.28	0.67
14:T:134:DA:H2''	14:T:135:DG:C5'	2.25	0.66
14:T:127:DG:H2''	14:T:128:DA:OP2	1.95	0.66
14:T:132:DA:H2''	14:T:133:DA:OP2	1.96	0.66
14:T:134:DA:H2''	14:T:135:DG:H5'	1.79	0.65
19:d:73:ILE:HD12	19:d:98:VAL:HG22	1.77	0.65
13:N:29:DC:H2'	13:N:30:DT:H72	1.79	0.65
1:A:784:VAL:HG13	2:B:978:ILE:HD11	1.78	0.64
3:C:183:ALA:HB3	3:C:232:ASN:HB3	1.77	0.64
17:b:102:GLY:OXT	19:h:64:SER:HA	1.98	0.64
16:a:85:GLN:CD	17:b:82:THR:HA	2.23	0.64
2:B:710:ILE:HA	2:B:764:MET:HE2	1.80	0.63
13:N:124:DT:H4'	13:N:125:DC:OP1	1.98	0.63
17:b:97:LEU:HD21	17:b:100:PHE:CD2	2.33	0.63
13:N:92:DC:C2'	13:N:93:DG:N7	2.62	0.63
14:T:137:DT:H2''	14:T:138:DC:OP2	1.99	0.63
14:T:136:DC:H2''	14:T:137:DT:O5'	1.98	0.63
17:b:71:THR:HB	19:d:100:LEU:HD21	1.79	0.63
16:e:116:ARG:HH11	16:e:122:LYS:HE3	1.64	0.62
3:C:93:PHE:CD2	3:C:164:TYR:CE2	2.88	0.62
3:C:78:ILE:HD11	3:C:127:VAL:HG11	1.82	0.62
14:T:128:DA:H1'	14:T:129:DC:H5'	1.80	0.62
13:N:31:DT:H2''	13:N:32:DT:C7	2.30	0.61
1:A:802:PHE:CE1	2:B:504:THR:HG22	2.35	0.61
3:C:37:VAL:HG13	3:C:41:GLU:HB2	1.83	0.61

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
17:b:97:LEU:HD21	17:b:100:PHE:CE2	2.36	0.61
16:a:116:ARG:HH11	16:a:122:LYS:HE3	1.64	0.60
14:T:128:DA:H2''	14:T:129:DC:H2'	1.83	0.60
14:T:79:DC:C6	14:T:79:DC:H5'	2.36	0.60
14:T:135:DG:C1'	14:T:136:DC:H5'	2.32	0.60
13:N:40:DG:C2'	13:N:41:DT:H71	2.32	0.59
14:T:121:DG:H2''	14:T:122:DC:C6	2.38	0.59
13:N:84:DG:H2''	13:N:85:DG:C8	2.37	0.59
13:N:29:DC:H2'	13:N:30:DT:C7	2.33	0.58
8:H:6:PHE:CE1	8:H:37:MET:SD	2.97	0.58
18:c:55:LEU:CD2	19:d:66:VAL:HG13	2.32	0.58
13:N:162:DA:H5'	13:N:162:DA:C8	2.39	0.57
14:T:129:DC:OP2	14:T:129:DC:H3'	2.04	0.57
14:T:109:DC:H4'	14:T:110:DC:OP1	2.04	0.56
17:b:101:GLY:O	17:b:102:GLY:C	2.48	0.56
1:A:339:LEU:HB3	2:B:1165:MET:HE2	1.86	0.56
14:T:135:DG:H1'	14:T:136:DC:C5'	2.35	0.56
14:T:136:DC:H1'	14:T:137:DT:C5'	2.32	0.56
14:T:65:DC:H2''	14:T:66:DG:C8	2.40	0.56
13:N:40:DG:H2''	13:N:41:DT:H71	1.88	0.55
7:G:124:ASN:HB2	7:G:125:PRO:HD3	1.87	0.55
2:B:677:MET:HE2	2:B:700:PRO:HB3	1.89	0.55
13:N:28:DG:H2''	13:N:29:DC:C6	2.41	0.55
13:N:146:DC:H2''	13:N:147:DG:C8	2.41	0.55
14:T:134:DA:H2''	14:T:135:DG:O5'	2.05	0.55
13:N:135:DT:H2''	13:N:136:DT:C5	2.42	0.55
17:b:71:THR:CB	19:d:100:LEU:HD21	2.36	0.55
14:T:91:DC:OP1	16:e:63:ARG:HD3	2.06	0.54
6:F:83:LEU:H	6:F:83:LEU:HD23	1.73	0.54
14:T:130:DA:H2''	14:T:131:DG:C8	2.43	0.54
13:N:40:DG:C5	13:N:41:DT:C4	2.96	0.54
15:P:1:A:H2'	15:P:2:A:O4'	2.08	0.54
8:H:6:PHE:HE1	8:H:37:MET:SD	2.31	0.53
14:T:130:DA:H2''	14:T:131:DG:H8	1.73	0.53
2:B:1031:GLY:O	3:C:36:ARG:NH1	2.39	0.53
13:N:47:DG:H2'	13:N:48:DT:H71	1.91	0.53
13:N:67:DT:H2'	13:N:68:DT:H71	1.89	0.53
14:T:97:DA:H2''	14:T:98:DG:C8	2.43	0.53
2:B:934:LYS:HG2	2:B:1051:LEU:HD12	1.91	0.53
14:T:149:DG:H2'	14:T:150:DC:C6	2.44	0.52
1:A:1211:LEU:HD11	1:A:1258:ARG:CG	2.39	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:687:ILE:HD11	1:A:766:PHE:CD1	2.45	0.52
14:T:63:DC:H2''	14:T:64:DA:C8	2.45	0.52
14:T:6:DA:H2''	14:T:7:DA:C8	2.44	0.52
15:P:6:C:H2'	15:P:7:A:C8	2.44	0.52
14:T:149:DG:H2'	14:T:150:DC:H6	1.74	0.52
14:T:45:DT:H2''	14:T:46:DC:C6	2.45	0.52
14:T:128:DA:C1'	14:T:129:DC:H5'	2.39	0.52
13:N:108:DA:OP2	16:a:69:ARG:NH2	2.39	0.51
13:N:124:DT:C2	13:N:125:DC:N3	2.79	0.51
16:a:85:GLN:HG2	17:b:82:THR:HA	1.93	0.51
13:N:101:DG:H2''	13:N:102:DC:C6	2.46	0.51
13:N:126:DT:H2''	13:N:127:DA:C5	2.45	0.51
14:T:153:DG:H2'	14:T:154:DG:C8	2.45	0.51
13:N:40:DG:C2	13:N:41:DT:C2	3.00	0.51
14:T:106:DC:H1'	14:T:107:DA:C8	2.46	0.51
14:T:99:DG:H2''	14:T:100:DG:C8	2.46	0.50
13:N:162:DA:H2''	13:N:163:DT:O5'	2.11	0.50
1:A:511:THR:HG21	2:B:1105:GLU:OE1	2.11	0.50
8:H:32:SER:HB3	8:H:37:MET:H	1.75	0.50
8:H:6:PHE:CE1	8:H:37:MET:HE1	2.46	0.50
14:T:36:DG:H2''	14:T:37:DT:C6	2.46	0.50
14:T:133:DA:OP2	14:T:133:DA:H8	1.95	0.49
18:c:22:GLY:CA	19:d:120:LYS:NZ	2.74	0.49
18:g:22:GLY:CA	19:h:120:LYS:NZ	2.74	0.49
3:C:41:GLU:N	3:C:41:GLU:OE1	2.46	0.49
1:A:524:MET:SD	2:B:1097:HIS:HE1	2.35	0.49
1:A:958:ARG:HH22	1:A:1014:LYS:HD2	1.77	0.49
1:A:1284:PHE:CE2	1:A:1288:ILE:HD11	2.48	0.49
2:B:989:VAL:HG22	2:B:1015:LEU:HB2	1.94	0.49
13:N:146:DC:H2''	13:N:147:DG:N7	2.28	0.49
1:A:1451:MET:CE	1:A:1460:LEU:HD12	2.43	0.49
1:A:996:ILE:HD13	1:A:1060:LEU:HA	1.94	0.48
2:B:927:ARG:HD3	2:B:1054:MET:SD	2.54	0.48
13:N:28:DG:H2''	13:N:29:DC:C5	2.49	0.48
1:A:560:VAL:HG22	1:A:591:ILE:HD11	1.94	0.48
17:b:97:LEU:CD2	17:b:100:PHE:HD2	2.27	0.48
2:B:677:MET:HE3	2:B:697:GLU:HG3	1.96	0.48
16:a:85:GLN:CG	17:b:82:THR:HA	2.44	0.48
17:b:97:LEU:CD2	17:b:100:PHE:CD2	2.97	0.48
3:C:93:PHE:CD2	3:C:164:TYR:CD2	3.01	0.48
16:a:67:PHE:CD2	16:a:93:GLN:HG2	2.49	0.48

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
3:C:259:LEU:HD22	11:K:19:ILE:HD11	1.95	0.48
14:T:14:DT:H2''	14:T:15:DG:C8	2.49	0.48
2:B:215:TYR:OH	2:B:266:GLU:OE2	2.29	0.47
1:A:1479:LYS:HD2	6:F:103:PRO:HA	1.97	0.47
13:N:60:DA:OP2	13:N:60:DA:H2'	2.15	0.47
14:T:136:DC:H1'	14:T:137:DT:O4'	2.14	0.47
13:N:31:DT:C2'	13:N:32:DT:C7	2.92	0.47
14:T:76:DT:H2''	14:T:77:DC:C6	2.50	0.47
1:A:948:ILE:HG12	1:A:1007:ILE:HD11	1.97	0.47
1:A:1193:VAL:HG22	1:A:1258:ARG:NH1	2.30	0.47
1:A:538:VAL:HG12	1:A:539:GLN:HG2	1.95	0.47
14:T:89:DA:H1'	14:T:90:DA:N7	2.30	0.47
18:c:55:LEU:CG	19:d:66:VAL:HG13	2.45	0.47
13:N:125:DC:C6	13:N:126:DT:C4	3.03	0.47
2:B:544:PHE:CE1	2:B:548:TRP:CD1	3.02	0.46
13:N:37:DC:H2'	13:N:38:DT:H72	1.97	0.46
1:A:1417:HIS:CE1	13:N:22:DA:H5'	2.50	0.46
13:N:131:DC:C4	13:N:132:DC:N4	2.83	0.46
2:B:917:LYS:HE2	12:L:34:ILE:HD11	1.96	0.46
13:N:31:DT:H2''	13:N:32:DT:C4	2.50	0.46
13:N:162:DA:H1'	13:N:163:DT:O4'	2.15	0.46
1:A:883:ILE:HD11	1:A:1424:THR:HG22	1.97	0.46
14:T:36:DG:H2''	14:T:37:DT:C5	2.51	0.46
3:C:93:PHE:HD2	3:C:164:TYR:CE2	2.34	0.46
13:N:40:DG:C4	13:N:41:DT:C4	3.04	0.45
17:b:71:THR:HG21	19:d:100:LEU:CD2	2.46	0.45
1:A:364:ARG:HB2	2:B:1084:LEU:HD11	1.97	0.45
1:A:555:LEU:CD1	1:A:591:ILE:HD12	2.47	0.45
8:H:74:GLU:N	8:H:74:GLU:OE1	2.48	0.45
13:N:135:DT:H2''	13:N:136:DT:C6	2.51	0.45
1:A:506:PRO:HB2	1:A:511:THR:HG23	1.98	0.45
1:A:1246:ILE:HB	1:A:1258:ARG:HB3	1.98	0.45
2:B:719:SER:OG	2:B:720:PRO:HD3	2.16	0.45
13:N:59:DT:H2''	13:N:60:DA:C8	2.52	0.45
1:A:1471:PHE:CZ	6:F:61:GLU:HA	2.52	0.45
16:a:67:PHE:CD2	16:a:93:GLN:CG	3.00	0.45
14:T:128:DA:H8	14:T:128:DA:P	2.40	0.45
2:B:1132:THR:O	2:B:1133:HIS:HB2	2.17	0.44
5:E:185:ILE:HD13	5:E:191:VAL:CG1	2.46	0.44
14:T:128:DA:H8	14:T:128:DA:O5'	2.01	0.44
13:N:59:DT:H2''	13:N:60:DA:H8	1.82	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
5:E:87:ILE:HD12	5:E:114:ALA:HB1	1.98	0.44
14:T:4:DA:H5'	14:T:4:DA:C8	2.52	0.44
13:N:67:DT:H4'	16:e:83:ARG:HD3	2.00	0.44
13:N:67:DT:OP2	13:N:67:DT:H6	2.00	0.44
13:N:121:DC:H2'	13:N:122:DT:H71	1.99	0.44
13:N:136:DT:H2''	13:N:137:DG:N7	2.33	0.44
14:T:57:DT:H2''	14:T:58:DA:C8	2.53	0.44
2:B:31:SER:OG	2:B:766:TYR:OH	2.20	0.44
8:H:60:ILE:HG23	8:H:141:VAL:HG13	1.99	0.44
13:N:64:DC:H2''	13:N:65:DC:C6	2.50	0.44
1:A:967:ARG:NH1	1:A:1326:GLY:O	2.51	0.44
2:B:506:TRP:HZ2	2:B:677:MET:HE1	1.83	0.44
1:A:528:PRO:HG2	1:A:1090:LEU:HD11	2.00	0.43
14:T:136:DC:C2'	14:T:137:DT:H5'	2.48	0.43
1:A:637:MET:HB3	1:A:637:MET:HE2	1.84	0.43
1:A:922:PHE:H	1:A:1052:ARG:HD2	1.83	0.43
13:N:40:DG:H2'	13:N:41:DT:H71	2.00	0.43
1:A:1246:ILE:O	1:A:1258:ARG:N	2.51	0.43
2:B:677:MET:H	2:B:682:LEU:HD22	1.82	0.43
16:a:91:ALA:HA	17:b:100:PHE:CZ	2.52	0.43
13:N:53:DT:H2''	13:N:54:DG:OP2	2.19	0.43
1:A:1175:ILE:HD12	9:I:54:TYR:HD2	1.84	0.43
8:H:37:MET:HE2	8:H:125:LEU:HD11	2.00	0.43
14:T:10:DC:C2	14:T:11:DC:C5	3.06	0.43
13:N:69:DG:H1'	13:N:70:DG:C8	2.53	0.43
1:A:1029:LEU:HD23	5:E:162:ARG:HG2	2.01	0.43
3:C:7:PRO:O	11:K:104:ARG:NH2	2.52	0.43
13:N:32:DT:O5'	13:N:32:DT:H6	2.02	0.43
14:T:34:DT:H2''	14:T:35:DC:C6	2.54	0.43
13:N:42:DG:H2''	13:N:43:DC:C6	2.54	0.43
13:N:76:DA:H2''	13:N:77:DA:C8	2.53	0.42
13:N:31:DT:C2'	13:N:32:DT:H73	2.49	0.42
14:T:136:DC:H2''	14:T:137:DT:C5'	2.48	0.42
16:a:85:GLN:OE1	17:b:82:THR:HG22	2.19	0.42
1:A:1184:THR:HG21	1:A:1193:VAL:HG21	2.01	0.42
14:T:63:DC:H2''	14:T:64:DA:H8	1.84	0.42
16:a:106:ASP:HB3	16:e:130:ILE:HD12	2.01	0.42
2:B:752:TYR:HE1	2:B:809:VAL:HG23	1.84	0.42
3:C:37:VAL:HG12	3:C:248:ALA:HB1	2.01	0.42
13:N:44:DC:H2''	13:N:45:DT:C5	2.55	0.42
18:g:91:GLU:CD	18:g:91:GLU:C	2.88	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:865:ILE:HG21	2:B:1092:ASP:CG	2.44	0.42
14:T:136:DC:H6	14:T:136:DC:H2'	1.70	0.42
13:N:160:DT:H2''	13:N:161:DG:C8	2.54	0.42
14:T:59:DA:H2''	14:T:60:DA:C8	2.55	0.42
16:e:57:SER:CB	16:e:59:GLU:OE1	2.47	0.42
1:A:1350:LYS:O	1:A:1351:ASP:HB2	2.20	0.41
13:N:102:DC:H2''	13:N:103:DG:C8	2.55	0.41
14:T:47:DT:H6	14:T:47:DT:H2'	1.68	0.41
16:a:116:ARG:NH1	16:a:122:LYS:CE	2.67	0.41
16:e:116:ARG:NH1	16:e:122:LYS:CE	2.67	0.41
13:N:31:DT:H3	14:T:133:DA:H61	1.68	0.41
6:F:83:LEU:H	6:F:83:LEU:CD2	2.34	0.41
8:H:6:PHE:CE1	8:H:37:MET:CE	3.03	0.41
13:N:40:DG:C2	14:T:125:DG:C2	3.09	0.41
2:B:407:MET:HE2	2:B:407:MET:HB2	1.81	0.41
14:T:112:DA:H5'	14:T:112:DA:C8	2.56	0.41
17:b:71:THR:CG2	19:d:100:LEU:HD21	2.50	0.41
10:J:21:TYR:CZ	10:J:25:LEU:HD11	2.56	0.41
1:A:463:THR:HG22	2:B:1093:CYS:SG	2.61	0.41
11:K:49:GLN:HG2	11:K:94:LEU:HG	2.03	0.41
13:N:125:DC:H2''	13:N:126:DT:OP2	2.20	0.41
13:N:136:DT:H2''	13:N:137:DG:C8	2.56	0.41
14:T:95:DC:H2''	14:T:96:DA:H5''	2.02	0.41
14:T:129:DC:H3'	14:T:129:DC:P	2.61	0.41
1:A:910:LYS:N	1:A:911:PRO:CD	2.84	0.41
13:N:141:DG:C6	13:N:142:DG:C6	3.09	0.41
18:c:55:LEU:HD21	19:d:66:VAL:HG12	1.99	0.41
1:A:499:ASP:OD1	15:P:10:C:H4'	2.21	0.40
1:A:760:LEU:HD22	1:A:764:ASN:ND2	2.36	0.40
2:B:1112:ASP:OD1	2:B:1112:ASP:N	2.54	0.40
13:N:94:DC:H2''	13:N:95:DG:C8	2.55	0.40
13:N:99:DG:H2'	13:N:100:DT:H71	2.03	0.40
13:N:138:DA:C5	13:N:139:DG:C6	3.09	0.40
16:a:99:TYR:HA	17:b:95:ARG:NH1	2.35	0.40
17:b:71:THR:HG21	19:d:100:LEU:HD21	2.03	0.40
18:c:37:GLY:HA3	18:c:39:TYR:CE2	2.56	0.40
5:E:137:ILE:HD12	5:E:137:ILE:HA	1.88	0.40
13:N:30:DT:H2'	13:N:31:DT:C6	2.56	0.40
13:N:106:DT:C4	13:N:107:DA:C6	3.09	0.40
1:A:784:VAL:HG13	2:B:978:ILE:CD1	2.48	0.40
2:B:764:MET:HE1	2:B:938:ARG:NH2	2.37	0.40

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
2:B:787:GLY:HA2	2:B:790:GLN:HE21	1.86	0.40
14:T:153:DG:H2'	14:T:154:DG:H8	1.86	0.40
1:A:1302:GLU:HG3	1:A:1303:GLN:OE1	2.22	0.40
2:B:194:LEU:HD23	2:B:467:SER:HB3	2.04	0.40
14:T:136:DC:O5'	14:T:136:DC:C6	2.74	0.40
16:e:82:LEU:HD23	16:e:82:LEU:HA	1.95	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	1408/1970 (72%)	1360 (97%)	48 (3%)	0	100	100
2	B	1128/1174 (96%)	1084 (96%)	44 (4%)	0	100	100
3	C	252/292 (86%)	244 (97%)	8 (3%)	0	100	100
4	D	124/142 (87%)	124 (100%)	0	0	100	100
5	E	207/210 (99%)	201 (97%)	6 (3%)	0	100	100
6	F	79/127 (62%)	78 (99%)	1 (1%)	0	100	100
7	G	169/172 (98%)	163 (96%)	6 (4%)	0	100	100
8	H	146/150 (97%)	141 (97%)	5 (3%)	0	100	100
9	I	112/125 (90%)	107 (96%)	5 (4%)	0	100	100
10	J	65/67 (97%)	63 (97%)	2 (3%)	0	100	100
11	K	113/117 (97%)	110 (97%)	3 (3%)	0	100	100
12	L	42/58 (72%)	38 (90%)	4 (10%)	0	100	100
16	a	92/135 (68%)	92 (100%)	0	0	100	100
16	e	92/135 (68%)	92 (100%)	0	0	100	100
17	b	76/102 (74%)	74 (97%)	2 (3%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
17	f	76/102 (74%)	74 (97%)	2 (3%)	0	100	100
18	c	102/129 (79%)	97 (95%)	5 (5%)	0	100	100
18	g	102/129 (79%)	99 (97%)	3 (3%)	0	100	100
19	d	88/125 (70%)	88 (100%)	0	0	100	100
19	h	89/125 (71%)	89 (100%)	0	0	100	100
All	All	4562/5586 (82%)	4418 (97%)	144 (3%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	1249/1748 (72%)	1249 (100%)	0	100	100
2	B	993/1028 (97%)	993 (100%)	0	100	100
3	C	233/268 (87%)	233 (100%)	0	100	100
4	D	105/126 (83%)	105 (100%)	0	100	100
5	E	191/192 (100%)	191 (100%)	0	100	100
6	F	70/111 (63%)	70 (100%)	0	100	100
7	G	148/153 (97%)	148 (100%)	0	100	100
8	H	129/131 (98%)	129 (100%)	0	100	100
9	I	103/112 (92%)	103 (100%)	0	100	100
10	J	56/56 (100%)	56 (100%)	0	100	100
11	K	104/106 (98%)	104 (100%)	0	100	100
12	L	41/55 (74%)	41 (100%)	0	100	100
16	a	82/110 (74%)	82 (100%)	0	100	100
16	e	82/110 (74%)	82 (100%)	0	100	100
17	b	63/78 (81%)	63 (100%)	0	100	100
17	f	63/78 (81%)	63 (100%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
18	c	82/99 (83%)	82 (100%)	0	100	100
18	g	82/99 (83%)	82 (100%)	0	100	100
19	d	77/104 (74%)	77 (100%)	0	100	100
19	h	78/104 (75%)	78 (100%)	0	100	100
All	All	4031/4868 (83%)	4031 (100%)	0	100	100

There are no protein residues with a non-rotameric sidechain to report.

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (49) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	122	ASN
1	A	123	ASN
1	A	313	HIS
1	A	372	ASN
1	A	472	HIS
1	A	504	HIS
1	A	673	GLN
1	A	740	GLN
1	A	765	ASN
1	A	780	ASN
1	A	861	GLN
1	A	949	GLN
1	A	1032	GLN
1	A	1230	GLN
1	A	1417	HIS
2	B	143	GLN
2	B	254	GLN
2	B	319	ASN
2	B	790	GLN
2	B	968	ASN
2	B	1117	HIS
2	B	1120	ASN
2	B	1160	GLN
3	C	18	ASN
3	C	66	HIS
3	C	260	GLN
4	D	38	HIS
4	D	43	HIS
4	D	47	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
5	E	35	GLN
5	E	71	GLN
5	E	169	GLN
7	G	21	ASN
7	G	138	GLN
11	K	49	GLN
11	K	55	GLN
16	a	76	GLN
16	a	85	GLN
17	b	25	ASN
17	b	27	GLN
17	b	75	HIS
19	d	63	ASN
16	e	68	GLN
16	e	76	GLN
17	f	25	ASN
17	f	27	GLN
17	f	75	HIS
18	g	68	ASN
19	h	63	ASN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
15	P	10/11 (90%)	0	0

There are no RNA backbone outliers to report.

There are no RNA pucker outliers to report.

5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates ⓘ

There are no oligosaccharides in this entry.

5.6 Ligand geometry

Of 9 ligands modelled in this entry, 9 are monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-38717. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 180




Y Index: 180




Z Index: 180


6.2.2 Raw map



X Index: 180



Y Index: 180




Z Index: 180


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 195




Y Index: 180




Z Index: 210


6.3.2 Raw map



X Index: 194



Y Index: 181




Z Index: 207


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.00699. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 641 nm³; this corresponds to an approximate mass of 579 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.244 \AA^{-1}

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.244 \AA^{-1}

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	4.10	-	-
Author-provided FSC curve	4.05	7.73	4.15
Unmasked-calculated*	7.49	11.31	7.74

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 7.49 differs from the reported value 4.1 by more than 10 %

9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-38717 and PDB model 8XVS. Per-residue inclusion information can be found in [section 3](#) on [page 8](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.00699 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.00699).

















































9.4 Atom inclusion [i](#)



At the recommended contour level, 86% of all backbone atoms, 80% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary

The table lists the average atom inclusion at the recommended contour level (0.00699) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.7990	 0.2400
A	 0.8550	 0.3250
B	 0.8740	 0.3280
C	 0.8510	 0.3530
D	 0.0060	 0.0670
E	 0.8260	 0.3130
F	 0.8680	 0.3530
G	 0.1730	 0.0810
H	 0.8340	 0.3510
I	 0.6920	 0.1560
J	 0.8870	 0.3690
K	 0.8590	 0.3290
L	 0.7640	 0.2680
N	 0.7590	 0.0810
P	 0.9710	 0.3520
T	 0.7650	 0.0930
a	 0.8920	 0.0560
b	 0.9580	 0.0580
c	 0.7560	 0.0260
d	 0.8370	 0.0460
e	 0.7900	 0.0520
f	 0.8670	 0.0470
g	 0.8690	 0.0770
h	 0.8790	 0.0920

