



wwPDB EM Validation Summary Report ⓘ

Aug 4, 2025 – 08:52 PM JST

PDB ID : 8Y5L / pdb_00008y5l
EMDB ID : EMD-38941
Title : E.coli transcription translation coupling complex in TTC-B state 1 (subclass1) containing mRNA with 30-mer spacer, NusG, NusA, fMet-tRNA(iMet), Phe-tRNA(Phe), and viomycin
Authors : Zhang, J.; Lu, G.; Wang, C.; Lin, J.
Deposited on : 2024-01-31
Resolution : 3.70 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>
with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev126
Mogul : 1.8.5 (274361), CSD as541be (2020)
MolProbity : 4-5-2 with Phenix2.0rc1
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)
MapQ : 1.9.13
Ideal geometry (proteins) : Engh & Huber (2001)
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP) : 2.45.1


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	210492	15764
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	70	 80% 14% 6%
2	B	57	 79% 19% 2%
3	C	55	 84% 7% 9%
4	D	46	 76% 22% 2% 2%
5	E	65	 91% 6% 3% 2%
6	F	38	 71% 26% 3% 2%
7	G	241	 68% 21% 10%

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
8	H	233	
9	I	206	
10	J	167	
11	K	135	
12	L	179	
13	M	130	
14	N	130	
15	O	103	
16	P	129	
17	Q	124	
18	R	118	
19	S	101	
20	T	89	
21	U	82	
22	V	84	
23	W	75	
24	X	92	
25	Y	87	
26	Z	71	
27	b	273	
28	c	209	
29	d	201	
30	e	179	
31	f	177	
32	g	149	











Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	i	142	
34	j	142	
35	k	123	
36	l	144	
37	m	136	
38	n	127	
39	o	117	
40	p	115	
41	q	118	
42	r	103	
43	s	110	
44	t	100	
45	u	104	
46	v	94	
47	w	85	
48	x	78	
49	y	63	
50	z	59	
51	1	2904	
52	2	120	
53	3	1542	
54	4	47	
55	8	37	
56	9	37	
57	A1	329	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
57	A2	329	
58	B1	1407	
59	B2	1342	
60	W0	91	
61	NA	495	
62	NG	181	
63	5	76	
64	6	77	
64	7	77	
65	h	6	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
65	5OH	h	6	-	-	X	-

2 Entry composition

There are 66 unique types of molecules in this entry. The entry contains 178150 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called 50S ribosomal protein L31.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	66	Total	C	N	O	S	0	0
			522	323	99	94	6		

- Molecule 2 is a protein called 50S ribosomal protein L32.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	B	56	Total	C	N	O	S	0	0
			444	269	94	80	1		

- Molecule 3 is a protein called 50S ribosomal protein L33.

Mol	Chain	Residues	Atoms				AltConf	Trace
3	C	50	Total	C	N	O	0	0
			409	263	75	71		

- Molecule 4 is a protein called 50S ribosomal protein L34.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	D	46	Total	C	N	O	S	0	0
			377	228	90	57	2		

- Molecule 5 is a protein called 50S ribosomal protein L35.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	E	64	Total	C	N	O	S	0	0
			504	323	105	74	2		

- Molecule 6 is a protein called 50S ribosomal protein L36.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	F	38	Total	C	N	O	S	0	0
			302	185	65	48	4		

- Molecule 7 is a protein called 30S ribosomal protein S2.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	G	218	Total	C	N	O	S	0	0
			1704	1081	305	311	7		

- Molecule 8 is a protein called 30S ribosomal protein S3.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	H	206	Total	C	N	O	S	0	0
			1624	1028	305	288	3		

- Molecule 9 is a protein called 30S ribosomal protein S4.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	I	205	Total	C	N	O	S	0	0
			1643	1026	315	298	4		

- Molecule 10 is a protein called 30S ribosomal protein S5.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	J	157	Total	C	N	O	S	0	0
			1156	719	218	213	6		

- Molecule 11 is a protein called 30S ribosomal protein S6, fully modified isoform.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	K	100	Total	C	N	O	S	0	0
			817	515	148	148	6		

- Molecule 12 is a protein called 30S ribosomal protein S7.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	L	151	Total	C	N	O	S	0	0
			1181	735	227	215	4		

- Molecule 13 is a protein called 30S ribosomal protein S8.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	M	129	Total	C	N	O	S	0	0
			979	616	173	184	6		

- Molecule 14 is a protein called 30S ribosomal protein S9.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	N	127	Total	C	N	O	S	0	0
			1022	634	206	179	3		

- Molecule 15 is a protein called 30S ribosomal protein S10.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	O	98	Total	C	N	O	S	0	0
			786	493	150	142	1		

- Molecule 16 is a protein called 30S ribosomal protein S11.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	P	116	Total	C	N	O	S	0	0
			869	535	173	158	3		

- Molecule 17 is a protein called 30S ribosomal protein S12.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	Q	123	Total	C	N	O	S	0	0
			955	590	196	165	4		

- Molecule 18 is a protein called 30S ribosomal protein S13.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	R	114	Total	C	N	O	S	0	0
			883	546	178	156	3		

- Molecule 19 is a protein called 30S ribosomal protein S14.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	S	100	Total	C	N	O	S	0	0
			805	499	164	139	3		

- Molecule 20 is a protein called 30S ribosomal protein S15.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	T	88	Total	C	N	O	S	0	0
			714	439	144	130	1		

- Molecule 21 is a protein called 30S ribosomal protein S16.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	U	82	Total	C	N	O	S	0	0
			649	406	128	114	1		

- Molecule 22 is a protein called 30S ribosomal protein S17.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	V	80	Total	C	N	O	S	0	0
			648	411	121	113	3		

- Molecule 23 is a protein called 30S ribosomal protein S18.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	W	65	Total	C	N	O	S	0	0
			535	339	100	95	1		

- Molecule 24 is a protein called 30S ribosomal protein S19.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	X	79	Total	C	N	O	S	0	0
			637	408	120	107	2		

- Molecule 25 is a protein called 30S ribosomal protein S20.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	Y	85	Total	C	N	O	S	0	0
			665	411	137	114	3		

- Molecule 26 is a protein called 30S ribosomal protein S21.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	Z	65	Total	C	N	O	S	0	0
			544	335	117	91	1		

- Molecule 27 is a protein called 50S ribosomal protein L2.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	b	271	Total	C	N	O	S	0	0
			2082	1288	423	364	7		

- Molecule 28 is a protein called 50S ribosomal protein L3.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	c	209	Total	C	N	O	S	0	0
			1565	979	288	294	4		

- Molecule 29 is a protein called 50S ribosomal protein L4.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	d	201	Total	C	N	O	S	0	0
			1552	974	283	290	5		

- Molecule 30 is a protein called 50S ribosomal protein L5.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	e	177	Total	C	N	O	S	0	0
			1410	899	249	256	6		

- Molecule 31 is a protein called 50S ribosomal protein L6.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	f	176	Total	C	N	O	S	0	0
			1323	832	243	246	2		

- Molecule 32 is a protein called 50S ribosomal protein L9.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	g	52	Total	C	N	O	S	0	0
			400	256	73	70	1		

- Molecule 33 is a protein called 50S ribosomal protein L11.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	i	141	Total	C	N	O	S	0	0
			1032	651	179	196	6		

- Molecule 34 is a protein called 50S ribosomal protein L13.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	j	142	Total	C	N	O	S	0	0
			1129	714	212	199	4		

- Molecule 35 is a protein called 50S ribosomal protein L14.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	k	122	Total	C	N	O	S	0	0
			938	587	180	165	6		

- Molecule 36 is a protein called 50S ribosomal protein L15.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	l	143	Total	C	N	O	S	0	0
			1045	649	206	189	1		

- Molecule 37 is a protein called 50S ribosomal protein L16.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	m	136	Total	C	N	O	S	0	0
			1074	686	205	177	6		

- Molecule 38 is a protein called 50S ribosomal protein L17.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	n	120	Total	C	N	O	S	0	0
			960	593	196	166	5		

- Molecule 39 is a protein called 50S ribosomal protein L18.

Mol	Chain	Residues	Atoms				AltConf	Trace
39	o	116	Total	C	N	O	0	0
			892	552	178	162		

- Molecule 40 is a protein called 50S ribosomal protein L19.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	p	114	Total	C	N	O	S	0	0
			917	574	179	163	1		

- Molecule 41 is a protein called 50S ribosomal protein L20.

Mol	Chain	Residues	Atoms				AltConf	Trace
41	q	117	Total	C	N	O	0	0
			947	604	192	151		

- Molecule 42 is a protein called 50S ribosomal protein L21.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	r	103	Total	C	N	O	S	0	0
			816	516	153	145	2		

- Molecule 43 is a protein called 50S ribosomal protein L22.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	s	110	Total	C	N	O	S	0	0
			857	532	166	156	3		

- Molecule 44 is a protein called 50S ribosomal protein L23.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	t	93	Total	C	N	O	S	0	0
			738	466	139	131	2		

- Molecule 45 is a protein called 50S ribosomal protein L24.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	u	102	Total	C	N	O		0	0
			779	492	146	141			

- Molecule 46 is a protein called 50S ribosomal protein L25.

Mol	Chain	Residues	Atoms					AltConf	Trace
46	v	94	Total	C	N	O	S	0	0
			753	479	137	134	3		

- Molecule 47 is a protein called 50S ribosomal protein L27.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	w	75	Total	C	N	O	S	0	0
			575	356	116	102	1		

- Molecule 48 is a protein called 50S ribosomal protein L28.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	x	77	Total	C	N	O	S	0	0
			625	388	129	106	2		

- Molecule 49 is a protein called 50S ribosomal protein L29.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	y	63	Total	C	N	O	S	0	0
			509	313	99	95	2		

- Molecule 50 is a protein called 50S ribosomal protein L30.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	z	58	Total	C	N	O	S	0	0
			449	281	87	79	2		

- Molecule 51 is a RNA chain called 23S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	1	2903	Total	C	N	O	P	0	0
			62317	27801	11468	20146	2902		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
1	747	C	U	conflict	GB 1929590828

- Molecule 52 is a RNA chain called 5S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	2	120	Total	C	N	O	P	0	0
			2568	1145	471	833	119		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
2	120	A	U	conflict	GB NR_103249

- Molecule 53 is a RNA chain called 16S rRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	3	1539	Total	C	N	O	P	0	0
			33012	14725	6052	10697	1538		

- Molecule 54 is a RNA chain called mRNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	4	36	Total	C	N	O	P	0	0
			749	335	107	271	36		

- Molecule 55 is a DNA chain called templete DNA strand.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	8	27	Total	C	N	O	P	0	0
			539	257	88	167	27		

- Molecule 56 is a DNA chain called non-templete DNA strand.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	9	20	Total	C	N	O	P	0	0
			417	195	84	118	20		

- Molecule 57 is a protein called DNA-directed RNA polymerase subunit alpha.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	A1	301	Total	C	N	O	S	0	0
			2088	1293	380	409	6		
57	A2	288	Total	C	N	O	S	0	0
			2029	1257	366	400	6		

- Molecule 58 is a protein called DNA-directed RNA polymerase subunit beta'.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	B1	1335	Total	C	N	O	S	0	0
			10353	6509	1842	1955	47		

- Molecule 59 is a protein called DNA-directed RNA polymerase subunit beta.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	B2	1340	Total	C	N	O	S	0	0
			10546	6616	1839	2048	43		

- Molecule 60 is a protein called DNA-directed RNA polymerase subunit omega.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	W0	82	Total	C	N	O	S	0	0
			650	396	122	131	1		

- Molecule 61 is a protein called Transcription termination/antitermination protein NusA.

Mol	Chain	Residues	Atoms				AltConf	Trace
61	NA	492	Total	C	N	O	0	0
			2432	1448	492	492		

- Molecule 62 is a protein called Transcription termination/antitermination protein NusG.

Mol	Chain	Residues	Atoms				AltConf	Trace
62	NG	154	Total	C	N	O	0	0
			758	450	154	154		

- Molecule 63 is a RNA chain called tRNA(Phe).

Mol	Chain	Residues	Atoms					AltConf	Trace
63	5	76	Total	C	N	O	P	0	0
			1622	723	290	533	76		

- Molecule 64 is a RNA chain called tRNA(fMet).

Mol	Chain	Residues	Atoms					AltConf	Trace
64	6	77	Total	C	N	O	P	0	0
			1640	732	297	535	76		
64	7	77	Total	C	N	O	P	0	0
			1640	732	297	535	76		

- Molecule 65 is a protein (with D amino acids) called viomycin.

Mol	Chain	Residues	Atoms				AltConf	Trace
65	h	6	Total	C	N	O	0	0
			48	25	13	10		


- Molecule 66 is MAGNESIUM ION (CCD ID: MG) (formula: Mg) (labeled as "Ligand of Interest" by depositor).

Mol	Chain	Residues	Atoms		AltConf
66	B1	1	Total	Mg	0
			1	1	

3 Residue-property plots [i](#)


These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: 50S ribosomal protein L31

Chain A: 




- Molecule 2: 50S ribosomal protein L32

Chain B: 



- Molecule 3: 50S ribosomal protein L33

Chain C: 



- Molecule 4: 50S ribosomal protein L34

Chain D: 



- Molecule 5: 50S ribosomal protein L35

Chain E: 




- Molecule 6: 50S ribosomal protein L36

Chain F:  71% 26% .




- Molecule 7: 30S ribosomal protein S2

Chain G:  68% 21% 10%




- Molecule 8: 30S ribosomal protein S3

Chain H:  72% 16% 12%





- Molecule 9: 30S ribosomal protein S4

Chain I:  72% 26% .



- Molecule 10: 30S ribosomal protein S5


Chain J:  77% 17% 6%



- Molecule 11: 30S ribosomal protein S6, fully modified isoform


Chain K:  53% 21% 26%





- Molecule 12: 30S ribosomal protein S7

Chain L: 68% 16% 16%




- Molecule 13: 30S ribosomal protein S8

Chain M: 88% 11%



- Molecule 14: 30S ribosomal protein S9

Chain N: 68% 29%




- Molecule 15: 30S ribosomal protein S10

Chain O: 72% 18% 5% 5%




- Molecule 16: 30S ribosomal protein S11

Chain P: 64% 26% 10%




- Molecule 17: 30S ribosomal protein S12

Chain Q:  66% 32%




- Molecule 18: 30S ribosomal protein S13

Chain R:  69% 27%




- Molecule 19: 30S ribosomal protein S14

Chain S:  83% 16%




- Molecule 20: 30S ribosomal protein S15

Chain T:  84% 15%




- Molecule 21: 30S ribosomal protein S16

Chain U:  76% 23%



- Molecule 22: 30S ribosomal protein S17

Chain V:  76% 19% 5%



- Molecule 23: 30S ribosomal protein S18


Chain W:  69% 16% 13%



- Molecule 24: 30S ribosomal protein S19





- Molecule 25: 30S ribosomal protein S20





- Molecule 26: 30S ribosomal protein S21




- Molecule 27: 50S ribosomal protein L2




- Molecule 28: 50S ribosomal protein L3




- Molecule 29: 50S ribosomal protein L4






- Molecule 30: 50S ribosomal protein L5

Chain e: 78% 21% ..




- Molecule 31: 50S ribosomal protein L6

Chain f: 73% 27% .




- Molecule 32: 50S ribosomal protein L9

Chain g: 26% 9% 65%





- Molecule 33: 50S ribosomal protein L11

Chain i: 6% 64% 34% ..




- Molecule 34: 50S ribosomal protein L13

Chain j:  85% 15%





- Molecule 35: 50S ribosomal protein L14

Chain k:  82% 17%





- Molecule 36: 50S ribosomal protein L15

Chain l:  86% 13%




- Molecule 37: 50S ribosomal protein L16

Chain m:  83% 17%




- Molecule 38: 50S ribosomal protein L17

Chain n:  76% 18% 6%




- Molecule 39: 50S ribosomal protein L18

Chain o:  81% 18%




- Molecule 40: 50S ribosomal protein L19

Chain p:  83% 16%




- Molecule 41: 50S ribosomal protein L20

Chain q:  83% 15% ..





- Molecule 42: 50S ribosomal protein L21

Chain r:  72% 26% .



- Molecule 43: 50S ribosomal protein L22

Chain s:  85% 15%



- Molecule 44: 50S ribosomal protein L23

Chain t:  75% 18% 7%




- Molecule 45: 50S ribosomal protein L24

Chain u:  72% 26% .



- Molecule 46: 50S ribosomal protein L25

Chain v:  85% 15%




- Molecule 47: 50S ribosomal protein L27

Chain w:  73% 15% 12%



- Molecule 48: 50S ribosomal protein L28

Chain x:  76% 22% ..



- Molecule 49: 50S ribosomal protein L29

Chain y:  73% 27%




- Molecule 50: 50S ribosomal protein L30

Chain z:  76% 22% .




- Molecule 51: 23S rRNA

Chain 1:  42% 51% 6%






C2888	A2726	G2644	A2566	A2469	A2386	G2304	A2225	A2158	U2092	C1990	G1910	U1827
C2889		G2645	G2567	G2470	U2387	U2305	C2226	G2159	G2093	U1991	U1911	G1828
G2890	G2729	C2646	U2568	A2471	A2388	C2306	A2227	C2160	A2094	A1912	A1912	A1829
A2893	G2730	U2647	G2569		G2389	A2309		C2161	A2095	A1913	A1913	C1832
G2894	G2731	G2648	G2570	A2476	U2390	A2310	G2230	A2162	C2096	C1914	U1915	C1833
G2895	G2732	C2649	U2571		G2391	G2311	U2233	A2163	A2097	U1916	U1916	U1834
C2896	A2733	U2650	A2572	A2482	A2392	A2312	G2234	C2164	U2098	A1998	A1917	
U2897	G2734	C2651	G2573	C2483	U2393	U2313	G2235	C2165	U2099	C1999	U1918	G1845
U2898	A2735	C2652	G2574	G2488	C2394	A2314	G2236	U2166	A2101	G2012	A1919	A1846
A2899	A2736		G2575	G2489	G2395	G2315	G2237	U2167	G2102	A2013	A1920	A1847
A2900	G2737	C2658	G2576	G2490	G2396	G2316	G2238	A2170	C2103	A2014	G1921	A1848
C2901		G2659	A2577	U2491	U2402	U2321	G2239	U2171	G2104	A2015	G1922	
G2902	G2741	U2660	G2578	U2492	C2403	U2322	U2240	U2172	U2105	U2016	U1923	U1851
U2903	G2742	G2661	C2579	U2493	U2404	G2323	A2241	U2173	G2106	A2017	C1924	U1852
U	G2743	A2662	U2580		G2405	G2324	G2242	C2174	G2107	A2020		
	G2744	G2663	G2581	C2496	A2406	A2325	G2243			C2021	A1927	A1853
			G2582	C2497	A2407	A2326	U2243		G2110	C2022	A1928	U1854
	G2747	C2667	G2583	C2498	A2411	U2327	A2247	U2180	G2111	C2023	A1929	U1855
	A2670		U2584	C2499	A2412	U2328	C2248	U2181	G2112	C2024	G1930	U1856
	G2671		U2585		A2413	U2329	U2249	U2182	G2113	C2025	G1931	G1857
	U2672			G2502	A2414	G2330	G2250	A2184	G2114	U2026	U1932	A1858
		C2676		G2505	C2420	A2333	U2257	U2185	G2115	G2027	G1935	G1863
			C2594	G2506	G2421	U2334	C2258	G2186		A2030	A1936	U1864
			G2595	C2507	G2422	A2335	U2259	U2187		A2031	A1937	U1865
	A2679		A2598		U2423	A2336	C2260	U2188		G2032	A1938	A1866
	U2680		G2599	C2510	G2424	G2337	U2261	U2189		A2033	C1867	C1868
	C2681		A2600	U2511	A2425	C2338	U2262	U2190		U2034	C1942	C1869
	A2682		G2601	G2516	A2426	A2339	A2267	U2191		G2035	U1943	C1870
	C2683		A2602	C2517	G2427	A2340	A2268	G2193		C2036	A1871	A1871
	U2684			A2518	G2428	G2341		U2194		A2037	G1948	A1872
			U2609		G2429	G2342	G2271	U2195		G2038	A1952	G1873
	U2687		C2610	G2525	A2430	C2343	C2275	U2196		U2039	A1953	C1874
	G2688		C2611	G2526	A2431	U2344		U2197		C2043	G1954	G1875
	U2689		G2612	C2527	A2432	U2345	A2278	A2198		G2047	U1965	G1878
	U2690		U2613	U2528	A2433	G2346	G2279	A2199		G2048	U1966	C1879
			U2614	G2529	A2434	C2347	G2280	C2200		G2049	U1967	
			U2615	A2530	A2435	G2348	A2281	G2201		C2050	U1968	U1882
			G2616	U2533	G2436	U2349	G2282	U2202		A2051	G1969	G1883
			U2617	U2534	G2437	G2350	G2283	G2203		G2052	A1970	G1884
			G2618	A2534		G2351	A2284	G2204		A2053	U1971	A1885
			C2619	U2539	U2441	A2352	G2285	A2205		C2054	G1967	U1886
				C2539		G2353	G2286			A2054	C1857	C1887
			G2625		G2445	C2354	A2287	C2208		G2061	G1972	G1888
			C2626	G2545	G2446	G2355	A2288	G2209		G2069	G1975	C1889
			G2627	U2546	G2447	A2356	G2289	U2210		G2073	U1976	A1901
			C2628	A2547	A2448	G2357	G2290	A2211		U2074	A1977	C1902
			U2629			G2358	U2291	G2212			G1983	C1905
			G2630	G2553	G2455	C2359	U2292	U2213			G1984	G1906
			A2631	U2554	C2456	G2360	G2293	C2214			G1985	G1907
			G2632	U2555	U2457	G2361	G2294	G2215			C1986	C1908
			A2633	C2556	G2458	G2362	G2295	G2216				
			G2634	G2557		G2363	U2296	G2217				
			A2635	C2558		C2364	U2297	G2218				
			G2636	G2559		G2365	A2298	G2219				
			U2637	U2561	C2462	G2366	U2299	G2220				
			G2638	U2562	G2463	G2367	U2300	G2221				
				U2563	G2464	C2368	U2301	G2222				
				A2564	G2465	G2369	U2302	G2223				
				G2565	A2466	C2370	G2303	G2224				
						G2371						
						U2372						
						G2373						
						G2374						
						G2375						
						G2376						
						G2377						
						G2378						
						G2379						
						G2380						
						G2381						
						G2382						
						G2383						
						G2384						
						G2385						
						G2386						
						G2387						
						G2388						
						G2389						
						G2390						
						G2391						
						G2392						
						G2393						
						G2394						
						G2395						
						G2396						
						G2397						
						G2398						
						G2399						
						G2400						
						G2401						
						G2402						
						G2403						
						G2404						
						G2405						
						G2406						
						G2407						
						G2408						
						G2409						
						G2410						
						G2411						
						G2412						
						G2413						
						G2414						
						G2415						
						G2416						
						G2417						
						G2418						
						G2419						
						G2420						
						G2421						
						G2422						
						G2423						
						G2424						
						G2425						
						G2426						
						G2427						
						G2428						
						G2429						
						G2430						
						G2431						
						G2432						
						G2433						
						G2434						
						G2435						
						G2436						
						G2437						
						G2438						
						G2439						
						G2440						
						G2441						
						G2442						
						G2443						
						G2444						
						G2445						
						G2446						
						G2447						
						G2448						
						G2449						
						G2450						
						G2451						
						G2452						
						G2453						
						G2454						
						G2455						
						G2456						
						G2457						
						G2458						
						G2459						
						G2460						
						G2461						
						G2462						
						G2463						
						G2464						




• Molecule 53: 16S rRNA

Chain 3: 68% 29%



• Molecule 54: mRNA



- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|
| C1 | C2 | C3 | C4 | C7 | C8 | C9 | C10 | C11 | C12 | C13 | C14 | C15 | C16 | C17 | A20 | C23 | C24 | C27 | DA | DT | DC | DA | DT | DG | DA | DC | DG | DG |
|----|----|----|----|----|----|----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|----|----|----|----|----|----|----|----|----|----|


- | | | | | | | | | | | | | | | | | | | | | |
|----|----|----|----|----|----|----|----|----|----|-----|-----|----|----|----|----|----|----|----|-----|-----|
| DC | DC | DG | DT | DC | DA | DT | DG | DA | DT | C12 | G16 | DC | DG | DG | DT | DA | DG | DC | G24 | G38 |
|----|----|----|----|----|----|----|----|----|----|-----|-----|----|----|----|----|----|----|----|-----|-----|


-

- | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
| K291 | K292 | P293 | M294 | L295 | G296 | K297 | K298 | S299 | L300 | T301 | E302 | I303 | K304 | D305 | V306 | L307 | A308 | S309 | R310 | G311 | L312 | S313 | L314 | G315 | M316 | ARG | LEU | GLU | ASN | TRP | PRO | PRO | ALA | SER | ILE | ALA | ASP | GLU | | | | | | | | | | | | | | | | | | |
| L228 | D233 | LEU | ASP | VAL | ARG | GLN | PRG | GLU | VAL | LVS | GLU | LVS | PRG | GLU | PHE | D250 | P251 | I252 | L253 | L254 | R255 | P256 | V257 | D258 | D259 | L260 | E261 | L262 | T263 | V264 | R265 | S266 | A267 | N268 | C269 | L270 | K271 | A272 | E273 | A274 | I275 | H276 | Y277 | L278 | G279 | D280 | L281 | V282 | Q283 | R284 | T285 | E286 | V287 | E288 | L289 | V290 |


- 
- WORLDWIDE
PDB
PROTEIN DATA BANK




Chain B2:  82% 17%




- Molecule 60: DNA-directed RNA polymerase subunit omega

Chain W0:  36% 77% 13% 10%



- Molecule 61: Transcription termination/antitermination protein NusA

Chain NA:  12% 98%



- | | |
|------|--|
| KBE1 | |
| A2 | |
| S3 | |
| S4 | |
| UAL5 | |
| 50H6 | |

4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	23000	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	NONE	Depositor
Microscope	FEI TALOS ARCTICA	Depositor
Voltage (kV)	200	Depositor
Electron dose ($e^-/\text{\AA}^2$)	47	Depositor
Minimum defocus (nm)	500	Depositor
Maximum defocus (nm)	1500	Depositor
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.089	Depositor
Minimum map value	-0.029	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.004	Depositor
Recommended contour level	0.006	Depositor
Map size (\AA)	753.60004, 753.60004, 753.60004	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles ($^\circ$)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (\AA)	1.57, 1.57, 1.57	Depositor

5 Model quality ⓘ

5.1 Standard geometry ⓘ

Bond lengths and bond angles in the following residue types are not validated in this section: KBE, UAL, 5OH, DPP, MG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.26	0/531	0.54	0/709
2	B	0.40	0/450	0.60	0/599
3	C	0.27	0/416	0.52	0/554
4	D	0.47	0/380	0.76	2/498 (0.4%)
5	E	0.53	0/513	0.60	0/676
6	F	0.57	0/303	0.65	0/397
7	G	0.37	0/1735	0.64	0/2338
8	H	0.34	0/1651	0.55	0/2225
9	I	0.35	0/1665	0.71	0/2227
10	J	0.38	0/1169	0.68	2/1573 (0.1%)
11	K	0.46	0/835	0.77	0/1128
12	L	0.30	0/1195	0.67	3/1602 (0.2%)
13	M	0.35	0/989	0.52	0/1326
14	N	0.41	0/1034	0.77	0/1375
15	O	0.50	0/796	0.78	2/1077 (0.2%)
16	P	0.45	0/885	0.64	1/1195 (0.1%)
17	Q	0.50	0/969	0.86	2/1300 (0.2%)
18	R	0.33	0/892	0.73	2/1193 (0.2%)
19	S	0.32	0/817	0.61	0/1088
20	T	0.49	0/722	0.64	0/964
21	U	0.30	0/659	0.71	2/884 (0.2%)
22	V	0.44	0/657	0.71	0/881
23	W	0.54	0/544	0.74	1/731 (0.1%)
24	X	0.28	0/652	0.55	0/877
25	Y	0.28	0/671	0.52	0/888
26	Z	0.66	0/550	1.01	2/728 (0.3%)
27	b	0.49	0/2121	0.64	0/2852
28	c	0.42	0/1586	0.59	2/2134 (0.1%)
29	d	0.43	0/1571	0.62	0/2113
30	e	0.37	0/1434	0.60	2/1926 (0.1%)
31	f	0.29	0/1343	0.55	0/1816
32	g	0.32	0/405	0.75	0/544

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z >5	RMSZ	# Z >5
33	i	0.31	0/1046	0.77	3/1410 (0.2%)
34	j	0.41	0/1152	0.55	1/1551 (0.1%)
35	k	0.45	0/947	0.66	0/1268
36	l	0.40	0/1054	0.63	0/1403
37	m	0.56	0/1093	0.74	0/1460
38	n	0.46	0/973	0.72	1/1301 (0.1%)
39	o	0.31	0/902	0.51	0/1209
40	p	0.41	0/929	0.61	0/1242
41	q	0.52	0/960	0.62	1/1278 (0.1%)
42	r	0.43	0/829	0.69	0/1107
43	s	0.43	0/864	0.58	0/1156
44	t	0.33	0/744	0.52	0/994
45	u	0.45	0/787	0.75	0/1051
46	v	0.34	0/766	0.51	0/1025
47	w	0.40	0/582	0.52	0/769
48	x	0.43	0/635	0.63	1/848 (0.1%)
49	y	0.29	0/510	0.64	0/677
50	z	0.41	0/453	0.53	0/605
51	1	0.51	0/69796	0.62	22/108888 (0.0%)
52	2	0.43	0/2872	0.46	0/4479
53	3	0.42	0/36963	0.43	0/57662
54	4	0.52	0/830	0.65	0/1285
55	8	0.56	0/599	0.70	1/919 (0.1%)
56	9	0.47	0/468	0.52	0/719
57	A1	0.55	0/2106	0.81	0/2868
57	A2	0.49	0/2048	0.76	0/2786
58	B1	0.57	6/10510 (0.1%)	0.75	8/14196 (0.1%)
59	B2	0.46	0/10714	0.67	0/14459
60	W0	0.30	0/652	0.61	0/879
61	NA	0.78	0/2431	1.22	0/3385
62	NG	1.13	0/756	1.06	0/1048
63	5	0.57	0/1812	0.86	3/2823 (0.1%)
64	6	0.40	0/1832	0.48	0/2855
64	7	0.39	0/1832	0.57	1/2855 (0.0%)
65	h	3.18	2/11 (18.2%)	0.75	0/13
All	All	0.48	8/191598 (0.0%)	0.62	65/282891 (0.0%)

The worst 5 of 8 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
65	h	3	SER	CA-C	-6.74	1.38	1.52
65	h	4	SER	CA-C	-6.15	1.40	1.52

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
58	B1	1350	ASN	CG-ND2	-5.28	1.22	1.33
58	B1	424	ASN	CG-ND2	-5.15	1.22	1.33
58	B1	1108	GLN	CD-OE1	5.13	1.33	1.23

The worst 5 of 65 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
16	P	73	VAL	N-CA-C	-9.03	104.53	113.20
41	q	33	VAL	N-CA-C	-8.76	104.76	112.12
12	L	64	ALA	N-CA-C	-7.69	105.06	114.75
51	1	1130	U	C2'-C3'-O3'	7.59	120.89	109.50
64	7	33	U	C2'-C3'-O3'	7.27	120.41	109.50

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	522	0	524	8	0
2	B	444	0	461	9	0
3	C	409	0	440	3	0
4	D	377	0	418	9	0
5	E	504	0	574	3	0
6	F	302	0	343	5	0
7	G	1704	0	1732	35	0
8	H	1624	0	1699	25	0
9	I	1643	0	1710	37	0
10	J	1156	0	1199	18	0
11	K	817	0	808	15	0
12	L	1181	0	1240	18	0
13	M	979	0	1034	9	0
14	N	1022	0	1070	22	0
15	O	786	0	828	15	0
16	P	869	0	878	23	0
17	Q	955	0	1019	30	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
18	R	883	0	944	18	0
19	S	805	0	847	11	0
20	T	714	0	737	6	0
21	U	649	0	666	15	0
22	V	648	0	691	8	0
23	W	535	0	552	7	0
24	X	637	0	665	8	0
25	Y	665	0	714	12	0
26	Z	544	0	579	13	0
27	b	2082	0	2157	49	0
28	c	1565	0	1616	27	0
29	d	1552	0	1619	29	0
30	e	1410	0	1447	24	0
31	f	1323	0	1374	32	0
32	g	400	0	423	7	0
33	i	1032	0	1088	41	0
34	j	1129	0	1162	20	0
35	k	938	0	1012	16	0
36	l	1045	0	1117	16	0
37	m	1074	0	1157	13	0
38	n	960	0	1000	16	0
39	o	892	0	923	15	0
40	p	917	0	965	17	0
41	q	947	0	1022	10	0
42	r	816	0	839	19	0
43	s	857	0	922	11	0
44	t	738	0	807	10	0
45	u	779	0	834	13	0
46	v	753	0	780	9	0
47	w	575	0	592	9	0
48	x	625	0	655	11	0
49	y	509	0	543	13	0
50	z	449	0	491	9	0
51	1	62317	0	31346	1455	0
52	2	2568	0	1303	15	0
53	3	33012	0	16618	189	0
54	4	749	0	374	8	0
55	8	539	0	305	28	0
56	9	417	0	224	1	0
57	A1	2088	0	1895	24	0
57	A2	2029	0	1864	19	0
58	B1	10353	0	10548	325	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
59	B2	10546	0	10550	163	0
60	W0	650	0	658	10	0
61	NA	2432	0	1171	4	0
62	NG	758	0	334	10	0
63	5	1622	0	821	29	0
64	6	1640	0	837	8	0
64	7	1640	0	837	20	0
65	h	48	0	40	10	0
66	B1	1	0	0	0	0
All	All	178150	0	126642	2806	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 9.

The worst 5 of 2806 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
40:p:52:ARG:HH21	51:1:2720:U:H5''	0.95	1.09
51:1:275:C:H2'	51:1:276:U:H4'	1.37	1.06
51:1:2713:U:H3'	51:1:2714:G:H5'	1.41	1.03
51:1:1666:G:H2'	51:1:1667:G:H5'	1.41	1.02
51:1:1672:A:C2	51:1:2582:G:H5'	1.95	1.02

There are no symmetry-related clashes.

5.3 Torsion angles ⓘ

5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	64/70 (91%)	59 (92%)	5 (8%)	0	100	100
2	B	54/57 (95%)	48 (89%)	4 (7%)	2 (4%)	2	24

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
3	C	48/55 (87%)	41 (85%)	7 (15%)	0	100	100
4	D	44/46 (96%)	42 (96%)	2 (4%)	0	100	100
5	E	62/65 (95%)	57 (92%)	5 (8%)	0	100	100
6	F	36/38 (95%)	32 (89%)	3 (8%)	1 (3%)	4	28
7	G	216/241 (90%)	187 (87%)	27 (12%)	2 (1%)	14	47
8	H	204/233 (88%)	194 (95%)	10 (5%)	0	100	100
9	I	203/206 (98%)	172 (85%)	30 (15%)	1 (0%)	25	57
10	J	155/167 (93%)	138 (89%)	17 (11%)	0	100	100
11	K	98/135 (73%)	84 (86%)	14 (14%)	0	100	100
12	L	149/179 (83%)	130 (87%)	19 (13%)	0	100	100
13	M	127/130 (98%)	118 (93%)	9 (7%)	0	100	100
14	N	125/130 (96%)	104 (83%)	21 (17%)	0	100	100
15	O	96/103 (93%)	87 (91%)	8 (8%)	1 (1%)	13	44
16	P	114/129 (88%)	100 (88%)	13 (11%)	1 (1%)	14	47
17	Q	121/124 (98%)	94 (78%)	27 (22%)	0	100	100
18	R	112/118 (95%)	98 (88%)	13 (12%)	1 (1%)	14	47
19	S	98/101 (97%)	83 (85%)	15 (15%)	0	100	100
20	T	86/89 (97%)	75 (87%)	11 (13%)	0	100	100
21	U	80/82 (98%)	69 (86%)	11 (14%)	0	100	100
22	V	78/84 (93%)	69 (88%)	8 (10%)	1 (1%)	10	40
23	W	63/75 (84%)	56 (89%)	5 (8%)	2 (3%)	3	27
24	X	77/92 (84%)	71 (92%)	6 (8%)	0	100	100
25	Y	83/87 (95%)	78 (94%)	5 (6%)	0	100	100
26	Z	63/71 (89%)	44 (70%)	18 (29%)	1 (2%)	8	37
27	b	269/273 (98%)	244 (91%)	25 (9%)	0	100	100
28	c	207/209 (99%)	189 (91%)	18 (9%)	0	100	100
29	d	199/201 (99%)	186 (94%)	13 (6%)	0	100	100
30	e	175/179 (98%)	157 (90%)	18 (10%)	0	100	100
31	f	174/177 (98%)	159 (91%)	15 (9%)	0	100	100
32	g	50/149 (34%)	44 (88%)	5 (10%)	1 (2%)	6	34
33	i	139/142 (98%)	116 (84%)	23 (16%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
34	j	140/142 (99%)	128 (91%)	12 (9%)	0	100	100
35	k	120/123 (98%)	106 (88%)	14 (12%)	0	100	100
36	l	141/144 (98%)	129 (92%)	12 (8%)	0	100	100
37	m	134/136 (98%)	128 (96%)	6 (4%)	0	100	100
38	n	118/127 (93%)	103 (87%)	15 (13%)	0	100	100
39	o	114/117 (97%)	109 (96%)	5 (4%)	0	100	100
40	p	112/115 (97%)	103 (92%)	9 (8%)	0	100	100
41	q	115/118 (98%)	110 (96%)	3 (3%)	2 (2%)	7	36
42	r	101/103 (98%)	90 (89%)	10 (10%)	1 (1%)	13	44
43	s	108/110 (98%)	101 (94%)	7 (6%)	0	100	100
44	t	91/100 (91%)	82 (90%)	9 (10%)	0	100	100
45	u	100/104 (96%)	84 (84%)	15 (15%)	1 (1%)	13	44
46	v	92/94 (98%)	87 (95%)	5 (5%)	0	100	100
47	w	73/85 (86%)	67 (92%)	6 (8%)	0	100	100
48	x	75/78 (96%)	72 (96%)	2 (3%)	1 (1%)	10	40
49	y	61/63 (97%)	55 (90%)	6 (10%)	0	100	100
50	z	56/59 (95%)	52 (93%)	4 (7%)	0	100	100
57	A1	295/329 (90%)	273 (92%)	21 (7%)	1 (0%)	37	67
57	A2	282/329 (86%)	271 (96%)	11 (4%)	0	100	100
58	B1	1329/1407 (94%)	1203 (90%)	122 (9%)	4 (0%)	37	67
59	B2	1338/1342 (100%)	1204 (90%)	129 (10%)	5 (0%)	30	62
60	W0	80/91 (88%)	77 (96%)	3 (4%)	0	100	100
61	NA	490/495 (99%)	474 (97%)	14 (3%)	2 (0%)	30	62
62	NG	150/181 (83%)	136 (91%)	10 (7%)	4 (3%)	4	29
65	h	2/6 (33%)	1 (50%)	1 (50%)	0	100	100
All	All	9586/10235 (94%)	8670 (90%)	881 (9%)	35 (0%)	32	62

5 of 35 Ramachandran outliers are listed below:

Mol	Chain	Res	Type
42	r	54	VAL
48	x	25	LYS
58	B1	121	PRO

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
61	NA	187	ARG
61	NA	188	PRO

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	59/62 (95%)	58 (98%)	1 (2%)	56	73
2	B	47/48 (98%)	47 (100%)	0	100	100
3	C	45/49 (92%)	44 (98%)	1 (2%)	47	65
4	D	38/38 (100%)	37 (97%)	1 (3%)	41	61
5	E	51/52 (98%)	49 (96%)	2 (4%)	27	53
6	F	34/34 (100%)	30 (88%)	4 (12%)	4	21
7	G	180/199 (90%)	174 (97%)	6 (3%)	33	57
8	H	170/190 (90%)	167 (98%)	3 (2%)	54	71
9	I	172/173 (99%)	168 (98%)	4 (2%)	45	64
10	J	119/126 (94%)	117 (98%)	2 (2%)	56	73
11	K	87/116 (75%)	82 (94%)	5 (6%)	17	45
12	L	124/147 (84%)	124 (100%)	0	100	100
13	M	104/105 (99%)	103 (99%)	1 (1%)	73	82
14	N	105/107 (98%)	98 (93%)	7 (7%)	13	40
15	O	86/90 (96%)	78 (91%)	8 (9%)	7	30
16	P	89/99 (90%)	86 (97%)	3 (3%)	32	56
17	Q	103/104 (99%)	98 (95%)	5 (5%)	21	47
18	R	92/96 (96%)	91 (99%)	1 (1%)	70	80
19	S	83/84 (99%)	83 (100%)	0	100	100
20	T	76/77 (99%)	73 (96%)	3 (4%)	27	53
21	U	65/65 (100%)	64 (98%)	1 (2%)	60	75
22	V	74/78 (95%)	72 (97%)	2 (3%)	40	61

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
23	W	56/65 (86%)	52 (93%)	4 (7%)	12	39
24	X	70/79 (89%)	70 (100%)	0	100	100
25	Y	65/66 (98%)	64 (98%)	1 (2%)	60	75
26	Z	55/61 (90%)	47 (86%)	8 (14%)	2	16
27	b	216/218 (99%)	212 (98%)	4 (2%)	52	70
28	c	164/164 (100%)	164 (100%)	0	100	100
29	d	165/165 (100%)	162 (98%)	3 (2%)	54	71
30	e	148/150 (99%)	145 (98%)	3 (2%)	50	68
31	f	137/138 (99%)	135 (98%)	2 (2%)	60	75
32	g	41/114 (36%)	38 (93%)	3 (7%)	11	38
33	i	109/110 (99%)	108 (99%)	1 (1%)	75	84
34	j	116/116 (100%)	116 (100%)	0	100	100
35	k	103/104 (99%)	103 (100%)	0	100	100
36	l	102/103 (99%)	101 (99%)	1 (1%)	73	82
37	m	109/109 (100%)	103 (94%)	6 (6%)	18	45
38	n	100/103 (97%)	99 (99%)	1 (1%)	73	82
39	o	86/87 (99%)	86 (100%)	0	100	100
40	p	99/100 (99%)	99 (100%)	0	100	100
41	q	89/90 (99%)	86 (97%)	3 (3%)	32	56
42	r	84/84 (100%)	82 (98%)	2 (2%)	44	63
43	s	93/93 (100%)	92 (99%)	1 (1%)	70	80
44	t	80/84 (95%)	80 (100%)	0	100	100
45	u	83/85 (98%)	79 (95%)	4 (5%)	21	48
46	v	78/78 (100%)	77 (99%)	1 (1%)	65	77
47	w	57/63 (90%)	57 (100%)	0	100	100
48	x	67/68 (98%)	67 (100%)	0	100	100
49	y	55/55 (100%)	55 (100%)	0	100	100
50	z	48/49 (98%)	46 (96%)	2 (4%)	25	51
57	A1	185/286 (65%)	174 (94%)	11 (6%)	16	44
57	A2	186/286 (65%)	184 (99%)	2 (1%)	70	80
58	B1	1110/1168 (95%)	1016 (92%)	94 (8%)	8	33

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
59	B2	1150/1157 (99%)	1118 (97%)	32 (3%)	38	60
60	W0	70/75 (93%)	69 (99%)	1 (1%)	62	76
65	h	2/2 (100%)	2 (100%)	0	100	100
All	All	7381/7914 (93%)	7131 (97%)	250 (3%)	34	56

5 of 250 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
57	A1	22	THR
59	B2	483	ASP
58	B1	95	THR
59	B2	56	VAL
59	B2	901	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 125 such sidechains are listed below:

Mol	Chain	Res	Type
29	d	90	GLN
58	B1	1259	GLN
36	l	104	GLN
58	B1	1238	GLN
59	B2	688	GLN

5.3.3 RNA ⓘ

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
51	1	2902/2904 (99%)	398 (13%)	16 (0%)
52	2	119/120 (99%)	17 (14%)	1 (0%)
53	3	1538/1542 (99%)	255 (16%)	5 (0%)
54	4	34/47 (72%)	17 (50%)	2 (5%)
63	5	75/76 (98%)	43 (57%)	7 (9%)
64	6	76/77 (98%)	10 (13%)	0
64	7	76/77 (98%)	27 (35%)	2 (2%)
All	All	4820/4843 (99%)	767 (15%)	33 (0%)

5 of 767 RNA backbone outliers are listed below:

Mol	Chain	Res	Type
51	1	10	A

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
51	1	12	U
51	1	34	U
51	1	35	G
51	1	46	G

5 of 33 RNA pucker outliers are listed below:

Mol	Chain	Res	Type
63	5	48	C
63	5	57	G
64	7	56	C
51	1	1930	G
51	1	1801	A

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

4 non-standard protein/DNA/RNA residues are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z > 2$	Counts	RMSZ	$\# Z > 2$
65	DPP	h	2	65	3,5,6	0.56	0	1,5,7	0.08	0
65	UAL	h	5	65	7,8,9	2.30	3 (42%)	5,9,11	2.92	2 (40%)
65	KBE	h	1	65	8,8,9	0.61	0	7,8,10	1.20	1 (14%)
65	5OH	h	6	65	8,12,13	0.76	0	3,16,18	1.52	1 (33%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
65	DPP	h	2	65	-	0/2/4/6	-
65	UAL	h	5	65	-	0/3/7/9	-
65	KBE	h	1	65	-	0/7/7/8	-

Continued on next page...

Continued from previous page...

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
65	5OH	h	6	65	-	0/2/18/20	0/1/1/1

All (3) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
65	h	5	UAL	C1-N1	-4.86	1.32	1.40
65	h	5	UAL	C-CA	-2.89	1.40	1.45
65	h	5	UAL	CA-N	2.02	1.40	1.35

All (4) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
65	h	5	UAL	CA-CB-N1	-5.30	115.59	125.60
65	h	5	UAL	O-C-CA	-3.23	121.28	125.39
65	h	6	5OH	CR-CB-CA	-2.38	110.04	112.61
65	h	1	KBE	CB-CA-C	-2.07	109.22	112.25

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

3 monomers are involved in 10 short contacts:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
65	h	2	DPP	3	0
65	h	5	UAL	1	0
65	h	6	5OH	6	0

5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

5.6 Ligand geometry [i](#)

Of 1 ligands modelled in this entry, 1 is monoatomic - leaving 0 for Mogul analysis.

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no torsion outliers.

There are no ring outliers.

No monomer is involved in short contacts.

5.7 Other polymers

There are no such residues in this entry.

5.8 Polymer linkage issues

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-38941. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 240




Y Index: 240




Z Index: 240


6.2.2 Raw map



X Index: 240



Y Index: 240




Z Index: 240


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 242




Y Index: 226




Z Index: 249


6.3.2 Raw map



X Index: 242



Y Index: 226




Z Index: 249


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.006. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


6.6.1 emd_38941_msk_1.map [i](#)



X



Y




Z

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 5140 nm³; this corresponds to an approximate mass of 4643 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.270 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.270 Å⁻¹

8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.70	-	-
Author-provided FSC curve	4.28	5.76	4.39
Unmasked-calculated*	7.92	13.33	8.52


*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from author-provided FSC intersecting FSC 0.143 CUT-OFF 4.28 differs from the reported value 3.7 by more than 10 %

The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 7.92 differs from the reported value 3.7 by more than 10 %

9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-38941 and PDB model 8Y5L. Per-residue inclusion information can be found in section [3](#) on page [16](#).

9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.006 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.006).







































































9.4 Atom inclusion ⓘ



At the recommended contour level, 98% of all backbone atoms, 98% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ



































































The table lists the average atom inclusion at the recommended contour level (0.006) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.9850	 0.1860
1	 0.9990	 0.2390
2	 1.0000	 0.2210
3	 0.9990	 0.2150
4	 0.9720	 0.0810
5	 0.9750	 0.1340
6	 0.9980	 0.2420
7	 0.8370	 0.0840
8	 1.0000	 0.0720
9	 1.0000	 0.0730
A	 0.9790	 0.1550
A1	 0.9340	 0.0400
A2	 0.8340	 0.0570
B	 0.9980	 0.2030
B1	 0.9650	 0.0450
B2	 0.9780	 0.0560
C	 0.9750	 0.1900
D	 0.9830	 0.1800
E	 0.9980	 0.1920
F	 0.9900	 0.1490
G	 0.9880	 0.1770
H	 0.9790	 0.1970
I	 0.9590	 0.0850
J	 0.9940	 0.2040
K	 0.9940	 0.1880
L	 0.9920	 0.1810
M	 0.9850	 0.1960
N	 0.9990	 0.1550
NA	 0.8780	 0.1540
NG	 0.9510	 0.0880
O	 0.9990	 0.1400
P	 0.9960	 0.1960
Q	 0.9620	 0.1720
R	 0.9970	 0.1680
S	 0.9960	 0.1570



Continued on next page...

Continued from previous page...

Chain	Atom inclusion	Q-score
T	 0.9910	 0.1640
U	 0.9570	 0.1090
V	 0.9640	 0.1480
W	 0.9940	 0.1650
W0	 0.5580	 0.0150
X	 0.9920	 0.1550
Y	 0.9770	 0.1560
Z	 0.9520	 0.1400
b	 0.9900	 0.2240
c	 0.9880	 0.1850
d	 0.9950	 0.2110
e	 0.9930	 0.1860
f	 0.9920	 0.1810
g	 0.9980	 0.1850
h	 1.0000	 0.1560
i	 0.9100	 0.0660
j	 0.9960	 0.2020
k	 0.9810	 0.2040
l	 0.9990	 0.1970
m	 0.9860	 0.2070
n	 1.0000	 0.1800
o	 1.0000	 0.1780
p	 0.9820	 0.1940
q	 0.9960	 0.1790
r	 0.9960	 0.2170
s	 0.9900	 0.2040
t	 0.9850	 0.1690
u	 0.9940	 0.1700
v	 0.9990	 0.1790
w	 0.9930	 0.1710
x	 0.9950	 0.1990
y	 1.0000	 0.1610
z	 0.9980	 0.1980