



## Full wwPDB EM Validation Report ⓘ

Nov 2, 2024 – 10:01 pm GMT

PDB ID : 6YXY  
EMDB ID : EMD-11000  
Title : State B of the Trypanosoma brucei mitoribosomal large subunit assembly intermediate  
Authors : Jaskolowski, M.; Ramrath, D.J.F.; Bieri, P.; Niemann, M.; Mattei, S.; Calderaro, S.; Leibundgut, M.A.; Horn, E.K.; Boehringer, D.; Schneider, A.; Ban, N.  
Deposited on : 2020-05-04  
Resolution : 3.10 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:


EMDB validation analysis : 0.0.1.dev113  
Mogul : 1.8.4, CSD as541be (2020)  
MolProbity : 4.02b-467  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.39

# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:  
*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Ramachandran outliers	207382	16835
Sidechain outliers	206894	16415
RNA backbone	6643	2191

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A1	241	
2	A2	471	
3	A3	218	
4	A5	80	
5	A8	181	
6	AA	1176	
7	BA	831	
8	EA	576	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
9	BB	541	
10	EB	754	
11	EC	406	
12	BD	547	
13	ED	616	
14	AE	473	
15	BE	449	
16	EE	586	
17	UE	33	
18	AF	459	
19	BF	426	
20	EF	373	
21	EG	156	
22	BH	349	
23	EH	634	
24	AI	263	
25	BI	342	
26	EI	349	
27	UI	23	
28	BJ	333	
29	EJ	116	
30	AK	342	
31	BK	386	
32	EK	148	
32	ER	148	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
33	UK	25	
34	BL	312	
35	EL	691	
36	UL	72	
37	EM	451	
38	UM	8	
39	AN	202	
40	BN	302	
41	EN	731	
42	AO	217	
43	BO	262	
44	EO	319	
44	EP	319	
45	AP	374	
46	BQ	231	
47	EQ	655	
48	AR	301	
49	BR	205	
50	BS	198	
51	ES	524	
52	AT	144	
53	BT	191	
54	ET	102	
55	AU	213	
56	BU	185	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
57	EU	56	
58	AV	188	
59	BV	190	
60	AW	278	
61	BW	188	
62	AX	246	
63	BX	190	
64	UX	180	
65	AY	378	
66	BZ	190	
67	Ba	153	
68	Bb	162	
69	Bc	146	
70	Ae	197	
71	Af	189	
72	Bf	113	
73	Ag	260	
74	Bg	105	
75	Bh	92	
76	Bi	245	
77	Al	218	
78	Ao	1520	
79	Ap	309	
80	At	154	
81	Av	242	

## 2 Entry composition [i](#)

There are 90 unique types of molecules in this entry. The entry contains 177224 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called bL28m.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A1	217	Total	C	N	O	S	0	0
			1788	1138	324	317	9		

- Molecule 2 is a protein called uL29m.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	A2	452	Total	C	N	O	S	0	0
			3661	2337	635	676	13		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A2	238	GLY	ALA	conflict	UNP Q38EM7

- Molecule 3 is a protein called uL30m.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	A3	150	Total	C	N	O	S	0	0
			1226	781	236	203	6		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
A3	22	VAL	GLY	conflict	UNP Q38ED8
A3	26	SER	LEU	conflict	UNP Q38ED8
A3	35	ASN	SER	conflict	UNP Q38ED8
A3	198	UNK	ALA	conflict	UNP Q38ED8

- Molecule 4 is a protein called bL32m.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	A5	55	Total	C	N	O	S	0	0
			483	311	90	76	6		

- Molecule 5 is a protein called bL35m.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	A8	142	Total	C	N	O	S	0	0
			1203	753	243	198	9		

- Molecule 6 is a RNA chain called 12S ribosomal RNA.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	AA	903	Total	C	N	O	P	0	0
			18833	8482	3157	6291	903		

There are 18 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AA	1032	N	A	conflict	GB 343546
AA	1033	N	U	conflict	GB 343546
AA	1034	N	U	conflict	GB 343546
AA	1035	N	G	conflict	GB 343546
AA	1036	N	U	conflict	GB 343546
AA	1037	N	U	conflict	GB 343546
AA	1038	N	C	conflict	GB 343546
AA	1039	N	A	conflict	GB 343546
AA	1040	N	U	conflict	GB 343546
AA	1041	N	C	conflict	GB 343546
AA	1042	N	A	conflict	GB 343546
AA	1043	N	A	conflict	GB 343546
AA	1044	N	A	conflict	GB 343546
AA	1045	N	A	conflict	GB 343546
AA	1046	N	U	conflict	GB 343546
AA	1047	N	A	conflict	GB 343546
AA	1048	N	G	conflict	GB 343546
AA	1049	N	U	conflict	GB 343546

- Molecule 7 is a protein called mL67.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	BA	769	Total	C	N	O	S	0	0
			6059	3847	1074	1104	34		

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BA	359	CYS	GLY	conflict	UNP Q386Z1

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
BA	385	PRO	SER	conflict	UNP Q386Z1
BA	387	SER	GLY	conflict	UNP Q386Z1
BA	456	ALA	VAL	conflict	UNP Q386Z1
BA	520	LEU	ARG	conflict	UNP Q386Z1

- Molecule 8 is a protein called mt-EngA.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	EA	532	Total	C	N	O	S	0	0
			4263	2672	785	785	21		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
EA	12	UNK	ARG	conflict	UNP Q57TZ4

- Molecule 9 is a protein called mL68.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	BB	412	Total	C	N	O	S	0	0
			3365	2142	595	607	21		

- Molecule 10 is a protein called mt-LAF2.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	EB	663	Total	C	N	O	S	0	0
			5308	3344	1017	920	27		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
EB	301	ALA	THR	conflict	UNP D0A9G9

- Molecule 11 is a protein called mt-LAF3.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	EC	373	Total	C	N	O	S	0	0
			3005	1923	540	524	18		

There is a discrepancy between the modelled and reference sequences:



Chain	Residue	Modelled	Actual	Comment	Reference
EC	25	UNK	HIS	conflict	UNP Q38FJ3

- Molecule 12 is a protein called mL70.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	BD	419	Total	C	N	O	S	0	0
			3349	2134	586	609	20		

- Molecule 13 is a protein called mt-LAF4.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	ED	598	Total	C	N	O	S	0	0
			4764	3026	850	865	23		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
ED	252	ARG	LYS	conflict	UNP Q385G9
ED	326	UNK	GLY	conflict	UNP Q385G9

- Molecule 14 is a protein called uL3m.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	AE	434	Total	C	N	O	S	0	0
			3461	2215	598	630	18		

- Molecule 15 is a protein called mL71.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	BE	407	Total	C	N	O	S	0	0
			3223	2044	558	608	13		

- Molecule 16 is a protein called mt-LAF5.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	EE	433	Total	C	N	O	S	0	0
			3444	2144	649	638	13		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
EE	20	VAL	MET	conflict	UNP Q38DC9

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
EE	27	ARG	LYS	conflict	UNP Q38DC9
EE	337	ASP	GLY	conflict	UNP Q38DC9
EE	546	VAL	ALA	conflict	UNP Q38DC9

- Molecule 17 is a protein called UNK.

Mol	Chain	Residues	Atoms				AltConf	Trace
17	UE	33	Total	C	N	O	0	0
			165	99	33	33		

- Molecule 18 is a protein called uL4m.

Mol	Chain	Residues	Atoms					AltConf	Trace
18	AF	442	Total	C	N	O	S	0	0
			3597	2294	624	654	25		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AF	12	THR	ALA	conflict	UNP D0A7A6

- Molecule 19 is a protein called mL72.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	BF	346	Total	C	N	O	S	0	0
			2847	1803	519	512	13		

- Molecule 20 is a protein called mt-LAF6.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	EF	302	Total	C	N	O	S	0	0
			2290	1451	406	425	8		

There are 6 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
EF	47	UNK	GLU	conflict	UNP C9ZWD9
EF	48	UNK	VAL	conflict	UNP C9ZWD9
EF	49	UNK	ALA	conflict	UNP C9ZWD9
EF	50	UNK	GLN	conflict	UNP C9ZWD9
EF	51	UNK	VAL	conflict	UNP C9ZWD9

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
EF	52	UNK	THR	conflict	UNP C9ZWD9

- Molecule 21 is a protein called mt-LAF7.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	EG	154	Total	C	N	O	S	0	0
			1295	812	256	218	9		

- Molecule 22 is a protein called mL74.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	BH	282	Total	C	N	O	S	0	0
			2293	1457	423	409	4		

- Molecule 23 is a protein called mt-LAF8.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	EH	438	Total	C	N	O	S	0	0
			3471	2193	627	632	19		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
EH	166	UNK	GLY	conflict	UNP Q57ZS6
EH	485	PRO	SER	conflict	UNP Q57ZS6
EH	495	ARG	LYS	conflict	UNP Q57ZS6

- Molecule 24 is a protein called bL9m.

Mol	Chain	Residues	Atoms					AltConf	Trace
24	AI	240	Total	C	N	O	S	0	0
			1967	1260	345	353	9		

There are 10 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AI	249	UNK	LYS	conflict	UNP Q57UC5
AI	250	UNK	GLY	conflict	UNP Q57UC5
AI	251	UNK	PRO	conflict	UNP Q57UC5
AI	252	UNK	VAL	conflict	UNP Q57UC5
AI	253	UNK	LYS	conflict	UNP Q57UC5

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
AI	254	UNK	GLN	conflict	UNP Q57UC5
AI	255	UNK	ARG	conflict	UNP Q57UC5
AI	256	UNK	LYS	conflict	UNP Q57UC5
AI	257	UNK	ALA	conflict	UNP Q57UC5
AI	258	UNK	ARG	conflict	UNP Q57UC5

- Molecule 25 is a protein called mL75.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	BI	323	Total	C	N	O	S	0	0
			2641	1681	483	461	16		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BI	227	ASN	ASP	conflict	UNP D0A108

- Molecule 26 is a protein called MALSU1.

Mol	Chain	Residues	Atoms					AltConf	Trace
26	EI	275	Total	C	N	O	S	0	0
			2101	1307	372	412	10		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
EI	12	TYR	CYS	conflict	UNP Q584Y2
EI	70	PRO	LEU	conflict	UNP Q584Y2
EI	129	HIS	ARG	conflict	UNP Q584Y2
EI	144	SER	LEU	conflict	UNP Q584Y2

- Molecule 27 is a protein called UNK.

Mol	Chain	Residues	Atoms				AltConf	Trace
27	UI	23	Total	C	N	O	0	0
			115	69	23	23		

- Molecule 28 is a protein called mL76.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	BJ	293	Total	C	N	O	S	0	0
			2433	1527	463	435	8		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BJ	329	GLU	ALA	conflict	UNP Q383M2

- Molecule 29 is a protein called L0R8F8.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	EJ	95	Total	C	N	O	S	0	0
			765	475	156	131	3		

- Molecule 30 is a protein called uL11m.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	AK	301	Total	C	N	O	S	0	0
			2499	1593	456	433	17		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AK	327	UNK	ALA	conflict	UNP Q586R9

- Molecule 31 is a protein called mL77.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	BK	228	Total	C	N	O	S	0	0
			1855	1153	353	341	8		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BK	33	UNK	HIS	conflict	UNP C9ZQR6
BK	60	UNK	PRO	conflict	UNP C9ZQR6
BK	348	VAL	LEU	conflict	UNP C9ZQR6

- Molecule 32 is a protein called mt-ACP.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	EK	84	Total	C	N	O	S	0	0
			669	427	106	135	1		
32	ER	84	Total	C	N	O	S	0	0
			669	427	106	135	1		

- Molecule 33 is a protein called UNK.

Mol	Chain	Residues	Atoms				AltConf	Trace
33	UK	25	Total	C	N	O	0	0
			125	75	25	25		

- Molecule 34 is a protein called mL78.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	BL	259	Total	C	N	O	S	0	0
			2023	1241	397	375	10		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BL	77	TYR	HIS	conflict	UNP Q389N4
BL	218	ALA	THR	conflict	UNP Q389N4
BL	292	SER	ASN	conflict	UNP Q389N4

- Molecule 35 is a protein called mt-LAF12.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	EL	559	Total	C	N	O	S	0	0
			4484	2876	781	798	29		

There are 4 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
EL	104	UNK	ILE	conflict	UNP C9ZVC0
EL	108	GLU	GLY	conflict	UNP C9ZVC0
EL	126	VAL	LEU	conflict	UNP C9ZVC0
EL	188	SER	PHE	conflict	UNP C9ZVC0

- Molecule 36 is a protein called UNK.

Mol	Chain	Residues	Atoms				AltConf	Trace
36	UL	72	Total	C	N	O	0	0
			360	216	72	72		

- Molecule 37 is a protein called Mtg1.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	EM	330	Total	C	N	O	S	0	0
			2606	1646	476	469	15		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
EM	407	UNK	PRO	conflict	UNP Q38E75

- Molecule 38 is a protein called UNK.

Mol	Chain	Residues	Atoms				AltConf	Trace
38	UM	8	Total	C	N	O	0	0
			40	24	8	8		

- Molecule 39 is a protein called uL13m.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	AN	193	Total	C	N	O	S	0	0
			1639	1059	301	269	10		

- Molecule 40 is a protein called mL80.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	BN	214	Total	C	N	O	S	0	0
			1714	1077	320	312	5		

- Molecule 41 is a protein called mt-LAF14.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	EN	638	Total	C	N	O	S	0	0
			5025	3152	909	936	28		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
EN	18	GLU	GLY	conflict	UNP C9ZPS0

*Continued on next page...*

*Continued from previous page...*

Chain	Residue	Modelled	Actual	Comment	Reference
EN	310	LYS	ASN	conflict	UNP C9ZPS0
EN	676	CYS	TYR	conflict	UNP C9ZPS0

- Molecule 42 is a protein called uL14m.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	AO	165	Total	C	N	O	S	0	0
			1339	843	272	215	9		

- Molecule 43 is a protein called mL81.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	BO	215	Total	C	N	O	S	0	0
			1686	1058	294	321	13		

There are 5 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BO	30	THR	ILE	conflict	UNP Q385L5
BO	123	LEU	MET	conflict	UNP Q385L5
BO	134	PRO	SER	conflict	UNP Q385L5
BO	196	ASN	SER	conflict	UNP Q385L5
BO	238	ALA	GLU	conflict	UNP Q385L5

- Molecule 44 is a protein called mt-LAF15a.

Mol	Chain	Residues	Atoms					AltConf	Trace
44	EO	275	Total	C	N	O	S	0	0
			2141	1348	396	387	10		
44	EP	245	Total	C	N	O	S	0	0
			1919	1212	349	349	9		

- Molecule 45 is a protein called uL15m.

Mol	Chain	Residues	Atoms					AltConf	Trace
45	AP	325	Total	C	N	O	S	0	0
			2691	1713	499	466	13		

- Molecule 46 is a protein called mL83.



Mol	Chain	Residues	Atoms					AltConf	Trace
46	BQ	218	Total	C	N	O	S	0	0
			1651	1049	288	306	8		

- Molecule 47 is a protein called mt-EngB.

Mol	Chain	Residues	Atoms					AltConf	Trace
47	EQ	471	Total	C	N	O	S	0	0
			3628	2286	657	666	19		

There are 11 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
EQ	26	CYS	ARG	conflict	UNP Q380Y8
EQ	272	SER	ASN	conflict	UNP Q380Y8
EQ	325	ALA	THR	conflict	UNP Q380Y8
EQ	326	ALA	THR	conflict	UNP Q380Y8
EQ	379	UNK	PRO	conflict	UNP Q380Y8
EQ	400	SER	PRO	conflict	UNP Q380Y8
EQ	426	ARG	GLN	conflict	UNP Q380Y8
EQ	447	GLU	LYS	conflict	UNP Q380Y8
EQ	448	UNK	SER	conflict	UNP Q380Y8
EQ	468	SER	PRO	conflict	UNP Q380Y8
EQ	472	SER	PRO	conflict	UNP Q380Y8

- Molecule 48 is a protein called bL17m.

Mol	Chain	Residues	Atoms					AltConf	Trace
48	AR	257	Total	C	N	O	S	0	0
			2146	1359	399	374	14		

- Molecule 49 is a protein called mL84.

Mol	Chain	Residues	Atoms					AltConf	Trace
49	BR	196	Total	C	N	O	S	0	0
			1659	1064	299	287	9		

- Molecule 50 is a protein called mL85.

Mol	Chain	Residues	Atoms					AltConf	Trace
50	BS	151	Total	C	N	O	S	0	0
			1218	753	232	226	7		

There are 2 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
BS	45	ILE	VAL	conflict	UNP Q38FG8
BS	173	UNK	LEU	conflict	UNP Q38FG8

- Molecule 51 is a protein called mt-LAF18.

Mol	Chain	Residues	Atoms					AltConf	Trace
51	ES	152	Total	C	N	O	S	0	0
			1259	779	246	230	4		

- Molecule 52 is a protein called bL19m.

Mol	Chain	Residues	Atoms					AltConf	Trace
52	AT	141	Total	C	N	O	S	0	0
			1163	732	221	204	6		

- Molecule 53 is a protein called mL86.

Mol	Chain	Residues	Atoms					AltConf	Trace
53	BT	173	Total	C	N	O	S	0	0
			1435	884	278	267	6		

- Molecule 54 is a protein called mt-LAF19.

Mol	Chain	Residues	Atoms					AltConf	Trace
54	ET	101	Total	C	N	O	S	0	0
			839	529	166	140	4		

- Molecule 55 is a protein called bL20m.

Mol	Chain	Residues	Atoms					AltConf	Trace
55	AU	175	Total	C	N	O	S	0	0
			1423	895	280	243	5		

- Molecule 56 is a protein called mL87.

Mol	Chain	Residues	Atoms					AltConf	Trace
56	BU	83	Total	C	N	O	S	0	0
			705	442	143	116	4		

- Molecule 57 is a protein called mt-LAF20.

Mol	Chain	Residues	Atoms					AltConf	Trace
57	EU	47	Total	C	N	O	S	0	0
			407	250	90	61	6		

- Molecule 58 is a protein called bL21m.

Mol	Chain	Residues	Atoms					AltConf	Trace
58	AV	181	Total	C	N	O	S	0	0
			1424	909	257	252	6		

- Molecule 59 is a protein called mL88.

Mol	Chain	Residues	Atoms					AltConf	Trace
59	BV	90	Total	C	N	O	S	0	0
			763	492	133	136	2		

- Molecule 60 is a protein called uL22m.

Mol	Chain	Residues	Atoms					AltConf	Trace
60	AW	278	Total	C	N	O	S	0	0
			2251	1427	417	393	14		

- Molecule 61 is a protein called mL89.

Mol	Chain	Residues	Atoms					AltConf	Trace
61	BW	187	Total	C	N	O	S	0	0
			1557	987	298	264	8		

- Molecule 62 is a protein called uL23m.

Mol	Chain	Residues	Atoms					AltConf	Trace
62	AX	166	Total	C	N	O	S	0	0
			1400	904	247	244	5		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AX	126	TYR	HIS	conflict	UNP Q387G3

- Molecule 63 is a protein called mL90.

Mol	Chain	Residues	Atoms					AltConf	Trace
63	BX	133	Total	C	N	O	S	0	0
			1088	695	201	183	9		

- Molecule 64 is a protein called UNK.

Mol	Chain	Residues	Atoms					AltConf	Trace
64	UX	180	Total	C	N	O	S	0	0
			900	540	180	180			

- Molecule 65 is a protein called uL24m.

Mol	Chain	Residues	Atoms					AltConf	Trace
65	AY	340	Total	C	N	O	S	0	0
			2790	1741	497	537	15		

There is a discrepancy between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
AY	345	GLU	VAL	conflict	UNP C9ZK52

- Molecule 66 is a protein called mL92.

Mol	Chain	Residues	Atoms					AltConf	Trace
66	BZ	190	Total	C	N	O	S	0	0
			1420	897	247	269	7		

- Molecule 67 is a protein called mL93.

Mol	Chain	Residues	Atoms					AltConf	Trace
67	Ba	142	Total	C	N	O	S	0	0
			1245	800	226	212	7		

- Molecule 68 is a protein called mL94.

Mol	Chain	Residues	Atoms					AltConf	Trace
68	Bb	128	Total	C	N	O	S	0	0
			1011	637	191	181	2		

- Molecule 69 is a protein called mL95.

Mol	Chain	Residues	Atoms					AltConf	Trace
69	Bc	137	Total	C	N	O	S	0	0
			1194	776	216	201	1		

- Molecule 70 is a protein called mL41.

Mol	Chain	Residues	Atoms					AltConf	Trace
70	Ae	127	Total	C	N	O	S	0	0
			1031	667	190	169	5		

- Molecule 71 is a protein called mL42.

Mol	Chain	Residues	Atoms					AltConf	Trace
71	Af	139	Total	C	N	O	S	0	0
			1107	692	210	200	5		

- Molecule 72 is a protein called mL98.

Mol	Chain	Residues	Atoms					AltConf	Trace
72	Bf	87	Total	C	N	O	S	0	0
			725	462	131	132			

- Molecule 73 is a protein called mL43.

Mol	Chain	Residues	Atoms					AltConf	Trace
73	Ag	186	Total	C	N	O	S	0	0
			1564	979	295	283	7		

- Molecule 74 is a protein called mL99.

Mol	Chain	Residues	Atoms					AltConf	Trace
74	Bg	83	Total	C	N	O	S	0	0
			667	418	130	117	2		

- Molecule 75 is a protein called mL100.

Mol	Chain	Residues	Atoms					AltConf	Trace
75	Bh	91	Total	C	N	O	S	0	0
			730	466	129	125	10		

- Molecule 76 is a protein called mL101.

Mol	Chain	Residues	Atoms					AltConf	Trace
76	Bi	192	Total	C	N	O	S	0	0
			1502	958	277	263	4		

There are 3 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Bi	143	MET	ILE	conflict	UNP Q4GZ80
Bi	163	VAL	LEU	conflict	UNP Q4GZ80
Bi	213	ILE	PRO	conflict	UNP Q4GZ80

- Molecule 77 is a protein called mL49.

Mol	Chain	Residues	Atoms					AltConf	Trace
77	Al	181	Total	C	N	O	S	0	0
			1440	936	250	247	7		

- Molecule 78 is a protein called mL52.

Mol	Chain	Residues	Atoms					AltConf	Trace
78	Ao	184	Total	C	N	O	S	0	0
			1443	903	263	270	7		

There are 16 discrepancies between the modelled and reference sequences:

Chain	Residue	Modelled	Actual	Comment	Reference
Ao	-1239	GLN	ARG	conflict	UNP Q385V2
Ao	-1157	ALA	GLU	conflict	UNP Q385V2
Ao	-1105	ALA	VAL	conflict	UNP Q385V2
Ao	-1062	GLY	SER	conflict	UNP Q385V2
Ao	-879	HIS	TYR	conflict	UNP Q385V2
Ao	-776	UNK	HIS	conflict	UNP Q385V2
Ao	-742	UNK	LYS	conflict	UNP Q385V2
Ao	-724	GLU	LYS	conflict	UNP Q385V2
Ao	-707	UNK	SER	conflict	UNP Q385V2
Ao	-521	GLU	GLY	conflict	UNP Q385V2
Ao	-515	ARG	GLN	conflict	UNP Q385V2
Ao	-481	LEU	VAL	conflict	UNP Q385V2
Ao	-214	ALA	VAL	conflict	UNP Q385V2
Ao	-175	LEU	VAL	conflict	UNP Q385V2
Ao	?	-	LEU	deletion	UNP Q385V2
Ao	?	-	LYS	deletion	UNP Q385V2

- Molecule 79 is a protein called mL53.

Mol	Chain	Residues	Atoms					AltConf	Trace
79	Ap	297	Total	C	N	O	S	0	0
			2428	1572	428	416	12		

- Molecule 80 is a protein called mL63.

Mol	Chain	Residues	Atoms					AltConf	Trace
80	At	138	Total	C	N	O	S	0	0
			1149	722	223	200	4		

- Molecule 81 is a protein called mL64.

Mol	Chain	Residues	Atoms					AltConf	Trace
81	Av	196	Total	C	N	O	S	0	0
			1668	1062	309	285	12		


- Molecule 82 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		AltConf
82	A5	1	Total	Zn	0
			1	1	
82	EG	1	Total	Zn	0
			1	1	
82	BX	2	Total	Zn	0
			2	2	
82	Bh	1	Total	Zn	0
			1	1	

- Molecule 83 is MAGNESIUM ION (three-letter code: MG) (formula: Mg).


Mol	Chain	Residues	Atoms		AltConf
83	AA	29	Total	Mg	0
			29	29	
83	EA	2	Total	Mg	0
			2	2	
83	EB	1	Total	Mg	0
			1	1	
83	EQ	1	Total	Mg	0
			1	1	

- Molecule 84 is SPERMIDINE (three-letter code: SPD) (formula: C<sub>7</sub>H<sub>19</sub>N<sub>3</sub>).



Mol	Chain	Residues	Atoms			AltConf
84	AA	1	Total	C	N	0
			10	7	3	

- Molecule 85 is GUANOSINE-5'-TRIPHOSPHATE (three-letter code: GTP) (formula:  $C_{10}H_{16}N_5O_{14}P_3$ ).






Continued from previous page...

Mol	Chain	Residues	Atoms					AltConf
85	EQ	1	Total	C	N	O	P	0
			32	10	5	14	3	

- Molecule 86 is SODIUM ION (three-letter code: NA) (formula: Na).

Mol	Chain	Residues	Atoms		AltConf
86	EA	2	Total	Na	0
			2	2	

- Molecule 87 is ADENOSINE-5'-TRIPHOSPHATE (three-letter code: ATP) (formula:  $C_{10}H_{16}N_5O_{13}P_3$ ).



Mol	Chain	Residues	Atoms					AltConf
87	EB	1	Total	C	N	O	P	0
			31	10	5	13	3	

- Molecule 88 is S-(2-{[N-(2-HYDROXY-4-{[HYDROXY(OXIDO)PHOSPHINO]OXY}-3,3-DIMETHYLBUTANOYL)-BETA-ALANYL]AMINO}ETHYL) DECANETHIOATE (three-letter code: PM8) (formula:  $C_{21}H_{41}N_2O_7PS$ ).



- Molecule 89 is NICOTINAMIDE-ADENINE-DINUCLEOTIDE (three-letter code: NAD) (formula:  $C_{21}H_{27}N_7O_{14}P_2$ ).



- Molecule 90 is water.

Mol	Chain	Residues	Atoms		AltConf
90	EA	2	Total 2	O 2	0
90	EA	2	Total 2	O 2	0
90	EB	4	Total 4	O 4	0
90	EQ	2	Total 2	O 2	0


### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


#### • Molecule 1: bL28m




#### • Molecule 2: uL29m





#### • Molecule 3: uL30m




#### • Molecule 4: bL32m




#### • Molecule 5: bL35m




• Molecule 6: 12S ribosomal RNA




## Chain BA:




## Chain EA:




## Chain BB:




## Chain EB:






• Molecule 11: mt-LAF3

Chain EC: 91% 8%




• Molecule 12: mL70

Chain BD: 75% 23%




• Molecule 13: mt-LAF4

Chain ED: 96% 2%




• Molecule 14: uL3m

Chain AE: 14% 91% 8%





• Molecule 15: mL71


Chain BE: 88% 9%




• Molecule 16: mt-LAF5





• Molecule 17: UNK



• Molecule 18: uL4m





• Molecule 19: mL72




• Molecule 20: mt-LAF6








• Molecule 21: mt-LAF7




• Molecule 22: mL74




• Molecule 23: mt-LAF8









- Molecule 24: bL9m





- Molecule 25: mL75




- Molecule 26: MALSU1





- Molecule 27: UNK





- Molecule 28: mL76






- Molecule 29: L0R8F8



- Molecule 30: uL11m




- Molecule 31: mL77




- Molecule 32: mt-ACP








• Molecule 32: mt-ACP





• Molecule 33: UNK




• Molecule 34: mL78




• Molecule 35: mt-LAF12





• Molecule 36: UNK





• Molecule 37: Mtg1




• Molecule 38: UNK




There are no outlier residues recorded for this chain.


• Molecule 39: uL13m




• Molecule 40: mL80




• Molecule 41: mt-LAF14






• Molecule 42: uL14m

Chain AO: 76% 24%




• Molecule 43: mL81

Chain BO: 82% 18%




• Molecule 44: mt-LAF15a

Chain EO: 9% 84% 14%



• Molecule 44: mt-LAF15a

Chain EP: 14% 76% 23%













• Molecule 54: mt-LAF19

Chain ET: 99%




• Molecule 55: bL20m

Chain AU: 82% 18%




• Molecule 56: mL87

Chain BU: 44% 55%



• Molecule 57: mt-LAF20

Chain EU: 14% 82% 16%




• Molecule 58: bL21m


Chain AV: 95%



• Molecule 59: mL88


Chain BV: 22% 47% 53%





- Molecule 60: uL22m

Chain AW: 100%




- Molecule 61: mL89

Chain BW: 96%




- Molecule 62: uL23m

Chain AX: 67% 33%




- Molecule 63: mL90

Chain BX: 45% 67% 30%




- Molecule 64: UNK


Chain UX: 100% 100%




- Molecule 65: uL24m





- Molecule 66: mL92



- Molecule 67: mL93



- Molecule 68: mL94




- Molecule 69: mL95




- Molecule 70: mL41

Chain Ae:  64% 36%





- Molecule 71: mL42

Chain Af:  72% 26%




- Molecule 72: mL98

Chain Bf:  6% 76% 23%





- Molecule 73: mL43

Chain Ag:  72% 28%




- Molecule 74: mL99

Chain Bg:  78% 21%





- Molecule 75: mL100



Chain Bh:  98% 2%




- Molecule 76: mL101



• Molecule 77: mL49



• Molecule 78: mL52





MET	LEU	ARG	GLY	THR	ARG	GLY	PHE	LEU	ALA	VAL	SER	PRO	GLY	VAL	GLY	ILE	ALA	PRO	GLU	THR	THR	PRO	V24	V219	GLN	GLY	ALA	ARG	THR	SER	ALA	LYS	ASP	MET	PRO	PRO	ILE	LYS	THR	ILE	ASN	ILE	LYS	ALA	PHE	LEU	SER	GLU
-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	------	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----	-----

## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, C1	Depositor
Number of particles used	98508	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	75	Depositor
Minimum defocus (nm)	Not provided	
Maximum defocus (nm)	Not provided	
Magnification	Not provided	
Image detector	FEI FALCON III (4k x 4k)	Depositor
Maximum map value	0.210	Depositor
Minimum map value	-0.099	Depositor
Average map value	0.001	Depositor
Map value standard deviation	0.007	Depositor
Recommended contour level	0.025	Depositor
Map size (Å)	434.0, 434.0, 434.0	wwPDB
Map dimensions	400, 400, 400	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.085, 1.085, 1.085	Depositor



## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: ZN, NA, NAD, GTP, MG, PM8, SPD, ATP

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	A1	0.25	0/1828	0.39	0/2466
2	A2	0.25	0/3763	0.39	0/5124
3	A3	0.24	0/1246	0.40	0/1678
4	A5	0.24	0/498	0.40	0/663
5	A8	0.24	0/1231	0.40	0/1648
6	AA	0.21	0/20700	0.76	10/32183 (0.0%)
7	BA	0.24	0/6192	0.40	0/8401
8	EA	0.23	0/4337	0.39	0/5856
9	BB	0.24	0/3456	0.39	0/4684
10	EB	0.23	0/5426	0.40	0/7340
11	EC	0.25	0/3090	0.41	0/4190
12	BD	0.24	0/3418	0.39	0/4629
13	ED	0.24	0/4872	0.40	0/6599
14	AE	0.26	0/3570	0.42	1/4849 (0.0%)
15	BE	0.25	0/3306	0.40	0/4476
16	EE	0.23	0/3510	0.39	1/4751 (0.0%)
18	AF	0.25	0/3706	0.40	0/5029
19	BF	0.25	0/2909	0.41	0/3920
20	EF	0.24	0/2308	0.41	0/3137
21	EG	0.25	0/1331	0.41	0/1784
22	BH	0.24	0/2356	0.40	0/3203
23	EH	0.24	0/3548	0.39	0/4814
24	AI	0.25	0/1980	0.38	0/2693
25	BI	0.25	0/2717	0.39	0/3674
26	EI	0.23	0/2133	0.41	1/2894 (0.0%)
28	BJ	0.23	0/2494	0.38	0/3373
29	EJ	0.23	0/778	0.38	0/1047
30	AK	0.23	0/2565	0.39	0/3465
31	BK	0.24	0/1897	0.37	0/2556
32	EK	0.23	0/679	0.38	0/923
32	ER	0.24	0/679	0.39	0/923
34	BL	0.23	0/2064	0.39	0/2794

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
35	EL	0.24	0/4615	0.39	0/6282
37	EM	0.24	0/2658	0.39	0/3594
39	AN	0.24	0/1698	0.40	0/2308
40	BN	0.24	0/1755	0.38	0/2381
41	EN	0.23	0/5115	0.38	0/6936
42	AO	0.24	0/1371	0.42	0/1846
43	BO	0.25	0/1715	0.40	0/2322
44	EO	0.24	0/2188	0.40	0/2976
44	EP	0.24	0/1961	0.39	0/2669
45	AP	0.24	0/2774	0.41	0/3761
46	BQ	0.25	0/1691	0.42	0/2293
47	EQ	0.24	0/3701	0.39	0/4994
48	AR	0.24	0/2211	0.38	0/2988
49	BR	0.24	0/1702	0.40	0/2296
50	BS	0.23	0/1235	0.39	0/1665
51	ES	0.24	0/1276	0.37	0/1715
52	AT	0.24	0/1193	0.42	0/1611
53	BT	0.24	0/1465	0.40	0/1970
54	ET	0.25	0/858	0.37	0/1148
55	AU	0.24	0/1456	0.38	0/1971
56	BU	0.24	0/722	0.37	0/969
57	EU	0.24	0/412	0.38	0/538
58	AV	0.26	0/1454	0.45	0/1973
59	BV	0.23	0/786	0.39	0/1063
60	AW	0.24	0/2307	0.40	0/3119
61	BW	0.25	0/1604	0.40	0/2167
62	AX	0.25	0/1445	0.41	0/1963
63	BX	0.25	0/1131	0.42	0/1539
65	AY	0.24	0/2846	0.39	0/3847
66	BZ	0.25	0/1446	0.43	0/1956
67	Ba	0.24	0/1289	0.39	0/1742
68	Bb	0.24	0/1035	0.39	0/1402
69	Bc	0.25	0/1238	0.39	0/1685
70	Ae	0.24	0/1068	0.39	0/1447
71	Af	0.24	0/1134	0.40	0/1536
72	Bf	0.26	0/749	0.44	0/1012
73	Ag	0.24	0/1608	0.40	0/2180
74	Bg	0.24	0/682	0.40	0/919
75	Bh	0.24	0/752	0.40	0/1015
76	Bi	0.23	0/1530	0.38	0/2076
77	Al	0.25	0/1484	0.40	0/2019
78	Ao	0.25	0/1486	0.39	0/2022
79	Ap	0.24	0/2506	0.39	0/3404

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
80	At	0.23	0/1179	0.39	0/1596
81	Av	0.24	0/1714	0.38	0/2311
All	All	0.24	0/180832	0.46	13/248992 (0.0%)

There are no bond length outliers.

All (13) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
6	AA	951	C	C2-N1-C1'	8.17	127.79	118.80
6	AA	898	U	C2-N1-C1'	7.78	127.04	117.70
6	AA	951	C	N1-C2-O2	7.50	123.40	118.90
6	AA	898	U	N1-C2-O2	7.28	127.90	122.80
6	AA	898	U	N3-C2-O2	-6.55	117.61	122.20
16	EE	441	PRO	N-CA-CB	6.12	110.65	103.30
6	AA	951	C	N3-C2-O2	-6.03	117.68	121.90
14	AE	413	PRO	N-CA-CB	5.89	110.37	103.30
26	EI	156	PRO	N-CA-CB	5.70	110.14	103.30
6	AA	951	C	C6-N1-C1'	-5.64	114.03	120.80
6	AA	159	U	C2-N1-C1'	5.58	124.39	117.70
6	AA	951	C	C6-N1-C2	-5.35	118.16	120.30
6	AA	898	U	C6-N1-C1'	-5.07	114.10	121.20

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

Due to software issues we are unable to calculate clashes - this section is therefore empty.

## 5.3 Torsion angles [i](#)

### 5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A1	215/241 (89%)	205 (95%)	10 (5%)	0	100	100
2	A2	448/471 (95%)	438 (98%)	10 (2%)	0	100	100
3	A3	147/218 (67%)	143 (97%)	4 (3%)	0	100	100
4	A5	53/80 (66%)	53 (100%)	0	0	100	100
5	A8	140/181 (77%)	134 (96%)	6 (4%)	0	100	100
7	BA	763/831 (92%)	738 (97%)	25 (3%)	0	100	100
8	EA	530/576 (92%)	514 (97%)	16 (3%)	0	100	100
9	BB	408/541 (75%)	394 (97%)	14 (3%)	0	100	100
10	EB	659/754 (87%)	646 (98%)	13 (2%)	0	100	100
11	EC	371/406 (91%)	360 (97%)	11 (3%)	0	100	100
12	BD	417/547 (76%)	401 (96%)	16 (4%)	0	100	100
13	ED	593/616 (96%)	574 (97%)	19 (3%)	0	100	100
14	AE	432/473 (91%)	414 (96%)	17 (4%)	1 (0%)	44	74
15	BE	403/449 (90%)	381 (94%)	21 (5%)	1 (0%)	44	74
16	EE	429/586 (73%)	415 (97%)	14 (3%)	0	100	100
18	AF	440/459 (96%)	425 (97%)	15 (3%)	0	100	100
19	BF	342/426 (80%)	335 (98%)	7 (2%)	0	100	100
20	EF	292/373 (78%)	278 (95%)	14 (5%)	0	100	100
21	EG	152/156 (97%)	150 (99%)	2 (1%)	0	100	100
22	BH	280/349 (80%)	272 (97%)	8 (3%)	0	100	100
23	EH	424/634 (67%)	423 (100%)	1 (0%)	0	100	100
24	AI	228/263 (87%)	226 (99%)	2 (1%)	0	100	100
25	BI	321/342 (94%)	310 (97%)	11 (3%)	0	100	100
26	EI	273/349 (78%)	270 (99%)	3 (1%)	0	100	100
28	BJ	289/333 (87%)	278 (96%)	11 (4%)	0	100	100
29	EJ	93/116 (80%)	89 (96%)	3 (3%)	1 (1%)	12	39
30	AK	299/342 (87%)	289 (97%)	10 (3%)	0	100	100
31	BK	222/386 (58%)	218 (98%)	4 (2%)	0	100	100
32	EK	82/148 (55%)	82 (100%)	0	0	100	100
32	ER	82/148 (55%)	81 (99%)	1 (1%)	0	100	100
34	BL	255/312 (82%)	247 (97%)	8 (3%)	0	100	100
35	EL	553/691 (80%)	541 (98%)	12 (2%)	0	100	100

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
37	EM	326/451 (72%)	319 (98%)	7 (2%)	0	100	100
39	AN	191/202 (95%)	184 (96%)	7 (4%)	0	100	100
40	BN	212/302 (70%)	210 (99%)	2 (1%)	0	100	100
41	EN	632/731 (86%)	614 (97%)	18 (3%)	0	100	100
42	AO	161/217 (74%)	156 (97%)	5 (3%)	0	100	100
43	BO	211/262 (80%)	209 (99%)	2 (1%)	0	100	100
44	EO	267/319 (84%)	257 (96%)	10 (4%)	0	100	100
44	EP	235/319 (74%)	227 (97%)	8 (3%)	0	100	100
45	AP	321/374 (86%)	309 (96%)	12 (4%)	0	100	100
46	BQ	216/231 (94%)	204 (94%)	12 (6%)	0	100	100
47	EQ	465/655 (71%)	460 (99%)	5 (1%)	0	100	100
48	AR	255/301 (85%)	250 (98%)	5 (2%)	0	100	100
49	BR	194/205 (95%)	185 (95%)	9 (5%)	0	100	100
50	BS	149/198 (75%)	146 (98%)	3 (2%)	0	100	100
51	ES	148/524 (28%)	145 (98%)	3 (2%)	0	100	100
52	AT	139/144 (96%)	134 (96%)	5 (4%)	0	100	100
53	BT	171/191 (90%)	165 (96%)	6 (4%)	0	100	100
54	ET	99/102 (97%)	95 (96%)	4 (4%)	0	100	100
55	AU	171/213 (80%)	165 (96%)	6 (4%)	0	100	100
56	BU	81/185 (44%)	81 (100%)	0	0	100	100
57	EU	45/56 (80%)	45 (100%)	0	0	100	100
58	AV	179/188 (95%)	174 (97%)	5 (3%)	0	100	100
59	BV	88/190 (46%)	86 (98%)	2 (2%)	0	100	100
60	AW	276/278 (99%)	273 (99%)	3 (1%)	0	100	100
61	BW	185/188 (98%)	183 (99%)	2 (1%)	0	100	100
62	AX	164/246 (67%)	162 (99%)	2 (1%)	0	100	100
63	BX	131/190 (69%)	122 (93%)	9 (7%)	0	100	100
65	AY	338/378 (89%)	334 (99%)	4 (1%)	0	100	100
66	BZ	188/190 (99%)	178 (95%)	10 (5%)	0	100	100
67	Ba	140/153 (92%)	134 (96%)	6 (4%)	0	100	100
68	Bb	124/162 (76%)	120 (97%)	4 (3%)	0	100	100

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
69	Bc	135/146 (92%)	131 (97%)	4 (3%)	0	100	100
70	Ae	123/197 (62%)	119 (97%)	4 (3%)	0	100	100
71	Af	137/189 (72%)	136 (99%)	1 (1%)	0	100	100
72	Bf	85/113 (75%)	79 (93%)	6 (7%)	0	100	100
73	Ag	184/260 (71%)	178 (97%)	6 (3%)	0	100	100
74	Bg	81/105 (77%)	77 (95%)	4 (5%)	0	100	100
75	Bh	89/92 (97%)	83 (93%)	6 (7%)	0	100	100
76	Bi	190/245 (78%)	183 (96%)	7 (4%)	0	100	100
77	Al	179/218 (82%)	175 (98%)	4 (2%)	0	100	100
78	Ao	180/1520 (12%)	179 (99%)	1 (1%)	0	100	100
79	Ap	295/309 (96%)	290 (98%)	5 (2%)	0	100	100
80	At	134/154 (87%)	129 (96%)	5 (4%)	0	100	100
81	Av	194/242 (80%)	190 (98%)	4 (2%)	0	100	100
All	All	19143/24932 (77%)	18599 (97%)	541 (3%)	3 (0%)	100	100

All (3) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
15	BE	348	VAL
29	EJ	46	PRO
14	AE	412	LYS

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A1	195/217 (90%)	192 (98%)	3 (2%)	60	80
2	A2	397/413 (96%)	395 (100%)	2 (0%)	86	92
3	A3	134/193 (69%)	134 (100%)	0	100	100
4	A5	52/73 (71%)	51 (98%)	1 (2%)	52	75

Continued on next page...

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
5	A8	126/161 (78%)	123 (98%)	3 (2%)	44	70
7	BA	662/727 (91%)	649 (98%)	13 (2%)	50	74
8	EA	463/502 (92%)	459 (99%)	4 (1%)	75	88
9	BB	356/470 (76%)	343 (96%)	13 (4%)	29	59
10	EB	573/649 (88%)	570 (100%)	3 (0%)	86	92
11	EC	327/354 (92%)	324 (99%)	3 (1%)	75	88
12	BD	356/472 (75%)	347 (98%)	9 (2%)	42	69
13	ED	529/544 (97%)	522 (99%)	7 (1%)	65	82
14	AE	349/406 (86%)	347 (99%)	2 (1%)	84	91
15	BE	348/386 (90%)	338 (97%)	10 (3%)	37	65
16	EE	367/514 (71%)	361 (98%)	6 (2%)	58	79
18	AF	394/409 (96%)	393 (100%)	1 (0%)	91	95
19	BF	300/368 (82%)	299 (100%)	1 (0%)	91	95
20	EF	249/302 (82%)	248 (100%)	1 (0%)	89	94
21	EG	134/136 (98%)	134 (100%)	0	100	100
22	BH	238/297 (80%)	233 (98%)	5 (2%)	48	72
23	EH	385/527 (73%)	383 (100%)	2 (0%)	86	92
24	AI	205/225 (91%)	203 (99%)	2 (1%)	73	86
25	BI	271/288 (94%)	268 (99%)	3 (1%)	70	84
26	EI	217/310 (70%)	216 (100%)	1 (0%)	86	92
28	BJ	255/298 (86%)	250 (98%)	5 (2%)	50	74
29	EJ	77/95 (81%)	77 (100%)	0	100	100
30	AK	269/301 (89%)	267 (99%)	2 (1%)	81	90
31	BK	200/329 (61%)	196 (98%)	4 (2%)	50	74
32	EK	78/127 (61%)	78 (100%)	0	100	100
32	ER	78/127 (61%)	78 (100%)	0	100	100
34	BL	203/262 (78%)	197 (97%)	6 (3%)	36	64
35	EL	485/598 (81%)	478 (99%)	7 (1%)	62	81
37	EM	284/386 (74%)	279 (98%)	5 (2%)	54	76
39	AN	173/182 (95%)	172 (99%)	1 (1%)	84	91
40	BN	167/265 (63%)	163 (98%)	4 (2%)	44	70

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
41	EN	564/640 (88%)	561 (100%)	3 (0%)	86	92
42	AO	143/185 (77%)	142 (99%)	1 (1%)	81	90
43	BO	181/225 (80%)	180 (99%)	1 (1%)	84	91
44	EO	233/263 (89%)	227 (97%)	6 (3%)	41	68
44	EP	211/263 (80%)	208 (99%)	3 (1%)	62	81
45	AP	287/330 (87%)	284 (99%)	3 (1%)	73	86
46	BQ	172/195 (88%)	168 (98%)	4 (2%)	45	70
47	EQ	382/539 (71%)	379 (99%)	3 (1%)	79	89
48	AR	222/256 (87%)	219 (99%)	3 (1%)	62	81
49	BR	172/181 (95%)	170 (99%)	2 (1%)	67	83
50	BS	127/164 (77%)	124 (98%)	3 (2%)	44	70
51	ES	134/437 (31%)	134 (100%)	0	100	100
52	AT	121/124 (98%)	117 (97%)	4 (3%)	33	62
53	BT	151/163 (93%)	150 (99%)	1 (1%)	81	90
54	ET	87/88 (99%)	87 (100%)	0	100	100
55	AU	151/184 (82%)	150 (99%)	1 (1%)	81	90
56	BU	72/168 (43%)	70 (97%)	2 (3%)	38	66
57	EU	43/51 (84%)	42 (98%)	1 (2%)	45	70
58	AV	153/158 (97%)	150 (98%)	3 (2%)	50	74
59	BV	79/163 (48%)	78 (99%)	1 (1%)	65	82
60	AW	246/246 (100%)	245 (100%)	1 (0%)	89	94
61	BW	163/164 (99%)	156 (96%)	7 (4%)	25	55
62	AX	154/221 (70%)	153 (99%)	1 (1%)	84	91
63	BX	117/170 (69%)	112 (96%)	5 (4%)	25	55
65	AY	305/337 (90%)	303 (99%)	2 (1%)	81	90
66	BZ	152/160 (95%)	147 (97%)	5 (3%)	33	62
67	Ba	134/144 (93%)	132 (98%)	2 (2%)	60	80
68	Bb	109/135 (81%)	109 (100%)	0	100	100
69	Bc	127/134 (95%)	125 (98%)	2 (2%)	58	79
70	Ae	110/172 (64%)	109 (99%)	1 (1%)	75	88
71	Af	120/162 (74%)	118 (98%)	2 (2%)	56	78

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
72	Bf	77/98 (79%)	76 (99%)	1 (1%)	65	82
73	Ag	170/239 (71%)	170 (100%)	0	100	100
74	Bg	66/87 (76%)	65 (98%)	1 (2%)	60	80
75	Bh	79/80 (99%)	78 (99%)	1 (1%)	65	82
76	Bi	147/217 (68%)	142 (97%)	5 (3%)	32	62
77	Al	155/186 (83%)	154 (99%)	1 (1%)	84	91
78	Ao	151/1258 (12%)	150 (99%)	1 (1%)	81	90
79	Ap	259/267 (97%)	259 (100%)	0	100	100
80	At	125/140 (89%)	122 (98%)	3 (2%)	44	70
81	Av	174/210 (83%)	174 (100%)	0	100	100
All	All	16721/21517 (78%)	16506 (99%)	215 (1%)	64	82

All (215) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A1	103	TYR
1	A1	106	THR
1	A1	114	LEU
2	A2	350	VAL
2	A2	470	ASP
4	A5	31	ASN
5	A8	44	CYS
5	A8	74	PHE
5	A8	114	GLU
7	BA	307	HIS
7	BA	318	LEU
7	BA	339	ASP
7	BA	404	CYS
7	BA	419	THR
7	BA	542	ASN
7	BA	589	MET
7	BA	593	THR
7	BA	683	LEU
7	BA	699	ASN
7	BA	714	ASN
7	BA	762	ASN
7	BA	767	ARG
8	EA	128	ARG

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
8	EA	198	ASP
8	EA	484	TRP
8	EA	515	ARG
9	BB	109	GLU
9	BB	152	ARG
9	BB	156	TRP
9	BB	157	HIS
9	BB	159	ARG
9	BB	210	THR
9	BB	216	PHE
9	BB	286	ASP
9	BB	302	GLU
9	BB	326	GLU
9	BB	331	ARG
9	BB	431	ARG
9	BB	439	ASP
10	EB	467	THR
10	EB	562	THR
10	EB	638	TYR
11	EC	205	VAL
11	EC	264	ASP
11	EC	361	HIS
12	BD	128	THR
12	BD	201	LYS
12	BD	244	ARG
12	BD	253	LEU
12	BD	286	GLU
12	BD	343	ARG
12	BD	407	VAL
12	BD	445	ARG
12	BD	476	GLU
13	ED	266	TYR
13	ED	359	GLU
13	ED	395	ARG
13	ED	439	ASP
13	ED	472	LEU
13	ED	561	VAL
13	ED	599	ARG
14	AE	67	HIS
14	AE	390	PHE
15	BE	21	LYS
15	BE	29	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
15	BE	32	LEU
15	BE	98	LEU
15	BE	136	LYS
15	BE	144	VAL
15	BE	229	GLU
15	BE	371	TYR
15	BE	374	VAL
15	BE	394	LEU
16	EE	159	ARG
16	EE	306	VAL
16	EE	369	ASP
16	EE	413	ASP
16	EE	414	GLU
16	EE	415	VAL
18	AF	27	TRP
19	BF	202	THR
20	EF	277	ARG
22	BH	143	LEU
22	BH	176	TYR
22	BH	192	LYS
22	BH	333	ARG
22	BH	347	VAL
23	EH	262	THR
23	EH	374	THR
24	AI	190	GLU
24	AI	211	GLU
25	BI	103	THR
25	BI	119	GLU
25	BI	133	PHE
26	EI	172	PHE
28	BJ	110	TRP
28	BJ	126	ILE
28	BJ	139	PHE
28	BJ	180	GLU
28	BJ	329	GLU
30	AK	61	LYS
30	AK	151	LEU
31	BK	193	VAL
31	BK	196	ASP
31	BK	231	LYS
31	BK	285	GLN
34	BL	103	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
34	BL	123	LEU
34	BL	290	GLU
34	BL	296	GLU
34	BL	297	GLU
34	BL	306	LEU
35	EL	62	THR
35	EL	76	ASP
35	EL	227	THR
35	EL	339	GLU
35	EL	418	THR
35	EL	531	LEU
35	EL	640	VAL
37	EM	136	LYS
37	EM	218	VAL
37	EM	227	VAL
37	EM	297	ASP
37	EM	318	LEU
39	AN	121	MET
40	BN	40	PHE
40	BN	57	THR
40	BN	179	LEU
40	BN	211	ASN
41	EN	48	ASP
41	EN	287	THR
41	EN	293	LYS
42	AO	104	VAL
43	BO	41	GLU
44	EO	3	THR
44	EO	23	LEU
44	EO	147	GLU
44	EO	187	GLU
44	EO	228	THR
44	EO	260	ARG
45	AP	145	ARG
45	AP	148	THR
45	AP	228	TYR
44	EP	102	TYR
44	EP	193	THR
44	EP	194	TRP
46	BQ	34	ASP
46	BQ	54	VAL
46	BQ	77	PHE

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
46	BQ	192	THR
47	EQ	146	GLU
47	EQ	176	THR
47	EQ	529	ASP
48	AR	154	ARG
48	AR	247	ASP
48	AR	266	THR
49	BR	60	THR
49	BR	116	TRP
50	BS	36	LEU
50	BS	69	ASN
50	BS	91	GLU
52	AT	48	TYR
52	AT	51	GLU
52	AT	69	VAL
52	AT	97	GLU
53	BT	126	GLU
55	AU	193	GLU
56	BU	107	HIS
56	BU	138	ARG
57	EU	23	TYR
58	AV	83	TYR
58	AV	104	VAL
58	AV	200	THR
59	BV	52	PHE
60	AW	133	LEU
61	BW	17	THR
61	BW	20	VAL
61	BW	25	THR
61	BW	53	ILE
61	BW	65	ASN
61	BW	128	THR
61	BW	156	VAL
62	AX	130	PHE
63	BX	110	TYR
63	BX	116	CYS
63	BX	128	HIS
63	BX	158	THR
63	BX	173	HIS
65	AY	86	GLU
65	AY	219	VAL
66	BZ	1	MET

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
66	BZ	69	TYR
66	BZ	76	ARG
66	BZ	151	ILE
66	BZ	172	ASP
67	Ba	78	VAL
67	Ba	94	ASP
69	Bc	18	ARG
69	Bc	109	ARG
70	Ae	109	ARG
71	Af	44	PHE
71	Af	118	GLU
72	Bf	72	LEU
74	Bg	104	THR
75	Bh	38	LEU
76	Bi	69	LEU
76	Bi	83	PHE
76	Bi	102	VAL
76	Bi	124	TYR
76	Bi	133	LEU
77	Al	173	MET
78	Ao	187	THR
80	At	11	TYR
80	At	42	GLU
80	At	43	ILE

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (282) such sidechains are listed below:

Mol	Chain	Res	Type
1	A1	98	GLN
1	A1	138	ASN
1	A1	225	GLN
2	A2	23	ASN
2	A2	71	HIS
2	A2	72	GLN
2	A2	135	HIS
2	A2	167	HIS
2	A2	194	GLN
2	A2	206	HIS
2	A2	389	HIS
2	A2	412	ASN
3	A3	144	GLN
3	A3	200	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
4	A5	77	GLN
5	A8	130	HIS
5	A8	136	GLN
7	BA	301	HIS
7	BA	389	HIS
7	BA	408	ASN
7	BA	585	HIS
7	BA	714	ASN
7	BA	798	HIS
8	EA	65	GLN
8	EA	208	GLN
8	EA	246	ASN
8	EA	275	HIS
8	EA	289	GLN
8	EA	333	ASN
8	EA	392	HIS
8	EA	469	ASN
8	EA	537	ASN
9	BB	82	HIS
9	BB	170	GLN
9	BB	242	GLN
10	EB	159	GLN
10	EB	193	HIS
10	EB	268	GLN
10	EB	269	HIS
10	EB	336	HIS
10	EB	353	HIS
10	EB	515	HIS
10	EB	563	ASN
10	EB	577	GLN
10	EB	683	GLN
11	EC	157	HIS
11	EC	174	HIS
11	EC	208	HIS
11	EC	209	ASN
11	EC	225	ASN
11	EC	262	HIS
11	EC	315	GLN
11	EC	361	HIS
11	EC	365	GLN
12	BD	513	ASN
13	ED	52	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
13	ED	206	HIS
13	ED	235	HIS
13	ED	277	ASN
13	ED	507	HIS
13	ED	543	GLN
13	ED	606	HIS
14	AE	168	ASN
14	AE	169	GLN
14	AE	262	HIS
14	AE	437	GLN
15	BE	23	GLN
15	BE	29	ASN
15	BE	41	HIS
15	BE	183	HIS
15	BE	367	GLN
15	BE	388	GLN
16	EE	90	HIS
16	EE	109	GLN
16	EE	117	GLN
16	EE	174	HIS
16	EE	182	GLN
16	EE	342	GLN
16	EE	457	GLN
16	EE	520	GLN
18	AF	33	HIS
18	AF	46	GLN
18	AF	50	HIS
18	AF	56	HIS
18	AF	80	GLN
18	AF	83	HIS
18	AF	147	ASN
18	AF	193	HIS
18	AF	223	ASN
18	AF	331	ASN
18	AF	346	HIS
18	AF	378	GLN
19	BF	132	GLN
19	BF	143	GLN
19	BF	148	HIS
19	BF	250	HIS
19	BF	311	GLN
19	BF	362	HIS

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
19	BF	405	ASN
20	EF	61	GLN
20	EF	64	ASN
20	EF	185	ASN
20	EF	280	GLN
21	EG	3	ASN
21	EG	38	GLN
21	EG	69	HIS
22	BH	122	HIS
22	BH	134	GLN
22	BH	191	GLN
22	BH	296	ASN
22	BH	314	GLN
23	EH	11	HIS
23	EH	105	GLN
23	EH	602	HIS
25	BI	54	ASN
25	BI	113	HIS
25	BI	152	GLN
25	BI	263	HIS
26	EI	136	ASN
26	EI	280	ASN
29	EJ	53	GLN
30	AK	52	ASN
30	AK	254	GLN
30	AK	273	HIS
30	AK	279	HIS
31	BK	188	ASN
31	BK	212	GLN
31	BK	298	HIS
34	BL	103	ASN
34	BL	144	GLN
34	BL	155	ASN
34	BL	163	GLN
34	BL	226	HIS
34	BL	307	GLN
35	EL	118	HIS
35	EL	216	HIS
35	EL	232	GLN
35	EL	277	GLN
35	EL	285	GLN
35	EL	374	GLN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
35	EL	441	GLN
35	EL	484	ASN
35	EL	548	GLN
35	EL	576	HIS
37	EM	47	ASN
37	EM	147	GLN
37	EM	181	ASN
37	EM	329	HIS
37	EM	350	GLN
39	AN	19	HIS
39	AN	82	HIS
39	AN	164	HIS
40	BN	102	GLN
41	EN	71	GLN
41	EN	76	GLN
41	EN	158	GLN
41	EN	411	GLN
41	EN	544	ASN
41	EN	596	HIS
42	AO	175	HIS
43	BO	186	GLN
44	EO	13	HIS
44	EO	52	GLN
44	EO	118	GLN
44	EO	131	GLN
44	EO	170	GLN
44	EO	201	GLN
44	EO	259	HIS
44	EO	304	GLN
44	EO	315	GLN
45	AP	81	HIS
45	AP	89	GLN
45	AP	143	GLN
45	AP	199	HIS
45	AP	259	HIS
45	AP	310	HIS
44	EP	13	HIS
44	EP	52	GLN
44	EP	130	ASN
44	EP	171	GLN
44	EP	267	GLN
46	BQ	134	HIS

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
46	BQ	147	ASN
47	EQ	62	ASN
47	EQ	119	ASN
47	EQ	501	GLN
47	EQ	581	GLN
47	EQ	585	HIS
48	AR	65	HIS
48	AR	113	GLN
48	AR	173	ASN
48	AR	223	HIS
49	BR	138	GLN
49	BR	160	GLN
49	BR	194	HIS
32	ER	99	ASN
50	BS	69	ASN
51	ES	54	GLN
51	ES	77	GLN
51	ES	116	GLN
51	ES	134	ASN
51	ES	166	HIS
52	AT	65	ASN
53	BT	26	HIS
53	BT	33	ASN
53	BT	51	HIS
54	ET	92	GLN
55	AU	10	HIS
55	AU	65	ASN
55	AU	73	HIS
55	AU	82	ASN
55	AU	165	HIS
56	BU	107	HIS
56	BU	156	GLN
58	AV	87	HIS
58	AV	143	GLN
58	AV	206	ASN
60	AW	12	HIS
60	AW	30	HIS
60	AW	40	HIS
61	BW	65	ASN
62	AX	72	HIS
63	BX	64	ASN
63	BX	162	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
63	BX	173	HIS
63	BX	178	HIS
65	AY	64	HIS
65	AY	89	GLN
65	AY	145	ASN
65	AY	168	HIS
65	AY	195	ASN
65	AY	235	GLN
65	AY	248	GLN
65	AY	274	HIS
65	AY	287	GLN
65	AY	289	GLN
65	AY	321	GLN
66	BZ	66	GLN
66	BZ	96	GLN
67	Ba	31	GLN
67	Ba	81	GLN
67	Ba	129	GLN
67	Ba	147	ASN
68	Bb	38	HIS
68	Bb	79	HIS
68	Bb	81	HIS
69	Bc	43	ASN
69	Bc	97	GLN
69	Bc	126	ASN
70	Ae	56	ASN
70	Ae	144	ASN
70	Ae	162	GLN
71	Af	68	ASN
71	Af	86	ASN
71	Af	101	HIS
71	Af	136	GLN
71	Af	156	HIS
71	Af	168	GLN
72	Bf	108	HIS
73	Ag	84	ASN
73	Ag	105	GLN
73	Ag	160	GLN
74	Bg	63	GLN
76	Bi	41	ASN
76	Bi	60	ASN
76	Bi	192	ASN

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
76	Bi	197	ASN
77	Al	101	GLN
77	Al	211	HIS
78	Ao	70	HIS
78	Ao	113	GLN
78	Ao	175	HIS
78	Ao	199	HIS
79	Ap	55	HIS
79	Ap	78	HIS
79	Ap	109	GLN
79	Ap	132	HIS
79	Ap	289	GLN
80	At	20	HIS
80	At	63	GLN
80	At	147	HIS
81	Av	128	GLN

### 5.3.3 RNA

Mol	Chain	Analysed	Backbone Outliers	Pucker Outliers
6	AA	879/1176 (74%)	318 (36%)	11 (1%)

All (318) RNA backbone outliers are listed below:

Mol	Chain	Res	Type
6	AA	2	U
6	AA	4	U
6	AA	5	U
6	AA	11	U
6	AA	12	U
6	AA	13	A
6	AA	15	G
6	AA	16	A
6	AA	18	G
6	AA	19	A
6	AA	20	A
6	AA	21	U
6	AA	29	U
6	AA	30	A
6	AA	34	G
6	AA	38	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
6	AA	40	U
6	AA	41	U
6	AA	43	U
6	AA	44	A
6	AA	45	U
6	AA	50	A
6	AA	53	A
6	AA	54	A
6	AA	59	U
6	AA	60	U
6	AA	66	C
6	AA	67	C
6	AA	68	G
6	AA	69	U
6	AA	70	G
6	AA	73	G
6	AA	75	A
6	AA	77	A
6	AA	79	U
6	AA	80	U
6	AA	84	A
6	AA	85	U
6	AA	88	G
6	AA	89	U
6	AA	93	A
6	AA	97	A
6	AA	99	A
6	AA	104	A
6	AA	105	G
6	AA	106	G
6	AA	107	U
6	AA	111	U
6	AA	113	A
6	AA	115	A
6	AA	116	U
6	AA	119	A
6	AA	120	A
6	AA	123	U
6	AA	124	U
6	AA	125	U
6	AA	133	U
6	AA	134	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
6	AA	135	G
6	AA	136	U
6	AA	146	A
6	AA	149	U
6	AA	155	U
6	AA	156	U
6	AA	164	U
6	AA	168	A
6	AA	172	U
6	AA	173	U
6	AA	176	A
6	AA	177	U
6	AA	183	U
6	AA	188	A
6	AA	190	U
6	AA	191	U
6	AA	197	A
6	AA	198	A
6	AA	203	A
6	AA	232	G
6	AA	234	U
6	AA	250	A
6	AA	260	G
6	AA	261	U
6	AA	262	U
6	AA	265	U
6	AA	274	A
6	AA	275	C
6	AA	276	C
6	AA	277	A
6	AA	278	A
6	AA	282	A
6	AA	284	U
6	AA	285	A
6	AA	286	U
6	AA	287	A
6	AA	288	G
6	AA	289	U
6	AA	290	A
6	AA	293	A
6	AA	296	A
6	AA	297	U

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
6	AA	299	U
6	AA	302	G
6	AA	309	U
6	AA	310	A
6	AA	313	A
6	AA	315	A
6	AA	317	A
6	AA	319	A
6	AA	323	U
6	AA	327	U
6	AA	330	U
6	AA	341	A
6	AA	342	U
6	AA	345	U
6	AA	346	G
6	AA	347	A
6	AA	355	A
6	AA	357	A
6	AA	358	A
6	AA	362	A
6	AA	363	A
6	AA	366	U
6	AA	369	U
6	AA	371	A
6	AA	378	A
6	AA	379	U
6	AA	380	G
6	AA	381	U
6	AA	385	A
6	AA	387	A
6	AA	388	U
6	AA	389	A
6	AA	449	U
6	AA	451	A
6	AA	452	A
6	AA	454	G
6	AA	455	G
6	AA	456	U
6	AA	461	U
6	AA	462	U
6	AA	463	U
6	AA	464	U

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Res	Type
6	AA	468	A
6	AA	470	G
6	AA	473	A
6	AA	476	G
6	AA	478	A
6	AA	481	G
6	AA	482	U
6	AA	483	A
6	AA	484	U
6	AA	485	A
6	AA	488	U
6	AA	490	G
6	AA	491	A
6	AA	492	U
6	AA	493	A
6	AA	494	U
6	AA	495	A
6	AA	496	A
6	AA	497	C
6	AA	507	A
6	AA	509	U
6	AA	512	U
6	AA	515	U
6	AA	519	A
6	AA	520	U
6	AA	521	G
6	AA	522	A
6	AA	524	A
6	AA	528	A
6	AA	529	U
6	AA	531	U
6	AA	532	U
6	AA	533	A
6	AA	535	U
6	AA	536	A
6	AA	540	U
6	AA	541	A
6	AA	544	G
6	AA	546	A
6	AA	547	U
6	AA	548	A
6	AA	551	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
6	AA	555	U
6	AA	566	A
6	AA	567	G
6	AA	568	U
6	AA	569	U
6	AA	572	U
6	AA	574	A
6	AA	575	A
6	AA	576	A
6	AA	577	A
6	AA	581	U
6	AA	583	A
6	AA	585	A
6	AA	587	U
6	AA	589	U
6	AA	788	A
6	AA	789	C
6	AA	792	A
6	AA	793	U
6	AA	794	A
6	AA	795	A
6	AA	799	A
6	AA	800	A
6	AA	801	A
6	AA	814	A
6	AA	816	C
6	AA	817	A
6	AA	818	A
6	AA	825	A
6	AA	826	A
6	AA	827	U
6	AA	828	A
6	AA	829	A
6	AA	838	A
6	AA	844	A
6	AA	845	A
6	AA	846	A
6	AA	852	C
6	AA	853	A
6	AA	869	U
6	AA	871	C
6	AA	872	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
6	AA	873	A
6	AA	875	G
6	AA	876	A
6	AA	877	G
6	AA	878	A
6	AA	883	U
6	AA	887	A
6	AA	892	U
6	AA	893	A
6	AA	895	U
6	AA	896	U
6	AA	897	G
6	AA	898	U
6	AA	902	U
6	AA	904	U
6	AA	905	G
6	AA	906	A
6	AA	911	G
6	AA	925	U
6	AA	926	A
6	AA	927	U
6	AA	928	U
6	AA	932	A
6	AA	934	A
6	AA	941	G
6	AA	945	U
6	AA	947	U
6	AA	948	A
6	AA	956	A
6	AA	961	A
6	AA	962	U
6	AA	963	A
6	AA	970	U
6	AA	971	C
6	AA	980	U
6	AA	985	A
6	AA	986	G
6	AA	989	U
6	AA	990	U
6	AA	992	A
6	AA	993	A
6	AA	994	A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
6	AA	995	A
6	AA	996	U
6	AA	998	A
6	AA	1003	G
6	AA	1004	U
6	AA	1005	U
6	AA	1006	U
6	AA	1010	C
6	AA	1014	U
6	AA	1018	U
6	AA	1021	U
6	AA	1079	A
6	AA	1082	C
6	AA	1089	G
6	AA	1090	U
6	AA	1091	U
6	AA	1092	U
6	AA	1093	A
6	AA	1096	U
6	AA	1106	U
6	AA	1107	U
6	AA	1110	A
6	AA	1113	U
6	AA	1117	A
6	AA	1118	A
6	AA	1119	U
6	AA	1120	A
6	AA	1121	A
6	AA	1122	U
6	AA	1125	A
6	AA	1126	U
6	AA	1131	G
6	AA	1141	A
6	AA	1144	G
6	AA	1145	A
6	AA	1146	U
6	AA	1147	U
6	AA	1154	A
6	AA	1158	G
6	AA	1160	A
6	AA	1161	A
6	AA	1162	G

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
6	AA	1163	A
6	AA	1164	A
6	AA	1168	U
6	AA	1169	A
6	AA	1171	A
6	AA	1173	U
6	AA	1175	U
6	AA	1176	A

All (11) RNA pucker outliers are listed below:

Mol	Chain	Res	Type
6	AA	69	U
6	AA	379	U
6	AA	481	G
6	AA	484	U
6	AA	493	A
6	AA	534	U
6	AA	539	A
6	AA	793	U
6	AA	895	U
6	AA	994	A
6	AA	1004	U

## 5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 48 ligands modelled in this entry, 40 are monoatomic - leaving 8 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
88	PM8	ER	200	32	25,31,31	0.79	1 (4%)	30,38,38	1.03	1 (3%)
89	NAD	Av	301	-	42,48,48	0.64	1 (2%)	50,73,73	0.91	3 (6%)
85	GTP	EQ	1000	83	26,34,34	1.16	2 (7%)	32,54,54	1.63	7 (21%)
87	ATP	EB	1001	83	26,33,33	0.93	1 (3%)	31,52,52	1.43	5 (16%)
84	SPD	AA	1250	-	9,9,9	0.33	0	8,8,8	0.87	0
88	PM8	EK	200	32	25,31,31	0.71	1 (4%)	30,38,38	0.97	2 (6%)
85	GTP	EA	1001	83,86	26,34,34	1.16	2 (7%)	32,54,54	1.55	8 (25%)
85	GTP	EA	2001	83,86	26,34,34	1.15	2 (7%)	32,54,54	1.59	9 (28%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
88	PM8	ER	200	32	-	17/36/38/38	-
89	NAD	Av	301	-	-	3/26/62/62	0/5/5/5
85	GTP	EQ	1000	83	-	2/18/38/38	0/3/3/3
87	ATP	EB	1001	83	-	0/18/38/38	0/3/3/3
84	SPD	AA	1250	-	-	2/7/7/7	-
88	PM8	EK	200	32	-	12/36/38/38	-
85	GTP	EA	1001	83,86	-	7/18/38/38	0/3/3/3
85	GTP	EA	2001	83,86	-	5/18/38/38	0/3/3/3

All (10) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
85	EQ	1000	GTP	C5-C6	-4.24	1.38	1.47
85	EA	1001	GTP	C5-C6	-4.02	1.39	1.47
85	EA	2001	GTP	C5-C6	-3.98	1.39	1.47
88	ER	200	PM8	C2-C1	2.51	1.53	1.50
87	EB	1001	ATP	C5-C4	2.42	1.47	1.40
88	EK	200	PM8	C1-S1	-2.41	1.70	1.76
85	EA	2001	GTP	C2-N3	2.16	1.38	1.33
89	Av	301	NAD	C2N-N1N	2.15	1.37	1.35
85	EA	1001	GTP	C2-N3	2.15	1.38	1.33

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
85	EQ	1000	GTP	C2-N3	2.12	1.38	1.33

All (35) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
85	EQ	1000	GTP	PB-O3B-PG	-3.89	119.47	132.83
85	EA	1001	GTP	PA-O3A-PB	-3.85	119.60	132.83
89	Av	301	NAD	O4D-C1D-C2D	-3.81	101.36	106.93
85	EQ	1000	GTP	PA-O3A-PB	-3.59	120.50	132.83
85	EA	1001	GTP	C5-C6-N1	3.43	120.01	113.95
85	EA	2001	GTP	C5-C6-N1	3.41	119.98	113.95
85	EA	2001	GTP	PA-O3A-PB	-3.37	121.28	132.83
87	EB	1001	ATP	PA-O3A-PB	-3.29	121.55	132.83
87	EB	1001	ATP	N3-C2-N1	-3.22	123.65	128.68
85	EQ	1000	GTP	C5-C6-N1	3.03	119.30	113.95
85	EQ	1000	GTP	C3'-C2'-C1'	2.98	105.47	100.98
85	EQ	1000	GTP	C8-N7-C5	2.96	108.62	102.99
85	EA	2001	GTP	C8-N7-C5	2.93	108.57	102.99
85	EA	1001	GTP	C8-N7-C5	2.93	108.56	102.99
87	EB	1001	ATP	C3'-C2'-C1'	2.88	105.32	100.98
88	EK	200	PM8	C37-C38-C39	-2.87	107.58	112.36
85	EA	1001	GTP	C2-N1-C6	-2.80	119.95	125.10
85	EA	2001	GTP	C2-N1-C6	-2.79	119.97	125.10
88	ER	200	PM8	O1-C1-C2	-2.78	120.71	123.99
85	EA	2001	GTP	C3'-C2'-C1'	2.76	105.14	100.98
85	EQ	1000	GTP	C2-N1-C6	-2.75	120.04	125.10
87	EB	1001	ATP	C4-C5-N7	-2.66	106.63	109.40
85	EA	2001	GTP	PB-O3B-PG	-2.63	123.81	132.83
87	EB	1001	ATP	PB-O3B-PG	-2.52	124.17	132.83
88	EK	200	PM8	C42-N41-C39	-2.49	118.21	122.84
85	EA	1001	GTP	C3'-C2'-C1'	2.49	104.72	100.98
89	Av	301	NAD	C6N-N1N-C2N	-2.39	119.79	121.97
85	EQ	1000	GTP	O6-C6-C5	-2.32	119.84	124.37
89	Av	301	NAD	C5A-C6A-N6A	2.29	123.83	120.35
85	EA	2001	GTP	O6-C6-C5	-2.27	119.93	124.37
85	EA	1001	GTP	N2-C2-N1	2.27	121.54	116.71
85	EA	1001	GTP	O6-C6-C5	-2.26	119.95	124.37
85	EA	2001	GTP	N2-C2-N1	2.26	121.52	116.71
85	EA	1001	GTP	N1-C2-N3	-2.16	119.28	123.32
85	EA	2001	GTP	N1-C2-N3	-2.16	119.29	123.32

There are no chirality outliers.

All (48) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
85	EA	1001	GTP	PB-O3B-PG-O3G
85	EA	1001	GTP	C5'-O5'-PA-O3A
85	EA	1001	GTP	C5'-O5'-PA-O1A
85	EA	1001	GTP	C5'-O5'-PA-O2A
85	EA	1001	GTP	O4'-C4'-C5'-O5'
85	EA	2001	GTP	C5'-O5'-PA-O1A
88	EK	200	PM8	N41-C42-C43-S1
88	EK	200	PM8	C42-C43-S1-C1
88	EK	200	PM8	O1-C1-S1-C43
88	EK	200	PM8	C2-C1-S1-C43
88	EK	200	PM8	C1-C2-C3-C4
88	ER	200	PM8	O27-C28-C29-C32
88	ER	200	PM8	N41-C42-C43-S1
88	ER	200	PM8	O1-C1-S1-C43
88	ER	200	PM8	C2-C1-S1-C43
85	EA	2001	GTP	O4'-C4'-C5'-O5'
85	EA	1001	GTP	C3'-C4'-C5'-O5'
88	EK	200	PM8	C3-C4-C5-C6
89	Av	301	NAD	O4D-C4D-C5D-O5D
88	ER	200	PM8	O27-C28-C29-C30
88	ER	200	PM8	C7-C8-C9-C10
89	Av	301	NAD	C3D-C4D-C5D-O5D
88	ER	200	PM8	C5-C6-C7-C8
88	ER	200	PM8	C31-C29-C32-C34
85	EA	2001	GTP	C5'-O5'-PA-O3A
84	AA	1250	SPD	C2-C3-C4-C5
88	ER	200	PM8	C28-C29-C32-C34
88	EK	200	PM8	C43-C42-N41-C39
88	EK	200	PM8	C5-C6-C7-C8
88	EK	200	PM8	O33-C32-C34-O35
88	ER	200	PM8	O33-C32-C34-O35
85	EQ	1000	GTP	C3'-C4'-C5'-O5'
88	ER	200	PM8	O27-C28-C29-C31
88	ER	200	PM8	C6-C7-C8-C9
88	EK	200	PM8	C37-C38-C39-O40
88	ER	200	PM8	C3-C4-C5-C6
85	EA	2001	GTP	C3'-C4'-C5'-O5'
88	EK	200	PM8	C37-C38-C39-N41
85	EQ	1000	GTP	O4'-C4'-C5'-O5'
88	EK	200	PM8	C2-C3-C4-C5
88	ER	200	PM8	C42-C43-S1-C1
85	EA	1001	GTP	PA-O3A-PB-O1B

*Continued on next page...*




*Continued from previous page...*



Mol	Chain	Res	Type	Atoms
88	ER	200	PM8	C2-C3-C4-C5
89	Av	301	NAD	O4B-C4B-C5B-O5B
88	ER	200	PM8	C30-C29-C32-C34
88	ER	200	PM8	C30-C29-C32-O33
85	EA	2001	GTP	PA-O3A-PB-O2B
84	AA	1250	SPD	C4-C5-N6-C7



There are no ring outliers.


No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.









## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

The following chains have linkage breaks:

Mol	Chain	Number of breaks
64	UX	13
36	UL	3
17	UE	1

All chain breaks are listed below:

Model	Chain	Residue-1	Atom-1	Residue-2	Atom-2	Distance (Å)
1	UX	66:UNK	C	117:UNK	N	41.11
1	UX	341:UNK	C	402:UNK	N	39.28
1	UX	233:UNK	C	264:UNK	N	29.49
1	UX	35:UNK	C	56:UNK	N	28.81
1	UX	15:UNK	C	26:UNK	N	26.47
1	UX	433:UNK	C	474:UNK	N	24.55
1	UX	310:UNK	C	331:UNK	N	20.01
1	UX	278:UNK	C	299:UNK	N	17.76
1	UL	13:UNK	C	19:UNK	N	15.09
1	UX	161:UNK	C	172:UNK	N	10.77
1	UX	213:UNK	C	224:UNK	N	10.56
1	UX	416:UNK	C	422:UNK	N	8.69
1	UX	133:UNK	C	144:UNK	N	7.85
1	UL	54:UNK	C	106:UNK	N	7.22
1	UL	35:UNK	C	40:UNK	N	6.54
1	UX	182:UNK	C	203:UNK	N	5.92
1	UE	28:UNK	C	56:UNK	N	4.72


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-11000. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 200




Y Index: 200




Z Index: 200


### 6.2.2 Raw map



X Index: 200



Y Index: 200




Z Index: 200


The images above show central slices of the map in three orthogonal directions.

## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 226




Y Index: 227




Z Index: 210


### 6.3.2 Raw map



X Index: 170



Y Index: 232




Z Index: 211

The images above show the largest variance slices of the map in three orthogonal directions.




## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.025. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_11000\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 1249  $\text{nm}^3$ ; this corresponds to an approximate mass of 1128 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of  $0.323 \text{ \AA}^{-1}$

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.323 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)

Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.10	-	-
Author-provided FSC curve	3.05	3.53	3.11
Unmasked-calculated*	3.45	4.31	3.55


\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 3.45 differs from the reported value 3.1 by more than 10 %



## 9 Map-model fit [i](#)


This section contains information regarding the fit between EMDB map EMD-11000 and PDB model 6YXY. Per-residue inclusion information can be found in section [3](#) on page [28](#).

### 9.1 Map-model overlay [i](#)




The images above show the 3D surface view of the map at the recommended contour level 0.025 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.025).







































































## 9.4 Atom inclusion [i](#)



At the recommended contour level, 83% of all backbone atoms, 82% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary ⓘ





















































































The table lists the average atom inclusion at the recommended contour level (0.025) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	 0.8150	 0.5080
A1	 0.8650	 0.5280
A2	 0.9140	 0.5520
A3	 0.9050	 0.5720
A5	 0.8990	 0.5690
A8	 0.8800	 0.5770
AA	 0.8200	 0.4900
AE	 0.8100	 0.5410
AF	 0.9320	 0.5840
AI	 0.8560	 0.5300
AK	 0.6790	 0.3790
AN	 0.8830	 0.5680
AO	 0.8990	 0.5800
AP	 0.8980	 0.5620
AR	 0.8890	 0.5660
AT	 0.9230	 0.5710
AU	 0.9200	 0.5710
AV	 0.9320	 0.5810
AW	 0.9200	 0.5780
AX	 0.9140	 0.5660
AY	 0.8550	 0.5220
Ae	 0.8900	 0.5510
Af	 0.8890	 0.5580
Ag	 0.8770	 0.5550
Al	 0.8890	 0.5650
Ao	 0.8800	 0.5720
Ap	 0.9110	 0.5670
At	 0.8510	 0.5380
Av	 0.8960	 0.5640
BA	 0.8840	 0.5420
BB	 0.7290	 0.3580
BD	 0.7850	 0.4450
BE	 0.8520	 0.5200
BF	 0.9020	 0.5570
BH	 0.7520	 0.5010

















*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
BI	 0.9190	 0.5640
BJ	 0.6700	 0.3940
BK	 0.6680	 0.4270
BL	 0.8590	 0.5030
BN	 0.8450	 0.4590
BO	 0.9000	 0.5500
BQ	 0.8730	 0.5360
BR	 0.8600	 0.5520
BS	 0.8010	 0.4910
BT	 0.9190	 0.5610
BU	 0.8390	 0.5070
BV	 0.4710	 0.2670
BW	 0.9310	 0.5660
BX	 0.3200	 0.4020
BZ	 0.8240	 0.4810
Ba	 0.9180	 0.5690
Bb	 0.8330	 0.4870
Bc	 0.8700	 0.5560
Bf	 0.8040	 0.5340
Bg	 0.8380	 0.5130
Bh	 0.8390	 0.5270
Bi	 0.4560	 0.3450
EA	 0.8580	 0.5460
EB	 0.8820	 0.5740
EC	 0.8910	 0.5780
ED	 0.8930	 0.5520
EE	 0.8070	 0.4970
EF	 0.4010	 0.3220
EG	 0.9270	 0.6010
EH	 0.8520	 0.5160
EI	 0.7070	 0.4690
EJ	 0.8130	 0.4580
EK	 0.6790	 0.3430
EL	 0.9130	 0.5460
EM	 0.7490	 0.5070
EN	 0.7960	 0.4840
EO	 0.7500	 0.3810
EP	 0.6310	 0.2550
EQ	 0.6780	 0.4960
ER	 0.8050	 0.4740
ES	 0.7940	 0.4480
ET	 0.8460	 0.5650

*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
EU	 0.6320	 0.4880
UE	 0.7640	 0.4010
UI	 0.2960	 0.2930
UK	 0.3600	 0.1900
UL	 0.0810	 0.2040
UM	 0.8750	 0.5240
UX	 0.0310	 0.0710