



# Full wwPDB X-ray Structure Validation Report ⓘ

Dec 14, 2024 – 11:56 PM EST

PDB ID : 1Z1N  
Title : Crystal Structure of the sixteen heme cytochrome from *Desulfovibrio gigas*  
Authors : Santos-Silva, T.; Dias, J.M.; Romao, M.J.  
Deposited on : 2005-03-04  
Resolution : 2.10 Å(reported)

This is a Full wwPDB X-ray Structure Validation Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/XrayValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

MolProbity : 4.02b-467  
Mogul : 2022.3.0, CSD as543be (2022)  
Xtriage (Phenix) : 1.21  
EDS : 3.0  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
CCP4 : 9.0.004 (Gargrove)  
Density-Fitness : 1.0.11  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.40


# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*X-RAY DIFFRACTION*

The reported resolution of this entry is 2.10 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	Similar resolution (#Entries, resolution range(Å))
$R_{free}$	164625	6234 (2.10-2.10)
Clashscore	180529	6893 (2.10-2.10)
Ramachandran outliers	177936	6839 (2.10-2.10)
Sidechain outliers	177891	6840 (2.10-2.10)
RSRZ outliers	164620	6234 (2.10-2.10)

The table below summarises the geometric issues observed across the polymeric chains and their fit to the electron density. The red, orange, yellow and green segments of the lower bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the electron density. The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	X	560	 2% 68% 21% 8%
2	A	2	 50% 50%

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
2	NAG	A	1	X	-	-	-
5	GOL	X	722	-	-	X	-

## 2 Entry composition [i](#)


There are 6 unique types of molecules in this entry. The entry contains 4998 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the ZeroOcc column contains the number of atoms modelled with zero occupancy, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called sixteen heme cytochrome.

Mol	Chain	Residues	Atoms					ZeroOcc	AltConf	Trace
1	X	516	Total	C	N	O	S	0	0	0
			3837	2355	703	739	40			

- Molecule 2 is an oligosaccharide called 2-acetamido-2-deoxy-beta-D-allopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose.




Mol	Chain	Residues	Atoms				ZeroOcc	AltConf	Trace
2	A	2	Total	C	N	O	0	0	0
			28	16	2	10			

- Molecule 3 is ZINC ION (three-letter code: ZN) (formula: Zn).

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
3	X	3	Total	Zn	0	0
			3	3		

- Molecule 4 is HEME C (three-letter code: HEC) (formula: C<sub>34</sub>H<sub>34</sub>FeN<sub>4</sub>O<sub>4</sub>).


[illegible]

*Continued on next page...*

Continued from previous page...

Mol	Chain	Residues	Atoms				ZeroOcc	AltConf
4	X	1	Total	C	Fe	N	O	
			43	34	1	4	4	
4	X	1	Total	C	Fe	N	O	
			43	34	1	4	4	

- Molecule 5 is GLYCEROL (three-letter code: GOL) (formula:  $C_3H_8O_3$ ).



Mol	Chain	Residues	Atoms			ZeroOcc	AltConf
5	X	1	Total	C	O		
			6	3	3		
5	X	1	Total	C	O		
			6	3	3		
5	X	1	Total	C	O		
			6	3	3		
5	X	1	Total	C	O		
			6	3	3		
5	X	1	Total	C	O		
			6	3	3		


- Molecule 6 is water.

Mol	Chain	Residues	Atoms		ZeroOcc	AltConf
6	X	412	Total	O		
			412	412		

### 3 Residue-property plots [i](#)

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and electron density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red dot above a residue indicates a poor fit to the electron density ( $RSRZ > 2$ ). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.

- Molecule 1: sixteen heme cytochrome



- Molecule 2: 2-acetamido-2-deoxy-beta-D-allopyranose-(1-3)-2-acetamido-2-deoxy-beta-D-glucopyranose



## 4 Data and refinement statistics

Property	Value	Source
Space group	P 21 21 2	Depositor
Cell constants a, b, c, $\alpha$ , $\beta$ , $\gamma$	88.89Å 90.80Å 83.93Å 90.00° 90.00° 90.00°	Depositor
Resolution (Å)	25.00 – 2.10 25.00 – 2.10	Depositor EDS
% Data completeness (in resolution range)	98.2 (25.00-2.10) 98.1 (25.00-2.10)	Depositor EDS
$R_{merge}$	0.04	Depositor
$R_{sym}$	(Not available)	Depositor
$\langle I/\sigma(I) \rangle$ <sup>1</sup>	3.46 (at 2.10Å)	Xtriage
Refinement program	REFMAC 5.2.0005	Depositor
R, $R_{free}$	0.194 , 0.260 0.204 , 0.265	Depositor DCC
$R_{free}$ test set	1979 reflections (5.00%)	wwPDB-VP
Wilson B-factor (Å <sup>2</sup> )	44.3	Xtriage
Anisotropy	0.057	Xtriage
Bulk solvent $k_{sol}$ (e/Å <sup>3</sup> ), $B_{sol}$ (Å <sup>2</sup> )	0.34 , 48.4	EDS
L-test for twinning <sup>2</sup>	$\langle  L  \rangle = 0.47$ , $\langle L^2 \rangle = 0.30$	Xtriage
Estimated twinning fraction	0.025 for k,h,-l	Xtriage
$F_o, F_c$ correlation	0.96	EDS
Total number of atoms	4998	wwPDB-VP
Average B, all atoms (Å <sup>2</sup> )	54.0	wwPDB-VP

Xtriage's analysis on translational NCS is as follows: *The largest off-origin peak in the Patterson function is 4.19% of the height of the origin peak. No significant pseudotranslation is detected.*

<sup>1</sup>Intensities estimated from amplitudes.

<sup>2</sup>Theoretical values of  $\langle |L| \rangle$ ,  $\langle L^2 \rangle$  for acentric reflections are 0.5, 0.333 respectively for untwinned datasets, and 0.375, 0.2 for perfectly twinned datasets.

## 5 Model quality

### 5.1 Standard geometry

Bond lengths and bond angles in the following residue types are not validated in this section: HEC, GOL, NAA, ZN, NAG

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	X	1.00	6/3925 (0.2%)	0.98	8/5326 (0.2%)

Chiral center outliers are detected by calculating the chiral volume of a chiral center and verifying if the center is modelled as a planar moiety or with the opposite hand. A planarity outlier is detected by checking planarity of atoms in a peptide group, atoms in a mainchain group or atoms of a sidechain that are expected to be planar.

Mol	Chain	#Chirality outliers	#Planarity outliers
1	X	0	1

All (6) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
1	X	479	CYS	CB-SG	6.77	1.93	1.82
1	X	276	VAL	CB-CG2	6.29	1.66	1.52
1	X	53	CYS	CB-SG	-5.78	1.72	1.81
1	X	340	CYS	CB-SG	5.38	1.91	1.82
1	X	455	PHE	CE1-CZ	5.08	1.47	1.37
1	X	521	CYS	CB-SG	-5.08	1.73	1.81

All (8) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	X	389	ARG	NE-CZ-NH2	-11.92	114.34	120.30
1	X	389	ARG	NE-CZ-NH1	10.31	125.45	120.30
1	X	448	LYS	CD-CE-NZ	-7.46	94.53	111.70
1	X	291	VAL	CG1-CB-CG2	7.42	122.77	110.90
1	X	291	VAL	CB-CA-C	-7.21	97.70	111.40
1	X	126	ASP	CB-CG-OD1	6.43	124.09	118.30
1	X	457	GLY	N-CA-C	-5.93	98.27	113.10

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
1	X	254	VAL	CB-CA-C	-5.54	100.87	111.40

There are no chirality outliers.

All (1) planarity outliers are listed below:

Mol	Chain	Res	Type	Group
1	X	424	LYS	Peptide

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	X	3837	0	3662	161	1
2	A	28	0	25	1	0
3	X	3	0	0	0	0
4	X	688	0	495	115	1
5	X	30	0	40	6	0
6	X	412	0	0	26	1
All	All	4998	0	4222	190	2

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 23.

All (190) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:50:CYS:SG	4:X:704:HEC:HAB	1.37	1.63
1:X:152:CYS:SG	4:X:707:HEC:HAC	1.54	1.44
1:X:310:CYS:SG	4:X:712:HEC:CBC	2.04	1.44
1:X:524:CYS:SG	4:X:719:HEC:CAC	2.12	1.36
1:X:85:CYS:SG	4:X:705:HEC:CAB	2.14	1.35
1:X:88:CYS:SG	4:X:705:HEC:HAC	1.67	1.33
1:X:203:CYS:SG	4:X:709:HEC:HAB	1.69	1.33
1:X:293:CYS:SG	4:X:711:HEC:CAC	2.15	1.32
1:X:152:CYS:SG	4:X:707:HEC:CAC	2.24	1.25

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:50:CYS:SG	4:X:704:HEC:CAB	2.24	1.24
1:X:225:CYS:SG	4:X:710:HEC:CAC	2.27	1.23
1:X:53:CYS:SG	4:X:704:HEC:CAC	2.27	1.21
1:X:421:MET:O	6:X:801:HOH:O	1.61	1.19
1:X:521:CYS:SG	4:X:719:HEC:HAB	1.73	1.16
1:X:437:LYS:NZ	4:X:718:HEC:O1A	1.81	1.12
1:X:108:CYS:SG	4:X:706:HEC:CAC	2.37	1.11
1:X:85:CYS:SG	4:X:705:HEC:HAB	1.93	1.07
1:X:340:CYS:SG	4:X:713:HEC:HAC	1.90	1.06
1:X:401:ASP:O	6:X:803:HOH:O	1.75	1.05
1:X:482:CYS:SG	4:X:717:HEC:HAC	1.91	1.05
1:X:261:ASN:OD1	6:X:802:HOH:O	1.73	1.04
1:X:337:CYS:SG	4:X:713:HEC:HAB	2.00	1.00
1:X:108:CYS:SG	4:X:706:HEC:HAC	2.03	0.95
4:X:717:HEC:O1D	5:X:722:GOL:H32	1.65	0.95
1:X:53:CYS:SG	4:X:704:HEC:HAC	2.04	0.95
1:X:524:CYS:SG	4:X:719:HEC:CBC	2.55	0.94
1:X:120:THR:HG21	1:X:226:HIS:O	1.68	0.94
1:X:225:CYS:SG	4:X:710:HEC:HAC	2.13	0.89
1:X:186:VAL:HG22	1:X:189:ASP:HA	1.55	0.85
4:X:719:HEC:O2D	6:X:804:HOH:O	1.94	0.85
1:X:359:GLN:HE22	1:X:362:ALA:H	1.21	0.84
1:X:344:GLN:OE1	1:X:348:ARG:NH2	2.10	0.84
1:X:337:CYS:SG	4:X:713:HEC:CBB	2.67	0.82
1:X:84:ASN:O	6:X:805:HOH:O	1.99	0.80
4:X:705:HEC:HBC3	4:X:705:HEC:HMC1	1.63	0.80
1:X:253:LEU:HD21	4:X:711:HEC:HBD2	1.64	0.79
1:X:268:TRP:HE1	1:X:382:GLN:HE21	1.30	0.78
1:X:524:CYS:SG	4:X:719:HEC:C3C	2.71	0.78
1:X:293:CYS:SG	4:X:711:HEC:CBC	2.73	0.77
1:X:293:CYS:SG	4:X:711:HEC:HAC	2.23	0.77
1:X:524:CYS:SG	4:X:719:HEC:HBC3	2.26	0.76
1:X:310:CYS:SG	4:X:712:HEC:CAC	2.73	0.76
1:X:120:THR:CG2	1:X:226:HIS:O	2.34	0.76
1:X:37:GLU:OE2	6:X:806:HOH:O	2.03	0.76
1:X:115:GLU:O	1:X:118:THR:HG22	1.86	0.75
1:X:173:CYS:SG	4:X:708:HEC:CBB	2.77	0.73
1:X:340:CYS:SG	4:X:713:HEC:C3C	2.77	0.72
1:X:225:CYS:SG	4:X:710:HEC:C3C	2.77	0.71
1:X:293:CYS:SG	4:X:711:HEC:C3C	2.79	0.70
4:X:709:HEC:CBC	4:X:709:HEC:HMC1	2.22	0.69

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:181:PRO:HB3	1:X:192:VAL:O	1.93	0.68
1:X:482:CYS:SG	4:X:717:HEC:C3C	2.81	0.68
1:X:482:CYS:SG	4:X:717:HEC:CBC	2.82	0.68
1:X:53:CYS:SG	4:X:704:HEC:C3C	2.82	0.68
1:X:14:ASP:CB	1:X:37:GLU:HG3	2.24	0.67
1:X:386:LYS:NZ	4:X:711:HEC:O2A	2.22	0.67
1:X:426:ASP:HB2	1:X:528:LYS:NZ	2.11	0.66
1:X:37:GLU:CD	6:X:806:HOH:O	2.34	0.66
1:X:490:ARG:NH2	6:X:812:HOH:O	2.28	0.66
1:X:405:LYS:HB2	6:X:1128:HOH:O	1.96	0.65
1:X:521:CYS:SG	4:X:719:HEC:C3B	2.84	0.65
4:X:708:HEC:HBB3	4:X:708:HEC:HMB1	1.79	0.64
1:X:173:CYS:SG	4:X:708:HEC:C3B	2.84	0.63
1:X:85:CYS:SG	4:X:705:HEC:C3B	2.87	0.63
4:X:716:HEC:O2A	6:X:807:HOH:O	2.14	0.62
1:X:337:CYS:SG	4:X:713:HEC:C3B	2.86	0.62
4:X:715:HEC:O1D	5:X:723:GOL:O2	2.17	0.62
4:X:718:HEC:CGA	6:X:808:HOH:O	2.47	0.62
4:X:717:HEC:HBC3	4:X:717:HEC:HMC1	1.80	0.62
1:X:359:GLN:NE2	1:X:362:ALA:H	1.93	0.62
1:X:524:CYS:SG	4:X:719:HEC:HAC	2.31	0.60
4:X:705:HEC:HMC1	4:X:705:HEC:CBC	2.30	0.60
1:X:101:GLN:O	1:X:102:ALA:HB2	2.02	0.60
1:X:104:GLU:HB3	1:X:107:ARG:HG3	1.83	0.60
1:X:36:HIS:HE1	4:X:704:HEC:NB	1.99	0.59
1:X:152:CYS:SG	4:X:707:HEC:C3C	2.91	0.59
1:X:198:ALA:O	1:X:202:SER:HB2	2.03	0.58
1:X:402:GLU:CA	6:X:803:HOH:O	2.52	0.58
1:X:402:GLU:HA	6:X:803:HOH:O	2.04	0.58
1:X:201:GLU:O	1:X:205:ASN:HB2	2.03	0.58
1:X:14:ASP:HB3	1:X:37:GLU:HG3	1.85	0.58
1:X:349:LYS:HE3	1:X:513:GLN:NE2	2.18	0.58
4:X:704:HEC:C3A	4:X:710:HEC:HBB2	2.34	0.58
1:X:88:CYS:HG	4:X:705:HEC:HAC	1.65	0.57
1:X:261:ASN:N	6:X:802:HOH:O	2.37	0.57
1:X:458:ASP:O	1:X:461:THR:HG23	2.04	0.57
1:X:50:CYS:HG	4:X:704:HEC:CAB	2.14	0.57
1:X:152:CYS:HG	4:X:707:HEC:CAC	2.17	0.57
1:X:337:CYS:HG	4:X:713:HEC:HAB	1.67	0.57
1:X:437:LYS:HE3	4:X:718:HEC:O1D	2.04	0.57
1:X:207:HIS:O	1:X:211:ARG:HG3	2.05	0.57

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
4:X:713:HEC:HMD1	4:X:713:HEC:HBD2	1.86	0.57
1:X:335:THR:HB	4:X:712:HEC:HMA2	1.88	0.56
1:X:437:LYS:HZ1	4:X:718:HEC:CGA	2.04	0.56
1:X:421:MET:HE3	4:X:719:HEC:HAA2	1.87	0.56
4:X:709:HEC:HBB3	4:X:709:HEC:HMB1	1.87	0.56
4:X:716:HEC:HBB3	4:X:716:HEC:HMB1	1.87	0.55
1:X:421:MET:CE	4:X:719:HEC:HAA2	2.37	0.55
1:X:434:PRO:HG3	4:X:718:HEC:HBA1	1.89	0.55
1:X:359:GLN:HE22	1:X:362:ALA:N	2.00	0.55
1:X:43:LEU:HD12	4:X:704:HEC:HMC1	1.89	0.54
1:X:486:PRO:HD2	1:X:489:GLU:HG3	1.89	0.54
1:X:400:LYS:O	1:X:402:GLU:N	2.40	0.54
1:X:117:ALA:HA	1:X:120:THR:HG22	1.89	0.54
1:X:120:THR:HG23	6:X:874:HOH:O	2.08	0.53
1:X:426:ASP:HB2	1:X:528:LYS:HZ2	1.73	0.53
4:X:709:HEC:HMC1	4:X:709:HEC:HBC3	1.88	0.53
1:X:73:SER:HB3	6:X:1141:HOH:O	2.08	0.53
1:X:437:LYS:CE	4:X:718:HEC:O1A	2.56	0.53
4:X:718:HEC:O1A	6:X:808:HOH:O	2.19	0.53
1:X:340:CYS:SG	4:X:713:HEC:CBC	2.93	0.53
4:X:711:HEC:HMB1	4:X:711:HEC:HBB3	1.89	0.52
1:X:348:ARG:NH1	6:X:814:HOH:O	2.29	0.52
1:X:120:THR:CG2	6:X:874:HOH:O	2.57	0.52
1:X:456:HIS:O	1:X:461:THR:HG21	2.08	0.51
4:X:717:HEC:O1D	5:X:722:GOL:C2	2.55	0.51
1:X:140:ARG:HD3	6:X:1148:HOH:O	2.11	0.51
1:X:143:VAL:HG21	1:X:147:GLU:HG2	1.92	0.50
1:X:40:THR:HG22	4:X:704:HEC:HBB2	1.93	0.50
1:X:150:LYS:O	6:X:809:HOH:O	2.19	0.50
1:X:509:HIS:CE1	1:X:516:PRO:HD2	2.47	0.50
1:X:88:CYS:SG	4:X:705:HEC:C3C	2.95	0.50
1:X:79:GLU:HG3	6:X:948:HOH:O	2.12	0.49
4:X:717:HEC:O2D	5:X:722:GOL:H2	2.12	0.49
1:X:143:VAL:CG1	1:X:147:GLU:HB3	2.42	0.49
1:X:101:GLN:O	1:X:102:ALA:CB	2.61	0.49
1:X:329:HIS:HE1	4:X:715:HEC:C4A	2.26	0.49
1:X:174:VAL:HG12	1:X:174:VAL:O	2.11	0.49
1:X:396:ILE:HG22	1:X:400:LYS:HE2	1.94	0.49
1:X:491:THR:H	1:X:494:GLN:HE21	1.61	0.49
4:X:709:HEC:HMC1	4:X:709:HEC:HBC2	1.92	0.49
1:X:329:HIS:HE1	4:X:715:HEC:NA	2.07	0.48

*Continued on next page...*

*Continued from previous page...*

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:482:CYS:HG	4:X:717:HEC:HAC	1.74	0.48
1:X:456:HIS:O	1:X:461:THR:CG2	2.62	0.48
1:X:293:CYS:SG	4:X:711:HEC:HBC3	2.52	0.48
4:X:718:HEC:HBB3	4:X:718:HEC:HMB1	1.96	0.48
1:X:14:ASP:CG	1:X:37:GLU:HG3	2.33	0.47
1:X:203:CYS:SG	4:X:709:HEC:C3B	2.98	0.47
1:X:509:HIS:HE1	1:X:516:PRO:HD2	1.80	0.47
4:X:712:HEC:HBC2	4:X:712:HEC:HMC1	1.97	0.46
4:X:719:HEC:HBB3	4:X:719:HEC:HMB1	1.97	0.46
1:X:444:GLU:HG3	1:X:445:GLU:N	2.30	0.46
1:X:143:VAL:HG11	1:X:147:GLU:HB3	1.97	0.46
1:X:143:VAL:HG22	1:X:144:LYS:H	1.81	0.46
1:X:345:ALA:O	1:X:351:CYS:HB2	2.16	0.45
1:X:247:GLN:HB3	4:X:711:HEC:CHB	2.46	0.45
4:X:717:HEC:O1A	5:X:722:GOL:C3	2.61	0.45
1:X:133:HIS:HB3	4:X:707:HEC:HBC3	1.97	0.45
1:X:221:LEU:HD21	4:X:704:HEC:HBB3	1.97	0.45
1:X:369:ILE:HG23	6:X:1015:HOH:O	2.17	0.45
1:X:185:PRO:HA	1:X:186:VAL:HB	1.98	0.45
1:X:426:ASP:HB2	1:X:528:LYS:HZ1	1.78	0.45
1:X:203:CYS:HB2	4:X:710:HEC:HBC2	1.99	0.45
1:X:133:HIS:HB3	4:X:707:HEC:CBC	2.47	0.44
1:X:346:ASN:ND2	1:X:356:ALA:HA	2.33	0.44
1:X:203:CYS:SG	4:X:709:HEC:CBB	2.96	0.43
1:X:283:HIS:HB3	4:X:711:HEC:HBC2	2.00	0.43
4:X:713:HEC:HBC3	4:X:713:HEC:HMC1	2.01	0.43
1:X:454:HIS:CD2	4:X:713:HEC:HMA3	2.53	0.43
1:X:512:MET:O	1:X:513:GLN:HB2	2.18	0.43
4:X:713:HEC:CBC	4:X:713:HEC:HMC1	2.48	0.43
1:X:53:CYS:CB	4:X:704:HEC:C3C	2.97	0.43
1:X:85:CYS:SG	4:X:705:HEC:CBB	3.02	0.43
1:X:268:TRP:HB3	1:X:377:PRO:O	2.19	0.43
1:X:199:SER:O	1:X:203:CYS:SG	2.76	0.43
1:X:524:CYS:HG	4:X:719:HEC:CAC	2.22	0.43
1:X:45:LYS:C	1:X:47:ALA:H	2.22	0.42
1:X:360:LYS:NZ	6:X:810:HOH:O	2.21	0.42
1:X:43:LEU:CD1	4:X:704:HEC:HMC1	2.48	0.42
1:X:468:HIS:HD1	5:X:722:GOL:C1	2.32	0.42
1:X:17:VAL:HG22	1:X:33:VAL:HG22	2.02	0.41
4:X:705:HEC:HBB3	4:X:705:HEC:HMB1	2.01	0.41
1:X:261:ASN:HD22	2:A:1:NAG:C7	2.34	0.41

*Continued on next page...*

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:X:491:THR:H	1:X:494:GLN:NE2	2.17	0.41
1:X:88:CYS:HG	4:X:705:HEC:CAC	2.21	0.41
1:X:50:CYS:HB2	1:X:61:LEU:HD21	2.01	0.41
1:X:40:THR:CG2	4:X:704:HEC:HBB2	2.50	0.41
1:X:299:THR:HG23	6:X:1137:HOH:O	2.21	0.41
1:X:37:GLU:HG2	6:X:806:HOH:O	2.21	0.41
1:X:320:ASN:HD22	1:X:320:ASN:HA	1.64	0.41
4:X:711:HEC:HBC3	4:X:711:HEC:HMC1	2.01	0.41
1:X:504:GLN:CB	4:X:717:HEC:HMB2	2.50	0.41
1:X:33:VAL:O	1:X:33:VAL:HG12	2.21	0.41
1:X:461:THR:O	4:X:714:HEC:HMD2	2.21	0.41
4:X:713:HEC:HMA1	4:X:713:HEC:HBB	1.85	0.41
1:X:337:CYS:SG	4:X:713:HEC:HBB3	2.58	0.41
1:X:368:CYS:HA	4:X:715:HEC:CHC	2.51	0.40
1:X:225:CYS:HG	4:X:710:HEC:HAC	1.83	0.40
1:X:310:CYS:SG	4:X:712:HEC:C3C	3.09	0.40
1:X:88:CYS:SG	4:X:705:HEC:CBC	3.01	0.40

All (2) symmetry-related close contacts are listed below. The label for Atom-2 includes the symmetry operator and encoded unit-cell translations to be applied.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
6:X:815:HOH:O	6:X:912:HOH:O[3_546]	2.14	0.06
1:X:437:LYS:NZ	4:X:718:HEC:O2D[2_565]	2.15	0.05

## 5.3 Torsion angles

### 5.3.1 Protein backbone

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles
1	X	510/560 (91%)	484 (95%)	21 (4%)	5 (1%)	<b>13</b> <b>9</b>

All (5) Ramachandran outliers are listed below:

Mol	Chain	Res	Type
1	X	102	ALA
1	X	160	GLN
1	X	150	LYS
1	X	161	LYS
1	X	185	PRO

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all X-ray entries followed by that with respect to entries of similar resolution.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	X	410/450 (91%)	382 (93%)	28 (7%)	13	11

All (28) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	X	18	ILE
1	X	26	LYS
1	X	43	LEU
1	X	48	LYS
1	X	72	THR
1	X	93	VAL
1	X	120	THR
1	X	146	ASP
1	X	190	ARG
1	X	202	SER
1	X	217	SER
1	X	245	ARG
1	X	254	VAL
1	X	291	VAL
1	X	299	THR
1	X	320	ASN
1	X	359	GLN
1	X	405	LYS
1	X	415	LYS
1	X	421	MET
1	X	458	ASP
1	X	461	THR

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type
1	X	468	HIS
1	X	472	PRO
1	X	478	LYS
1	X	488	GLN
1	X	489	GLU
1	X	522	GLN

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (9) such sidechains are listed below:

Mol	Chain	Res	Type
1	X	80	GLN
1	X	231	GLN
1	X	320	ASN
1	X	330	GLN
1	X	346	ASN
1	X	359	GLN
1	X	382	GLN
1	X	494	GLN
1	X	513	GLN

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

There are no non-standard protein/DNA/RNA residues in this entry.

## 5.5 Carbohydrates ⓘ

2 monosaccharides are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
2	NAG	A	1	2,1	14,14,15	0.79	1 (7%)	17,19,21	2.82	6 (35%)
2	NAA	A	2	2	14,14,15	0.88	1 (7%)	17,19,21	1.15	1 (5%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
2	NAG	A	1	2,1	1/1/5/7	2/6/23/26	0/1/1/1
2	NAA	A	2	2	-	4/6/23/26	0/1/1/1

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
2	A	2	NAA	C8-C7	2.72	1.56	1.50
2	A	1	NAG	C3-C2	2.33	1.57	1.52

All (7) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
2	A	1	NAG	O3-C3-C2	6.75	123.43	109.40
2	A	1	NAG	C1-O5-C5	5.58	119.66	112.19
2	A	1	NAG	C3-C4-C5	-4.61	101.87	110.23
2	A	1	NAG	O4-C4-C5	2.95	116.59	109.32
2	A	1	NAG	C1-C2-N2	-2.89	105.88	110.43
2	A	2	NAA	C3-C4-C5	2.74	115.21	110.23
2	A	1	NAG	O4-C4-C3	2.27	115.74	110.38

All (1) chirality outliers are listed below:

Mol	Chain	Res	Type	Atom
2	A	1	NAG	C1

All (6) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
2	A	1	NAG	O5-C5-C6-O6
2	A	1	NAG	C4-C5-C6-O6
2	A	2	NAA	C8-C7-N2-C2

*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Atoms
2	A	2	NAA	O7-C7-N2-C2
2	A	2	NAA	O5-C5-C6-O6
2	A	2	NAA	C4-C5-C6-O6

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
2	A	1	NAG	1	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for oligosaccharide.



## 5.6 Ligand geometry [i](#)

Of 24 ligands modelled in this entry, 3 are monoatomic - leaving 21 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
5	GOL	X	721	-	5,5,5	0.36	0	5,5,5	0.34	0
4	HEC	X	712	1	32,50,50	1.83	6 (18%)	30,82,82	2.35	9 (30%)
4	HEC	X	708	1	32,50,50	1.90	7 (21%)	30,82,82	2.61	13 (43%)
4	HEC	X	714	1	32,50,50	1.78	8 (25%)	30,82,82	3.51	16 (53%)
4	HEC	X	718	1	32,50,50	2.07	9 (28%)	30,82,82	3.82	14 (46%)
4	HEC	X	713	1	32,50,50	1.97	10 (31%)	30,82,82	2.84	12 (40%)
4	HEC	X	709	1	32,50,50	2.11	6 (18%)	30,82,82	2.38	9 (30%)
5	GOL	X	720	-	5,5,5	0.49	0	5,5,5	0.26	0
4	HEC	X	704	1	32,50,50	1.78	5 (15%)	30,82,82	2.89	11 (36%)
4	HEC	X	715	1	32,50,50	1.76	8 (25%)	30,82,82	3.37	16 (53%)
5	GOL	X	722	4	5,5,5	0.63	0	5,5,5	0.50	0
4	HEC	X	705	1	32,50,50	2.22	10 (31%)	30,82,82	2.42	9 (30%)
4	HEC	X	717	5,1	32,50,50	2.68	11 (34%)	30,82,82	2.80	15 (50%)
4	HEC	X	706	1	32,50,50	1.95	3 (9%)	30,82,82	2.71	10 (33%)
5	GOL	X	724	-	5,5,5	0.55	0	5,5,5	2.14	2 (40%)
4	HEC	X	710	1	32,50,50	1.89	4 (12%)	30,82,82	2.41	12 (40%)
4	HEC	X	716	1	32,50,50	2.02	9 (28%)	30,82,82	3.41	15 (50%)
4	HEC	X	707	1	32,50,50	2.03	10 (31%)	30,82,82	2.63	8 (26%)
5	GOL	X	723	-	5,5,5	0.45	0	5,5,5	0.52	0
4	HEC	X	711	1	32,50,50	2.14	9 (28%)	30,82,82	3.29	11 (36%)
4	HEC	X	719	3,1	32,50,50	2.32	10 (31%)	30,82,82	3.03	12 (40%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
5	GOL	X	721	-	-	3/4/4/4	-
4	HEC	X	712	1	-	6/10/54/54	-
4	HEC	X	708	1	-	4/10/54/54	-
4	HEC	X	714	1	-	2/10/54/54	-
4	HEC	X	718	1	-	3/10/54/54	-
4	HEC	X	713	1	-	6/10/54/54	-
4	HEC	X	709	1	-	2/10/54/54	-
5	GOL	X	720	-	-	2/4/4/4	-
4	HEC	X	704	1	-	1/10/54/54	-

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
4	HEC	X	715	1	-	4/10/54/54	-
5	GOL	X	722	4	-	4/4/4/4	-
4	HEC	X	705	1	-	1/10/54/54	-
4	HEC	X	717	5,1	-	4/10/54/54	-
4	HEC	X	706	1	-	2/10/54/54	-
5	GOL	X	724	-	-	2/4/4/4	-
4	HEC	X	710	1	-	2/10/54/54	-
4	HEC	X	716	1	-	2/10/54/54	-
4	HEC	X	707	1	-	0/10/54/54	-
5	GOL	X	723	-	-	2/4/4/4	-
4	HEC	X	711	1	-	2/10/54/54	-
4	HEC	X	719	3,1	-	3/10/54/54	-

All (125) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	X	710	HEC	C2B-C3B	-6.41	1.33	1.40
4	X	705	HEC	C2B-C3B	-6.18	1.33	1.40
4	X	711	HEC	C2B-C3B	-5.92	1.34	1.40
4	X	717	HEC	C3C-C2C	-5.82	1.34	1.40
4	X	709	HEC	C3D-C2D	5.77	1.54	1.37
4	X	719	HEC	C3D-C2D	5.72	1.54	1.37
4	X	716	HEC	C2B-C3B	-5.60	1.34	1.40
4	X	709	HEC	C3C-C2C	-5.59	1.34	1.40
4	X	719	HEC	C2B-C3B	-5.54	1.34	1.40
4	X	706	HEC	C3D-C2D	5.54	1.54	1.37
4	X	712	HEC	C3D-C2D	5.53	1.54	1.37
4	X	707	HEC	C2B-C3B	-5.41	1.34	1.40
4	X	705	HEC	C3D-C2D	5.36	1.53	1.37
4	X	717	HEC	O1D-CGD	5.33	1.39	1.22
4	X	708	HEC	C3D-C2D	5.28	1.53	1.37
4	X	717	HEC	C3D-C2D	5.22	1.53	1.37
4	X	717	HEC	C2B-C3B	-5.16	1.35	1.40
4	X	706	HEC	C2B-C3B	-5.14	1.35	1.40
4	X	709	HEC	C2B-C3B	-5.05	1.35	1.40
4	X	710	HEC	C3D-C2D	5.04	1.52	1.37
4	X	705	HEC	C3C-C2C	-5.03	1.35	1.40
4	X	711	HEC	C3D-C2D	4.99	1.52	1.37
4	X	704	HEC	C3D-C2D	4.94	1.52	1.37
4	X	707	HEC	C3D-C2D	4.81	1.51	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	X	713	HEC	C3C-C2C	-4.79	1.35	1.40
4	X	715	HEC	C3D-C2D	4.70	1.51	1.37
4	X	708	HEC	C3C-C2C	-4.63	1.35	1.40
4	X	712	HEC	C2B-C3B	-4.63	1.35	1.40
4	X	704	HEC	C2B-C3B	-4.62	1.35	1.40
4	X	717	HEC	CBD-CGD	4.60	1.61	1.50
4	X	706	HEC	C3C-C2C	-4.54	1.35	1.40
4	X	714	HEC	C4B-C3B	4.46	1.51	1.43
4	X	717	HEC	CAD-C3D	4.37	1.62	1.52
4	X	718	HEC	C4B-C3B	4.37	1.51	1.43
4	X	719	HEC	C3C-C2C	-4.29	1.35	1.40
4	X	718	HEC	C3D-C2D	4.27	1.50	1.37
4	X	714	HEC	C3D-C2D	4.24	1.50	1.37
4	X	713	HEC	C2B-C3B	-4.15	1.36	1.40
4	X	707	HEC	C3C-C2C	-4.13	1.36	1.40
4	X	717	HEC	CAD-CBD	3.97	1.71	1.52
4	X	718	HEC	O1A-CGA	3.95	1.35	1.22
4	X	718	HEC	C3A-C4A	3.92	1.51	1.42
4	X	718	HEC	C2A-C1A	3.65	1.50	1.42
4	X	712	HEC	C3C-C2C	-3.52	1.36	1.40
4	X	708	HEC	C2B-C3B	-3.50	1.36	1.40
4	X	716	HEC	C1C-NC	3.48	1.43	1.36
4	X	713	HEC	C3D-C2D	3.47	1.47	1.37
4	X	711	HEC	O2D-CGD	-3.44	1.19	1.30
4	X	716	HEC	CMC-C2C	3.40	1.59	1.51
4	X	715	HEC	C4B-C3B	3.38	1.49	1.43
4	X	719	HEC	C2A-C1A	3.31	1.49	1.42
4	X	711	HEC	C3C-C4C	3.25	1.49	1.43
4	X	719	HEC	C3A-C4A	3.25	1.49	1.42
4	X	708	HEC	CAA-C2A	3.22	1.57	1.52
4	X	715	HEC	C3C-C4C	3.18	1.48	1.43
4	X	711	HEC	CMA-C3A	3.18	1.59	1.51
4	X	713	HEC	C1C-NC	3.15	1.42	1.36
4	X	715	HEC	C3C-C2C	-3.14	1.37	1.40
4	X	719	HEC	C1D-ND	3.13	1.42	1.36
4	X	717	HEC	CBB-CAB	3.00	1.60	1.49
4	X	719	HEC	C3C-C4C	2.98	1.48	1.43
4	X	714	HEC	C2A-C1A	2.95	1.49	1.42
4	X	718	HEC	CBB-CAB	2.92	1.60	1.49
4	X	717	HEC	CAA-C2A	2.90	1.57	1.52
4	X	710	HEC	C3C-C2C	-2.87	1.37	1.40
4	X	716	HEC	C3D-C2D	2.85	1.46	1.37

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	X	714	HEC	C3A-C4A	2.85	1.48	1.42
4	X	717	HEC	CMD-C2D	2.80	1.57	1.51
4	X	714	HEC	C1D-CHD	-2.70	1.33	1.41
4	X	707	HEC	O2A-CGA	-2.69	1.21	1.30
4	X	718	HEC	CMB-C2B	2.64	1.57	1.51
4	X	716	HEC	CMA-C3A	2.57	1.57	1.51
4	X	718	HEC	C3C-C4C	2.55	1.47	1.43
4	X	716	HEC	CAD-C3D	2.54	1.58	1.52
4	X	719	HEC	CMD-C2D	2.53	1.56	1.51
4	X	711	HEC	C2A-C1A	2.51	1.48	1.42
4	X	713	HEC	C4B-C3B	2.51	1.47	1.43
4	X	705	HEC	CAA-C2A	2.48	1.56	1.52
4	X	705	HEC	C1B-CHB	-2.47	1.34	1.41
4	X	707	HEC	C1D-ND	2.46	1.41	1.36
4	X	711	HEC	C4B-C3B	2.45	1.47	1.43
4	X	705	HEC	C1C-CHC	-2.44	1.34	1.41
4	X	713	HEC	CAA-C2A	2.40	1.56	1.52
4	X	714	HEC	CBB-CAB	2.40	1.58	1.49
4	X	712	HEC	CBB-CAB	2.38	1.58	1.49
4	X	715	HEC	O1D-CGD	2.36	1.29	1.22
4	X	708	HEC	CBA-CGA	2.36	1.56	1.50
4	X	715	HEC	C2B-C3B	-2.35	1.38	1.40
4	X	715	HEC	C3A-C4A	2.32	1.47	1.42
4	X	709	HEC	CMD-C2D	2.31	1.56	1.51
4	X	716	HEC	CAA-C2A	2.29	1.56	1.52
4	X	714	HEC	C1D-ND	2.23	1.40	1.36
4	X	718	HEC	CAA-C2A	2.23	1.56	1.52
4	X	707	HEC	C2A-C1A	2.20	1.47	1.42
4	X	716	HEC	O2D-CGD	-2.20	1.23	1.30
4	X	705	HEC	CMD-C2D	2.19	1.56	1.51
4	X	704	HEC	C3A-C4A	2.19	1.47	1.42
4	X	705	HEC	C4B-C3B	2.16	1.47	1.43
4	X	717	HEC	CMB-C2B	2.15	1.56	1.51
4	X	716	HEC	C1B-NB	2.15	1.40	1.36
4	X	719	HEC	C4D-ND	2.14	1.40	1.36
4	X	715	HEC	CBB-CAB	2.14	1.57	1.49
4	X	705	HEC	CBB-CAB	2.14	1.57	1.49
4	X	711	HEC	C1D-CHD	-2.14	1.35	1.41
4	X	707	HEC	C3C-C4C	2.14	1.46	1.43
4	X	707	HEC	CMD-C2D	2.13	1.55	1.51
4	X	704	HEC	C3C-C2C	-2.13	1.38	1.40
4	X	713	HEC	C4D-ND	-2.12	1.32	1.36

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
4	X	714	HEC	C3C-C4C	2.12	1.46	1.43
4	X	719	HEC	CMB-C2B	2.12	1.56	1.51
4	X	705	HEC	C4D-CHA	-2.11	1.35	1.41
4	X	707	HEC	CBB-CAB	2.10	1.57	1.49
4	X	713	HEC	C1B-NB	-2.09	1.32	1.36
4	X	708	HEC	C2A-C1A	2.08	1.47	1.42
4	X	712	HEC	CAA-C2A	2.08	1.55	1.52
4	X	711	HEC	C3A-C4A	2.08	1.47	1.42
4	X	713	HEC	CMC-C2C	2.07	1.56	1.51
4	X	713	HEC	C3C-C4C	2.06	1.46	1.43
4	X	710	HEC	O1D-CGD	2.04	1.28	1.22
4	X	707	HEC	C3A-C4A	2.04	1.47	1.42
4	X	712	HEC	C4B-C3B	2.04	1.46	1.43
4	X	708	HEC	O1A-CGA	2.03	1.28	1.22
4	X	704	HEC	O1D-CGD	2.02	1.28	1.22
4	X	709	HEC	CBB-CAB	2.01	1.57	1.49
4	X	709	HEC	C2A-C3A	-2.01	1.31	1.37

All (194) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	X	714	HEC	CMC-C2C-C1C	-9.77	114.15	128.46
4	X	711	HEC	CMC-C2C-C1C	-9.47	114.58	128.46
4	X	719	HEC	CMC-C2C-C1C	-8.81	115.54	128.46
4	X	704	HEC	CBB-CAB-C3B	-8.75	107.00	127.49
4	X	719	HEC	CBD-CAD-C3D	-8.06	98.98	112.54
4	X	718	HEC	CMC-C2C-C1C	-7.88	116.92	128.46
4	X	714	HEC	CBC-CAC-C3C	-7.87	109.07	127.49
4	X	711	HEC	CBC-CAC-C3C	-7.77	109.30	127.49
4	X	718	HEC	CMC-C2C-C3C	7.72	134.90	125.82
4	X	715	HEC	CBB-CAB-C3B	-7.72	109.42	127.49
4	X	718	HEC	CBB-CAB-C3B	-7.69	109.49	127.49
4	X	706	HEC	CBB-CAB-C3B	-7.61	109.69	127.49
4	X	716	HEC	CBB-CAB-C3B	-7.54	109.84	127.49
4	X	710	HEC	CBB-CAB-C3B	-7.49	109.95	127.49
4	X	716	HEC	CMB-C2B-C1B	-7.45	117.53	128.46
4	X	718	HEC	CBC-CAC-C3C	-7.33	110.33	127.49
4	X	718	HEC	CBD-CAD-C3D	-7.33	100.22	112.54
4	X	715	HEC	CMC-C2C-C3C	6.99	134.03	125.82
4	X	717	HEC	CAD-CBD-CGD	6.98	132.64	113.83
4	X	707	HEC	CBB-CAB-C3B	-6.95	111.22	127.49
4	X	712	HEC	CMC-C2C-C1C	-6.93	118.30	128.46

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	X	716	HEC	CMB-C2B-C3B	6.91	133.95	125.82
4	X	704	HEC	CMC-C2C-C1C	-6.86	118.41	128.46
4	X	715	HEC	CMC-C2C-C1C	-6.65	118.72	128.46
4	X	707	HEC	CBA-CAA-C2A	-6.63	101.63	112.55
4	X	705	HEC	CBB-CAB-C3B	-6.59	112.06	127.49
4	X	711	HEC	CMC-C2C-C3C	6.42	133.36	125.82
4	X	713	HEC	CMB-C2B-C1B	-6.41	119.06	128.46
4	X	706	HEC	CBD-CAD-C3D	-6.30	101.94	112.54
4	X	714	HEC	CBB-CAB-C3B	-6.24	112.89	127.49
4	X	716	HEC	CBD-CAD-C3D	-6.17	102.17	112.54
4	X	715	HEC	CAD-CBD-CGD	-6.08	97.45	113.83
4	X	718	HEC	CMB-C2B-C1B	-5.95	119.74	128.46
4	X	719	HEC	CMC-C2C-C3C	5.92	132.78	125.82
4	X	716	HEC	CBC-CAC-C3C	-5.92	113.64	127.49
4	X	708	HEC	CBB-CAB-C3B	-5.85	113.80	127.49
4	X	705	HEC	CMB-C2B-C3B	5.84	132.69	125.82
4	X	708	HEC	CBA-CAA-C2A	5.79	122.09	112.55
4	X	709	HEC	CBC-CAC-C3C	-5.70	114.16	127.49
4	X	713	HEC	CMB-C2B-C3B	5.69	132.50	125.82
4	X	713	HEC	CMD-C2D-C1D	-5.61	120.24	128.46
4	X	713	HEC	CMD-C2D-C3D	5.60	135.50	124.94
4	X	704	HEC	CBC-CAC-C3C	-5.55	114.49	127.49
4	X	714	HEC	CBA-CAA-C2A	-5.48	103.52	112.55
4	X	715	HEC	CBD-CAD-C3D	-5.32	103.60	112.54
4	X	709	HEC	CBB-CAB-C3B	-5.32	115.05	127.49
4	X	712	HEC	CBB-CAB-C3B	-5.29	115.12	127.49
4	X	717	HEC	CBB-CAB-C3B	-5.25	115.22	127.49
4	X	718	HEC	CMB-C2B-C3B	5.24	131.98	125.82
4	X	711	HEC	CAD-CBD-CGD	-5.17	99.91	113.83
4	X	711	HEC	CBB-CAB-C3B	-5.17	115.40	127.49
4	X	706	HEC	CBA-CAA-C2A	-5.10	104.15	112.55
4	X	707	HEC	CMC-C2C-C1C	-4.92	121.25	128.46
4	X	708	HEC	CMB-C2B-C1B	-4.79	121.43	128.46
4	X	714	HEC	CMC-C2C-C3C	4.78	131.44	125.82
4	X	708	HEC	CMC-C2C-C1C	-4.64	121.65	128.46
4	X	711	HEC	CBD-CAD-C3D	4.60	120.28	112.54
4	X	704	HEC	CBD-CAD-C3D	-4.60	104.81	112.54
4	X	705	HEC	CBC-CAC-C3C	-4.55	116.83	127.49
4	X	707	HEC	CBC-CAC-C3C	-4.53	116.90	127.49
4	X	714	HEC	C4C-C3C-C2C	-4.52	101.47	106.35
4	X	712	HEC	CBC-CAC-C3C	-4.51	116.94	127.49
4	X	706	HEC	CBC-CAC-C3C	-4.47	117.03	127.49

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	X	717	HEC	CMB-C2B-C1B	-4.44	121.95	128.46
4	X	719	HEC	CBB-CAB-C3B	-4.41	117.17	127.49
4	X	710	HEC	CBD-CAD-C3D	-4.36	105.20	112.54
4	X	717	HEC	O1D-CGD-CBD	4.36	136.93	123.09
4	X	717	HEC	CMC-C2C-C1C	-4.23	122.25	128.46
4	X	718	HEC	CBA-CAA-C2A	-4.07	105.85	112.55
4	X	715	HEC	CAA-CBA-CGA	-4.04	102.94	113.83
4	X	716	HEC	C1D-C2D-C3D	-4.02	104.20	107.00
4	X	707	HEC	C1D-C2D-C3D	-3.99	104.22	107.00
4	X	713	HEC	C1D-C2D-C3D	-3.97	104.23	107.00
4	X	706	HEC	CMC-C2C-C1C	-3.97	122.64	128.46
4	X	708	HEC	CBC-CAC-C3C	-3.93	118.30	127.49
4	X	710	HEC	CMC-C2C-C1C	-3.93	122.70	128.46
4	X	716	HEC	CMC-C2C-C3C	3.92	130.43	125.82
4	X	719	HEC	CAD-CBD-CGD	3.89	124.31	113.83
4	X	713	HEC	CAD-CBD-CGD	-3.87	103.40	113.83
4	X	717	HEC	CBC-CAC-C3C	-3.84	118.51	127.49
4	X	714	HEC	CMB-C2B-C1B	-3.82	122.85	128.46
4	X	705	HEC	CMB-C2B-C1B	-3.82	122.86	128.46
4	X	714	HEC	C1D-C2D-C3D	-3.78	104.37	107.00
4	X	709	HEC	CBA-CAA-C2A	3.71	118.67	112.55
4	X	704	HEC	CMB-C2B-C1B	-3.71	123.02	128.46
4	X	711	HEC	CBA-CAA-C2A	3.71	118.66	112.55
4	X	717	HEC	CMB-C2B-C3B	3.68	130.15	125.82
4	X	714	HEC	CBD-CAD-C3D	-3.66	106.38	112.54
4	X	713	HEC	CBA-CAA-C2A	-3.63	106.57	112.55
5	X	724	GOL	C3-C2-C1	-3.59	98.64	111.80
4	X	709	HEC	CMC-C2C-C1C	-3.56	123.24	128.46
4	X	716	HEC	CMC-C2C-C1C	-3.51	123.32	128.46
4	X	715	HEC	CMA-C3A-C2A	3.49	131.52	124.94
4	X	709	HEC	CMB-C2B-C3B	3.44	129.86	125.82
4	X	718	HEC	CAD-CBD-CGD	-3.41	104.63	113.83
4	X	708	HEC	CMB-C2B-C3B	3.39	129.81	125.82
4	X	713	HEC	CBB-CAB-C3B	-3.39	119.55	127.49
4	X	715	HEC	C1D-C2D-C3D	-3.39	104.64	107.00
4	X	712	HEC	CMD-C2D-C1D	-3.38	123.50	128.46
4	X	717	HEC	CBD-CAD-C3D	3.36	118.19	112.54
4	X	710	HEC	CBC-CAC-C3C	-3.35	119.66	127.49
4	X	715	HEC	CBC-CAC-C3C	-3.32	119.73	127.49
4	X	710	HEC	CBA-CAA-C2A	-3.30	107.11	112.55
4	X	709	HEC	CMB-C2B-C1B	-3.29	123.64	128.46
4	X	719	HEC	O1D-CGD-CBD	-3.27	112.72	123.09

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	X	706	HEC	C1D-C2D-C3D	-3.26	104.73	107.00
4	X	719	HEC	CMA-C3A-C2A	3.25	131.07	124.94
4	X	716	HEC	C4C-C3C-C2C	3.25	109.86	106.35
4	X	709	HEC	CBD-CAD-C3D	-3.22	107.13	112.54
4	X	704	HEC	CAA-CBA-CGA	-3.21	105.17	113.83
4	X	715	HEC	CMD-C2D-C1D	3.19	133.13	128.46
4	X	712	HEC	CMD-C2D-C3D	3.17	130.92	124.94
4	X	709	HEC	C1D-C2D-C3D	-3.16	104.80	107.00
4	X	715	HEC	CMB-C2B-C1B	-3.10	123.91	128.46
4	X	717	HEC	CMD-C2D-C1D	-3.06	123.98	128.46
4	X	709	HEC	CAA-CBA-CGA	-3.05	105.63	113.83
4	X	705	HEC	C1D-C2D-C3D	-3.00	104.91	107.00
4	X	715	HEC	C4C-CHD-C1D	2.99	132.43	123.67
4	X	716	HEC	CMD-C2D-C3D	2.98	130.56	124.94
4	X	707	HEC	CMC-C2C-C3C	2.93	129.27	125.82
5	X	724	GOL	O1-C1-C2	-2.90	97.33	110.38
4	X	716	HEC	O2A-CGA-CBA	2.89	123.13	114.00
4	X	714	HEC	CMB-C2B-C3B	2.87	129.20	125.82
4	X	708	HEC	C1D-C2D-C3D	-2.85	105.01	107.00
4	X	707	HEC	CBD-CAD-C3D	-2.85	107.75	112.54
4	X	718	HEC	O2A-CGA-O1A	2.84	130.64	123.33
4	X	710	HEC	CMC-C2C-C3C	2.84	129.16	125.82
4	X	713	HEC	CMC-C2C-C1C	-2.83	124.32	128.46
4	X	708	HEC	O1D-CGD-CBD	-2.78	114.27	123.09
4	X	711	HEC	CAA-CBA-CGA	-2.76	106.39	113.83
4	X	710	HEC	CMD-C2D-C1D	-2.76	124.42	128.46
4	X	710	HEC	CAD-CBD-CGD	-2.76	106.40	113.83
4	X	713	HEC	CAA-CBA-CGA	-2.76	106.40	113.83
4	X	719	HEC	O2D-CGD-CBD	2.76	122.71	114.00
4	X	716	HEC	C4D-CHA-C1A	2.75	131.72	123.67
4	X	715	HEC	C4A-CHB-C1B	2.73	131.68	123.67
4	X	707	HEC	CAA-CBA-CGA	-2.73	106.49	113.83
4	X	718	HEC	O2D-CGD-CBD	2.72	122.59	114.00
4	X	718	HEC	C4D-CHA-C1A	2.71	131.60	123.67
4	X	719	HEC	CBC-CAC-C3C	-2.70	121.17	127.49
4	X	710	HEC	CMD-C2D-C3D	2.70	130.03	124.94
4	X	717	HEC	O2D-CGD-CBD	-2.68	105.53	114.00
4	X	712	HEC	CMB-C2B-C1B	-2.67	124.54	128.46
4	X	711	HEC	CMA-C3A-C2A	2.67	129.97	124.94
4	X	706	HEC	CMB-C2B-C1B	-2.63	124.61	128.46
4	X	705	HEC	CBA-CAA-C2A	2.61	116.85	112.55
4	X	705	HEC	C1C-CHC-C4B	2.57	131.20	123.67

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	X	714	HEC	O2A-CGA-CBA	2.56	122.08	114.00
4	X	704	HEC	CBA-CAA-C2A	-2.55	108.35	112.55
4	X	711	HEC	C1D-C2D-C3D	-2.54	105.23	107.00
4	X	714	HEC	CMA-C3A-C2A	2.53	129.71	124.94
4	X	718	HEC	CAA-CBA-CGA	-2.49	107.12	113.83
4	X	719	HEC	C1D-C2D-C3D	-2.45	105.29	107.00
4	X	705	HEC	C2B-C3B-C4B	2.38	108.92	106.35
4	X	716	HEC	O2D-CGD-CBD	2.37	121.48	114.00
4	X	717	HEC	C1D-C2D-C3D	2.36	108.64	107.00
4	X	706	HEC	CMC-C2C-C3C	2.36	128.59	125.82
4	X	708	HEC	CMC-C2C-C3C	2.36	128.59	125.82
4	X	704	HEC	O2A-CGA-CBA	2.35	121.43	114.00
4	X	718	HEC	C1C-CHC-C4B	2.34	130.53	123.67
4	X	712	HEC	CAD-CBD-CGD	-2.32	107.58	113.83
4	X	714	HEC	O1A-CGA-CBA	-2.32	115.75	123.09
4	X	714	HEC	CAA-CBA-CGA	-2.30	107.63	113.83
4	X	708	HEC	C3B-C4B-NB	-2.29	106.63	110.94
4	X	708	HEC	C4D-CHA-C1A	2.26	130.29	123.67
4	X	717	HEC	O2D-CGD-O1D	-2.25	117.54	123.33
4	X	715	HEC	O1D-CGD-CBD	-2.25	115.95	123.09
4	X	713	HEC	C3B-C4B-NB	-2.23	106.73	110.94
4	X	715	HEC	CAA-C2A-C3A	2.22	133.63	127.25
4	X	715	HEC	CMB-C2B-C3B	2.22	128.43	125.82
4	X	713	HEC	O2A-CGA-CBA	2.20	120.96	114.00
4	X	719	HEC	CBA-CAA-C2A	-2.19	108.93	112.55
4	X	716	HEC	CMD-C2D-C1D	-2.19	125.25	128.46
4	X	716	HEC	O2D-CGD-O1D	-2.19	117.70	123.33
4	X	712	HEC	C4A-CHB-C1B	2.18	130.05	123.67
4	X	714	HEC	C4A-CHB-C1B	2.17	130.04	123.67
4	X	714	HEC	C1C-CHC-C4B	2.16	129.99	123.67
4	X	710	HEC	C1D-C2D-C3D	-2.14	105.50	107.00
4	X	710	HEC	C3B-C4B-NB	-2.14	106.90	110.94
4	X	717	HEC	O2A-CGA-CBA	2.13	120.75	114.00
4	X	708	HEC	O2D-CGD-CBD	2.13	120.74	114.00
4	X	706	HEC	C2B-C3B-C4B	2.13	108.65	106.35
4	X	706	HEC	CMB-C2B-C3B	2.13	128.32	125.82
4	X	712	HEC	C1D-C2D-C3D	-2.12	105.52	107.00
4	X	711	HEC	C3C-C4C-NC	-2.12	106.95	110.94
4	X	708	HEC	CAD-CBD-CGD	-2.12	108.13	113.83
4	X	704	HEC	C1D-C2D-C3D	-2.09	105.54	107.00
4	X	704	HEC	C3B-C4B-NB	-2.08	107.01	110.94
4	X	717	HEC	CAD-C3D-C2D	2.05	133.14	127.25

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
4	X	717	HEC	C3B-C4B-NB	-2.05	107.08	110.94
4	X	710	HEC	O2A-CGA-CBA	2.05	120.47	114.00
4	X	705	HEC	CMC-C2C-C1C	-2.02	125.49	128.46
4	X	719	HEC	C3C-C4C-NC	-2.01	107.14	110.94
4	X	704	HEC	C4C-CHD-C1D	2.01	129.56	123.67

There are no chirality outliers.

All (57) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
4	X	704	HEC	C3D-CAD-CBD-CGD
4	X	713	HEC	C2D-C3D-CAD-CBD
4	X	713	HEC	C4D-C3D-CAD-CBD
5	X	720	GOL	O1-C1-C2-C3
5	X	721	GOL	C1-C2-C3-O3
5	X	722	GOL	C1-C2-C3-O3
5	X	722	GOL	O2-C2-C3-O3
5	X	723	GOL	C1-C2-C3-O3
4	X	712	HEC	C2A-CAA-CBA-CGA
4	X	713	HEC	C3D-CAD-CBD-CGD
5	X	720	GOL	O1-C1-C2-O2
5	X	721	GOL	O2-C2-C3-O3
5	X	723	GOL	O2-C2-C3-O3
5	X	724	GOL	O1-C1-C2-O2
5	X	722	GOL	O1-C1-C2-C3
5	X	724	GOL	O1-C1-C2-C3
4	X	717	HEC	C3D-CAD-CBD-CGD
4	X	705	HEC	C3D-CAD-CBD-CGD
5	X	722	GOL	O1-C1-C2-O2
4	X	719	HEC	C3D-CAD-CBD-CGD
4	X	710	HEC	CAD-CBD-CGD-O2D
4	X	712	HEC	CAA-CBA-CGA-O1A
4	X	718	HEC	CAD-CBD-CGD-O2D
5	X	721	GOL	O1-C1-C2-C3
4	X	709	HEC	CAD-CBD-CGD-O2D
4	X	712	HEC	CAA-CBA-CGA-O2A
4	X	713	HEC	CAA-CBA-CGA-O1A
4	X	718	HEC	CAD-CBD-CGD-O1D
4	X	713	HEC	CAA-CBA-CGA-O2A
4	X	708	HEC	CAD-CBD-CGD-O1D
4	X	710	HEC	CAD-CBD-CGD-O1D
4	X	714	HEC	CAA-CBA-CGA-O2A

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Res	Type	Atoms
4	X	714	HEC	CAA-CBA-CGA-O1A
4	X	706	HEC	CAA-CBA-CGA-O2A
4	X	709	HEC	CAD-CBD-CGD-O1D
4	X	706	HEC	CAA-CBA-CGA-O1A
4	X	708	HEC	CAD-CBD-CGD-O2D
4	X	711	HEC	CAD-CBD-CGD-O2D
4	X	715	HEC	CAD-CBD-CGD-O2D
4	X	717	HEC	CAA-CBA-CGA-O1A
4	X	715	HEC	CAD-CBD-CGD-O1D
4	X	717	HEC	CAA-CBA-CGA-O2A
4	X	712	HEC	CAD-CBD-CGD-O2D
4	X	719	HEC	CAD-CBD-CGD-O1D
4	X	719	HEC	CAD-CBD-CGD-O2D
4	X	715	HEC	CAA-CBA-CGA-O1A
4	X	715	HEC	CAA-CBA-CGA-O2A
4	X	711	HEC	CAD-CBD-CGD-O1D
4	X	712	HEC	CAD-CBD-CGD-O1D
4	X	716	HEC	CAA-CBA-CGA-O1A
4	X	712	HEC	C3D-CAD-CBD-CGD
4	X	716	HEC	CAA-CBA-CGA-O2A
4	X	708	HEC	CAA-CBA-CGA-O2A
4	X	718	HEC	CAA-CBA-CGA-O1A
4	X	708	HEC	CAA-CBA-CGA-O1A
4	X	713	HEC	CAD-CBD-CGD-O2D
4	X	717	HEC	CAD-CBD-CGD-O2D

There are no ring outliers.

18 monomers are involved in 117 short contacts:


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	X	712	HEC	5	0
4	X	708	HEC	3	0
4	X	714	HEC	1	0
4	X	718	HEC	8	1
4	X	713	HEC	13	0
4	X	709	HEC	7	0
4	X	704	HEC	14	0
4	X	715	HEC	4	0
5	X	722	GOL	5	0
4	X	705	HEC	12	0
4	X	717	HEC	10	0
4	X	706	HEC	2	0


*Continued on next page...*

*Continued from previous page...*


Mol	Chain	Res	Type	Clashes	Symm-Clashes
4	X	710	HEC	6	0
4	X	716	HEC	2	0
4	X	707	HEC	6	0
5	X	723	GOL	1	0
4	X	711	HEC	11	0
4	X	719	HEC	12	0

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







## Ligand HEC X 714




Bond lengths




Bond angles





Torsions





Rings



































## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.

## 6 Fit of model and data [i](#)

### 6.1 Protein, DNA and RNA chains [i](#)

In the following table, the column labelled ‘#RSRZ> 2’ contains the number (and percentage) of RSRZ outliers, followed by percent RSRZ outliers for the chain as percentile scores relative to all X-ray entries and entries of similar resolution. The OWAB column contains the minimum, median, 95<sup>th</sup> percentile and maximum values of the occupancy-weighted average B-factor per residue. The column labelled ‘Q< 0.9’ lists the number of (and percentage) of residues with an average occupancy less than 0.9.

Mol	Chain	Analysed	<RSRZ>	#RSRZ>2	OWAB(Å <sup>2</sup> )	Q<0.9
1	X	516/560 (92%)	0.12	9 (1%) 69 70	28, 55, 82, 91	0

All (9) RSRZ outliers are listed below:

Mol	Chain	Res	Type	RSRZ
1	X	530	SER	5.2
1	X	22	ALA	3.1
1	X	16	ILE	2.9
1	X	102	ALA	2.8
1	X	186	VAL	2.6
1	X	183	PRO	2.3
1	X	34	PHE	2.1
1	X	420	TYR	2.1
1	X	81	TYR	2.1

### 6.2 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

### 6.3 Carbohydrates [i](#)

SUGAR-RSR INFOmissingINFO

### 6.4 Ligands [i](#)




In the following table, the Atoms column lists the number of modelled atoms in the group and the number defined in the chemical component dictionary. The B-factors column lists the minimum, median, 95<sup>th</sup> percentile and maximum values of B factors of atoms in the group. The column labelled ‘Q< 0.9’ lists the number of atoms with occupancy less than 0.9.

Mol	Type	Chain	Res	Atoms	RSCC	RSR	B-factors( $\text{\AA}^2$ )	Q<0.9
5	GOL	X	724	6/6	0.73	0.17	57,62,66,73	0
5	GOL	X	720	6/6	0.79	0.10	86,88,89,90	0
5	GOL	X	723	6/6	0.82	0.13	53,61,66,70	0
5	GOL	X	721	6/6	0.85	0.11	62,69,71,73	0
3	ZN	X	702	1/1	0.88	0.07	72,72,72,72	0
5	GOL	X	722	6/6	0.92	0.13	28,54,59,60	0
4	HEC	X	717	43/43	0.93	0.10	20,31,41,50	0
3	ZN	X	703	1/1	0.93	0.11	69,69,69,69	0
4	HEC	X	706	43/43	0.93	0.11	58,73,75,77	0
4	HEC	X	704	43/43	0.95	0.10	52,59,63,65	0
4	HEC	X	708	43/43	0.95	0.09	48,58,73,78	0
4	HEC	X	709	43/43	0.95	0.09	45,49,65,71	0
4	HEC	X	710	43/43	0.95	0.09	49,55,65,72	0
4	HEC	X	705	43/43	0.95	0.09	45,51,75,80	0
4	HEC	X	719	43/43	0.96	0.08	29,38,50,64	0
4	HEC	X	712	43/43	0.96	0.09	40,50,61,67	0
4	HEC	X	714	43/43	0.97	0.07	28,33,52,58	0
4	HEC	X	715	43/43	0.97	0.07	30,38,56,65	0
4	HEC	X	711	43/43	0.97	0.07	27,37,52,61	0
4	HEC	X	718	43/43	0.97	0.06	25,31,49,56	0
4	HEC	X	707	43/43	0.97	0.07	38,48,54,57	0
4	HEC	X	713	43/43	0.98	0.06	20,26,41,47	0
4	HEC	X	716	43/43	0.98	0.06	28,31,43,53	0
3	ZN	X	701	1/1	1.00	0.01	42,42,42,42	0

The following is a graphical depiction of the model fit to experimental electron density of all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the geometry validation Tables will also be included. Each fit is shown from different orientation to approximate a three-dimensional view.




**Electron density around HEC X 717:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC X 706:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC X 704:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC X 708:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC X 709:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC X 710:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC X 705:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC X 719:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC X 712:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC X 714:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC X 715:**

$2mF_o - DF_c$  (at 0.7 rmsd) in gray  
 $mF_o - DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC X 711:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC X 718:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC X 707:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)






**Electron density around HEC X 713:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



**Electron density around HEC X 716:**

$2mF_o-DF_c$  (at 0.7 rmsd) in gray  
 $mF_o-DF_c$  (at 3 rmsd) in purple (negative)  
and green (positive)



## 6.5 Other polymers [i](#)

There are no such residues in this entry.