



# wwPDB EM Validation Summary Report ⓘ

Nov 11, 2025 – 09:40 PM JST

PDB ID : 8ZSM / pdb\_00008zsm  
EMDB ID : EMD-60420  
Title : Complex I from respirasome closed state 1 bound by metformin (SC-MetC1-iii)  
Authors : Teng, F.; He, Z.X.; Hu, Y.Q.; Xu, C.Y.; Guo, R.Y.; Zhou, L.  
Deposited on : 2024-06-05  
Resolution : 3.25 Å(reported)

This is a wwPDB EM Validation Summary Report for a publicly released PDB entry.

We welcome your comments at [validation@mail.wwpdb.org](mailto:validation@mail.wwpdb.org)

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

---

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis : 0.0.1.dev129  
Mogul : 1.8.5 (274361), CSD as541be (2020)  
MolProbity : 4-5-2 with Phenix2.0  
buster-report : 1.1.7 (2018)  
Percentile statistics : 20231227.v01 (using entries in the PDB archive December 27th 2023)  
EM percentile statistics : 202505.v01 (Using data in the EMDB archive up until May 2025)  
MapQ : 1.9.13  
Ideal geometry (proteins) : Engh & Huber (2001)  
Ideal geometry (DNA, RNA) : Parkinson et al. (1996)  
Validation Pipeline (wwPDB-VP) : 2.46



# 1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

*ELECTRON MICROSCOPY*

The reported resolution of this entry is 3.25 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)	Similar EM resolution (#Entries, resolution range(Å))
Clashscore	210492	15764	-
Ramachandran outliers	207382	16835	-
Sidechain outliers	206894	16415	-
Q-score	-	25397	14599 ( 2.75 - 3.75 )

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for  $\geq 3$ , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions  $\leq 5\%$ . The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion  $< 40\%$ ). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	4L	98	<div> <div>5%</div> <div>72%</div> <div>28%</div> </div>
2	A1	70	<div> <div>19%</div> <div>86%</div> <div>14%</div> </div>
3	A2	85	<div> <div>31%</div> <div>78%</div> <div>22%</div> </div>
4	A3	83	<div> <div>39%</div> <div>92%</div> <div>8%</div> </div>

*Continued on next page...*

Continued from previous page...

Mol	Chain	Length	Quality of chain
5	A5	112	
6	A6	114	
7	A7	112	
8	A8	171	
9	A9	341	
10	AB	87	
10	AC	87	
11	AK	321	
12	AL	140	
13	AM	144	
14	AN	142	
15	B1	56	
16	B2	67	
17	B3	80	
18	B4	128	
19	B5	138	
20	B6	126	
21	B7	125	
22	B8	156	
23	B9	178	
24	BK	176	
25	BL	102	
26	CA	49	
27	CB	121	
28	N1	318	

Continued on next page...

Continued from previous page...

Mol	Chain	Length	Quality of chain
29	N2	347	
30	N3	115	
31	N4	459	
32	N5	603	
33	N6	174	
34	S1	689	
35	S2	430	
36	S3	208	
37	S4	124	
38	S5	105	
39	S6	96	
40	S7	156	
41	S8	176	
42	V1	431	
43	V2	217	
44	V3	42	

The following table lists non-polymeric compounds, carbohydrate monomers and non-standard residues in protein, DNA, RNA chains that are outliers for geometric or electron-density-fit criteria:

Mol	Type	Chain	Res	Chirality	Geometry	Clashes	Electron density
53	SF4	S8	302	-	-	X	-
53	SF4	V1	501	-	-	X	-

## 2 Entry composition

There are 58 unique types of molecules in this entry. The entry contains 68795 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called NADH-ubiquinone oxidoreductase chain 4L.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	4L	98	Total	C	N	O	S	0	0
			748	493	113	128	14		

- Molecule 2 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
2	A1	70	Total	C	N	O	S	0	0
			562	361	101	94	6		

- Molecule 3 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
3	A2	85	Total	C	N	O	S	0	0
			686	431	128	125	2		

- Molecule 4 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
4	A3	83	Total	C	N	O	S	0	0
			643	417	110	115	1		

- Molecule 5 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
5	A5	112	Total	C	N	O	S	0	0
			910	588	154	165	3		

- Molecule 6 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
6	A6	114	Total	C	N	O	S	0	0
			967	617	178	167	5		

- Molecule 7 is a protein called Complex I-B14.5a.

Mol	Chain	Residues	Atoms					AltConf	Trace
7	A7	97	Total	C	N	O	S	0	0
			780	491	147	139	3		

- Molecule 8 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 8.

Mol	Chain	Residues	Atoms					AltConf	Trace
8	A8	171	Total	C	N	O	S	0	0
			1398	887	250	251	10		

- Molecule 9 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 9, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
9	A9	341	Total	C	N	O	S	0	0
			2743	1777	480	477	9		

- Molecule 10 is a protein called Acyl carrier protein.

Mol	Chain	Residues	Atoms					AltConf	Trace
10	AB	77	Total	C	N	O	S	0	0
			624	402	93	124	5		
10	AC	87	Total	C	N	O	S	0	0
			702	452	103	142	5		

- Molecule 11 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 10, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
11	AK	320	Total	C	N	O	S	0	0
			2590	1649	440	491	10		

- Molecule 12 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 11.

Mol	Chain	Residues	Atoms					AltConf	Trace
12	AL	140	Total	C	N	O	S	0	0
			1021	651	174	190	6		

- Molecule 13 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 12.

Mol	Chain	Residues	Atoms					AltConf	Trace
13	AM	144	Total	C	N	O	S	0	0
			1204	770	218	212	4		

- Molecule 14 is a protein called NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 13.

Mol	Chain	Residues	Atoms					AltConf	Trace
14	AN	142	Total	C	N	O	S	0	0
			1173	755	203	206	9		

- Molecule 15 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
15	B1	56	Total	C	N	O	S	0	0
			479	311	88	79	1		

- Molecule 16 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
16	B2	67	Total	C	N	O	S	0	0
			584	385	95	103	1		

- Molecule 17 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
17	B3	80	Total	C	N	O	S	0	0
			641	418	108	114	1		

- Molecule 18 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 4.

Mol	Chain	Residues	Atoms				AltConf	Trace
18	B4	128	Total	C	N	O	0	0
			1062	691	182	189		

- Molecule 19 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 5, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
19	B5	138	Total	C	N	O	S	0	0
			1151	754	195	199	3		

- Molecule 20 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
20	B6	103	Total	C	N	O	S	0	0
			882	577	156	148	1		

- Molecule 21 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 7.

Mol	Chain	Residues	Atoms					AltConf	Trace
21	B7	125	Total	C	N	O	S	0	0
			1068	663	204	190	11		

- Molecule 22 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
22	B8	156	Total	C	N	O	S	0	0
			1315	853	213	241	8		

- Molecule 23 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 9.

Mol	Chain	Residues	Atoms					AltConf	Trace
23	B9	178	Total	C	N	O	S	0	0
			1534	982	279	265	8		

- Molecule 24 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 10.



Mol	Chain	Residues	Atoms					AltConf	Trace
24	BK	174	Total	C	N	O	S	0	0
			1456	913	264	271	8		

- Molecule 25 is a protein called NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 11, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
25	BL	99	Total	C	N	O	S	0	0
			828	531	137	156	4		

- Molecule 26 is a protein called NADH dehydrogenase [ubiquinone] 1 subunit C1, mitochondrial.

Mol	Chain	Residues	Atoms				AltConf	Trace
26	CA	49	Total	C	N	O	0	0
			417	276	71	70		

- Molecule 27 is a protein called NADH dehydrogenase [ubiquinone] 1 subunit C2.

Mol	Chain	Residues	Atoms					AltConf	Trace
27	CB	121	Total	C	N	O	S	0	0
			1000	650	173	171	6		

- Molecule 28 is a protein called NADH-ubiquinone oxidoreductase chain 1.

Mol	Chain	Residues	Atoms					AltConf	Trace
28	N1	318	Total	C	N	O	S	0	0
			2508	1678	385	424	21		

- Molecule 29 is a protein called NADH-ubiquinone oxidoreductase chain 2.

Mol	Chain	Residues	Atoms					AltConf	Trace
29	N2	347	Total	C	N	O	S	0	0
			2710	1782	420	462	46		

- Molecule 30 is a protein called NADH-ubiquinone oxidoreductase chain 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
30	N3	115	Total	C	N	O	S	0	0
			914	615	134	158	7		

- Molecule 31 is a protein called NADH-ubiquinone oxidoreductase chain 4.

Mol	Chain	Residues	Atoms					AltConf	Trace
31	N4	459	Total	C	N	O	S	0	0
			3631	2412	572	609	38		

- Molecule 32 is a protein called NADH-ubiquinone oxidoreductase chain 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
32	N5	603	Total	C	N	O	S	0	0
			4785	3173	741	820	51		

- Molecule 33 is a protein called NADH-ubiquinone oxidoreductase chain 6.

Mol	Chain	Residues	Atoms					AltConf	Trace
33	N6	174	Total	C	N	O	S	0	0
			1329	892	189	236	12		

- Molecule 34 is a protein called NADH-ubiquinone oxidoreductase 75 kDa subunit, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
34	S1	689	Total	C	N	O	S	0	0
			5290	3317	922	1012	39		

- Molecule 35 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
35	S2	430	Total	C	N	O	S	0	0
			3459	2212	594	629	24		

- Molecule 36 is a protein called Complex I-30kD.

Mol	Chain	Residues	Atoms					AltConf	Trace
36	S3	208	Total	C	N	O	S	0	0
			1738	1124	298	314	2		

- Molecule 37 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
37	S4	124	Total	C	N	O	S	0	0
			1007	637	179	188	3		

- Molecule 38 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 5.

Mol	Chain	Residues	Atoms					AltConf	Trace
38	S5	105	Total	C	N	O	S	0	0
			867	550	161	150	6		

- Molecule 39 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 6, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
39	S6	96	Total	C	N	O	S	0	0
			741	452	140	146	3		

- Molecule 40 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 7, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
40	S7	156	Total	C	N	O	S	0	0
			1248	794	227	213	14		

- Molecule 41 is a protein called NADH dehydrogenase [ubiquinone] iron-sulfur protein 8, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
41	S8	176	Total	C	N	O	S	0	0
			1412	887	243	269	13		

- Molecule 42 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
42	V1	431	Total	C	N	O	S	0	0
			3316	2092	592	612	20		


- Molecule 43 is a protein called NADH dehydrogenase [ubiquinone] flavoprotein 2, mitochondrial.

Mol	Chain	Residues	Atoms					AltConf	Trace
43	V2	217	Total	C	N	O	S	0	0
			1671	1065	281	315	10		

- Molecule 44 is a protein called NADH:ubiquinone oxidoreductase subunit V3.


Mol	Chain	Residues	Atoms					AltConf	Trace
44	V3	42	Total	C	N	O	S	0	0
			355	219	67	68	1		

- Molecule 45 is CARDIOLIPIN (CCD ID: CDL) (formula:  $C_{81}H_{156}O_{17}P_2$ ).




Mol	Chain	Residues	Atoms				AltConf
45	4L	1	Total	C	O	P	0
			92	73	17	2	
45	A1	1	Total	C	O	P	0
			94	75	17	2	
45	AL	1	Total	C	O	P	0
			94	75	17	2	
45	AL	1	Total	C	O	P	0
			71	52	17	2	
45	B5	1	Total	C	O	P	0
			100	81	17	2	
45	CB	1	Total	C	O	P	0
			83	64	17	2	
45	N1	1	Total	C	O	P	0
			78	59	17	2	
45	N2	1	Total	C	O	P	0
			68	49	17	2	
45	N4	1	Total	C	O	P	0
			100	81	17	2	
45	N5	1	Total	C	O	P	0
			89	70	17	2	
45	N5	1	Total	C	O	P	0
			100	81	17	2	

- Molecule 46 is 1,2-DIACYL-SN-GLYCERO-3-PHOSPHOCHOLINE (CCD ID: PC1) (formula:  $C_{44}H_{88}NO_8P$ ).




Mol	Chain	Residues	Atoms					AltConf
46	A3	1	Total	C	N	O	P	0
			50	40	1	8	1	
46	A3	1	Total	C	N	O	P	0
			54	44	1	8	1	
46	AN	1	Total	C	N	O	P	0
			54	44	1	8	1	
46	B5	1	Total	C	N	O	P	0
			54	44	1	8	1	
46	B8	1	Total	C	N	O	P	0
			41	31	1	8	1	
46	N3	1	Total	C	N	O	P	0
			54	44	1	8	1	
46	N3	1	Total	C	N	O	P	0
			54	44	1	8	1	

- Molecule 47 is NADPH DIHYDRO-NICOTINAMIDE-ADENINE-DINUCLEOTIDE PHOSPHATE (CCD ID: NDP) (formula:  $C_{21}H_{30}N_7O_{17}P_3$ ).



Mol	Chain	Residues	Atoms					AltConf
47	A9	1	Total	C	N	O	P	0
			48	21	7	17	3	

- Molecule 48 is 1,2-dioleoyl-sn-glycero-3-phosphoethanolamine (CCD ID: PEE) (formula: C<sub>41</sub>H<sub>78</sub>NO<sub>8</sub>P).




Mol	Chain	Residues	Atoms					AltConf
48	A9	1	Total	C	N	O	P	0
			39	29	1	8	1	
48	AK	1	Total	C	N	O	P	0
			40	30	1	8	1	

Continued on next page...

*Continued from previous page...*


Mol	Chain	Residues	Atoms					AltConf
48	AL	1	Total	C	N	O	P	0
			36	26	1	8	1	
48	AL	1	Total	C	N	O	P	0
			40	30	1	8	1	
48	AN	1	Total	C	N	O	P	0
			51	41	1	8	1	
48	B6	1	Total	C	N	O	P	0
			46	36	1	8	1	
48	N1	1	Total	C	N	O	P	0
			31	21	1	8	1	
48	N2	1	Total	C	N	O	P	0
			35	25	1	8	1	
48	N2	1	Total	C	N	O	P	0
			48	38	1	8	1	
48	N3	1	Total	C	N	O	P	0
			51	41	1	8	1	
48	N4	1	Total	C	N	O	P	0
			49	39	1	8	1	
48	N5	1	Total	C	N	O	P	0
			51	41	1	8	1	
48	S8	1	Total	C	N	O	P	0
			51	41	1	8	1	

- Molecule 49 is S-[2-( {N-[(2S)-2-hydroxy-3,3-dimethyl-4-(phosphonooxy)butanoyl]-beta-alanyl}amino)ethyl] tetradecanethioate (CCD ID: ZMP) (formula: C<sub>25</sub>H<sub>49</sub>N<sub>2</sub>O<sub>8</sub>PS) (labeled as "Ligand of Interest" by depositor).



Mol	Chain	Residues	Atoms						AltConf
49	AB	1	Total 36	C 25	N 2	O 7	P 1	S 1	0
49	AC	1	Total 36	C 25	N 2	O 7	P 1	S 1	0

- Molecule 50 is ADENOSINE-5'-DIPHOSPHATE (CCD ID: ADP) (formula:  $C_{10}H_{15}N_5O_{10}P_2$ ).



Mol	Chain	Residues	Atoms					AltConf
50	AK	1	Total	C	N	O	P	0
			27	10	5	10	2	


- Molecule 51 is (9R,11S)-9-({[(1S)-1-HYDROXYHEXADECYL]OXY}METHYL)-2,2-DIMETHYL-5,7,10-TRIOXA-2LAMBDA 5 -AZA-6LAMBDA 5 -PHOSPHAOCTACOSANE-6,6,11-TRIOL (CCD ID: PLX) (formula:  $C_{42}H_{89}NO_8P$ ).






Mol	Chain	Residues	Atoms					AltConf
51	AL	1	Total 47	C 37	N 1	O 8	P 1	0
51	B5	1	Total 52	C 42	N 1	O 8	P 1	0
51	CB	1	Total 52	C 42	N 1	O 8	P 1	0
51	N1	1	Total 52	C 42	N 1	O 8	P 1	0
51	N3	1	Total 52	C 42	N 1	O 8	P 1	0
51	N4	1	Total 43	C 33	N 1	O 8	P 1	0
51	S7	1	Total 52	C 42	N 1	O 8	P 1	0

- Molecule 52 is 1,2-Distearoyl-sn-glycerophosphoethanolamine (CCD ID: 3PE) (formula:  $C_{41}H_{82}NO_8P$ ).



Mol	Chain	Residues	Atoms					AltConf
52	B4	1	Total	C	N	O	P	0
			51	41	1	8	1	
52	CB	1	Total	C	N	O	P	0
			51	41	1	8	1	
52	N4	1	Total	C	N	O	P	0
			51	41	1	8	1	

- Molecule 53 is IRON/SULFUR CLUSTER (CCD ID: SF4) (formula: Fe<sub>4</sub>S<sub>4</sub>).




Mol	Chain	Residues	Atoms			AltConf
53	S1	1	Total	Fe	S	0
			8	4	4	

Continued on next page...

Continued from previous page...

Mol	Chain	Residues	Atoms			AltConf
53	S1	1	Total	Fe	S	0
			8	4	4	
53	S7	1	Total	Fe	S	0
			8	4	4	
53	S8	1	Total	Fe	S	0
			8	4	4	
53	S8	1	Total	Fe	S	0
			8	4	4	
53	V1	1	Total	Fe	S	0
			8	4	4	

- Molecule 54 is FE2/S2 (INORGANIC) CLUSTER (CCD ID: FES) (formula:  $\text{Fe}_2\text{S}_2$ ) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
54	S1	1	Total	Fe	S	0
			4	2	2	
54	V2	1	Total	Fe	S	0
			4	2	2	

- Molecule 55 is MAGNESIUM ION (CCD ID: MG) (formula:  $\text{Mg}$ ).

Mol	Chain	Residues	Atoms		AltConf
55	S1	1	Total	Mg	0
			1	1	

- Molecule 56 is Metformin (CCD ID: MF8) (formula:  $C_4H_{11}N_5$ ) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms			AltConf
56	S2	1	Total	C	N	0
			9	4	5	

- Molecule 57 is ZINC ION (CCD ID: ZN) (formula:  $Zn$ ).

Mol	Chain	Residues	Atoms		AltConf
57	S6	1	Total	Zn	0
			1	1	

- Molecule 58 is FLAVIN MONONUCLEOTIDE (CCD ID: FMN) (formula:  $C_{17}H_{21}N_4O_9P$ ) (labeled as "Ligand of Interest" by depositor).




Mol	Chain	Residues	Atoms					AltConf
58	V1	1	Total	C	N	O	P	0
			31	17	4	9	1	


### 3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: NADH-ubiquinone oxidoreductase chain 4L




- Molecule 2: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 1




- Molecule 3: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 2




- Molecule 4: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 3






- Molecule 5: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 5










- Molecule 6: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 6






- Molecule 7: Complex I-B14.5a




- Molecule 8: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 8





- Molecule 9: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 9, mitochondrial









• Molecule 10: Acyl carrier protein




• Molecule 10: Acyl carrier protein




• Molecule 11: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 10, mitochondrial






• Molecule 12: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 11










- Molecule 13: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 12





- Molecule 14: NADH dehydrogenase [ubiquinone] 1 alpha subcomplex subunit 13




- Molecule 15: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 1




- Molecule 16: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 2, mitochondrial





- Molecule 17: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 3






- Molecule 18: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 4




- Molecule 19: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 5, mitochondrial




- Molecule 20: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 6




- Molecule 21: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 7





- Molecule 22: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 8, mitochondrial









- Molecule 23: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 9




- Molecule 24: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 10




- Molecule 25: NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 11, mitochondrial




- Molecule 26: NADH dehydrogenase [ubiquinone] 1 subunit C1, mitochondrial




- Molecule 27: NADH dehydrogenase [ubiquinone] 1 subunit C2




- Molecule 28: NADH-ubiquinone oxidoreductase chain 1




- Molecule 29: NADH-ubiquinone oxidoreductase chain 2




- Molecule 30: NADH-ubiquinone oxidoreductase chain 3





- Molecule 31: NADH-ubiquinone oxidoreductase chain 4







• Molecule 32: NADH-ubiquinone oxidoreductase chain 5





• Molecule 33: NADH-ubiquinone oxidoreductase chain 6








- Molecule 34: NADH-ubiquinone oxidoreductase 75 kDa subunit, mitochondrial





- Molecule 35: NADH dehydrogenase [ubiquinone] iron-sulfur protein 2, mitochondrial









• Molecule 36: Complex I-30kD





• Molecule 37: NADH dehydrogenase [ubiquinone] iron-sulfur protein 4, mitochondrial




• Molecule 38: NADH dehydrogenase [ubiquinone] iron-sulfur protein 5




• Molecule 39: NADH dehydrogenase [ubiquinone] iron-sulfur protein 6, mitochondrial




• Molecule 40: NADH dehydrogenase [ubiquinone] iron-sulfur protein 7, mitochondrial




• Molecule 41: NADH dehydrogenase [ubiquinone] iron-sulfur protein 8, mitochondrial






- Molecule 42: NADH dehydrogenase [ubiquinone] flavoprotein 1, mitochondrial




- Molecule 43: NADH dehydrogenase [ubiquinone] flavoprotein 2, mitochondrial



- Molecule 44: NADH:ubiquinone oxidoreductase subunit V3







## 4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	20004	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ( $e^-/\text{\AA}^2$ )	51.9	Depositor
Minimum defocus (nm)	600	Depositor
Maximum defocus (nm)	1800	Depositor
Magnification	105000	Depositor
Image detector	FEI FALCON IV (4k x 4k)	Depositor
Maximum map value	42.429	Depositor
Minimum map value	-13.805	Depositor
Average map value	0.000	Depositor
Map value standard deviation	1.014	Depositor
Recommended contour level	7	Depositor
Map size (Å)	576.0, 576.0, 576.0	wwPDB
Map dimensions	480, 480, 480	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.2, 1.2, 1.2	Depositor

## 5 Model quality [i](#)

### 5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: ADP, MG, MF8, PC1, SF4, NDP, 2MR, FMN, FES, 3PE, ZN, PLX, CDL, ZMP, PEE

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 5$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z  > 5$	RMSZ	$\# Z  > 5$
1	4L	0.13	0/759	0.26	0/1029
2	A1	0.11	0/577	0.23	0/777
3	A2	0.09	0/697	0.24	0/938
4	A3	0.09	0/664	0.21	0/912
5	A5	0.10	0/929	0.21	0/1258
6	A6	0.11	0/991	0.26	0/1335
7	A7	0.10	0/798	0.25	0/1079
8	A8	0.10	0/1436	0.23	0/1938
9	A9	0.11	0/2820	0.23	0/3823
10	AB	0.07	0/633	0.19	0/851
10	AC	0.10	0/714	0.20	0/965
11	AK	0.10	0/2650	0.24	0/3588
12	AL	0.11	0/1042	0.21	0/1411
13	AM	0.08	0/1245	0.21	0/1694
14	AN	0.12	0/1204	0.24	0/1624
15	B1	0.10	0/491	0.23	0/663
16	B2	0.11	0/610	0.25	0/836
17	B3	0.10	0/660	0.21	0/892
18	B4	0.11	0/1092	0.22	0/1481
19	B5	0.11	0/1184	0.23	0/1603
20	B6	0.12	0/910	0.28	0/1237
21	B7	0.10	0/1092	0.22	0/1459
22	B8	0.10	0/1371	0.23	0/1875
23	B9	0.11	0/1590	0.23	0/2155
24	BK	0.11	0/1489	0.23	0/2008
25	BL	0.11	0/851	0.25	0/1155
26	CA	0.09	0/430	0.20	0/581
27	CB	0.11	0/1031	0.22	0/1394
28	N1	0.16	0/2581	0.33	2/3529 (0.1%)
29	N2	0.15	0/2773	0.29	0/3768
30	N3	0.13	0/938	0.25	0/1281
31	N4	0.14	0/3723	0.28	0/5078

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	# Z  >5	RMSZ	# Z  >5
32	N5	0.14	0/4914	0.31	0/6683
33	N6	0.12	0/1364	0.27	0/1850
34	S1	0.12	0/5378	0.27	0/7287
35	S2	0.14	0/3538	0.26	0/4796
36	S3	0.12	0/1789	0.26	0/2436
37	S4	0.11	0/1030	0.27	0/1391
38	S5	0.09	0/889	0.21	0/1190
39	S6	0.10	0/755	0.25	0/1018
40	S7	0.13	0/1279	0.25	0/1730
41	S8	0.13	0/1443	0.25	0/1952
42	V1	0.13	0/3391	0.27	0/4583
43	V2	0.11	0/1711	0.26	0/2328
44	V3	0.09	0/365	0.25	0/493
All	All	0.12	0/67821	0.26	2/91954 (0.0%)

There are no bond length outliers.

All (2) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
28	N1	276	SER	CA-C-N	-5.24	111.47	123.15
28	N1	276	SER	C-N-CA	-5.24	111.47	123.15

There are no chirality outliers.

There are no planarity outliers.

## 5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	4L	748	0	799	27	0
2	A1	562	0	557	9	0
3	A2	686	0	699	13	0
4	A3	643	0	642	7	0
5	A5	910	0	950	11	0
6	A6	967	0	972	18	0
7	A7	780	0	808	15	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
8	A8	1398	0	1372	25	0
9	A9	2743	0	2762	43	0
10	AB	624	0	625	11	0
10	AC	702	0	694	6	0
11	AK	2590	0	2553	31	0
12	AL	1021	0	1025	20	0
13	AM	1204	0	1162	11	0
14	AN	1173	0	1166	26	0
15	B1	479	0	486	11	0
16	B2	584	0	529	11	0
17	B3	641	0	620	9	0
18	B4	1062	0	1072	12	0
19	B5	1151	0	1164	14	0
20	B6	882	0	899	22	0
21	B7	1068	0	1043	15	0
22	B8	1315	0	1208	19	0
23	B9	1534	0	1470	17	0
24	BK	1456	0	1424	26	0
25	BL	828	0	788	14	0
26	CA	417	0	422	5	0
27	CB	1000	0	994	20	0
28	N1	2508	0	2607	58	0
29	N2	2710	0	2874	62	0
30	N3	914	0	951	21	0
31	N4	3631	0	3839	71	0
32	N5	4785	0	4933	106	0
33	N6	1329	0	1326	36	0
34	S1	5290	0	5321	90	0
35	S2	3459	0	3396	75	0
36	S3	1738	0	1693	28	0
37	S4	1007	0	1008	18	0
38	S5	867	0	871	13	0
39	S6	741	0	701	6	0
40	S7	1248	0	1254	28	0
41	S8	1412	0	1363	35	0
42	V1	3316	0	3272	69	0
43	V2	1671	0	1673	28	0
44	V3	355	0	329	10	0
45	4L	92	0	137	6	0
45	A1	94	0	141	6	0
45	AL	165	0	224	16	0
45	B5	100	0	156	8	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
45	CB	83	0	113	2	0
45	N1	78	0	103	6	0
45	N2	68	0	80	2	0
45	N4	100	0	156	8	0
45	N5	189	0	284	7	0
46	A3	104	0	165	2	0
46	AN	54	0	88	4	0
46	B5	54	0	88	1	0
46	B8	41	0	59	0	0
46	N3	108	0	176	4	0
47	A9	48	0	26	1	0
48	A9	39	0	52	6	0
48	AK	40	0	57	2	0
48	AL	76	0	103	7	0
48	AN	51	0	82	2	0
48	B6	46	0	69	3	0
48	N1	31	0	36	2	0
48	N2	83	0	117	5	0
48	N3	51	0	82	3	0
48	N4	49	0	75	3	0
48	N5	51	0	82	3	0
48	S8	51	0	82	1	0
49	AB	36	0	47	2	0
49	AC	36	0	47	5	0
50	AK	27	0	12	3	0
51	AL	47	0	75	7	0
51	B5	52	0	88	3	0
51	CB	52	0	88	3	0
51	N1	52	0	88	4	0
51	N3	52	0	88	3	0
51	N4	43	0	67	5	0
51	S7	52	0	88	3	0
52	B4	51	0	82	2	0
52	CB	51	0	82	5	0
52	N4	51	0	82	3	0
53	S1	16	0	0	1	0
53	S7	8	0	0	0	0
53	S8	16	0	0	3	0
53	V1	8	0	0	4	0
54	S1	4	0	0	0	0
54	V2	4	0	0	0	0
55	S1	1	0	0	0	0

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
56	S2	9	0	0	0	0
57	S6	1	0	0	0	0
58	V1	31	0	19	1	0
All	All	68795	0	70102	1055	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 8.

The worst 5 of 1055 close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
24:BK:140:GLN:O	24:BK:144:SER:HB2	1.58	1.03
21:B7:92:HIS:HD1	32:N5:481:THR:HG1	1.16	0.89
34:S1:338:VAL:O	34:S1:365:SER:HB2	1.75	0.87
5:A5:20:PRO:HB3	5:A5:77:ILE:HG21	1.59	0.85
1:4L:37:MET:HG2	1:4L:67:ALA:HB2	1.59	0.84

There are no symmetry-related clashes.

## 5.3 Torsion angles ⓘ

### 5.3.1 Protein backbone ⓘ

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	4L	96/98 (98%)	93 (97%)	3 (3%)	0	100	100
2	A1	68/70 (97%)	68 (100%)	0	0	100	100
3	A2	83/85 (98%)	79 (95%)	4 (5%)	0	100	100
4	A3	81/83 (98%)	78 (96%)	3 (4%)	0	100	100
5	A5	110/112 (98%)	105 (96%)	5 (4%)	0	100	100
6	A6	112/114 (98%)	107 (96%)	5 (4%)	0	100	100
7	A7	93/112 (83%)	91 (98%)	2 (2%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
8	A8	169/171 (99%)	163 (96%)	6 (4%)	0	100	100
9	A9	339/341 (99%)	327 (96%)	12 (4%)	0	100	100
10	AB	75/87 (86%)	73 (97%)	2 (3%)	0	100	100
10	AC	85/87 (98%)	85 (100%)	0	0	100	100
11	AK	318/321 (99%)	309 (97%)	9 (3%)	0	100	100
12	AL	138/140 (99%)	137 (99%)	1 (1%)	0	100	100
13	AM	142/144 (99%)	140 (99%)	2 (1%)	0	100	100
14	AN	140/142 (99%)	133 (95%)	7 (5%)	0	100	100
15	B1	54/56 (96%)	54 (100%)	0	0	100	100
16	B2	65/67 (97%)	64 (98%)	1 (2%)	0	100	100
17	B3	78/80 (98%)	76 (97%)	2 (3%)	0	100	100
18	B4	126/128 (98%)	125 (99%)	1 (1%)	0	100	100
19	B5	136/138 (99%)	133 (98%)	3 (2%)	0	100	100
20	B6	99/126 (79%)	95 (96%)	4 (4%)	0	100	100
21	B7	123/125 (98%)	120 (98%)	3 (2%)	0	100	100
22	B8	154/156 (99%)	149 (97%)	5 (3%)	0	100	100
23	B9	176/178 (99%)	172 (98%)	4 (2%)	0	100	100
24	BK	172/176 (98%)	170 (99%)	2 (1%)	0	100	100
25	BL	97/102 (95%)	90 (93%)	7 (7%)	0	100	100
26	CA	47/49 (96%)	47 (100%)	0	0	100	100
27	CB	119/121 (98%)	116 (98%)	3 (2%)	0	100	100
28	N1	316/318 (99%)	308 (98%)	8 (2%)	0	100	100
29	N2	345/347 (99%)	334 (97%)	11 (3%)	0	100	100
30	N3	113/115 (98%)	111 (98%)	2 (2%)	0	100	100
31	N4	457/459 (100%)	454 (99%)	3 (1%)	0	100	100
32	N5	601/603 (100%)	577 (96%)	24 (4%)	0	100	100
33	N6	172/174 (99%)	164 (95%)	8 (5%)	0	100	100
34	S1	687/689 (100%)	661 (96%)	26 (4%)	0	100	100
35	S2	427/430 (99%)	411 (96%)	16 (4%)	0	100	100
36	S3	206/208 (99%)	199 (97%)	7 (3%)	0	100	100
37	S4	122/124 (98%)	121 (99%)	1 (1%)	0	100	100

*Continued on next page...*



*Continued from previous page...*

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
38	S5	103/105 (98%)	101 (98%)	2 (2%)	0	100	100
39	S6	94/96 (98%)	93 (99%)	1 (1%)	0	100	100
40	S7	154/156 (99%)	148 (96%)	6 (4%)	0	100	100
41	S8	174/176 (99%)	171 (98%)	3 (2%)	0	100	100
42	V1	429/431 (100%)	406 (95%)	23 (5%)	0	100	100
43	V2	215/217 (99%)	210 (98%)	5 (2%)	0	100	100
44	V3	40/42 (95%)	38 (95%)	2 (5%)	0	100	100
All	All	8150/8299 (98%)	7906 (97%)	244 (3%)	0	100	100

There are no Ramachandran outliers to report.

### 5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	4L	85/85 (100%)	85 (100%)	0	100	100
2	A1	58/58 (100%)	58 (100%)	0	100	100
3	A2	76/76 (100%)	76 (100%)	0	100	100
4	A3	69/69 (100%)	69 (100%)	0	100	100
5	A5	99/99 (100%)	98 (99%)	1 (1%)	73	82
6	A6	107/107 (100%)	106 (99%)	1 (1%)	75	84
7	A7	87/97 (90%)	87 (100%)	0	100	100
8	A8	153/153 (100%)	152 (99%)	1 (1%)	81	87
9	A9	295/295 (100%)	294 (100%)	1 (0%)	91	94
10	AB	71/80 (89%)	71 (100%)	0	100	100
10	AC	80/80 (100%)	79 (99%)	1 (1%)	65	78
11	AK	283/284 (100%)	281 (99%)	2 (1%)	81	87
12	AL	101/101 (100%)	99 (98%)	2 (2%)	50	70
13	AM	130/130 (100%)	130 (100%)	0	100	100

*Continued on next page...*

*Continued from previous page...*

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
14	AN	123/123 (100%)	123 (100%)	0	100	100
15	B1	53/53 (100%)	53 (100%)	0	100	100
16	B2	62/62 (100%)	62 (100%)	0	100	100
17	B3	62/62 (100%)	62 (100%)	0	100	100
18	B4	113/113 (100%)	112 (99%)	1 (1%)	75	84
19	B5	121/121 (100%)	121 (100%)	0	100	100
20	B6	98/119 (82%)	95 (97%)	3 (3%)	35	59
21	B7	112/112 (100%)	112 (100%)	0	100	100
22	B8	141/141 (100%)	139 (99%)	2 (1%)	62	77
23	B9	159/159 (100%)	159 (100%)	0	100	100
24	BK	155/156 (99%)	155 (100%)	0	100	100
25	BL	91/94 (97%)	91 (100%)	0	100	100
26	CA	45/45 (100%)	45 (100%)	0	100	100
27	CB	108/108 (100%)	108 (100%)	0	100	100
28	N1	275/275 (100%)	269 (98%)	6 (2%)	47	68
29	N2	311/311 (100%)	310 (100%)	1 (0%)	91	94
30	N3	100/100 (100%)	98 (98%)	2 (2%)	50	70
31	N4	410/410 (100%)	407 (99%)	3 (1%)	81	87
32	N5	537/537 (100%)	534 (99%)	3 (1%)	84	89
33	N6	140/140 (100%)	140 (100%)	0	100	100
34	S1	579/579 (100%)	571 (99%)	8 (1%)	62	77
35	S2	370/370 (100%)	365 (99%)	5 (1%)	62	77
36	S3	190/190 (100%)	189 (100%)	1 (0%)	86	90
37	S4	112/112 (100%)	110 (98%)	2 (2%)	54	72
38	S5	93/93 (100%)	92 (99%)	1 (1%)	70	81
39	S6	79/79 (100%)	79 (100%)	0	100	100
40	S7	132/132 (100%)	131 (99%)	1 (1%)	79	86
41	S8	151/151 (100%)	148 (98%)	3 (2%)	50	70
42	V1	344/344 (100%)	339 (98%)	5 (2%)	60	75
43	V2	183/183 (100%)	180 (98%)	3 (2%)	58	74
44	V3	41/41 (100%)	40 (98%)	1 (2%)	44	66

*Continued on next page...*

Continued from previous page...

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles
All	All	7184/7229 (99%)	7124 (99%)	60 (1%)	77 86

5 of 60 residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
32	N5	310	LEU
42	V1	385	CYS
34	S1	636	TYR
42	V1	379	CYS
44	V3	406	LEU

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. 5 of 95 such sidechains are listed below:

Mol	Chain	Res	Type
32	N5	59	GLN
35	S2	93	GLN
32	N5	226	GLN
34	S1	282	ASN
36	S3	55	HIS

### 5.3.3 RNA ⓘ

There are no RNA molecules in this entry.

## 5.4 Non-standard residues in protein, DNA, RNA chains ⓘ

1 non-standard protein/DNA/RNA residue is modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
35	2MR	S2	124	35	10,12,13	2.44	2 (20%)	5,13,15	0.97	0

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
35	2MR	S2	124	35	-	3/10/13/15	-

All (2) bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
35	S2	124	2MR	CZ-NE	5.20	1.45	1.34
35	S2	124	2MR	CZ-NH2	5.06	1.44	1.33

There are no bond angle outliers.

There are no chirality outliers.

All (3) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
35	S2	124	2MR	NE-CD-CG-CB
35	S2	124	2MR	CA-CB-CG-CD
35	S2	124	2MR	CG-CD-NE-CZ

There are no ring outliers.

1 monomer is involved in 1 short contact:

Mol	Chain	Res	Type	Clashes	Symm-Clashes
35	S2	124	2MR	1	0

## 5.5 Carbohydrates [i](#)

There are no oligosaccharides in this entry.

## 5.6 Ligand geometry [i](#)

Of 57 ligands modelled in this entry, 2 are monoatomic - leaving 55 for Mogul analysis.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the

expected value. A bond length (or angle) with  $|Z| > 2$  is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	$\# Z  > 2$	Counts	RMSZ	$\# Z  > 2$
51	PLX	S7	302	-	51,51,51	1.11	4 (7%)	55,59,59	0.89	2 (3%)
51	PLX	N3	202	-	51,51,51	1.10	4 (7%)	55,59,59	0.88	1 (1%)
50	ADP	AK	401	-	24,29,29	0.94	1 (4%)	29,45,45	1.43	4 (13%)
53	SF4	S8	302	41	0,12,12	-	-	-	-	-
48	PEE	N2	403	-	47,47,50	1.35	5 (10%)	50,52,55	1.21	4 (8%)
52	3PE	N4	504	-	50,50,50	0.30	0	53,55,55	0.28	0
53	SF4	V1	501	42	0,12,12	-	-	-	-	-
53	SF4	S8	301	41	0,12,12	-	-	-	-	-
45	CDL	A1	101	-	93,93,99	0.31	0	99,105,111	0.28	0
45	CDL	N1	401	-	77,77,99	0.34	0	83,89,111	0.33	0
53	SF4	S1	801	34	0,12,12	-	-	-	-	-
51	PLX	CB	201	-	51,51,51	1.10	3 (5%)	55,59,59	0.91	1 (1%)
45	CDL	CB	203	-	82,82,99	0.33	0	88,94,111	0.29	0
46	PC1	A3	201	-	49,49,53	0.32	0	55,57,61	0.42	0
48	PEE	S8	303	-	50,50,50	1.32	5 (10%)	53,55,55	1.13	2 (3%)
45	CDL	N5	702	-	99,99,99	0.30	0	105,111,111	0.27	0
52	3PE	B4	201	-	50,50,50	0.31	0	53,55,55	0.29	0
51	PLX	N1	402	-	51,51,51	1.11	4 (7%)	55,59,59	0.86	1 (1%)
48	PEE	AL	205	-	39,39,50	1.48	5 (12%)	41,44,55	1.23	3 (7%)
47	NDP	A9	401	-	45,52,52	0.52	0	53,80,80	0.53	1 (1%)
52	3PE	CB	202	-	50,50,50	0.31	0	53,55,55	0.28	0
45	CDL	AL	202	-	70,70,99	0.34	0	76,82,111	0.31	0
45	CDL	4L	201	-	91,91,99	0.32	0	97,103,111	0.36	0
53	SF4	S1	802	34	0,12,12	-	-	-	-	-
45	CDL	N5	701	-	88,88,99	0.31	0	94,100,111	0.28	0
46	PC1	A3	202	-	53,53,53	0.30	0	59,61,61	0.26	0
48	PEE	N4	501	-	48,48,50	1.35	5 (10%)	51,53,55	1.18	3 (5%)
48	PEE	AN	201	-	50,50,50	1.32	5 (10%)	53,55,55	1.17	3 (5%)
48	PEE	N3	201	-	50,50,50	1.32	5 (10%)	53,55,55	1.15	2 (3%)
53	SF4	S7	301	40	0,12,12	-	-	-	-	-
54	FES	S1	803	34	0,4,4	-	-	-	-	-
45	CDL	N2	402	-	67,67,99	0.35	0	73,79,111	0.28	0
46	PC1	B5	203	-	53,53,53	0.29	0	59,61,61	0.26	0
56	MF8	S2	501	-	7,8,8	0.99	0	7,10,10	1.48	1 (14%)
49	ZMP	AC	201	10	29,35,36	0.66	1 (3%)	34,42,45	0.77	0
58	FMN	V1	502	-	33,33,33	0.22	0	48,50,50	0.44	0
46	PC1	N3	204	-	53,53,53	0.29	0	59,61,61	0.29	0

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z  > 2	Counts	RMSZ	# Z  > 2
46	PC1	B8	201	-	40,40,53	0.33	0	46,48,61	0.37	0
45	CDL	B5	202	-	99,99,99	0.31	0	105,111,111	0.27	0
51	PLX	AL	204	-	46,46,51	1.16	4 (8%)	50,54,59	0.87	1 (2%)
48	PEE	B6	201	-	45,45,50	1.39	5 (11%)	48,50,55	1.20	2 (4%)
51	PLX	B5	201	-	51,51,51	1.10	4 (7%)	55,59,59	0.88	1 (1%)
48	PEE	AL	203	-	35,35,50	1.37	4 (11%)	38,40,55	1.15	2 (5%)
45	CDL	AL	201	-	93,93,99	0.31	0	99,105,111	0.31	0
48	PEE	N2	401	-	34,34,50	1.41	5 (14%)	37,39,55	1.23	2 (5%)
48	PEE	N5	703	-	50,50,50	1.32	5 (10%)	53,55,55	1.16	3 (5%)
54	FES	V2	301	43	0,4,4	-	-	-	-	-
45	CDL	N4	503	-	99,99,99	0.30	0	105,111,111	0.26	0
46	PC1	N3	203	-	53,53,53	0.29	0	59,61,61	0.26	0
46	PC1	AN	202	-	53,53,53	0.29	0	59,61,61	0.31	0
48	PEE	N1	403	-	30,30,50	1.28	3 (10%)	33,35,55	1.16	2 (6%)
48	PEE	A9	402	-	38,38,50	1.49	5 (13%)	41,43,55	1.22	3 (7%)
51	PLX	N4	502	-	42,42,51	1.18	3 (7%)	46,50,59	0.89	2 (4%)
49	ZMP	AB	201	10	29,35,36	0.64	1 (3%)	34,42,45	0.73	0
48	PEE	AK	402	-	39,39,50	1.33	4 (10%)	42,44,55	1.17	4 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
51	PLX	S7	302	-	-	20/55/55/55	-
51	PLX	N3	202	-	-	21/55/55/55	-
50	ADP	AK	401	-	-	1/12/32/32	0/3/3/3
53	SF4	S8	302	41	-	-	0/6/5/5
48	PEE	N2	403	-	-	26/51/51/54	-
52	3PE	N4	504	-	-	17/54/54/54	-
53	SF4	V1	501	42	-	-	0/6/5/5
53	SF4	S8	301	41	-	-	0/6/5/5
45	CDL	A1	101	-	-	19/104/104/110	-
45	CDL	N1	401	-	-	22/88/88/110	-
53	SF4	S1	801	34	-	-	0/6/5/5
51	PLX	CB	201	-	-	16/55/55/55	-
45	CDL	CB	203	-	-	16/93/93/110	-

Continued on next page...

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
46	PC1	A3	201	-	-	19/53/53/57	-
48	PEE	S8	303	-	-	24/54/54/54	-
45	CDL	N5	702	-	-	18/110/110/110	-
52	3PE	B4	201	-	-	16/54/54/54	-
51	PLX	N1	402	-	-	23/55/55/55	-
48	PEE	AL	205	-	-	23/43/43/54	-
47	NDP	A9	401	-	-	6/30/77/77	0/5/5/5
52	3PE	CB	202	-	-	11/54/54/54	-
45	CDL	AL	202	-	-	18/81/81/110	-
45	CDL	4L	201	-	-	25/102/102/110	-
53	SF4	S1	802	34	-	-	0/6/5/5
45	CDL	N5	701	-	-	17/99/99/110	-
46	PC1	A3	202	-	-	11/57/57/57	-
48	PEE	N4	501	-	-	26/52/52/54	-
48	PEE	AN	201	-	-	24/54/54/54	-
48	PEE	N3	201	-	-	30/54/54/54	-
53	SF4	S7	301	40	-	-	0/6/5/5
54	FES	S1	803	34	-	-	0/1/1/1
45	CDL	N2	402	-	-	14/78/78/110	-
46	PC1	B5	203	-	-	5/57/57/57	-
56	MF8	S2	501	-	-	5/8/8/8	-
49	ZMP	AC	201	10	-	19/40/42/43	-
58	FMN	V1	502	-	-	4/18/18/18	0/3/3/3
46	PC1	N3	204	-	-	11/57/57/57	-
46	PC1	B8	201	-	-	15/44/44/57	-
45	CDL	B5	202	-	-	18/110/110/110	-
51	PLX	AL	204	-	-	23/50/50/55	-
48	PEE	B6	201	-	-	28/49/49/54	-
51	PLX	B5	201	-	-	19/55/55/55	-
48	PEE	AL	203	-	-	17/39/39/54	-
45	CDL	AL	201	-	-	13/104/104/110	-
48	PEE	N2	401	-	-	19/38/38/54	-
48	PEE	N5	703	-	-	26/54/54/54	-
54	FES	V2	301	43	-	-	0/1/1/1
45	CDL	N4	503	-	-	23/110/110/110	-

*Continued on next page...*

*Continued from previous page...*

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
46	PC1	N3	203	-	-	14/57/57/57	-
46	PC1	AN	202	-	-	11/57/57/57	-
48	PEE	N1	403	-	-	16/34/34/54	-
48	PEE	A9	402	-	-	20/42/42/54	-
51	PLX	N4	502	-	-	13/46/46/55	-
49	ZMP	AB	201	10	-	13/40/42/43	-
48	PEE	AK	402	-	-	27/43/43/54	-

The worst 5 of 90 bond length outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(Å)	Ideal(Å)
48	S8	303	PEE	C18-C19	4.06	1.55	1.31
48	N2	401	PEE	C18-C19	4.05	1.55	1.31
48	A9	402	PEE	C18-C19	4.05	1.55	1.31
48	AL	205	PEE	C18-C19	4.05	1.55	1.31
48	AK	402	PEE	C18-C19	4.05	1.55	1.31

The worst 5 of 50 bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
48	N2	403	PEE	O2-C10-C11	4.40	120.99	111.50
48	N2	401	PEE	O2-C10-C11	4.38	120.95	111.50
48	AK	402	PEE	O2-C10-C11	4.27	120.71	111.50
48	AL	205	PEE	O2-C10-C11	4.08	120.28	111.50
48	B6	201	PEE	O2-C10-C11	4.01	120.15	111.50

There are no chirality outliers.

5 of 822 torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
45	4L	201	CDL	CA2-OA2-PA1-OA3
45	4L	201	CDL	CA2-OA2-PA1-OA4
45	4L	201	CDL	CA2-OA2-PA1-OA5
45	4L	201	CDL	CA3-OA5-PA1-OA3
45	4L	201	CDL	CB2-OB2-PB2-OB3

There are no ring outliers.

47 monomers are involved in 156 short contacts:




Mol	Chain	Res	Type	Clashes	Symm-Clashes
51	S7	302	PLX	3	0
51	N3	202	PLX	3	0
50	AK	401	ADP	3	0
53	S8	302	SF4	2	0
48	N2	403	PEE	2	0
52	N4	504	3PE	3	0
53	V1	501	SF4	4	0
53	S8	301	SF4	1	0
45	A1	101	CDL	6	0
45	N1	401	CDL	6	0
53	S1	801	SF4	1	0
51	CB	201	PLX	3	0
45	CB	203	CDL	2	0
48	S8	303	PEE	1	0
52	B4	201	3PE	2	0
51	N1	402	PLX	4	0
48	AL	205	PEE	5	0
47	A9	401	NDP	1	0
52	CB	202	3PE	5	0
45	AL	202	CDL	8	0
45	4L	201	CDL	6	0
45	N5	701	CDL	7	0
46	A3	202	PC1	2	0
48	N4	501	PEE	3	0
48	AN	201	PEE	2	0
48	N3	201	PEE	3	0
45	N2	402	CDL	2	0
46	B5	203	PC1	1	0
49	AC	201	ZMP	5	0
58	V1	502	FMN	1	0
46	N3	204	PC1	3	0
45	B5	202	CDL	8	0
51	AL	204	PLX	7	0
48	B6	201	PEE	3	0
51	B5	201	PLX	3	0
48	AL	203	PEE	2	0
45	AL	201	CDL	10	0
48	N2	401	PEE	3	0
48	N5	703	PEE	3	0
45	N4	503	CDL	8	0
46	N3	203	PC1	1	0
46	AN	202	PC1	4	0
48	N1	403	PEE	2	0




*Continued on next page...*


*Continued from previous page...*


Mol	Chain	Res	Type	Clashes	Symm-Clashes
48	A9	402	PEE	6	0
51	N4	502	PLX	5	0
49	AB	201	ZMP	2	0
48	AK	402	PEE	2	0




The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.






































































## 5.7 Other polymers [i](#)

There are no such residues in this entry.

## 5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


## 6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-60420. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

### 6.1 Orthogonal projections [i](#)


#### 6.1.1 Primary map



X




Y




Z


#### 6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

## 6.2 Central slices [i](#)


### 6.2.1 Primary map



X Index: 240




Y Index: 240




Z Index: 240


### 6.2.2 Raw map



X Index: 240



Y Index: 240




Z Index: 240

The images above show central slices of the map in three orthogonal directions.




## 6.3 Largest variance slices [i](#)


### 6.3.1 Primary map



X Index: 256




Y Index: 206




Z Index: 315


### 6.3.2 Raw map



X Index: 0



Y Index: 0




Z Index: 0


The images above show the largest variance slices of the map in three orthogonal directions.

## 6.4 Orthogonal standard-deviation projections (False-color) [i](#)


### 6.4.1 Primary map



X




Y




Z


### 6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.




## 6.5 Orthogonal surface views [i](#)

### 6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 7.0. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

### 6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


## 6.6 Mask visualisation [i](#)

This section shows the 3D surface view of the primary map at 50% transparency overlaid with the specified mask at 0% transparency


A mask typically either:

- Encompasses the whole structure
- Separates out a domain, a functional unit, a monomer or an area of interest from a larger structure


### 6.6.1 emd\_60420\_msk\_1.map [i](#)



X



Y




Z

## 7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

### 7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


## 7.2 Volume estimate [i](#)



The volume at the recommended contour level is 214 nm<sup>3</sup>; this corresponds to an approximate mass of 194 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

### 7.3 Rotationally averaged power spectrum ⓘ




\*Reported resolution corresponds to spatial frequency of  $0.308 \text{ \AA}^{-1}$

## 8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

### 8.1 FSC [i](#)



\*Reported resolution corresponds to spatial frequency of 0.308 Å<sup>-1</sup>

## 8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.25	-	-
Author-provided FSC curve	3.25	3.74	3.29
Unmasked-calculated*	8.12	19.57	8.42

\*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 8.12 differs from the reported value 3.25 by more than 10 %

## 9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-60420 and PDB model 8ZSM. Per-residue inclusion information can be found in [section 3](#) on [page 22](#).


### 9.1 Map-model overlay [i](#)



The images above show the 3D surface view of the map at the recommended contour level 7.0 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.




## 9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

## 9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (7).

## 9.4 Atom inclusion [i](#)



At the recommended contour level, 68% of all backbone atoms, 53% of all non-hydrogen atoms, are inside the map.

## 9.5 Map-model fit summary ⓘ























The table lists the average atom inclusion at the recommended contour level (7) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	0.5290	0.5230
4L	0.5360	0.5310
A1	0.4610	0.5080
A2	0.4810	0.5130
A3	0.3920	0.5200
A5	0.5200	0.5220
A6	0.5240	0.5180
A7	0.3470	0.4990
A8	0.5040	0.5240
A9	0.5800	0.5350
AB	0.2550	0.4350
AC	0.5340	0.5170
AK	0.4520	0.4970
AL	0.3310	0.5120
AM	0.1850	0.4860
AN	0.4750	0.5180
B1	0.4160	0.5040
B2	0.4830	0.5010
B3	0.4580	0.4830
B4	0.4750	0.5180
B5	0.5200	0.5330
B6	0.4580	0.4930
B7	0.4980	0.5080
B8	0.5450	0.5300
B9	0.5770	0.5270
BK	0.5390	0.5090
BL	0.5140	0.5150
CA	0.3940	0.4900
CB	0.4760	0.5330
N1	0.5660	0.5290
N2	0.5790	0.5300
N3	0.4660	0.5330
N4	0.5870	0.5330
N5	0.5560	0.5290
N6	0.4380	0.4910



*Continued on next page...*

*Continued from previous page...*

Chain	Atom inclusion	Q-score
S1	 0.5820	 0.5320
S2	 0.6400	 0.5440
S3	 0.6560	 0.5580
S4	 0.5680	 0.5390
S5	 0.4650	 0.5060
S6	 0.4450	 0.5270
S7	 0.6560	 0.5520
S8	 0.6370	 0.5520
V1	 0.5730	 0.5220
V2	 0.5210	 0.5160
V3	 0.4040	 0.5010