

Integrative Structure Validation Report ?

March 24, 2025 - 08:12 PM PDT

The following software was used in the production of this report:

Integrative Modeling Validation Version 2.0

Python-IHM Version 1.8

MolProbity Version 4.5.2

PDB ID	9A9K
Structure Title	Complex of the partially open conformation of P. furiosus Mre11-Rad50
Structure Authors	Canny, M.D.; Latham, M.P.
Deposited on	2025-03-10

This is a PDB-IHM IM Structure Validation Report for a publicly released PDB-IHM entry.

We welcome your comments at helpdesk@pdb-ihm.org


A user guide is available at https://pdb-ihm.org/validation_help.html with specific help available everywhere you see the ? symbol.

List of references used to build this report is available [here](#).

Overall quality ?

This validation report contains model quality assessments for all structures, data quality and fit to model assessments for SAS and crosslinking-MS datasets. Data quality and fit to model assessments for other datasets and model uncertainty are under development. Number of plots is limited to 256.

Model Quality: MolProbity Analysis



Ensemble information ?

This entry consists of 0 distinct ensemble(s).

Summary ?

This entry consists of 1 model(s). A total of 7 datasets were used to build this entry.

Representation ?

This entry has 1 representation(s).

ID	Model(s)	Entity ID	Molecule name	Chain(s) [auth]	Total residues	Rigid segments	Flexible segments	Model coverage/ Starting model coverage (%)	Scale
1	1	1	DNA double-strand break repair Rad50 ATPase	A	192	-	1-192	100.00 / 100.00	Atomic
				D					
		2	DNA double-strand break repair Rad50 ATPase	B	167	-	1-167	100.00 / 100.00	Atomic
				E					
		3	DNA double-strand break repair protein Mre11	C	32	-	1-32	100.00 / 100.00	Atomic
				F					
		4	DNA double-strand break repair protein Mre11	G	333	-	1-333	100.00 / 100.00	Atomic
				H					

Datasets used for modeling ?

There are 7 unique datasets used to build the models in this entry.

ID	Dataset type	Database name	Data access code
1	Ensemble FRET data	Zenodo	10.5281/zenodo.14990529
2	Experimental model	PDB	3QKU
3	Experimental model	PDB	3DSC
4	Predicted contacts	Not available	Not available
5	Experimental model	PDB	3AV0
6	Experimental model	PDB	6S6V
7	Experimental model	PDB	3QG5

Methodology and software ?

This entry is a result of 1 distinct protocol(s).

Step number	Protocol ID	Method name	Method type	Method description	Number of computed models	Multi state modeling	Multi scale modeling
				<p>Molecular docking of the MRNBD complex was done in the GURU interface on the HADDOCK 2.4 Webserver using experimental luminescence resonance energy transfer (LRET) data as distance restraints. The PDB inputs were 3DSC (Pf Mre11 dimer) and two monomers of 3QKU (Pf Rad50NBD). Except for increasing the number of structures for rigid body docking (it0) to 3000, all settings used were default. The three linkers attaching the Pf Mre11 capping domain to the nuclease domain were allowed to be fully flexible.</p> <p>C2 symmetry was enforced between the two Rad50NBD monomers and</p>			

Step number 1	Protocol ID 1	Method name None	Method type None	Method description between the two monomers of the Mre11 dimer. HADDOCK Mre11 to Rad50 active ambiguous interaction restraints (AIRs) were based on M. jannaschii (3AV0) and E. coli (6S6V) ATP-gamma-S-bound MR structures. Passive AIRs were automatically defined by HADDOCK based on these active AIRs. Two extra passive AIRs were included on the 'back side' of the Mre11 capping domain to allow for the extended structure seen in ATP- free T. maritima MR (PDB: 3QG5). HADDOCK runs had 50% random exclusion of AIRs in each structure calculation. The experimentally measured LRET distances were input as unambiguous restraints and defined as the Cbeta-Cbeta distance between the LRET-labeled residues, +/- 5 A, or, for distance restraints greater than 75 A, +/-7 A.	Number of computed models None	Multi state modeling False	Multi scale modeling False

There is 1 software package reported in this entry.

ID	Software name	Software version	Software classification	Software location
1	HADDOCK	2.40	model building	https://rascar.science.uu.nl/haddock2.4/

Data quality ?

Ensemble FRET

Validation for this section is under development.

Predicted contacts

Validation for this section is under development.

Model quality ?

For models with atomic structures, MolProbity analysis is performed. For models with coarse-grained or multi-scale structures, excluded volume analysis is performed.

Standard geometry: bond outliers ?

There are no bond length outliers.

Standard geometry: angle outliers ?

There are 1 bond angle outliers in this entry (0.01% of 16238 assessed bonds). A summary is provided below.

Chain	Res	Type	Atoms	Z	Observed (Å)	Ideal (Å)	Model ID (Worst)	Models (Total)
D	162	ASN	CA-CB-CG	4.16	116.76	112.60	1	1

Too-close contacts ?

The following all-atom clashscore is based on a MolProbity analysis. All-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The table below contains clashscores for all atomic models in this entry.

Model ID	Clash score	Number of clashes
1	10.94	261

There are 261 clashes. The table below contains the detailed list of all clashes based on a MolProbity analysis. Bad clashes are ≥ 0.4 Angstrom. The output is limited to 100 rows.

Atom 1	Atom 2	Clash(Å)	Model ID (Worst)	Models (Total)
B:117:ARG:H	B:117:ARG:HD2	0.82	1	1
E:154:ILE:HD11	E:161:SER:HB3	0.81	1	1
H:180:SER:HB3	H:185:GLU:HB3	0.81	1	1
H:2:LYS:HE2	H:39:GLU:HG3	0.74	1	1
A:7:THR:HB	A:72:ASP:HB3	0.72	1	1
H:306:ILE:HB	H:330:THR:HG22	0.71	1	1
B:154:ILE:HD11	B:161:SER:HB3	0.70	1	1
H:315:THR:HA	H:318:LYS:NZ	0.68	1	1
E:102:SER:HB3	E:133:PRO:HG2	0.68	1	1
G:306:ILE:HB	G:330:THR:HG22	0.68	1	1
G:315:THR:HA	G:318:LYS:NZ	0.68	1	1
E:145:LYS:HE2	G:152:GLU:HB3	0.67	1	1
H:7:ALA:HB2	H:47:ALA:HB3	0.66	1	1
G:7:ALA:HB2	G:47:ALA:HB3	0.66	1	1
G:2:LYS:HE2	G:39:GLU:HG3	0.65	1	1
D:150:ASP:OD2	E:62:ARG:HA	0.65	1	1

Atom 1	Atom 2	Clash(Å)	Model ID (Worst)	Models (Total)
A:140:GLN:HG3	B:108:GLU:HB2	0.64	1	1
D:7:THR:HB	D:72:ASP:HB3	0.64	1	1
B:114:ASP:HB3	B:117:ARG:HD3	0.63	1	1
G:176:VAL:HG11	G:192:LEU:HG	0.63	1	1
B:102:SER:HB3	B:133:PRO:HG2	0.62	1	1
A:165:LYS:HD3	C:16:GLY:HA3	0.62	1	1
D:20:GLU:OE1	D:22:LYS:HE3	0.62	1	1
G:315:THR:HA	G:318:LYS:HZ1	0.61	1	1
H:315:THR:HA	H:318:LYS:HZ1	0.60	1	1
A:153:ARG:HB3	B:61:VAL:HB	0.60	1	1
D:25:ILE:HD11	E:129:LEU:HB3	0.60	1	1
D:2:LYS:NZ	D:4:GLU:HG2	0.60	1	1
G:277:LYS:HA	G:305:ASN:HB2	0.60	1	1
D:140:GLN:HG3	E:108:GLU:HB2	0.60	1	1
G:48:GLY:HA2	G:81:ILE:O	0.59	1	1
F:6:GLU:O	F:10:LYS:HE3	0.59	1	1
E:109:PRO:C	E:111:PRO:HD3	0.58	1	1
B:110:THR:N	B:111:PRO:HD3	0.58	1	1
H:63:LYS:O	H:67:LEU:HG	0.58	1	1
E:86:GLY:O	E:90:ARG:HG2	0.58	1	1
A:84:ILE:HG12	A:100:MET:HG3	0.58	1	1
B:109:PRO:C	B:111:PRO:HD3	0.58	1	1
A:2:LYS:NZ	A:4:GLU:HG2	0.58	1	1
G:183:ARG:HH21	G:207:ILE:HG21	0.58	1	1
H:176:VAL:HG11	H:192:LEU:HG	0.58	1	1
A:58:LYS:HE2	A:93:SER:HB3	0.57	1	1
G:63:LYS:O	G:67:LEU:HG	0.57	1	1
A:150:ASP:OD2	B:62:ARG:HA	0.56	1	1
H:135:TYR:CZ	H:136:LYS:HE2	0.56	1	1
D:101:LYS:HD3	D:108:TRP:HB3	0.56	1	1
H:237:ARG:HB3	H:248:ARG:HB3	0.56	1	1
A:25:ILE:HG23	B:137:LEU:HD23	0.56	1	1
A:25:ILE:HD11	B:129:LEU:HB3	0.56	1	1
H:48:GLY:HA2	H:81:ILE:O	0.56	1	1
B:86:GLY:O	B:90:ARG:HG2	0.56	1	1

Atom 1	Atom 2	Clash(Å)	Model ID (Worst)	Models (Total)
E:110:THR:N	E:111:PRO:HD3	0.55	1	1
H:154:ASN:HB3	H:157:ILE:HB	0.55	1	1
G:135:TYR:CZ	G:136:LYS:HE2	0.55	1	1
D:36:LYS:HB3	E:138:VAL:HG11	0.55	1	1
E:117:ARG:H	E:117:ARG:HD2	0.55	1	1
H:45:LEU:HD23	H:79:PHE:HB2	0.55	1	1
G:305:ASN:HB3	G:331:TRP:HZ2	0.54	1	1
G:45:LEU:HD23	G:79:PHE:HB2	0.54	1	1
H:202:TYR:HB2	H:220:VAL:HA	0.54	1	1
A:36:LYS:HB3	B:138:VAL:CG1	0.54	1	1
H:83:GLY:O	H:87:ARG:HB3	0.54	1	1
D:84:ILE:HG12	D:100:MET:HG3	0.54	1	1
D:36:LYS:HB3	E:138:VAL:CG1	0.53	1	1
G:207:ILE:HG22	G:209:LYS:H	0.53	1	1
A:86:ARG:HD3	A:98:HIS:ND1	0.53	1	1
A:87:ARG:HB3	A:97:ILE:HG12	0.53	1	1
H:276:VAL:HG21	H:292:LEU:HD21	0.53	1	1
H:207:ILE:HG22	H:209:LYS:H	0.53	1	1
D:87:ARG:HB3	D:97:ILE:HG12	0.53	1	1
B:115:GLU:HG3	B:118:ARG:NH2	0.52	1	1
A:131:ILE:HG13	A:160:VAL:HA	0.52	1	1
C:6:GLU:O	C:10:LYS:HE3	0.52	1	1
D:132:PHE:HA	D:136:ILE:HD12	0.52	1	1
H:239:GLU:OE1	H:246:LYS:NZ	0.52	1	1
A:7:THR:HG23	A:18:VAL:HG22	0.52	1	1
A:53:ILE:HG22	A:54:LYS:H	0.51	1	1
B:83:ILE:HG21	B:111:PRO:HD2	0.51	1	1
H:84:ASN:HA	H:87:ARG:HD2	0.51	1	1
H:183:ARG:HH21	H:207:ILE:HG21	0.51	1	1
E:125:MET:HA	E:129:LEU:HD13	0.51	1	1
D:131:ILE:HG13	D:160:VAL:HA	0.51	1	1
H:43:PHE:HB3	H:77:PRO:HG2	0.51	1	1
A:71:ILE:HD12	A:88:PHE:HE2	0.51	1	1
G:111:LYS:HE2	G:128:GLU:OE2	0.51	1	1
D:172:LYS:HE3	F:23:PHE:HZ	0.50	1	1

Atom 1	Atom 2	Clash(Å)	Model ID (Worst)	Models (Total)
G:82:GLU:HG2	G:144:LYS:HB2	0.50	1	1
D:150:ASP:OD2	E:62:ARG:HD2	0.50	1	1
G:281:SER:O	G:285:ILE:HG12	0.50	1	1
H:111:LYS:HE2	H:128:GLU:OE2	0.50	1	1
H:228:ARG:HD2	H:271:ARG:O	0.50	1	1
F:17:GLU:C	F:19:ASP:H	0.50	1	1
G:276:VAL:HG21	G:292:LEU:HD21	0.50	1	1
B:117:ARG:HD2	B:117:ARG:N	0.50	1	1
D:183:ARG:O	D:187:TYR:HB2	0.50	1	1
E:145:LYS:NZ	G:149:ALA:HA	0.49	1	1
A:132:PHE:HA	A:136:ILE:HD12	0.49	1	1
G:43:PHE:HB3	G:77:PRO:HG2	0.49	1	1
A:150:ASP:OD2	B:62:ARG:HD2	0.49	1	1
H:30:LYS:HB2	H:67:LEU:HD22	0.49	1	1

Torsion angles: Protein backbone ?

In the following table, Ramachandran outliers are listed. The Analysed column shows the number of residues for which the backbone conformation was analysed.

Model ID	Analysed	Favored	Allowed	Outliers
1	1432	1331	95	6

There are 6 unique backbone outliers. Detailed list of outliers are tabulated below.

Chain	Res	Type	Models (Total)
G	56	PRO	1
G	136	LYS	1
G	206	HIS	1
H	56	PRO	1
H	206	HIS	1
H	268	ILE	1

Torsion angles : Protein sidechains ?

In the following table, sidechain rotameric outliers are listed. The Analysed column shows the number of residues for which the sidechain conformation was analysed.

Model ID	Analysed	Favored	Allowed	Outliers
1	1270	985	157	128

There are 128 unique sidechain outliers. Detailed list of outliers are tabulated below. The output is limited to 100 rows.

Chain	Res	Type	Models (Total)
A	13	SER	1
A	15	SER	1
A	19	VAL	1
A	37	SER	1
A	51	LEU	1
A	58	LYS	1
A	61	PHE	1
A	68	ASP	1
A	76	GLU	1
A	93	SER	1
A	94	SER	1
A	116	SER	1
A	120	SER	1
A	125	LYS	1
A	162	ASN	1
A	176	LEU	1
A	178	LYS	1
B	3	ASP	1
B	8	LYS	1
B	12	GLU	1
B	30	LEU	1
B	31	SER	1
B	43	GLU	1
B	60	LYS	1
B	67	TRP	1
B	75	THR	1
B	110	THR	1
B	117	ARG	1
B	120	LYS	1
B	154	ILE	1
B	163	VAL	1
B	166	VAL	1
B	167	SER	1
C	1	SER	1
C	12	ILE	1

Chain	Res	Type	Models (Total)
C	14	ILE	1
C	15	LEU	1
C	18	LYS	1
C	21	ASP	1
C	24	ASP	1
C	29	LEU	1
D	15	SER	1
D	17	THR	1
D	19	VAL	1
D	37	SER	1
D	51	LEU	1
D	58	LYS	1
D	61	PHE	1
D	68	ASP	1
D	76	GLU	1
D	93	SER	1
D	116	SER	1
D	120	SER	1
D	125	LYS	1
D	162	ASN	1
D	164	ASP	1
D	168	THR	1
D	178	LYS	1
E	22	LYS	1
E	30	LEU	1
E	43	GLU	1
E	50	SER	1
E	60	LYS	1
E	75	THR	1
E	110	THR	1
E	114	ASP	1
E	117	ARG	1
E	120	LYS	1
E	123	THR	1
E	149	ASP	1

Chain	Res	Type	Models (Total)
E	154	ILE	1
E	163	VAL	1
F	12	ILE	1
F	14	ILE	1
F	15	LEU	1
F	21	ASP	1
F	24	ASP	1
F	29	LEU	1
G	6	LEU	1
G	21	ARG	1
G	23	GLU	1
G	54	SER	1
G	87	ARG	1
G	147	SER	1
G	148	SER	1
G	165	THR	1
G	174	GLN	1
G	178	GLU	1
G	187	TYR	1
G	227	GLU	1
G	228	ARG	1
G	231	PHE	1
G	235	GLU	1
G	240	TRP	1
G	248	ARG	1
G	252	ASN	1
G	267	GLU	1
G	269	LYS	1
G	283	GLU	1
G	284	GLU	1

Fit of model to data used for modeling ?

Ensemble FRET

Validation for this section is under development.

Predicted contacts

Validation for this section is under development.

Fit of model to data used for validation ?

Validation for this section is under development.

Acknowledgments

The development of integrative model validation metrics, implementation of a model validation pipeline, and creation of a validation report for integrative structures are funded by NSF awards to the [PDB-IHM team](#) (DBI-1756248, DBI-2112966, DBI-2112967, DBI-2112968, and DBI-1756250) and awards from NSF, NIH, and DOE to the [RCSB PDB](#) (DBI-2321666, R01GM157729, and DE-SC0019749). The PDB-IHM team and members of the [Sali lab](#) contributed model validation metrics and software packages.

Dr. Jill Trewhella, Dr. Dina Schneidman, and members of the [SASBDB](#) repository are acknowledged for their advice and support in implementing SAS validation methods. Team members from the labs of Dr. Juri Rappsilber, Dr. Alexander Leitner, Dr. Andrea Graziadei, and members of [PRIDE](#) database are acknowledged for their advice and support in implementing crosslinking-MS validation methods. We are grateful to Dr. Shruthi Viswanath for discussions about uncertainty assessment of integrative structural models.

Members of the [wwPDB Integrative/Hybrid Methods Task Force](#) provided recommendations and community support for the project.