



Full wwPDB EM Validation Report ⓘ

Jun 8, 2024 – 07:58 AM EDT

PDB ID : 8ED7
EMDB ID : EMD-28031
Title : cryo-EM structure of TRPM3 ion channel in apo state
Authors : Zhao, C.; MacKinnon, R.
Deposited on : 2022-09-03
Resolution : 3.70 Å(reported)

This is a Full wwPDB EM Validation Report for a publicly released PDB entry.

We welcome your comments at validation@mail.wwpdb.org

A user guide is available at

<https://www.wwpdb.org/validation/2017/EMValidationReportHelp>

with specific help available everywhere you see the ⓘ symbol.

The types of validation reports are described at

<http://www.wwpdb.org/validation/2017/FAQs#types>.

The following versions of software and data (see [references ⓘ](#)) were used in the production of this report:

EMDB validation analysis	:	0.0.1.dev92
Mogul	:	1.8.5 (274361), CSD as541be (2020)
MolProbity	:	4.02b-467
buster-report	:	1.1.7 (2018)
Percentile statistics	:	20191225.v01 (using entries in the PDB archive December 25th 2019)
MapQ	:	1.9.13
Ideal geometry (proteins)	:	Engh & Huber (2001)
Ideal geometry (DNA, RNA)	:	Parkinson et al. (1996)
Validation Pipeline (wwPDB-VP)	:	2.36.2


1 Overall quality at a glance

The following experimental techniques were used to determine the structure:

ELECTRON MICROSCOPY

The reported resolution of this entry is 3.70 Å.

Percentile scores (ranging between 0-100) for global validation metrics of the entry are shown in the following graphic. The table shows the number of entries on which the scores are based.



Metric	Whole archive (#Entries)	EM structures (#Entries)
Clashscore	158937	4297
Ramachandran outliers	154571	4023
Sidechain outliers	154315	3826

The table below summarises the geometric issues observed across the polymeric chains and their fit to the map. The red, orange, yellow and green segments of the bar indicate the fraction of residues that contain outliers for ≥ 3 , 2, 1 and 0 types of geometric quality criteria respectively. A grey segment represents the fraction of residues that are not modelled. The numeric value for each fraction is indicated below the corresponding segment, with a dot representing fractions $\leq 5\%$. The upper red bar (where present) indicates the fraction of residues that have poor fit to the EM map (all-atom inclusion $< 40\%$). The numeric value is given above the bar.

Mol	Chain	Length	Quality of chain
1	A	1344	<div> <div>5%</div> <div>62%</div> <div>8%</div> <div>29%</div> </div>
1	B	1344	<div> <div>5%</div> <div>62%</div> <div>8%</div> <div>29%</div> </div>
1	C	1344	<div> <div>5%</div> <div>63%</div> <div>8%</div> <div>29%</div> </div>
1	D	1344	<div> <div>5%</div> <div>63%</div> <div>8%</div> <div>29%</div> </div>
2	E	17	<div> <div>12%</div> <div>94%</div> <div>6%</div> </div>
2	F	17	<div> <div>12%</div> <div>88%</div> <div>12%</div> </div>
2	G	17	<div> <div>12%</div> <div>88%</div> <div>12%</div> </div>
2	H	17	<div> <div>12%</div> <div>88%</div> <div>12%</div> </div>

2 Entry composition

There are 3 unique types of molecules in this entry. The entry contains 31518 atoms, of which 0 are hydrogens and 0 are deuteriums.

In the tables below, the AltConf column contains the number of residues with at least one atom in alternate conformation and the Trace column contains the number of residues modelled with at most 2 atoms.

- Molecule 1 is a protein called Transient receptor potential cation channel, subfamily M, member 3.

Mol	Chain	Residues	Atoms					AltConf	Trace
1	A	954	Total	C	N	O	S	0	0
			7736	5017	1311	1351	57		
1	B	957	Total	C	N	O	S	0	0
			7760	5032	1315	1357	56		
1	C	957	Total	C	N	O	S	0	0
			7760	5032	1315	1357	56		
1	D	958	Total	C	N	O	S	0	0
			7766	5035	1316	1358	57		

- Molecule 2 is a protein called Unidentified segment at the N-terminus of TRPM3.

Mol	Chain	Residues	Atoms				AltConf	Trace
2	E	17	Total	C	N	O	0	0
			85	51	17	17		
2	F	17	Total	C	N	O	0	0
			85	51	17	17		
2	G	17	Total	C	N	O	0	0
			85	51	17	17		
2	H	17	Total	C	N	O	0	0
			85	51	17	17		

- Molecule 3 is (3beta,14beta,17beta,25R)-3-[4-methoxy-3-(methoxymethyl)butoxy]spirost-5-en (three-letter code: 9Z9) (formula: C₃₄H₅₆O₅).




Mol	Chain	Residues	Atoms			AltConf
3	A	1	Total 39	C 34	O 5	0
3	A	1	Total 39	C 34	O 5	0
3	B	1	Total 39	C 34	O 5	0
3	C	1	Total 39	C 34	O 5	0


3 Residue-property plots

These plots are drawn for all protein, RNA, DNA and oligosaccharide chains in the entry. The first graphic for a chain summarises the proportions of the various outlier classes displayed in the second graphic. The second graphic shows the sequence view annotated by issues in geometry and atom inclusion in map density. Residues are color-coded according to the number of geometric quality criteria for which they contain at least one outlier: green = 0, yellow = 1, orange = 2 and red = 3 or more. A red diamond above a residue indicates a poor fit to the EM map for this residue (all-atom inclusion < 40%). Stretches of 2 or more consecutive residues without any outlier are shown as a green connector. Residues present in the sample, but not in the model, are shown in grey.


- Molecule 1: Transient receptor potential cation channel, subfamily M, member 3




- Molecule 1: Transient receptor potential cation channel, subfamily M, member 3





- Molecule 1: Transient receptor potential cation channel, subfamily M, member 3





- Molecule 1: Transient receptor potential cation channel, subfamily M, member 3





- Molecule 2: Unidentified segment at the N-terminus of TRPM3



4 Experimental information

Property	Value	Source
EM reconstruction method	SINGLE PARTICLE	Depositor
Imposed symmetry	POINT, Not provided	
Number of particles used	15870	Depositor
Resolution determination method	FSC 0.143 CUT-OFF	Depositor
CTF correction method	PHASE FLIPPING AND AMPLITUDE CORRECTION	Depositor
Microscope	FEI TITAN KRIOS	Depositor
Voltage (kV)	300	Depositor
Electron dose ($e^-/\text{\AA}^2$)	53.865	Depositor
Minimum defocus (nm)	1000	Depositor
Maximum defocus (nm)	2000	Depositor
Magnification	Not provided	
Image detector	GATAN K2 SUMMIT (4k x 4k)	Depositor
Maximum map value	0.134	Depositor
Minimum map value	-0.059	Depositor
Average map value	0.000	Depositor
Map value standard deviation	0.003	Depositor
Recommended contour level	0.03	Depositor
Map size (Å)	427.2, 427.2, 427.2	wwPDB
Map dimensions	320, 320, 320	wwPDB
Map angles (°)	90.0, 90.0, 90.0	wwPDB
Pixel spacing (Å)	1.335, 1.335, 1.335	Depositor

5 Model quality [i](#)

5.1 Standard geometry [i](#)

Bond lengths and bond angles in the following residue types are not validated in this section: 9Z9

The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 5$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Chain	Bond lengths		Bond angles	
		RMSZ	$\# Z > 5$	RMSZ	$\# Z > 5$
1	A	0.28	0/7912	0.46	0/10690
1	B	0.27	0/7936	0.46	0/10723
1	C	0.27	0/7936	0.46	0/10723
1	D	0.28	0/7942	0.46	0/10731
All	All	0.28	0/31726	0.46	0/42867

There are no bond length outliers.

There are no bond angle outliers.

There are no chirality outliers.

There are no planarity outliers.

5.2 Too-close contacts [i](#)

In the following table, the Non-H and H(model) columns list the number of non-hydrogen atoms and hydrogen atoms in the chain respectively. The H(added) column lists the number of hydrogen atoms added and optimized by MolProbity. The Clashes column lists the number of clashes within the asymmetric unit, whereas Symm-Clashes lists symmetry-related clashes.

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
1	A	7736	0	7859	71	0
1	B	7760	0	7882	75	0
1	C	7760	0	7882	66	0
1	D	7766	0	7887	67	0
2	E	85	0	21	1	0
2	F	85	0	21	2	0
2	G	85	0	21	2	0
2	H	85	0	21	2	0
3	A	78	0	0	0	0

Continued on next page...

Continued from previous page...

Mol	Chain	Non-H	H(model)	H(added)	Clashes	Symm-Clashes
3	B	39	0	0	0	0
3	C	39	0	0	0	0
All	All	31518	0	31594	258	0

The all-atom clashscore is defined as the number of clashes found per 1000 atoms (including hydrogen atoms). The all-atom clashscore for this structure is 4.

All (258) close contacts within the same asymmetric unit are listed below, sorted by their clash magnitude.

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:771:LYS:HE3	1:D:776:LYS:HE3	1.79	0.65
1:B:898:GLU:O	1:B:961:ARG:NH2	2.30	0.65
1:B:435:GLU:HG2	1:B:437:HIS:H	1.62	0.64
1:A:898:GLU:O	1:A:961:ARG:NH2	2.31	0.63
1:C:898:GLU:O	1:C:961:ARG:NH2	2.31	0.62
1:D:898:GLU:O	1:D:961:ARG:NH2	2.32	0.62
1:B:476:ILE:O	1:B:481:GLN:NE2	2.32	0.62
1:B:930:LYS:HE3	1:B:933:GLN:HB2	1.82	0.62
1:D:476:ILE:O	1:D:481:GLN:NE2	2.33	0.62
1:C:159:ARG:NH2	1:C:298:ASP:OD2	2.32	0.61
1:A:205:PHE:HA	1:A:440:ILE:HG13	1.83	0.61
1:C:476:ILE:O	1:C:481:GLN:NE2	2.33	0.60
1:D:159:ARG:NH2	1:D:298:ASP:OD2	2.35	0.60
1:A:476:ILE:O	1:A:481:GLN:NE2	2.33	0.60
1:A:159:ARG:NH2	1:A:298:ASP:OD2	2.34	0.59
1:C:350:LEU:HD22	1:C:416:ILE:HG13	1.84	0.59
1:D:205:PHE:HA	1:D:440:ILE:HD12	1.82	0.59
1:C:129:ILE:HD12	1:C:132:HIS:HB2	1.84	0.59
1:B:159:ARG:NH2	1:B:298:ASP:OD2	2.35	0.59
1:A:771:LYS:HE3	1:A:776:LYS:HE3	1.84	0.58
1:B:129:ILE:HD12	1:B:132:HIS:HB2	1.85	0.58
1:C:772:ASN:O	1:C:776:LYS:NZ	2.35	0.58
1:A:378:HIS:O	1:A:424:LYS:NZ	2.37	0.58
1:A:772:ASN:O	1:A:776:LYS:NZ	2.38	0.57
1:D:524:GLU:OE2	1:D:528:ASN:ND2	2.34	0.57
1:B:524:GLU:OE2	1:B:528:ASN:ND2	2.36	0.57
1:A:878:TYR:CZ	1:A:1143:ARG:HD3	2.38	0.57
1:C:407:ARG:HB2	1:C:411:GLN:HB2	1.87	0.57
1:D:129:ILE:HD12	1:D:132:HIS:HB2	1.85	0.57
1:A:524:GLU:OE2	1:A:528:ASN:ND2	2.34	0.57
1:D:404:THR:HA	1:D:408:THR:HA	1.86	0.56

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:408:THR:OG1	1:D:409:GLN:N	2.36	0.56
1:A:240:HIS:O	1:A:244:SER:OG	2.23	0.56
1:C:771:LYS:HE3	1:C:776:LYS:HE3	1.86	0.56
1:C:921:ARG:NH1	1:C:922:GLU:OE1	2.37	0.56
1:C:260:GLU:OE2	1:C:279:ASN:ND2	2.38	0.56
1:A:200:LYS:NZ	1:A:432:MET:SD	2.79	0.56
1:C:772:ASN:HD21	1:C:775:LEU:HD21	1.71	0.55
1:B:196:GLU:OE2	1:B:202:LYS:NZ	2.39	0.55
1:A:524:GLU:O	1:A:528:ASN:ND2	2.39	0.55
1:D:260:GLU:OE2	1:D:279:ASN:ND2	2.39	0.55
1:B:524:GLU:O	1:B:528:ASN:ND2	2.40	0.55
1:C:407:ARG:HB2	1:C:411:GLN:HE21	1.72	0.55
1:A:1139:THR:HG22	1:A:1143:ARG:HH12	1.71	0.55
1:D:524:GLU:O	1:D:528:ASN:ND2	2.40	0.55
1:B:205:PHE:HA	1:B:440:ILE:HD12	1.89	0.55
1:B:378:HIS:O	1:B:424:LYS:NZ	2.35	0.55
1:C:961:ARG:HD3	1:C:962:LEU:HD12	1.90	0.54
1:A:1186:THR:OG1	1:A:1187:ASP:N	2.41	0.54
1:C:1085:LYS:HB2	1:C:1088:ALA:HB2	1.89	0.54
1:C:205:PHE:HA	1:C:440:ILE:HD12	1.88	0.53
1:D:961:ARG:HD3	1:D:962:LEU:HD12	1.90	0.53
1:D:470:ASP:N	1:D:470:ASP:OD1	2.41	0.53
1:A:129:ILE:HD12	1:A:132:HIS:HB2	1.91	0.53
1:B:1085:LYS:HB2	1:B:1088:ALA:HB2	1.91	0.53
1:A:470:ASP:OD1	1:A:470:ASP:N	2.41	0.53
1:C:325:ASN:OD1	1:C:327:ARG:NH2	2.42	0.53
1:C:470:ASP:OD1	1:C:470:ASP:N	2.41	0.53
1:B:549:LEU:HD23	1:B:549:LEU:H	1.74	0.53
1:B:407:ARG:HB3	1:B:411:GLN:HB2	1.90	0.53
1:C:1186:THR:OG1	1:C:1187:ASP:N	2.41	0.52
1:D:398:THR:HG22	1:D:414:PHE:HE2	1.74	0.52
1:D:1021:LEU:HD11	1:D:1051:TYR:HA	1.91	0.52
1:B:325:ASN:OD1	1:B:327:ARG:NH2	2.43	0.52
1:B:961:ARG:HD3	1:B:962:LEU:HD12	1.92	0.52
1:C:378:HIS:O	1:C:424:LYS:NZ	2.40	0.52
1:D:772:ASN:HD21	1:D:775:LEU:HD21	1.74	0.52
1:D:445:LEU:HA	1:D:448:LEU:HD12	1.92	0.52
1:B:200:LYS:NZ	1:B:432:MET:SD	2.83	0.52
1:C:399:ILE:O	1:C:402:THR:OG1	2.28	0.52
1:D:402:THR:OG1	1:D:409:GLN:NE2	2.43	0.52
1:D:502:ASP:OD1	1:D:502:ASP:N	2.43	0.52

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:208:GLY:HA3	1:A:440:ILE:HB	1.92	0.51
1:A:411:GLN:O	1:A:412:HIS:ND1	2.43	0.51
1:A:502:ASP:N	1:A:502:ASP:OD1	2.42	0.51
1:D:378:HIS:O	1:D:424:LYS:NZ	2.35	0.51
1:C:502:ASP:OD1	1:C:502:ASP:N	2.43	0.51
1:C:524:GLU:O	1:C:528:ASN:ND2	2.40	0.51
1:C:644:TRP:NE1	1:C:648:MET:SD	2.84	0.51
1:B:445:LEU:HA	1:B:448:LEU:HD12	1.93	0.51
1:A:644:TRP:NE1	1:A:648:MET:SD	2.84	0.50
1:B:470:ASP:OD1	1:B:470:ASP:N	2.41	0.50
1:C:445:LEU:HA	1:C:448:LEU:HD12	1.93	0.50
1:A:479:TYR:OH	1:D:231:ARG:NH2	2.44	0.50
1:A:905:GLU:O	1:A:909:ILE:HG12	2.12	0.50
1:A:281:MET:SD	1:A:281:MET:N	2.80	0.50
1:D:644:TRP:NE1	1:D:648:MET:SD	2.84	0.50
1:B:136:SER:O	2:F:8:UNK:N	2.45	0.50
1:B:1105:LEU:HD21	1:C:1003:ILE:HG23	1.94	0.50
1:B:313:ARG:NH2	1:B:355:ASP:OD2	2.45	0.50
1:B:644:TRP:NE1	1:B:648:MET:SD	2.84	0.50
1:C:136:SER:O	2:G:8:UNK:N	2.45	0.50
1:A:1206:ARG:HE	1:D:245:ARG:HG2	1.78	0.49
1:D:136:SER:O	2:H:8:UNK:N	2.45	0.49
1:D:333:PRO:HB2	1:D:448:LEU:HD22	1.94	0.49
1:A:136:SER:O	2:E:8:UNK:N	2.45	0.49
1:C:350:LEU:HD11	1:C:419:GLU:HG3	1.95	0.49
1:B:435:GLU:O	1:B:438:GLN:NE2	2.46	0.49
1:B:1238:ASN:OD1	1:C:1240:ARG:NH2	2.46	0.49
1:B:501:VAL:HG21	1:B:652:LYS:HB3	1.95	0.49
1:B:1046:ILE:HD11	1:C:894:LEU:HD11	1.95	0.49
1:C:1021:LEU:HD11	1:C:1051:TYR:HA	1.94	0.49
1:B:1218:GLU:OE2	1:B:1221:ARG:NH2	2.42	0.49
1:A:258:ILE:HA	1:A:284:LEU:HD22	1.94	0.48
1:C:501:VAL:HG21	1:C:652:LYS:HB3	1.95	0.48
1:A:772:ASN:HD21	1:A:775:LEU:HD13	1.78	0.48
1:A:445:LEU:HA	1:A:448:LEU:HD12	1.96	0.48
1:B:502:ASP:OD1	1:B:502:ASP:N	2.43	0.48
1:A:976:CYS:SG	1:D:1031:ILE:HG13	2.54	0.48
1:D:326:THR:OG1	1:D:330:GLN:NE2	2.47	0.48
1:B:260:GLU:OE2	1:B:279:ASN:ND2	2.47	0.48
1:A:961:ARG:HD3	1:A:962:LEU:HD12	1.94	0.48
1:D:133:THR:HG22	2:H:11:UNK:HA	1.96	0.47

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:245:ARG:HE	1:B:1206:ARG:HG2	1.79	0.47
1:B:1021:LEU:HD11	1:B:1051:TYR:HA	1.96	0.47
1:D:407:ARG:HH21	1:D:411:GLN:HG2	1.80	0.47
1:A:501:VAL:HG21	1:A:652:LYS:HB3	1.96	0.47
1:B:280:PRO:HG2	1:C:482:GLN:HA	1.97	0.47
1:B:772:ASN:HD21	1:B:775:LEU:HD11	1.80	0.47
1:A:1218:GLU:OE2	1:A:1221:ARG:NH2	2.42	0.47
1:D:501:VAL:HG21	1:D:652:LYS:HB3	1.96	0.47
1:A:333:PRO:HB2	1:A:448:LEU:HD22	1.97	0.46
1:B:930:LYS:HE3	1:B:933:GLN:HE21	1.80	0.46
1:A:245:ARG:HH21	1:B:1206:ARG:HG2	1.81	0.46
1:A:313:ARG:NH2	1:A:355:ASP:OD2	2.48	0.46
1:D:313:ARG:NH2	1:D:355:ASP:OD2	2.48	0.46
1:C:133:THR:HG22	2:G:11:UNK:HA	1.97	0.46
1:A:1238:ASN:OD1	1:B:1240:ARG:NH2	2.48	0.46
1:D:726:THR:HG23	1:D:758:LEU:HD21	1.98	0.46
1:B:1211:ARG:HE	1:B:1211:ARG:HB3	1.57	0.46
1:D:1218:GLU:OE2	1:D:1221:ARG:NH2	2.42	0.46
1:B:324:ILE:HG23	1:B:326:THR:H	1.80	0.46
1:A:1009:ASP:OD1	1:A:1009:ASP:N	2.49	0.45
1:B:245:ARG:HE	1:C:1206:ARG:HG2	1.80	0.45
1:A:1240:ARG:NH2	1:D:1238:ASN:OD1	2.49	0.45
1:B:245:ARG:HH21	1:C:1206:ARG:HG2	1.81	0.45
1:B:356:THR:HB	1:B:357:PRO:HD3	1.99	0.45
1:C:1218:GLU:OE2	1:C:1221:ARG:NH2	2.42	0.45
1:C:245:ARG:HD3	1:D:1206:ARG:HE	1.80	0.45
1:C:763:TRP:HE3	1:C:1137:ILE:HG12	1.82	0.45
1:B:133:THR:HG22	2:F:11:UNK:HA	1.97	0.45
1:B:769:MET:HE3	1:B:771:LYS:HE3	1.98	0.45
1:C:324:ILE:HG23	1:C:326:THR:H	1.81	0.45
1:B:333:PRO:HB2	1:B:448:LEU:HD22	1.99	0.45
1:A:283:LYS:HD2	1:A:283:LYS:HA	1.80	0.45
1:A:324:ILE:HG23	1:A:326:THR:H	1.82	0.45
1:B:865:TYR:O	1:B:869:ASN:ND2	2.44	0.45
1:C:200:LYS:HE2	1:C:200:LYS:HB3	1.78	0.45
1:D:1186:THR:OG1	1:D:1187:ASP:N	2.50	0.45
1:A:763:TRP:HE3	1:A:1137:ILE:HG12	1.82	0.44
1:C:333:PRO:HB2	1:C:448:LEU:HD22	1.99	0.44
1:A:726:THR:HG23	1:A:758:LEU:HD21	2.00	0.44
1:A:1203:GLU:OE1	1:D:245:ARG:NE	2.41	0.44
1:C:944:ASN:OD1	1:C:944:ASN:N	2.50	0.44

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:A:542:ARG:HG2	1:A:547:GLY:HA2	1.99	0.44
1:B:197:LEU:HD11	1:B:202:LYS:HB3	1.99	0.44
1:B:763:TRP:HE3	1:B:1137:ILE:HG12	1.82	0.44
1:C:1238:ASN:OD1	1:D:1240:ARG:NH2	2.50	0.44
1:D:369:ARG:O	1:D:372:ASP:N	2.43	0.44
1:D:763:TRP:HE3	1:D:1137:ILE:HG12	1.81	0.44
1:B:964:ASP:OD1	1:B:965:GLN:N	2.43	0.44
1:C:202:LYS:HB2	1:C:202:LYS:HE3	1.78	0.44
1:A:238:LYS:HD3	1:A:290:MET:HE2	2.00	0.44
1:B:1186:THR:OG1	1:B:1187:ASP:N	2.50	0.44
1:C:245:ARG:HH21	1:D:1206:ARG:HG2	1.83	0.44
1:C:768:ARG:HH21	1:C:791:GLU:HB2	1.82	0.44
1:D:324:ILE:HG23	1:D:326:THR:H	1.82	0.44
1:A:144:ILE:HG21	1:A:265:LEU:HD22	1.99	0.44
1:D:542:ARG:HG2	1:D:547:GLY:HA2	2.00	0.44
1:A:1021:LEU:HD11	1:A:1051:TYR:HA	2.00	0.44
1:A:1211:ARG:HE	1:A:1211:ARG:HB3	1.57	0.44
1:C:369:ARG:O	1:C:372:ASP:N	2.46	0.44
1:B:724:LEU:HD12	1:B:727:TYR:HE1	1.82	0.44
1:C:279:ASN:H	1:C:279:ASN:HD22	1.66	0.44
1:D:414:PHE:HD1	1:D:414:PHE:HA	1.66	0.44
1:C:313:ARG:NH2	1:C:355:ASP:OD2	2.51	0.43
1:B:772:ASN:O	1:B:776:LYS:NZ	2.36	0.43
1:D:974:ILE:HD12	1:D:974:ILE:HA	1.92	0.43
1:C:679:ALA:HB2	1:C:695:LEU:HB2	1.99	0.43
1:D:947:ASP:OD1	1:D:981:TYR:OH	2.29	0.43
1:C:542:ARG:HG2	1:C:547:GLY:HA2	1.99	0.43
1:D:415:ILE:H	1:D:415:ILE:HG13	1.60	0.43
1:A:369:ARG:O	1:A:372:ASP:N	2.42	0.43
1:A:724:LEU:HD12	1:A:727:TYR:HE1	1.83	0.43
1:D:724:LEU:HD12	1:D:727:TYR:HE1	1.84	0.43
1:B:726:THR:HG23	1:B:758:LEU:HD21	2.00	0.43
1:C:1009:ASP:OD1	1:C:1009:ASP:N	2.49	0.43
1:B:231:ARG:NH2	1:C:479:TYR:OH	2.51	0.43
1:B:369:ARG:O	1:B:372:ASP:N	2.44	0.43
1:D:279:ASN:HD22	1:D:279:ASN:H	1.67	0.43
1:A:964:ASP:OD1	1:A:965:GLN:N	2.43	0.43
1:D:266:ILE:H	1:D:266:ILE:HG12	1.65	0.43
1:B:144:ILE:HG21	1:B:265:LEU:HD22	2.00	0.42
1:B:1139:THR:HG22	1:B:1143:ARG:HH22	1.83	0.42
1:D:192:LEU:HD23	1:D:192:LEU:H	1.83	0.42

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:D:679:ALA:HB2	1:D:695:LEU:HB2	2.01	0.42
1:A:1099:LEU:HD12	1:B:1052:TRP:HZ3	1.84	0.42
1:C:281:MET:SD	1:C:281:MET:N	2.86	0.42
1:C:356:THR:O	1:C:358:PRO:HD3	2.20	0.42
1:C:726:THR:HG23	1:C:758:LEU:HD21	2.01	0.42
1:A:227:THR:HG23	1:A:285:THR:HG21	2.01	0.42
1:C:724:LEU:HD12	1:C:727:TYR:HE1	1.84	0.42
1:D:281:MET:SD	1:D:281:MET:N	2.90	0.42
1:A:938:TRP:HZ3	1:A:948:LEU:HD11	1.84	0.42
1:A:768:ARG:HB2	1:A:791:GLU:HG3	2.02	0.42
1:A:984:ILE:HD13	1:A:984:ILE:HA	1.90	0.42
1:B:917:ILE:HG13	1:B:1155:HIS:CE1	2.55	0.42
1:A:192:LEU:H	1:A:192:LEU:HD23	1.84	0.42
1:A:996:LEU:HD13	1:A:996:LEU:HA	1.90	0.42
1:A:238:LYS:O	1:A:242:SER:OG	2.37	0.41
1:B:281:MET:SD	1:B:281:MET:N	2.80	0.41
1:C:745:LYS:HE2	1:C:745:LYS:HB2	1.90	0.41
1:D:210:ILE:HG21	1:D:240:HIS:HB2	2.02	0.41
1:D:775:LEU:H	1:D:775:LEU:HG	1.69	0.41
1:D:930:LYS:HE3	1:D:933:GLN:HB2	2.02	0.41
1:A:210:ILE:HG21	1:A:240:HIS:HB2	2.01	0.41
1:C:144:ILE:HG21	1:C:265:LEU:HD22	2.01	0.41
1:A:1206:ARG:NE	1:D:245:ARG:HG2	2.36	0.41
1:B:720:LEU:HD23	1:B:720:LEU:HA	1.88	0.41
1:D:202:LYS:HE3	1:D:202:LYS:HB2	1.91	0.41
1:C:478:ILE:HG12	1:C:481:GLN:HE21	1.86	0.41
1:D:144:ILE:HG21	1:D:265:LEU:HD22	2.02	0.41
1:D:478:ILE:HG12	1:D:481:GLN:HE21	1.86	0.41
1:D:912:ILE:HD13	1:D:912:ILE:HA	1.93	0.41
1:C:674:LEU:HD23	1:C:674:LEU:HA	1.90	0.41
1:A:478:ILE:HG12	1:A:481:GLN:HE21	1.86	0.41
1:A:669:LEU:HD13	1:A:669:LEU:HA	1.86	0.41
1:B:421:MET:HA	1:B:424:LYS:HB3	2.02	0.41
1:B:478:ILE:HG12	1:B:481:GLN:HE21	1.86	0.41
1:A:647:LEU:HD23	1:A:647:LEU:HA	1.93	0.41
1:A:865:TYR:O	1:A:869:ASN:ND2	2.44	0.41
1:A:1151:ILE:HD12	1:A:1151:ILE:HA	1.91	0.41
1:B:197:LEU:HD13	1:B:201:LEU:HD23	2.03	0.41
1:B:768:ARG:NH2	1:B:792:PHE:O	2.53	0.41
1:A:245:ARG:HD3	1:B:1206:ARG:HE	1.85	0.41
1:B:1152:ILE:H	1:B:1152:ILE:HG12	1.67	0.41

Continued on next page...

Continued from previous page...

Atom-1	Atom-2	Interatomic distance (Å)	Clash overlap (Å)
1:C:376:PHE:HD1	1:C:376:PHE:HA	1.67	0.41
1:D:669:LEU:HD13	1:D:669:LEU:HA	1.86	0.41
1:B:175:LYS:O	1:B:178:GLN:NE2	2.54	0.41
1:B:403:PHE:HD1	1:B:405:TYR:H	1.68	0.41
1:B:974:ILE:HD12	1:B:974:ILE:HA	1.92	0.41
1:D:768:ARG:HH21	1:D:791:GLU:HB2	1.86	0.41
1:D:1177:ARG:HB3	1:D:1181:LEU:HB3	2.03	0.41
1:A:1050:PRO:HA	1:A:1053:MET:HG2	2.04	0.40
1:B:210:ILE:HD13	1:B:210:ILE:HA	1.89	0.40
1:D:865:TYR:O	1:D:869:ASN:ND2	2.44	0.40
1:A:1032:LEU:HD23	1:A:1032:LEU:HA	1.93	0.40
1:B:917:ILE:O	1:B:920:MET:HG3	2.20	0.40
1:C:669:LEU:HD13	1:C:669:LEU:HA	1.86	0.40
1:B:944:ASN:OD1	1:B:944:ASN:N	2.51	0.40
1:A:175:LYS:O	1:A:178:GLN:NE2	2.54	0.40
1:C:912:ILE:HG13	1:C:954:PHE:CE2	2.57	0.40
1:C:974:ILE:HD12	1:C:974:ILE:HA	1.92	0.40
1:D:473:ARG:CZ	1:D:506:LEU:HD13	2.51	0.40
1:B:912:ILE:HG13	1:B:954:PHE:CD2	2.57	0.40
1:B:920:MET:O	1:B:923:ILE:HG22	2.21	0.40
1:C:1177:ARG:HB3	1:C:1181:LEU:HB3	2.03	0.40
1:D:175:LYS:O	1:D:178:GLN:NE2	2.55	0.40

There are no symmetry-related clashes.

5.3 Torsion angles [i](#)

5.3.1 Protein backbone [i](#)

In the following table, the Percentiles column shows the percent Ramachandran outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the backbone conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	A	940/1344 (70%)	900 (96%)	40 (4%)	0	100	100
1	B	943/1344 (70%)	906 (96%)	37 (4%)	0	100	100
1	C	943/1344 (70%)	897 (95%)	46 (5%)	0	100	100

Continued on next page...

Continued from previous page...

Mol	Chain	Analysed	Favoured	Allowed	Outliers	Percentiles	
1	D	944/1344 (70%)	901 (95%)	43 (5%)	0	100	100
All	All	3770/5376 (70%)	3604 (96%)	166 (4%)	0	100	100

There are no Ramachandran outliers to report.

5.3.2 Protein sidechains ⓘ

In the following table, the Percentiles column shows the percent sidechain outliers of the chain as a percentile score with respect to all PDB entries followed by that with respect to all EM entries.

The Analysed column shows the number of residues for which the sidechain conformation was analysed, and the total number of residues.

Mol	Chain	Analysed	Rotameric	Outliers	Percentiles	
1	A	846/1195 (71%)	813 (96%)	33 (4%)	32	60
1	B	848/1195 (71%)	815 (96%)	33 (4%)	32	60
1	C	848/1195 (71%)	813 (96%)	35 (4%)	30	59
1	D	849/1195 (71%)	821 (97%)	28 (3%)	38	64
All	All	3391/4780 (71%)	3262 (96%)	129 (4%)	36	61

All (129) residues with a non-rotameric sidechain are listed below:

Mol	Chain	Res	Type
1	A	202	LYS
1	A	205	PHE
1	A	258	ILE
1	A	270	VAL
1	A	272	ARG
1	A	281	MET
1	A	345	VAL
1	A	352	TYR
1	A	376	PHE
1	A	411	GLN
1	A	421	MET
1	A	479	TYR
1	A	502	ASP
1	A	549	LEU
1	A	669	LEU
1	A	690	ASP

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	A	726	THR
1	A	746	HIS
1	A	794	ASN
1	A	877	PHE
1	A	885	TYR
1	A	889	PHE
1	A	956	VAL
1	A	961	ARG
1	A	983	TYR
1	A	985	ARG
1	A	1002	MET
1	A	1009	ASP
1	A	1150	LEU
1	A	1155	HIS
1	A	1186	THR
1	A	1194	HIS
1	A	1211	ARG
1	B	192	LEU
1	B	205	PHE
1	B	240	HIS
1	B	270	VAL
1	B	272	ARG
1	B	281	MET
1	B	327	ARG
1	B	352	TYR
1	B	405	TYR
1	B	411	GLN
1	B	412	HIS
1	B	421	MET
1	B	479	TYR
1	B	502	ASP
1	B	549	LEU
1	B	669	LEU
1	B	690	ASP
1	B	746	HIS
1	B	771	LYS
1	B	794	ASN
1	B	877	PHE
1	B	885	TYR
1	B	889	PHE
1	B	930	LYS
1	B	956	VAL

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	961	ARG
1	B	983	TYR
1	B	1002	MET
1	B	1143	ARG
1	B	1150	LEU
1	B	1155	HIS
1	B	1158	MET
1	B	1211	ARG
1	C	170	LEU
1	C	192	LEU
1	C	205	PHE
1	C	240	HIS
1	C	270	VAL
1	C	272	ARG
1	C	281	MET
1	C	327	ARG
1	C	352	TYR
1	C	376	PHE
1	C	402	THR
1	C	479	TYR
1	C	502	ASP
1	C	549	LEU
1	C	669	LEU
1	C	685	ASN
1	C	688	VAL
1	C	746	HIS
1	C	775	LEU
1	C	794	ASN
1	C	877	PHE
1	C	885	TYR
1	C	889	PHE
1	C	921	ARG
1	C	944	ASN
1	C	954	PHE
1	C	956	VAL
1	C	961	ARG
1	C	983	TYR
1	C	1009	ASP
1	C	1150	LEU
1	C	1155	HIS
1	C	1186	THR
1	C	1194	HIS

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	C	1211	ARG
1	D	270	VAL
1	D	272	ARG
1	D	281	MET
1	D	345	VAL
1	D	352	TYR
1	D	376	PHE
1	D	403	PHE
1	D	411	GLN
1	D	414	PHE
1	D	479	TYR
1	D	502	ASP
1	D	549	LEU
1	D	669	LEU
1	D	684	GLU
1	D	726	THR
1	D	746	HIS
1	D	775	LEU
1	D	794	ASN
1	D	877	PHE
1	D	885	TYR
1	D	889	PHE
1	D	930	LYS
1	D	956	VAL
1	D	961	ARG
1	D	983	TYR
1	D	1002	MET
1	D	1012	TYR
1	D	1211	ARG

Sometimes sidechains can be flipped to improve hydrogen bonding and reduce clashes. All (31) such sidechains are listed below:

Mol	Chain	Res	Type
1	A	275	GLN
1	A	772	ASN
1	A	965	GLN
1	A	1115	ASN
1	A	1155	HIS
1	A	1161	GLN
1	B	275	GLN
1	B	279	ASN
1	B	933	GLN

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type
1	B	965	GLN
1	B	1115	ASN
1	B	1161	GLN
1	C	275	GLN
1	C	279	ASN
1	C	411	GLN
1	C	575	ASN
1	C	772	ASN
1	C	933	GLN
1	C	965	GLN
1	C	1115	ASN
1	C	1161	GLN
1	C	1199	GLN
1	D	275	GLN
1	D	279	ASN
1	D	409	GLN
1	D	772	ASN
1	D	965	GLN
1	D	1115	ASN
1	D	1155	HIS
1	D	1161	GLN
1	D	1199	GLN

5.3.3 RNA [i](#)

There are no RNA molecules in this entry.

5.4 Non-standard residues in protein, DNA, RNA chains [i](#)

There are no non-standard protein/DNA/RNA residues in this entry.

5.5 Carbohydrates [i](#)

There are no monosaccharides in this entry.

5.6 Ligand geometry [i](#)

4 ligands are modelled in this entry.

In the following table, the Counts columns list the number of bonds (or angles) for which Mogul statistics could be retrieved, the number of bonds (or angles) that are observed in the model and

the number of bonds (or angles) that are defined in the Chemical Component Dictionary. The Link column lists molecule types, if any, to which the group is linked. The Z score for a bond length (or angle) is the number of standard deviations the observed value is removed from the expected value. A bond length (or angle) with $|Z| > 2$ is considered an outlier worth inspection. RMSZ is the root-mean-square of all Z scores of the bond lengths (or angles).

Mol	Type	Chain	Res	Link	Bond lengths			Bond angles		
					Counts	RMSZ	# Z > 2	Counts	RMSZ	# Z > 2
3	9Z9	A	1402	-	44,44,44	0.50	0	66,68,68	1.48	6 (9%)
3	9Z9	A	1401	-	44,44,44	0.50	0	66,68,68	1.47	6 (9%)
3	9Z9	C	1401	-	44,44,44	0.50	0	66,68,68	1.47	6 (9%)
3	9Z9	B	1401	-	44,44,44	0.50	0	66,68,68	1.49	6 (9%)

In the following table, the Chirals column lists the number of chiral outliers, the number of chiral centers analysed, the number of these observed in the model and the number defined in the Chemical Component Dictionary. Similar counts are reported in the Torsion and Rings columns. '-' means no outliers of that kind were identified.

Mol	Type	Chain	Res	Link	Chirals	Torsions	Rings
3	9Z9	A	1402	-	-	7/12/100/100	0/6/6/6
3	9Z9	A	1401	-	-	7/12/100/100	0/6/6/6
3	9Z9	C	1401	-	-	8/12/100/100	0/6/6/6
3	9Z9	B	1401	-	-	7/12/100/100	0/6/6/6

There are no bond length outliers.

All (24) bond angle outliers are listed below:

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1402	9Z9	O80-C73-C76	7.17	117.44	110.77
3	B	1401	9Z9	O80-C73-C76	7.10	117.38	110.77
3	C	1401	9Z9	O80-C73-C76	7.07	117.34	110.77
3	A	1401	9Z9	O80-C73-C76	7.01	117.29	110.77
3	A	1401	9Z9	C79-O80-C73	3.95	121.20	113.72
3	A	1401	9Z9	C11-C08-C07	-3.94	106.82	112.73
3	A	1402	9Z9	C79-O80-C73	3.92	121.14	113.72
3	B	1401	9Z9	C79-O80-C73	3.91	121.12	113.72
3	C	1401	9Z9	C11-C08-C07	-3.90	106.88	112.73
3	C	1401	9Z9	C79-O80-C73	3.90	121.11	113.72
3	A	1402	9Z9	C11-C08-C07	-3.88	106.91	112.73
3	B	1401	9Z9	C11-C08-C07	-3.87	106.94	112.73
3	B	1401	9Z9	C77-C76-C73	2.82	116.81	111.93
3	C	1401	9Z9	C77-C78-C79	-2.71	104.80	108.56

Continued on next page...

Continued from previous page...

Mol	Chain	Res	Type	Atoms	Z	Observed(°)	Ideal(°)
3	A	1401	9Z9	C77-C76-C73	2.71	116.61	111.93
3	B	1401	9Z9	C77-C78-C79	-2.69	104.82	108.56
3	C	1401	9Z9	C77-C76-C73	2.69	116.59	111.93
3	A	1402	9Z9	C77-C76-C73	2.69	116.58	111.93
3	A	1401	9Z9	C77-C78-C79	-2.66	104.87	108.56
3	A	1402	9Z9	C77-C78-C79	-2.64	104.90	108.56
3	C	1401	9Z9	C08-C07-C06	2.14	111.96	109.09
3	A	1401	9Z9	C08-C07-C06	2.10	111.91	109.09
3	B	1401	9Z9	C08-C07-C06	2.09	111.89	109.09
3	A	1402	9Z9	C08-C07-C06	2.09	111.88	109.09

There are no chirality outliers.

All (29) torsion outliers are listed below:

Mol	Chain	Res	Type	Atoms
3	A	1401	9Z9	C24-C23-C48-O49
3	A	1402	9Z9	C24-C23-C48-O49
3	B	1401	9Z9	C24-C23-C48-O49
3	C	1401	9Z9	C24-C23-C48-O49
3	A	1401	9Z9	C22-C23-C48-O49
3	A	1402	9Z9	C22-C23-C48-O49
3	B	1401	9Z9	C22-C23-C48-O49
3	C	1401	9Z9	C22-C23-C48-O49
3	A	1401	9Z9	C16-C17-O20-C21
3	A	1401	9Z9	C18-C17-O20-C21
3	A	1402	9Z9	C16-C17-O20-C21
3	A	1402	9Z9	C18-C17-O20-C21
3	B	1401	9Z9	C16-C17-O20-C21
3	B	1401	9Z9	C18-C17-O20-C21
3	C	1401	9Z9	C16-C17-O20-C21
3	C	1401	9Z9	C18-C17-O20-C21
3	A	1401	9Z9	C23-C48-O49-C50
3	A	1402	9Z9	C23-C48-O49-C50
3	B	1401	9Z9	C23-C48-O49-C50
3	C	1401	9Z9	C23-C48-O49-C50
3	A	1401	9Z9	C21-C22-C23-C24
3	A	1401	9Z9	C21-C22-C23-C48
3	A	1402	9Z9	C21-C22-C23-C24
3	A	1402	9Z9	C21-C22-C23-C48
3	B	1401	9Z9	C21-C22-C23-C24
3	B	1401	9Z9	C21-C22-C23-C48
3	C	1401	9Z9	C21-C22-C23-C24

Continued on next page...


Continued from previous page...



Mol	Chain	Res	Type	Atoms
3	C	1401	9Z9	C21-C22-C23-C48
3	C	1401	9Z9	O20-C21-C22-C23


There are no ring outliers.

No monomer is involved in short contacts.

The following is a two-dimensional graphical depiction of Mogul quality analysis of bond lengths, bond angles, torsion angles, and ring geometry for all instances of the Ligand of Interest. In addition, ligands with molecular weight > 250 and outliers as shown on the validation Tables will also be included. For torsion angles, if less than 5% of the Mogul distribution of torsion angles is within 10 degrees of the torsion angle in question, then that torsion angle is considered an outlier. Any bond that is central to one or more torsion angles identified as an outlier by Mogul will be highlighted in the graph. For rings, the root-mean-square deviation (RMSD) between the ring in question and similar rings identified by Mogul is calculated over all ring torsion angles. If the average RMSD is greater than 60 degrees and the minimal RMSD between the ring in question and any Mogul-identified rings is also greater than 60 degrees, then that ring is considered an outlier. The outliers are highlighted in purple. The color gray indicates Mogul did not find sufficient equivalents in the CSD to analyse the geometry.







5.7 Other polymers [i](#)

There are no such residues in this entry.

5.8 Polymer linkage issues [i](#)

There are no chain breaks in this entry.


6 Map visualisation [i](#)

This section contains visualisations of the EMDB entry EMD-28031. These allow visual inspection of the internal detail of the map and identification of artifacts.


Images derived from a raw map, generated by summing the deposited half-maps, are presented below the corresponding image components of the primary map to allow further visual inspection and comparison with those of the primary map.

6.1 Orthogonal projections [i](#)


6.1.1 Primary map



X




Y




Z


6.1.2 Raw map



X



Y




Z


The images above show the map projected in three orthogonal directions.

6.2 Central slices [i](#)


6.2.1 Primary map



X Index: 160




Y Index: 160




Z Index: 160


6.2.2 Raw map



X Index: 160



Y Index: 160




Z Index: 160


The images above show central slices of the map in three orthogonal directions.

6.3 Largest variance slices [i](#)


6.3.1 Primary map



X Index: 173




Y Index: 147




Z Index: 161


6.3.2 Raw map



X Index: 143



Y Index: 177




Z Index: 144


The images above show the largest variance slices of the map in three orthogonal directions.

6.4 Orthogonal standard-deviation projections (False-color) [i](#)


6.4.1 Primary map



X




Y




Z


6.4.2 Raw map



X



Y




Z

The images above show the map standard deviation projections with false color in three orthogonal directions. Minimum values are shown in green, max in blue, and dark to light orange shades represent small to large values respectively.


6.5 Orthogonal surface views [i](#)

6.5.1 Primary map



The images above show the 3D surface view of the map at the recommended contour level 0.03. These images, in conjunction with the slice images, may facilitate assessment of whether an appropriate contour level has been provided.

6.5.2 Raw map



These images show the 3D surface of the raw map. The raw map's contour level was selected so that its surface encloses the same volume as the primary map does at its recommended contour level.


6.6 Mask visualisation [i](#)

This section was not generated. No masks/segmentation were deposited.

7 Map analysis [i](#)


This section contains the results of statistical analysis of the map.

7.1 Map-value distribution [i](#)



The map-value distribution is plotted in 128 intervals along the x-axis. The y-axis is logarithmic. A spike in this graph at zero usually indicates that the volume has been masked.


7.2 Volume estimate [i](#)



The volume at the recommended contour level is 215 nm^3 ; this corresponds to an approximate mass of 194 kDa.

The volume estimate graph shows how the enclosed volume varies with the contour level. The recommended contour level is shown as a vertical line and the intersection between the line and the curve gives the volume of the enclosed surface at the given level.

7.3 Rotationally averaged power spectrum ⓘ




*Reported resolution corresponds to spatial frequency of 0.270 Å⁻¹

8 Fourier-Shell correlation [i](#)

Fourier-Shell Correlation (FSC) is the most commonly used method to estimate the resolution of single-particle and subtomogram-averaged maps. The shape of the curve depends on the imposed symmetry, mask and whether or not the two 3D reconstructions used were processed from a common reference. The reported resolution is shown as a black line. A curve is displayed for the half-bit criterion in addition to lines showing the 0.143 gold standard cut-off and 0.5 cut-off.

8.1 FSC [i](#)



*Reported resolution corresponds to spatial frequency of 0.270 Å⁻¹

8.2 Resolution estimates [i](#)


Resolution estimate (Å)	Estimation criterion (FSC cut-off)		
	0.143	0.5	Half-bit
Reported by author	3.70	-	-
Author-provided FSC curve	3.62	4.13	3.66
Unmasked-calculated*	4.44	7.91	333.33

*Resolution estimate based on FSC curve calculated by comparison of deposited half-maps. The value from deposited half-maps intersecting FSC 0.143 CUT-OFF 4.44 differs from the reported value 3.7 by more than 10 %


9 Map-model fit [i](#)

This section contains information regarding the fit between EMDB map EMD-28031 and PDB model 8ED7. Per-residue inclusion information can be found in section [3](#) on page [5](#).


9.1 Map-model overlay [i](#)



X




Y



Z


The images above show the 3D surface view of the map at the recommended contour level 0.03 at 50% transparency in yellow overlaid with a ribbon representation of the model coloured in blue. These images allow for the visual assessment of the quality of fit between the atomic model and the map.

9.2 Q-score mapped to coordinate model [i](#)




The images above show the model with each residue coloured according to its Q-score. This shows their resolvability in the map with higher Q-score values reflecting better resolvability. Please note: Q-score is calculating the resolvability of atoms, and thus high values are only expected at resolutions at which atoms can be resolved. Low Q-score values may therefore be expected for many entries.

9.3 Atom inclusion mapped to coordinate model [i](#)



The images above show the model with each residue coloured according to its atom inclusion. This shows to what extent they are inside the map at the recommended contour level (0.03).

9.4 Atom inclusion ⓘ



At the recommended contour level, 87% of all backbone atoms, 75% of all non-hydrogen atoms, are inside the map.

9.5 Map-model fit summary ⓘ

The table lists the average atom inclusion at the recommended contour level (0.03) and Q-score for the entire model and for each chain.

Chain	Atom inclusion	Q-score
All	<div><div></div></div> 0.7530	<div><div></div></div> 0.4540
A	<div><div></div></div> 0.7560	<div><div></div></div> 0.4560
B	<div><div></div></div> 0.7530	<div><div></div></div> 0.4530
C	<div><div></div></div> 0.7510	<div><div></div></div> 0.4550
D	<div><div></div></div> 0.7510	<div><div></div></div> 0.4540
E	<div><div></div></div> 0.7760	<div><div></div></div> 0.4160
F	<div><div></div></div> 0.7760	<div><div></div></div> 0.4110
G	<div><div></div></div> 0.7760	<div><div></div></div> 0.4130
H	<div><div></div></div> 0.7760	<div><div></div></div> 0.4180

1.0

0.0

<0.0